

Name : MS.KIRAN SHARMA

Age / Gender : 41 Years / Female

Consulting Dr. : -

Reg. Location

: Borivali West (Main Centre)

Collected

Reported

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

:30-Mar-2023 / 09:31

:30-Mar-2023 / 12:38

E

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO

CBC (Complete Blood Count), Blood				
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>	
RBC PARAMETERS				
Haemoglobin	10.9	12.0-15.0 g/dL	Spectrophotometric	
RBC	4.11	3.8-4.8 mil/cmm	Elect. Impedance	
PCV	33.7	36-46 %	Measured	
MCV	82	80-100 fl	Calculated	
MCH	26.5	27-32 pg	Calculated	
MCHC	32.4	31.5-34.5 g/dL	Calculated	
RDW	14.5	11.6-14.0 %	Calculated	
WBC PARAMETERS				
WBC Total Count	7700	4000-10000 /cmm	Elect. Impedance	
WBC DIFFERENTIAL AND A	ABSOLUTE COUNTS			
Lymphocytes	24.9	20-40 %		
Absolute Lymphocytes	1917.3	1000-3000 /cmm	Calculated	
Monocytes	4.3	2-10 %		
Absolute Monocytes	331.1	200-1000 /cmm	Calculated	
Neutrophils	67.2	40-80 %		
Absolute Neutrophils	5174.4	2000-7000 /cmm	Calculated	
Eosinophils	3.3	1-6 %		
Absolute Eosinophils	254.1	20-500 /cmm	Calculated	
Basophils	0.3	0.1-2 %		
Absolute Basophils	23.1	20-100 /cmm	Calculated	
Immature Leukocytes	-			

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	442000	150000-400000 /cmm	Elect. Impedance
MPV	8.6	6-11 fl	Calculated
PDW	14.3	11-18 %	Calculated

RBC MORPHOLOGY



Name : MS.KIRAN SHARMA

Age / Gender : 41 Years / Female

Consulting Dr. Collected :30-Mar-2023 / 09:31 Reported :30-Mar-2023 / 12:14 : Borivali West (Main Centre) Reg. Location

Hypochromia

Microcytosis

Macrocytosis

Anisocytosis

Poikilocytosis

Polychromasia

Target Cells

Normoblasts

Others Normocytic, Normochromic

WBC MORPHOLOGY

PLATELET MORPHOLOGY

COMMENT

Specimen: EDTA Whole Blood

Basophilic Stippling

ESR, EDTA WB-ESR 33 2-20 mm at 1 hr. Sedimentation

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***







BMhaskar Dr.KETAKI MHASKAR M.D. (PATH) **Pathologist**

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Page 2 of 17



Name : MS.KIRAN SHARMA

Age / Gender : 41 Years / Female

Consulting Dr.

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

: 30-Mar-2023 / 09:31

:30-Mar-2023 / 19:29

Hexokinase

Hexokinase

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO

PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

GLUCOSE (SUGAR) FASTING. 102.9 Non-Diabetic: < 100 mg/dl

Fluoride Plasma Impaired Fasting Glucose:

100-125 mg/dl

Collected

Reported

Diabetic: >/= 126 mg/dl

GLUCOSE (SUGAR) PP, Fluoride 112.9 Non-Diabetic: < 140 mg/dl

Plasma PP/R Impaired Glucose Tolerance:

140-199 mg/dl

Diabetic: >/= 200 mg/dl

Urine Sugar (Fasting) **Absent Absent** Urine Ketones (Fasting) **Absent** Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***







BMhaskar Dr.KETAKI MHASKAR M.D. (PATH) **Pathologist**

Page 3 of 17



Name : MS.KIRAN SHARMA

Age / Gender : 41 Years / Female

Consulting Dr.

Reg. Location

: Borivali West (Main Centre)

Authenticity Check



Use a QR Code Scanner Application To Scan the Code

:30-Mar-2023 / 09:31

Collected Reported :30-Mar-2023 / 17:24

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO **KIDNEY FUNCTION TESTS**

<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
BLOOD UREA, Serum	15.3	12.8-42.8 mg/dl	Kinetic
BUN, Serum	7.1	6-20 mg/dl	Calculated
CREATININE, Serum	0.64	0.51-0.95 mg/dl	Enzymatic
eGFR, Serum	109	>60 ml/min/1.73sqm	Calculated
TOTAL PROTEINS, Serum	6.8	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.1	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.7	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.5	1 - 2	Calculated
URIC ACID, Serum	5.1	2.4-5.7 mg/dl	Enzymatic
PHOSPHORUS, Serum	4.0	2.7-4.5 mg/dl	Molybdate UV
CALCIUM, Serum	9.1	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	138	135-148 mmol/l	ISE
POTASSIUM, Serum	4.6	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	106	98-107 mmol/l	ISE

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***







BMhaskar Dr.KETAKI MHASKAR M.D. (PATH) **Pathologist**

Page 4 of 17



Name : MS.KIRAN SHARMA

Age / Gender : 41 Years / Female

Consulting Dr. : -

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

:30-Mar-2023 / 09:31 :30-Mar-2023 / 12:38

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO GLYCOSYLATED HEMOGLOBIN (HbA1c)

Collected

Reported

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	6.2	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	131.2	mg/dl	Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***



Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 5 of 17



Name : MS.KIRAN SHARMA

Age / Gender : 41 Years / Female

Consulting Dr. : - Collected : 30-Mar-2023 / 09:31
Reg. Location : Borivali West (Main Centre) Reported : 30-Mar-2023 / 18:36



Use a QR Code Scanner Application To Scan the Code

oplication To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO URINE EXAMINATION REPORT

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	5.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.010	1.001-1.030	Chemical Indicator
Transparency	Slight hazy	Clear	-
Volume (ml)	40	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Trace	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION	<u>l</u>		
Leukocytes(Pus cells)/hpf	6-8	0-5/hpf	
Red Blood Cells / hpf	Occasional	0-2/hpf	
Epithelial Cells / hpf	5-6		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	+++	Less than 20/hpf	

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein: (1+ ~25 mg/dl, 2+ ~75 mg/dl, 3+ ~ 150 mg/dl, 4+ ~ 500 mg/dl)
- Glucose:(1+ ~ 50 mg/dl, 2+ ~100 mg/dl, 3+ ~300 mg/dl,4+ ~1000 mg/dl)
- Ketone:(1+ ~5 mg/dl, 2+ ~15 mg/dl, 3+ ~ 50 mg/dl, 4+ ~ 150 mg/dl)

Reference: Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West





Others



Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 6 of 17



Name : MS.KIRAN SHARMA

Age / Gender : 41 Years / Female

Consulting Dr. : Reg. Location : Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected : Reported :

*** End Of Report ***

__

Page 7 of 17



Name : MS.KIRAN SHARMA

Age / Gender : 41 Years / Female

Consulting Dr. : -Collected : 30-Mar-2023 / 09:31 Reported :30-Mar-2023 / 14:50 Reg. Location : Borivali West (Main Centre)



Use a OR Code Scanner

Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO **BLOOD GROUPING & Rh TYPING**

PARAMETER RESULTS

ABO GROUP Α

Rh TYPING Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia 1.
- AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report **







Dr.LEENA SALUNKHE M.B.B.S, DPB (PATH) **Pathologist**

Page 8 of 17



Name : MS.KIRAN SHARMA

:41 Years / Female Age / Gender

Consulting Dr.

Reg. Location

: Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

:30-Mar-2023 / 09:31

Collected Reported :30-Mar-2023 / 12:38

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	150.5	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	79.8	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	35.5	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	115.0	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/d High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated l
LDL CHOLESTEROL, Serum	99.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	16.0	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.2	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.8	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***







BMhaskar Dr.KETAKI MHASKAR

M.D. (PATH) **Pathologist**

Page 9 of 17



Name : MS.KIRAN SHARMA

Age / Gender : 41 Years / Female

Consulting Dr. :

Reg. Location

: Borivali West (Main Centre)

913071

Use a QR Code Scanner Application To Scan the Code

Authenticity Check

R

E

Collected : 30-Mar-2023 / 09:31 Reported : 30-Mar-2023 / 13:58

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	4.7	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	14.6	11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59	ECLIA
sensitiveTSH, Serum	0.807	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0	ECLIA



Name : MS.KIRAN SHARMA

Age / Gender : 41 Years / Female

Consulting Dr. : - Collected : 30-Mar-2023 / 09:31

Reg. Location : Borivali West (Main Centre) Reported : 30-Mar-2023 / 13:58



A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors
 - can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation	
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.	
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.	
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)	
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.	
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.	
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.	

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***







Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

BMhaskar

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 11 of 17



Name : MS.KIRAN SHARMA

Age / Gender : 41 Years / Female

Consulting Dr. : -

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

:30-Mar-2023 / 09:31 :30-Mar-2023 / 12:38

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO LIVER FUNCTION TESTS

Collected

Reported

<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	0.21	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.12	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.09	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.8	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.1	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.7	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.5	1 - 2	Calculated
SGOT (AST), Serum	12.9	5-32 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	12.1	5-33 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	15.0	3-40 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	105.6	35-105 U/L	Colorimetric

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***







Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 12 of 17



Name : MS.KIRAN SHARMA


Age / Gender : 41 Years / Female

Consulting Dr. :


Reg. Location: Borivali West (Main Centre)





Use a QR Code Scanner Application To Scan the Code
















Name : MS.KIRAN SHARMA


Age / Gender : 41 Years / Female


Consulting Dr. :


Reg. Location: Borivali West (Main Centre)





Use a QR Code Scanner Application To Scan the Code
















Name : MS.KIRAN SHARMA


Age / Gender : 41 Years / Female

Consulting Dr. :

Reg. Location: Borivali West (Main Centre)




Use a QR Code Scanner Application To Scan the Code









SGPT (ALT)




ALBUMIN



SGOT (AST)



ALKALINE PHOSPHATASE





Name : MS.KIRAN SHARMA

Age / Gender : 41 Years / Female


Consulting Dr. :

0


Reg. Location: Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code



Glycosylated Hemoglobin (HbA1c)




6 4 2


30-Mar-2023


25-Nov-2021

Free T3



Estimated Average Glucose (eAG)







Name : MS.KIRAN SHARMA

Age / Gender : 41 Years / Female

Consulting Dr. : -

Reg. Location: Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

sensitiveTSH

1.2
1
0.8
0.6
0.4
0.2
0

30-Mar-2023

25-Nov-2021