

Patient Name : MRS. MEENA A Age / Gender : 35 years / Female Patient ID : 86475

Referral : MediWheel

Collection Time : Feb 27, 2022, 08:41 a.m.

Reporting Time : Feb 27, 2022, 01:03 p.m.

Sample ID :



	001205822			
Test Description	Value(s)	Reference Range		
COMPLETE BLOOD COUNT (CBC)				
ESR	30.0	12.0 - 15.0	mm/hr	
Hemoglobin (Hb)	11.5	12.0 - 15.0	gm/dL	
Erythrocyte (RBC) Count	4.45	3.8 - 4.8	mil/cu.mm	
Packed Cell Volume (PCV)	36.4	36 - 46	%	
Mean Cell Volume (MCV)	81.80	83 - 101	fL	
Mean Cell Haemoglobin (MCH)	25.84	27 - 32	pg	
Mean Corpuscular Hb Concn. (MCHC)	31.59	31.5 - 34.5	g/dL	
Red Cell Distribution Width (RDW)	14.4	11.6 - 14.0	%	
Total Leucocytes (WBC) Count	7500	4000-10000	cell/cu.mm	
Neutrophils	53	40 - 80	%	
Lymphocytes	37	20 - 40	%	
Monocytes	6	2 - 10	%	
Eosinophils	4	1 - 6	%	
Basophils	0	1-2	%	
Absolute Neutrophil Count	3975	2000 - 7000	/c.mm	
Absolute Lymphocyte Count	2775	1000 - 3000	/c.mm	
Absolute Monocyte Count	450	200 - 1000	/c.mm	
Absolute Eosinophil Count	300	20 - 500	/c.mm	
Absolute Basophils Count	0	20 - 100	/c.mm	
Platelet Count	320	150 - 410	10^3/ul	
Mean Platelet Volume (MPV)	12.2	7.2 - 11.7	fL	
PCT	0.39	0.2 - 0.5	%	
PDW	15.3	9.0 - 17.0	%	

END OF REPORT

R.UMA SAROJINI .K MBBS.,DCP.,





Test Description	Value(s)	Reference Range	
		Sample ID :	001205822
Patient ID: 86475		Reporting Time	e: Feb 27, 2022, 01:03 p.m.
Age / Gender : 35 years / Female		Collection Time	e : Feb 27, 2022, 08:41 a.m.
Patient Name : MRS. MEENA A		Referral : Medi	Vheel

URINE COMPLETE ANALYSIS,

	Physical Exa	mination	
Quantity	35	-	ml
Colour	Pale Yellow	Pale yellow/Yellow	
Appearance	Clear	Clear	
Specific Gravity	1.015	1.005-1.025	
рН	6.0	5.0 - 8.0	
Deposit	Present	Absent	
	Chemical Exa	mination	
Protein	Absent	Absent	
Sugar	Absent	Absent	
Ketones	Absent	Absent	
Bile Salt	Absent	Absent	
Bile Pigment	Absent	Absent	
Urobilinogen	Normal	Normal	
	Microscopic Exam	nination (/hpf)	
Pus Cell	1-2	Upto 5	
Epithelial Cells	1-2	Upto 5	
Red Blood Cells	Absent	Absent	
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous Deposit	Absent	Absent	
Yeast Cells	Absent	Absent	
Bacteria	Absent	Absent	
Other findings	Not seen	Not seen	

R.UMA SAROJINI .K MBBS.,DCP.,





Test Description	Value(s)	Reference Range
		Sample ID : 001205822
Patient ID: 86475		Reporting Time : Feb 27, 2022, 01:03 p.m.
Age / Gender : 35 years / Female		Collection Time : Feb 27, 2022, 08:41 a.m.
Patient Name : MRS. MEENA A		Referral : MediWheel

END OF REPORT

DR.UMA SAROJINI .K MBBS.,DCP.,





Patient Name : MRS. MEENA A		Referral : MediWheel
Age / Gender : 35 years / Female		Collection Time : Feb 27, 2022, 08:41 a.m.
Patient ID: 86475		Reporting Time : Feb 27, 2022, 01:03 p.m.
		Sample ID : 001205822
Test Description	Value(s)	Reference Range
BLOOD GROUP & RH TYPING		
Blood Group (ABO typing)	"O"	
Method : Manual-Hemagglutination		
RhD Factor (Rh Typing)	Positive	
Method : Manual hemagglutination		

END OF REPORT

DR.UMA SAROJINI .K MBBS.,DCP.,





	Referral : Med	
	Collection Tin	ne : Feb 27, 2022, 08:41 a.m.
	Reporting Tim	ne : Feb 27, 2022, 01:03 p.m.
	Sample ID :	001205822
Value(s)	Reference Range	
	Value(s)	Collection Tin Reporting Tin Sample ID :

urine glucose

urine glucose (R) Absent

END OF REPORT

DR.UMA SAROJINI .K MBBS.,DCP.,

DR.UMA SAROJINI .K MBBS.,DCP.,





Patient Name : MRS. MEENA A			Referral : Med	iWheel
Age / Gender : 35 years / Female			Collection Tim	ne : Feb 27, 2022, 08:41 a.m.
Patient ID : 86475			Reporting Tim	ie : Feb 27, 2022, 01:03 p.m.
			Sample ID :	001205822
Test Description	Value(s)	Refere	nce Range	
Glycosylated HbA1c				
HbA1c (GLYCOSYLATED HEMOGLOBIN), BLOOD	5.7			%
Method : (HPLC, NGSP certified)				
Estimated Average Glucose :	116.89	-		mg/dL
Interpretation				
As per American Diabetes Association (ADA)				
Reference Group	HbA1c in %			
Non diabetic adults >=18 years	<5.7			
At risk (Prediabetes)	5.7 - 6.4			
Diagnosing Diabetes	>= 6.5			
Therepoultie goals for glycomic control	Age > 19 years Goal of therapy	: < 7.0		
Therapeutic goals for glycemic control	Action suggeste Age < 19 years Goal of therapy			
Note:				

- 1. Since HbA1c reflects long term fluctuations in the blood glucose concentration, a diabetic patient who is recently under good control may still have a high concentration of HbA1c. Converse is true for a diabetic previously under good control but now poorly controlled .
- 2. Target goals of < 7.0 % may be beneficial in patients with short duration of diabetes, long life expectancy and no significant cardiovascular disease. In patients with significant complications of diabetes, limited life expectancy or extensive co-morbid conditions, targeting a goal of < 7.0 % may not be appropriate.

Comments

HbA1c provides an index of average blood glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

DR.UMA SAROJINI .K MBBS.,DCP.,





Test Description	Value(s)	Reference Range
		Sample ID : 001205822
Patient ID: 86475		Reporting Time : Feb 27, 2022, 01:03 p.m
Age / Gender : 35 years / Female		Collection Time : Feb 27, 2022, 08:41 a.m
Patient Name : MRS. MEENA A		Referral : MediWheel

ADA criteria for correlation between HbA1c & Mean plasma glucose levels.

HbA1c(%)	Mean Plasma Glucose (mg/dL)
6	126
7	154
8	183
9	212
10	240
11	269
12	298

END OF REPORT

DR.UMA SAROJINI .K MBBS.,DCP.,





Patient Name : MRS. MEENA A

Age / Gender : 35 years / Female

Patient ID: 86475

Referral : MediWheel

Sample ID :

Third trimester : 0.3-3.0

Collection Time : Feb 27, 2022, 08:41 a.m.

Reporting Time : Feb 27, 2022, 01:03 p.m.



			001203822
Test Description	Value(s)	Reference Range	
THYROID PROFILE TEST - TOTAL			
T3-Total	106.0	60 - 200	ng/dL
T4-Total	9.7	4.52 - 12	ug/dL
TSH-Ultrasensitive	3.60	0.32 - 5.5	ulU/mL
Method : CLIA		First Trimester : 0.1-2.5	
		Second Trimester : 0.2-3	5.0

Interpretation

TSH	Т3	Т4	Suggested Interpretation for the Thyroid Function Tests Pattern
Raised	Within range	Within range	Raised Within Range Within Range .Isolated High TSHespecially in the range of 4.7 to 15 m1U/m1 is commonly associated with Physiological & Biological TSH Variability. Subclinical Autoimmune Hypothyroidism.Intermittent 14 therapy for hypothyroidism .Recovery phase after Non-Thyroidal illness"
Raised	Decreased	Decreased	Chronic Autoimmune Thyroiditis Post thyroidectomy, Post radioiodine Hypothyroid phase of transient thyroiditis"
Raised or within range	Raised	Raised or within range	Interfering antibodies to thyroid hormones (anti-TPO antibodies)Intermittent 14 therapy or T4 overdose •Drug interference- Amiodarone, Heparin,Beta blockers,steroids, anti-epileptics.
Decreased	Raised or within range	Raised or within range	Isolated Low TSH -especially in the range of 0.1 to 0.4 often seen in elderly & Range Range associated with Non-Thyroidal illness .Subclinical Hyperthyroidism .Thyroxine ingestion'
Decreased	Decreased	Decreased	Central Hypothyroidism .Non-Thyroidal illness .Recent treatment for Hyperthyroidism (TSH remains suppressed)"
Decreased	Raised	Raised	Primary Hyperthyroidism (Graves' disease).Multinodular goitre, Toxic nodule •Transient thyroiditis:Postpartum, Silent (lymphocytic), Postviral (granulomatous,subacute, DeQuervain's),Gestational thyrotoxicosis with hyperemesis gravidarum"
Decreased Within Rang	Raised	Within range	T3 toxicosis •Non-Thyroidal illness
Within range	Decreased	Within range	Isolated Low T3-often seen in elderly & associated Non-Thyroidal illness In elderly the drop in 13 level can be upto 25%.

END OF REPORT

SAROJINI.K MBBS.,DCP.,

Scan to Validate





Patient Name : MRS. MEENA A Age / Gender : 35 years / Female

Patient ID: 86475

Referral : MediWheel

Collection Time : Feb 27, 2022, 08:41 a.m.

Reporting Time : Feb 27, 2022, 01:03 p.m.

Sample ID :



Test Description	Value(s)	Reference Range	
Cholesterol-Total Method : Spectrophotometry	219.0	Desirable level < 200 Borderline High 200-239 High >or = 240	mg/dL
Triglycerides Method : Serum, Enzymatic, endpoint	98.0	Normal: < 150 Borderline High: 150-199 High: 200-499 Very High: >= 500	mg/dL
HDL Cholesterol Method : Serum, Direct measure-PEG	59.0	Normal: > 40 Major Risk for Heart: < 40	mg/dL
LDL Cholesterol Method : Enzymatic selective protection	140.40	Optimal < 100 Near / Above Optimal 100-129 Borderline High 130-159 High 160-189 Very High >or = 190	mg/dL
VLDL Cholesterol Method : Serum, Enzymatic	19.60	6 - 38	mg/dL
CHOL/HDL Ratio Method : Serum, Enzymatic	3.71	3.5 - 5.0	
LDL/HDL Ratio Method : Serum, Enzymatic Note:	2.38	2.5 - 3.5	
8-10 hours fasting sample is required.			

END OF REPORT

DR.UMA SAROJINI .K MBBS.,DCP.,





Patient Name : MRS. MEENA A Age / Gender : 35 years / Female		Referral : MediWheel Collection Time : Feb 27, 2022, 08:41 a.m.	
	Sample ID :	 	
Value(s)	Reference Range		
35.0	15-36	mg/dL	
16.33	7 - 17	mg/dL	
0.6	0.52-1.25	mg/dL	
5.7	2.5 - 6.2	mg/dL	
	35.0 16.33 0.6	Collection Time Reporting Time Sample ID : 35.0 Reference Range 35.0 15-36 16.33 7 - 17 0.6 0.52-1.25	

In blood, Urea is usually reported as BUN and expressed in mg/dl. BUN mass units can be converted to urea mass units by multiplying by 2.14.

END OF REPORT

DR.UMA SAROJINI .K MBBS.,DCP.,





Patient Name : MRS. MEENA A Age / Gender : 35 years / Female

Patient ID : 86475

Referral : MediWheel

Sample ID :

Collection Time : Feb 27, 2022, 08:41 a.m.

Reporting Time : Feb 27, 2022, 01:03 p.m.

Test Description	Value(s)	Reference Range	
LIVER FUNCTION TEST			
Total Protein	7.2	6.3-8.2	g/dL
Method : Serum, Biuret, reagent blank end point			
Albumin	4.2	3.5-5.0	g/dL
Method : Serum, Bromocresol green			
Globulin	3	1.8 - 3.6	g/dL
Method : Serum, EIA			
A/G Ratio	1.40	1.2 - 2.2	
Method : Serum, EIA			
Bilirubin - Total	0.3	0.3-1.2	mg/dL
Method : Serum, Jendrassik Grof			
Bilirubin - Direct	0.1	< 0.2	mg/dL
Method : Serum, Diazotization			
Bilirubin - Indirect	0.2	0.1 - 1.0	mg/dL
Method : Serum, Calculated			
SGOT	23.0	14-36	U/L
Method : Serum, UV with P5P, IFCC 37 degree			
SGPT	12.0	9-52	U/L
Method : Serum, UV with P5P, IFCC 37 degree			
Alkaline Phosphatase	107.0	30 - 120	U/L
Method : PNPP-AMP Buffer/Kinetic			
GGT-Gamma Glutamyl Transpeptidae	16.0	< 38	U/L
Method : Serum, G-glutamyl-carboxy-nitoanilide			

END OF REPORT

A SAROJINI .K MBBS.,DCP.,

Scan to Validate





Patient Name : MRS. MEENA A Age / Gender : 35 years / Female		Referral : MediWheel Collection Time : Feb 27, 2022, 08:41 a.m.		
		Sample ID :	001205822	
Test Description	Value(s)	Reference Range		
<u>GLUCOSE (F)</u>				
Glucose fasting Method : GOD-POD	102.0	Normal: 70 - 120	mg/dL	

END OF REPORT

DR.UMA SAROJINI .K MBBS.,DCP.,





Patient Name : MRS. MEENA A Age / Gender : 35 years / Female		Referral : MediWheel Collection Time : Feb 27, 2022, 08:41 a.m.		
		Sample ID :	001205822	
Test Description	Value(s)	Reference Range		
<u>GLUCOSE (PP)</u>				
Blood Glucose-Post Prandial Method : GOD-POD	117.0	80- 140	mg/dL	

END OF REPORT

DR.UMA SAROJINI .K MBBS.,DCP.,

