

Name : MR.SINGH SHIVJEET OMPRAKASH

: 35 Years / Male Age / Gender

Consulting Dr. Collected

Reported :12-Feb-2022 / 13:38 Reg. Location : Malad West (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

: 12-Feb-2022 / 10:58

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC (Complete Blood Count), Blood				
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>	
RBC PARAMETERS				
Haemoglobin	14.6	13.0-17.0 g/dL	Spectrophotometric	
RBC	5.53	4.5-5.5 mil/cmm	Elect. Impedance	
PCV	43.6	40-50 %	Measured	
MCV	78.7	80-100 fl	Calculated	
MCH	26.4	27-32 pg	Calculated	
MCHC	33.5	31.5-34.5 g/dL	Calculated	
RDW	15.2	11.6-14.0 %	Calculated	
WBC PARAMETERS				
WBC Total Count	5440	4000-10000 /cmm	Elect. Impedance	
WBC DIFFERENTIAL AND ABSO	LUTE COUNTS			
Lymphocytes	43.3	20-40 %		
Absolute Lymphocytes	2350	1000-3000 /cmm	Calculated	
Monocytes	9.4	2-10 %		
Absolute Monocytes	510	200-1000 /cmm	Calculated	
Neutrophils	40.2	40-80 %		
Absolute Neutrophils	2180	2000-7000 /cmm	Calculated	
Eosinophils	5.9	1-6 %		
Absolute Eosinophils	320	20-500 /cmm	Calculated	
Basophils	1.2	0.1-2 %		
Absolute Basophils	60	20-100 /cmm	Calculated	
Immature Leukocytes	-			

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	210000	150000-400000 /cmm	Elect. Impedance
MPV	10.5	6-11 fl	Calculated
PDW	18.7	11-18 %	Calculated

RBC MORPHOLOGY

Hypochromia	Mild
Microcytosis	Mild

Page 1 of 9

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MR.SINGH SHIVJEET OMPRAKASH

Age / Gender : 35 Years / Male

Consulting Dr. : - Collected : 12-Feb-2022 / 10:58

Reg. Location : Malad West (Main Centre) Reported :12-Feb-2022 / 13:18

Macrocytosis -

Anisocytosis -

Poikilocytosis -

Polychromasia -

Target Cells -

Basophilic Stippling -

Normoblasts -

Others -

WBC MORPHOLOGY -

PLATELET MORPHOLOGY -

COMMENT -

Specimen: EDTA Whole Blood

ESR, EDTA WB 14 2-15 mm at 1 hr. Westergren

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr. AMAR DASGUPTA, MD,PhD
Consultant Hematopathologist
Director - Medical Services

Dr.JYOT THAKKER M.D. (PATH), DPB Pathologist & AVP(Medical Services)

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code



ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 2 of 9



Name : MR.SINGH SHIVJEET OMPRAKASH

Age / Gender : 35 Years / Male

Consulting Dr. : -

Reg. Location : Malad West (Main Centre)



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

: 12-Feb-2022 / 10:58

Reported :12-Feb-2022 / 14:00

Collected

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	86.4	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	89.3	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.61	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.24	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.37	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.4	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.6	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.8	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.6	1 - 2	Calculated
SGOT (AST), Serum	25.6	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	61.0	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	45.6	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	84.8	40-130 U/L	Colorimetric
BLOOD UREA, Serum	16.6	12.8-42.8 mg/dl	Kinetic
BUN, Serum	7.8	6-20 mg/dl	Calculated
CREATININE, Serum	0.88	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	105	>60 ml/min/1.73sqm	Calculated
URIC ACID, Serum	5.6	3.5-7.2 mg/dl	Enzymatic

Page 3 of 9



Name : MR.SINGH SHIVJEET OMPRAKASH

Age / Gender : 35 Years / Male

Consulting Dr. : -

Reg. Location: Malad West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 12-Feb-2022 / 14:42

:12-Feb-2022 / 17:56

Urine Sugar (Fasting) Absent Absent
Urine Ketones (Fasting) Absent Absent

Urine Sugar (PP)AbsentAbsentUrine Ketones (PP)AbsentAbsent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab
Director

ADDRESS: 2rd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 4 of 9



Name : MR.SINGH SHIVJEET OMPRAKASH

Age / Gender : 35 Years / Male

Consulting Dr. Collected : 12-Feb-2022 / 10:58

Reported :12-Feb-2022 / 15:47 Reg. Location : Malad West (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE GLYCOSYLATED HEMOGLOBIN (HbA1c)

BIOLOGICAL REF RANGE METHOD PARAMETER RESULTS

Glycosylated Hemoglobin **HPLC** 5.8 Non-Diabetic Level: < 5.7 % (HbA1c), EDTA WB - CC

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Estimated Average Glucose 119.8 mg/dl Calculated

(eAG), EDTA WB - CC

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







Dr.SHASHIKANT DIGHADE M.D. (PATH) **Pathologist**

Page 5 of 9

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



Name : MR.SINGH SHIVJEET OMPRAKASH

: 35 Years / Male Age / Gender

Consulting Dr. Collected : 12-Feb-2022 / 10:58

:12-Feb-2022 / 15:52 : Malad West (Main Centre) Reported Reg. Location

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE URINE EXAMINATION REPORT

BIOLOGICAL REF RANGE

PHYSICAL EXAMINATION	<u>N</u>		
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	5.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.010	1.001-1.030	Chemical Indicator

RESULTS

Transparency Clear Clear Volume (ml) 40

CHEMICAL EXAMINATION

PARAMETER

Proteins Absent pH Indicator Absent **GOD-POD** Glucose Absent Absent Ketones Absent Absent Legals Test Blood **Absent Absent** Peroxidase Bilirubin Diazonium Salt Absent Absent Urobilinogen Normal Normal Diazonium Salt Nitrite **Griess Test** Absent Absent

MICROSCOPIC EXAMINATION

Leukocytes(Pus cells)/hpf 1-2 0-5/hpf Red Blood Cells / hpf Absent 0-2/hpf

Epithelial Cells / hpf 0-1

Casts Absent Absent Crystals Absent **Absent** Amorphous debris Absent Absent

Bacteria / hpf 3-4 Less than 20/hpf

Others







Dr.SHASHIKANT DIGHADE M.D. (PATH) **Pathologist**

Page 6 of 9

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report *



Name : MR.SINGH SHIVJEET OMPRAKASH

Age / Gender : 35 Years / Male

Consulting Dr. Collected : 12-Feb-2022 / 10:58

Reported :12-Feb-2022 / 14:30 Reg. Location : Malad West (Main Centre)

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

PARAMETER RESULTS

ABO GROUP В

Rh TYPING **POSITIVE**

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report **







Dr.MILLU JAIN M.D.(PATH) **Pathologist**

Page 7 of 9

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code



Name : MR.SINGH SHIVJEET OMPRAKASH

Age / Gender : 35 Years / Male

Consulting Dr. : - Collected : 12-Feb-2022 / 10:58

Reg. Location : Malad West (Main Centre) Reported :12-Feb-2022 / 14:20

Authenticity Check

Use a QR Code Scanner
Application To Scan the Code

Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	202.1	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	Enzymatic
TRIGLYCERIDES, Serum	196.0	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic
HDL CHOLESTEROL, Serum	35.3	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Enzymatic
NON HDL CHOLESTEROL, Serum	166.8	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/d High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated l
LDL CHOLESTEROL, Serum	128.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	38.8	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	5.7	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	3.6	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







Dr.VRUSHALI SHROFF M.D.(PATH) Pathologist

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



Name : MR.SINGH SHIVJEET OMPRAKASH

Age / Gender : 35 Years / Male

Consulting Dr. : - Collected : 12-Feb-2022 / 10:58

Reg. Location: Malad West (Main Centre) Reported: 12-Feb-2022 / 14:00

Use a QR Code Scanner

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

> Feb-2022 / 10:58 Feb-2022 / 14:00 **T**

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	METHOD
Free T3, Serum	4.8	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	16.6	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	1.41	0.35-5.5 microIU/ml	ECLIA

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3/T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations: Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab
Director

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 9 of 9