
SUBURBAN DIAGNOSTICS

SUBURBAN DIAGNOSTICS - G B ROAD, THANE WEST

Patient Name: LAXMI SADGIR Date and Time: 12th Mar 22 12:35 PM

Patient ID: 2207126732



Age 35 7 22 years months days

Gender Female

Heart Rate 62bpm

Patient Vitals

BP: NA
Weight: NA
Height: NA
Pulse: NA
Spo2: NA
Resp: NA
Others:

Measurements

QSRD: 74ms

QT: 432ms

QTc: 438ms

R: 128ms

P-R-T: 61° 77° 41°

Sinus Rhythm, Normal Axis, Nonspecific T wave Abnormality. Please correlate clinically.

REPORTED BY

5

DR SHAILAJA PILLAI MBBS, MD Physican MD Physican 49972

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.



Name : Mrs LAXMI SADGIR

Age / Sex : 35 Years/Female

Ref. Dr :

Reg. Location: G B Road, Thane West Main Centre

 \mathbf{E}

R

Т

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

: 12-Mar-2022 / 12:11

: 12-Mar-2022 / 12:12

USG WHOLE ABDOMEN

Reg. Date

Reported

LIVER: Liver appears normal in size and echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

GALL BLADDER: Gall bladder is contracted.(Not evaluated)

PORTAL VEIN: Portal vein is normal. **CBD:** CBD is normal.

PANCREAS: Visualised head of pancreas appears normal in size & echotexture. Rest is obscured by excessive bowel gas.

KIDNEYS: Right kidney measures $9.1 \times 3.8 \text{ cm}$. Left kidney measures $9.3 \times 3.9 \text{ cm}$. Both kidneys are normal in size, shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

URINARY BLADDER: Urinary bladder is distended and normal. Wall thickness is within normal limits.

<u>UTERUS:</u> Uterus is anteverted and measures $7.0 \times 2.3 \times 3.8$ cm. Uterine myometrium shows homogenous echotexture. Endometrial echo is in midline and measures 5.5 mm. Cervix appears normal.

OVARIES: Both ovaries are normal. Bilateral adnexa are clear.

No free fluid or significant lymphadenopathy is seen.

Bowel gas++

Click here to view images

http://202.143.96.162/Suburban/Viewer?ViewerType=3&AccessionNo=2022031209413102

Page 1of 2



Name : Mrs LAXMI SADGIR

Age / Sex : 35 Years/Female

Ref. Dr :

Reg. Location: G B Road, Thane West Main Centre

 \mathbf{E}

R

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

: 12-Mar-2022 / 12:11

Reg. Date

Reported

: 12-Mar-2022 / 12:12

IMPRESSION: NO SIGNIFICANT ABNORMALITY IS DETECTED.

Note:Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have interobserver variations. Further/follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis.

<u> Advice:Clinical</u>	co-relation	and fu	urther	<u>evaluation.</u>

End of Report

This report is prepared and physically checked by DR Devendra before dispatch.

Dr. Devendra Patil MBBS, MD (Radio-Diagnosis) Consultan Radiologist MMC - 2013/02/0165

Click here to view images

http://202.143.96.162/Suburban/Viewer?ViewerType=3&AccessionNo=2022031209413102

Page 2of 2



Name : Mrs LAXMI SADGIR

Age / Sex : 35 Years/Female

Ref. Dr :

Reg. Location: G B Road, Thane West Main Centre

 \mathbf{E}

R

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

: 12-Mar-2022 / 13:25

: 12-Mar-2022 / 13:16

X-RAY CHEST PA VIEW

Reg. Date

Reported

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

 End of Rep	ort

This report is prepared and physically checked by DR Devendra before dispatch.

Dr. Devendra Patil MBBS, MD (Radio-Diagnosis) Consultan Radiologist MMC - 2013/02/0165



Name : MRS.LAXMI SADGIR

: 35 Years / Female Age / Gender

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

Collected

Reported

:12-Mar-2022 / 09:49 :12-Mar-2022 / 11:44

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC (Complete Blood Count), Blood			
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	13.3	12.0-15.0 g/dL	Spectrophotometric
RBC	4.18	3.8-4.8 mil/cmm	Elect. Impedance
PCV	38.3	36-46 %	Measured
MCV	92	80-100 fl	Calculated
MCH	31.9	27-32 pg	Calculated
MCHC	34.8	31.5-34.5 g/dL	Calculated
RDW	14.2	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	4100	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND ABS	OLUTE COUNTS		
Lymphocytes	45.3	20-40 %	
Absolute Lymphocytes	1857.3	1000-3000 /cmm	Calculated
Monocytes	4.5	2-10 %	
Absolute Monocytes	184.5	200-1000 /cmm	Calculated
Neutrophils	46.5	40-80 %	
Absolute Neutrophils	1906.5	2000-7000 /cmm	Calculated
Eosinophils	3.7	1-6 %	
Absolute Eosinophils	151.7	20-500 /cmm	Calculated
Basophils	0.0	0.1-2 %	
Absolute Basophils	0.0	20-100 /cmm	Calculated

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	179000	150000-400000 /cmm	Elect. Impedance
MPV	9.3	6-11 fl	Calculated
PDW	19.5	11-18 %	Calculated

RBC MORPHOLOGY

Immature Leukocytes

Hypochromia	-
Microcytosis	_

Page 1 of 10

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MRS.LAXMI SADGIR

: 35 Years / Female Age / Gender

Consulting Dr. Collected Reported

: G B Road, Thane West (Main Centre) Reg. Location



Authenticity Check

Use a OR Code Scanner Application To Scan the Code

: 12-Mar-2022 / 09:49

:12-Mar-2022 / 11:15

Macrocytosis

Anisocytosis

Poikilocytosis

Polychromasia

Target Cells

Basophilic Stippling

Normoblasts

Others Normocytic, Normochromic

WBC MORPHOLOGY

PLATELET MORPHOLOGY

COMMENT

Specimen: EDTA Whole Blood

ESR, EDTA WB 2-20 mm at 1 hr. Westergren


*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***



over the page or visit our website.







Page 2 of 10

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MRS.LAXMI SADGIR

: 35 Years / Female Age / Gender

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

:12-Mar-2022 / 09:49

Reported :12-Mar-2022 / 12:11

Collected

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	87.5	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	78.5	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	1.17	0.1-1.2 mg/dl	Diazo
BILIRUBIN (DIRECT), Serum	0.43	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.74	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.8	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.6	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.2	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	2.1	1 - 2	Calculated
SGOT (AST), Serum	12.1	5-32 U/L	IFCC without pyridoxal phosphate activation
SGPT (ALT), Serum	11.0	5-33 U/L	IFCC without pyridoxal phosphate activation
GAMMA GT, Serum	8.5	3-40 U/L	IFCC
ALKALINE PHOSPHATASE, Serum	60.5	35-105 U/L	PNPP
BLOOD UREA, Serum	14.3	12.8-42.8 mg/dl	Urease & GLDH
BUN, Serum	6.7	6-20 mg/dl	Calculated
CREATININE, Serum	0.63	0.51-0.95 mg/dl	Enzymatic
eGFR, Serum	114	>60 ml/min/1.73sqm	Calculated

Page 3 of 10

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MRS.LAXMI SADGIR

Age / Gender : 35 Years / Female

Consulting Dr. : -

Reg. Location: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 12-Mar-2022 / 12:43

:12-Mar-2022 / 15:53

URIC ACID, Serum 4.1 2.4-5.7 mg/dl Uricase

Urine Sugar (Fasting)AbsentAbsentUrine Ketones (Fasting)AbsentAbsent


Urine Sugar (PP)AbsentAbsentUrine Ketones (PP)AbsentAbsent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***









ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MRS.LAXMI SADGIR

Age / Gender : 35 Years / Female

Consulting Dr.

: G B Road, Thane West (Main Centre) Reg. Location



Use a OR Code Scanner Application To Scan the Code

: 12-Mar-2022 / 09:49

:12-Mar-2022 / 19:41

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE GLYCOSYLATED HEMOGLOBIN (HbA1c)

BIOLOGICAL REF RANGE PARAMETER RESULTS METHOD

Glycosylated Hemoglobin

5.1

Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4%

Collected

Reported

HPLC

(HbA1c), EDTA WB - CC

99.7

Diabetic Level: >/= 6.5 % mg/dl

Calculated

Estimated Average Glucose (eAG), EDTA WB - CC

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







Dr.VRUSHALI SHROFF M.D.(PATH) **Pathologist**

Page 5 of 10

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MRS.LAXMI SADGIR

: 35 Years / Female Age / Gender

Consulting Dr. Collected : 12-Mar-2022 / 09:49

Reported :12-Mar-2022 / 11:44 Reg. Location : G B Road, Thane West (Main Centre)



Use a OR Code Scanner Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE URINE EXAMINATION REPORT

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
IANAMETER	KLSOLIS	DIOLOGICAL REI RANGE	METHOD
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	Acidic (6.0)	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.010	1.010-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	40	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATIO	<u>N</u>		
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	

Red Blood Cells / hpf Absent 0-2/hpf


Epithelial Cells / hpf 2-3

Casts Absent Absent Crystals **Absent Absent** Amorphous debris Absent **Absent**

Bacteria / hpf 3-4 Less than 20/hpf







ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***



Name : MRS.LAXMI SADGIR

Age / Gender : 35 Years / Female

Consulting Dr. : - Collected : 12-Mar-2022 / 09:49

Reg. Location : G B Road, Thane West (Main Centre) Reported :12-Mar-2022 / 12:34

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

PARAMETER RESULTS

ABO GROUP 0

Rh TYPING Positive

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

Note: This Sample has also been tested for Bombay group/Bombay phenotype /Oh using anti-H lectin.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***







Dr.AMIT TAORI M.D (Path) Pathologist

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 7 of 10



Name : MRS.LAXMI SADGIR

Age / Gender : 35 Years / Female

Consulting Dr. : - Collected

Reg. Location: G B Road, Thane West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

:12-Mar-2022 / 09:49

Reported :12-Mar-2022 / 12:11

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE


<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	180.5	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	Enzymatic
TRIGLYCERIDES, Serum	72.4	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	42.4	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	138.1	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/d High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated l
LDL CHOLESTEROL, Serum	124.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Homogeneous enzymatic colorimetric assay
VLDL CHOLESTEROL, Serum	14.1	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.3	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.9	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report ***









ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 8 of 10



Name : MRS.LAXMI SADGIR

Age / Gender : 35 Years / Female

Consulting Dr. : -

Reg. Location: G B Road, Thane West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

: 12-Mar-2022 / 09:49

Reported :12-Mar-2022 / 11:33

Collected

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	4.4	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	17.2	11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59	ECLIA
sensitiveTSH, Serum	0.522	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0	ECLIA



Name : MRS.LAXMI SADGIR

Age / Gender : 35 Years / Female

Consulting Dr. Collected :12-Mar-2022 / 09:49

:12-Mar-2022 / 11:33 Reg. Location : G B Road, Thane West (Main Centre) Reported

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation: 19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations: Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.


Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2. Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4. Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)









M.D (Path) **Pathologist**

Page 10 of 10

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West *** End Of Report **