

PATIENT NAME : VINOD T D**REF. DOCTOR : DR. UNION BANK INDIA****CODE/NAME & ADDRESS : C000138396**
 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
 F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
 DELHI
 NEW DELHI 110030
 8800465156
ACCESSION NO : 0183XD001462**PATIENT ID : VINOM010583183****CLIENT PATIENT ID:****ABHA NO :****AGE/SEX : 40 Years Male****DRAWN : 27/04/2024 00:00:00****RECEIVED : 27/04/2024 08:53:58****REPORTED : 29/04/2024 12:11:33**

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE**ECG**

ECG WITHIN NORMAL LIMITS

MEDICAL HISTORY

RELEVANT PRESENT HISTORY	NOT SIGNIFICANT
RELEVANT PAST HISTORY	NOT SIGNIFICANT
RELEVANT PERSONAL HISTORY	NOT SIGNIFICANT
RELEVANT FAMILY HISTORY	NOT SIGNIFICANT
OCCUPATIONAL HISTORY	NOT SIGNIFICANT
HISTORY OF MEDICATIONS	NOT SIGNIFICANT

ANTHROPOMETRIC DATA & BMI

HEIGHT IN METERS	1.75	mts
WEIGHT IN KGS.	76	Kgs
BMI	25	kg/sqmts

BMI & Weight Status as follows:
 Below 18.5: Underweight
 18.5 - 24.9: Normal
 25.0 - 29.9: Overweight
 30.0 and Above: Obese

GENERAL EXAMINATION

MENTAL / EMOTIONAL STATE	NORMAL
PHYSICAL ATTITUDE	NORMAL
GENERAL APPEARANCE / NUTRITIONAL STATUS	HEALTHY
BUILT / SKELETAL FRAMEWORK	AVERAGE
FACIAL APPEARANCE	NORMAL
SKIN	NORMAL
UPPER LIMB	NORMAL


Dr. Karthick Prabhu R
 Consultant Pathologist

Page 1 Of 20



View Details



View Report

PERFORMED AT :
Agilus Diagnostics Ltd
 14/2, SECOND FLOOR, SRI SKANDHA TOWERS, COWLEY BROWN ROAD, RS PURAM,
 COIMBATORE - 641002
 Coimbatore, 641002
 Tamilnadu, India
 Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956
 Email : customercare.coimbatore@agilus.in


ULR No. 775000007353512-0183

PATIENT NAME : VINOD T D

REF. DOCTOR : DR. UNION BANK INDIA

CODE/NAME & ADDRESS : C000138396

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : 0183XD001462

PATIENT ID : VINOM010583183

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 40 Years Male

DRAWN : 27/04/2024 00:00:00

RECEIVED : 27/04/2024 08:53:58

REPORTED : 29/04/2024 12:11:33

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

LOWER LIMB	NORMAL			
NECK	NORMAL			
NECK LYMPHATICS / SALIVARY GLANDS	NOT ENLARGED OR TENDER			
THYROID GLAND	NOT ENLARGED			
CAROTID PULSATION	NORMAL			
BREAST (FOR FEMALES)	NORMAL			
TEMPERATURE	NORMAL			
PULSE	78/MINS			
RESPIRATORY RATE	15/MINS			

CARDIOVASCULAR SYSTEM

BP	130/80		mm/Hg
PERICARDIUM	NORMAL		
APEX BEAT	NORMAL		
HEART SOUNDS	S1, S2 HEARD NORMALLY		
MURMURS	ABSENT		

RESPIRATORY SYSTEM

SIZE AND SHAPE OF CHEST	NORMAL		
MOVEMENTS OF CHEST	SYMMETRICAL		
BREATH SOUNDS INTENSITY	NORMAL		
BREATH SOUNDS QUALITY	VESICULAR (NORMAL)		
ADDED SOUNDS	ABSENT		

PER ABDOMEN

APPEARANCE	NORMAL		
VENOUS PROMINENCE	ABSENT		
LIVER	NOT PALPABLE		



Dr. Karthick Prabhu R
Consultant Pathologist



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd
14/2, SECOND FLOOR, SRI SKANDHA TOWERS, COWLEY BROWN ROAD, RS PURAM,
COIMBATORE - 641002
Coimbatore, 641002
Tamilnadu, India
Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956
Email : customercare.coimbatore@agilus.in



ULR No. 775000007353512-0183

PATIENT NAME : VINOD T D

REF. DOCTOR : DR. UNION BANK INDIA

CODE/NAME & ADDRESS : C000138396

 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
 F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
 DELHI
 NEW DELHI 110030
 8800465156

ACCESSION NO : 0183XD001462

PATIENT ID : VINOM010583183

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 40 Years Male

DRAWN : 27/04/2024 00:00:00

RECEIVED : 27/04/2024 08:53:58

REPORTED : 29/04/2024 12:11:33

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

SPLEEN	NOT PALPABLE
HERNIA	ABSENT

CENTRAL NERVOUS SYSTEM

HIGHER FUNCTIONS	NORMAL
CRANIAL NERVES	NORMAL
CEREBELLAR FUNCTIONS	NORMAL
SENSORY SYSTEM	NORMAL
MOTOR SYSTEM	NORMAL
REFLEXES	NORMAL

MUSCULOSKELETAL SYSTEM

SPINE	NORMAL
JOINTS	NORMAL

BASIC EYE EXAMINATION

CONJUNCTIVA	NORMAL
EYELIDS	NORMAL
EYE MOVEMENTS	NORMAL
CORNEA	NORMAL
DISTANT VISION RIGHT EYE WITHOUT GLASSES	WITHIN NORMAL LIMIT
DISTANT VISION LEFT EYE WITHOUT GLASSES	6/9
NEAR VISION RIGHT EYE WITHOUT GLASSES	WITHIN NORMAL LIMIT
NEAR VISION LEFT EYE WITHOUT GLASSES	WITHIN NORMAL LIMIT
COLOUR VISION	NORMAL



Dr. Karthick Prabhu R
 Consultant Pathologist

Page 3 Of 20



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd
 14/2, SECOND FLOOR, SRI SKANDHA TOWERS, COWLEY BROWN ROAD, RS PURAM,
 COIMBATORE - 641002
 Coimbatore, 641002
 Tamilnadu, India
 Tel : 91115911115, Fax : CIN - U74899PB1995PLC045956
 Email : customercare.coimbatore@agilus.in



ULR No. 775000007353512-0183

PATIENT NAME : VINOD T D		REF. DOCTOR : DR. UNION BANK INDIA	
CODE/NAME & ADDRESS : C000138396		ACCESSION NO : 0183XD001462	AGE/SEX : 40 Years Male
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156		PATIENT ID : VINOM010583183	DRAWN : 27/04/2024 00:00:00
		CLIENT PATIENT ID:	RECEIVED : 27/04/2024 08:53:58
		ABHA NO :	REPORTED : 29/04/2024 12:11:33

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

BASIC ENT EXAMINATION

EXTERNAL EAR CANAL	NORMAL
TYMPANIC MEMBRANE	NORMAL
NOSE	NO ABNORMALITY DETECTED
SINUSES	NORMAL
THROAT	NO ABNORMALITY DETECTED
TONSILS	NOT ENLARGED

BASIC DENTAL EXAMINATION

TEETH	NORMAL
GUMS	HEALTHY

SUMMARY

RELEVANT HISTORY	NOT SIGNIFICANT
RELEVANT GP EXAMINATION FINDINGS	NOT SIGNIFICANT
RELEVANT LAB INVESTIGATIONS	ELEVATED RBC, VERY HIGH HBA1C, DYSLIPIDEMIA.
RELEVANT NON PATHOLOGY DIAGNOSTICS	USG ABDOMEN AND PELVIS: DIFFUSE FATTY INFILTRATION OF LIVER, GRADE1 PROSTATOMEGALY.
REMARKS / RECOMMENDATIONS	ELEVATED RBC, VERY HIGH HBA1C, DYSLIPIDEMIA. USG ABDOMEN AND PELVIS: DIFFUSE FATTY INFILTRATION OF LIVER, GRADE1 PROSTATOMEGALY. - MUST REVIEW WITH A PHYSICIAN FOR FURTHER MEDICAL MANAGEMENT.

FITNESS STATUS

FITNESS STATUS	FIT (WITH MEDICAL ADVICE) (AS PER REQUESTED PANEL OF TESTS)
----------------	---

Dr. Karthick Prabhu R
Consultant Pathologist



View Details



View Report

PERFORMED AT :
Agilus Diagnostics Ltd
 14/2, SECOND FLOOR, SRI SKANDHA TOWERS, COWLEY BROWN ROAD, RS PURAM,
 COIMBATORE - 641002
 Coimbatore, 641002
 Tamilnadu, India
 Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956
 Email : customercare.coimbatore@agilus.in



PATIENT NAME : VINOD T D		REF. DOCTOR : DR. UNION BANK INDIA	
CODE/NAME & ADDRESS : C000138396		ACCESSION NO : 0183XD001462	AGE/SEX : 40 Years Male
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156		PATIENT ID : VINOM010583183	DRAWN : 27/04/2024 00:00:00
		CLIENT PATIENT ID:	RECEIVED : 27/04/2024 08:53:58
		ABHA NO :	REPORTED : 29/04/2024 12:11:33

Test Report Status	Final	Results	Units
--------------------	-------	---------	-------

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

ULTRASOUND ABDOMEN

ULTRASOUND ABDOMEN

DIFFUSE FATTY INFILTRATION OF LIVER.
GRADE I PROSTATOMEGALY.

TMT OR ECHO

CLINICAL PROFILE

ECHO DONE:NORMAL VALVES.

Interpretation(s)

MEDICAL

HISTORY-*****
THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.

FITNESS STATUS-Conclusion on an individual's Fitness, which is commented upon mainly for Pre employment cases, is based on multi factorial findings and does not depend on any one single parameter. The final Fitness assigned to a candidate will depend on the Physician's findings and overall judgement on a case to case basis, details of the candidate's past and personal history as well as the comprehensiveness of the diagnostic panel which has been requested for .These are then further correlated with details of the job under consideration to eventually fit the right man to the right job.

Basis the above, Agilus diagnostic classifies a candidate's Fitness Status into one of the following categories:

- Fit (As per requested panel of tests) - AGILUS Limited gives the individual a clean chit to join the organization, on the basis of the General Physical Examination and the specific test panel requested for.
- Fit (with medical advice) (As per requested panel of tests) - This indicates that although the candidate can be declared as FIT to join the job, minimal problems have been detected during the Pre- employment examination. Examples of conditions which could fall in this category could be cases of mild reversible medical abnormalities such as height weight disproportions, borderline raised Blood Pressure readings, mildly raised Blood sugar and Blood Lipid levels, Hematuria, etc. Most of these relate to sedentary lifestyles and come under the broad category of life style disorders. The idea is to caution an individual to bring about certain lifestyle changes as well as seek a Physician's consultation and counseling in order to bring back to normal the mildly deranged parameters. For all purposes the individual is FIT to join the job.
- Fitness on Hold (Temporary Unfit) (As per requested panel of tests) - Candidate's reports are kept on hold when either the diagnostic tests or the physical findings reveal the presence of a medical condition which warrants further tests, counseling and/or specialist opinion, on the basis of which a candidate can either be placed into Fit, Fit (With Medical Advice), or Unfit category. Conditions which may fall into this category could be high blood pressure, abnormal ECG, heart murmurs, abnormal vision, grossly elevated blood sugars, etc.
- Unfit (As per requested panel of tests) - An unfit report by Agilus diagnostic Limited clearly indicates that the individual is not suitable for the respective job profile e.g. total color blindness in color related jobs.

Dr. Karthick Prabhu R
Consultant Pathologist



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd
14/2,SECOND FLOOR, SRI SKANDHA TOWERS, COWLEY BROWN ROAD,RS PURAM,
COIMBATORE - 641002
Coimbatore, 641002
Tamilnadu, India
Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956
Email : customercare.coimbatore@agilus.in



ULR No.77500007353512-0183

PATIENT NAME : VINOD T D

REF. DOCTOR : DR. UNION BANK INDIA

CODE/NAME & ADDRESS : C000138396

ACCESSION NO : 0183XD001462

AGE/SEX : 40 Years Male

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

PATIENT ID : VINOM010583183

DRAWN : 27/04/2024 00:00:00

CLIENT PATIENT ID:

RECEIVED : 27/04/2024 08:53:58

ABHA NO :

REPORTED : 29/04/2024 12:11:33

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

HAEMATOLOGY - CBC

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

BLOOD COUNTS,EDTA WHOLE BLOOD

HEMOGLOBIN (HB)	15.1	13.0 - 17.0	g/dL
RED BLOOD CELL (RBC) COUNT	7.21 High	4.5 - 5.5	mil/ μ L
WHITE BLOOD CELL (WBC) COUNT	8.01	4.0 - 10.0	thou/ μ L
PLATELET COUNT	202	150 - 410	thou/ μ L

RBC AND PLATELET INDICES

HEMATOCRIT (PCV)	47.1	40 - 50	%
MEAN CORPUSCULAR VOLUME (MCV)	65.3 Low	83 - 101	fL
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	20.9 Low	27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC)	32.0	31.5 - 34.5	g/dL
RED CELL DISTRIBUTION WIDTH (RDW)	14.3 High	11.6 - 14.0	%
MENTZER INDEX	9.1		
MEAN PLATELET VOLUME (MPV)	10.3	6.8 - 10.9	fL

WBC DIFFERENTIAL COUNT

NEUTROPHILS	53	40 - 80	%
LYMPHOCYTES	29	20 - 40	%
MONOCYTES	7	2 - 10	%
EOSINOPHILS	10 High	1 - 6	%
BASOPHILS	1	0 - 2	%
ABSOLUTE NEUTROPHIL COUNT	4.27	2.0 - 7.0	thou/ μ L
ABSOLUTE LYMPHOCYTE COUNT	2.34	1 - 3	thou/ μ L
ABSOLUTE MONOCYTE COUNT	0.55	0.20 - 1.00	thou/ μ L
ABSOLUTE EOSINOPHIL COUNT	0.83 High	0.02 - 0.50	thou/ μ L
ABSOLUTE BASOPHIL COUNT	0.08	0.02 - 0.10	thou/ μ L
NEUTROPHIL LYMPHOCYTE RATIO (NLR)	1.8		

Dr. Karthick Prabhu R
Consultant Pathologist



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd
14/2,SECOND FLOOR, SRI SKANDHA TOWERS, COWLEY BROWN ROAD,RS PURAM,
COIMBATORE - 641002
Coimbatore, 641002
Tamilnadu, India
Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956
Email : customercare.coimbatore@agilus.in



ULR No.77500007353512-0183

PATIENT NAME : VINOD T D		REF. DOCTOR : DR. UNION BANK INDIA	
CODE/NAME & ADDRESS : C000138396		ACCESSION NO : 0183XD001462	AGE/SEX : 40 Years Male
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156		PATIENT ID : VINOM010583183	DRAWN : 27/04/2024 00:00:00
		CLIENT PATIENT ID:	RECEIVED : 27/04/2024 08:53:58
		ABHA NO :	REPORTED : 29/04/2024 12:11:33

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

Interpretation(s)

BLOOD COUNTS,EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.
RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait (<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.
WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.
(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients A.-P. Yang, et al. International Immunopharmacology 84 (2020) 106504
This ratio element is a calculated parameter and out of NABL scope.

Dr.Karthick Prabhu R
Consultant Pathologist



View Details



View Report

PERFORMED AT :
Agilus Diagnostics Ltd
14/2,SECOND FLOOR, SRI SKANDHA TOWERS, COWLEY BROWN ROAD,RS PURAM,
COIMBATORE - 641002
Coimbatore, 641002
Tamilnadu, India
Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956
Email : customercare.coimbatore@agilus.in



ULR No.77500007353512-0183

PATIENT NAME : VINOD T D

REF. DOCTOR : DR. UNION BANK INDIA

CODE/NAME & ADDRESS : C000138396

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : 0183XD001462

PATIENT ID : VINOM010583183

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 40 Years Male

DRAWN : 27/04/2024 00:00:00

RECEIVED : 27/04/2024 08:53:58

REPORTED : 29/04/2024 12:11:33

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

HAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA BLOOD

E.S.R	4	0 - 14	mm at 1 hr
-------	---	--------	------------

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD

HBA1C	11.0 High	Non-diabetic: < 5.7 Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5 ADA Target: 7.0 Action suggested: > 8.0	%
-------	-----------	--	---

METHOD : TURBIDIMETRIC INHIBITION IMMUNOASSAY

ESTIMATED AVERAGE GLUCOSE(EAG)	269.0 High	< 116	mg/dL
--------------------------------	------------	-------	-------

Interpretation(s)

ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA BLOOD-TEST DESCRIPTION :-

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic. It is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition. CRP is superior to ESR because it is more sensitive and reflects a more rapid change.

TEST INTERPRETATION

Increase in: Infections, Vasculitides, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging.

Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum.

Decreased in: Polycythemia vera, Sickle cell anemia

LIMITATIONS

False elevated ESR : Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia

False Decreased : Poikilocytosis,(SickleCells,spherocytes),Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine,

salicylates)

REFERENCE :



Dr. Karthick Prabhu R
Consultant Pathologist

Page 8 Of 20



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd
14/2, SECOND FLOOR, SRI SKANDHA TOWERS, COWLEY BROWN ROAD, RS PURAM,
COIMBATORE - 641002
Coimbatore, 641002
Tamilnadu, India
Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956
Email : customercare.coimbatore@agilus.in



ULR No. 77500007353512-0183

PATIENT NAME : VINOD T D

REF. DOCTOR : DR. UNION BANK INDIA

CODE/NAME & ADDRESS : C000138396

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : 0183XD001462

PATIENT ID : VINOM010583183

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 40 Years Male

DRAWN : 27/04/2024 00:00:00

RECEIVED : 27/04/2024 08:53:58

REPORTED : 29/04/2024 12:11:33

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis, 10th edition. GLYCOSYLATED HEMOGLOBIN(HbA1c), EDTA WHOLE BLOOD-Used For:

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.

2. Diagnosing diabetes.

3. Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patient's metabolic control has remained continuously within the target range.

1. eAG (Estimated average glucose) converts percentage HbA1c to mg/dl, to compare blood glucose levels.

2. eAG gives an evaluation of blood glucose levels for the last couple of months.

3. eAG is calculated as $eAG (mg/dl) = 28.7 * HbA1c - 46.7$

HbA1c Estimation can get affected due to :

1. Shortened Erythrocyte survival : Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.

2. Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin.

3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addition are reported to interfere with some assay methods, falsely increasing results.

4. Interference of hemoglobinopathies in HbA1c estimation is seen in

a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.

b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.)

c) HbF > 25% on alternate platform (Boronate affinity chromatography) is recommended for testing of HbA1c. Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

Dr. Karthick Prabhu R
Consultant Pathologist



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd

14/2, SECOND FLOOR, SRI SKANDHA TOWERS, COWLEY BROWN ROAD, RS PURAM,

COIMBATORE - 641002

Coimbatore, 641002

Tamilnadu, India

Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956

Email : customercare.coimbatore@agilus.in



ULR No. 775000007353512-0183

PATIENT NAME : VINOD T D**REF. DOCTOR : DR. UNION BANK INDIA****CODE/NAME & ADDRESS :** C000138396ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156**ACCESSION NO :** 0183XD001462**PATIENT ID :** VINOM010583183**CLIENT PATIENT ID:****ABHA NO :****AGE/SEX :** 40 Years Male**DRAWN :** 27/04/2024 00:00:00**RECEIVED :** 27/04/2024 08:53:58**REPORTED :** 29/04/2024 12:11:33

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

IMMUNOHAEMATOLOGY**MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE****ABO GROUP & RH TYPE, EDTA WHOLE BLOOD**

ABO GROUP	TYPE A
RH TYPE	POSITIVE

Interpretation(s)

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.



Dr. Karthick Prabhu R
Consultant Pathologist

Page 10 Of 20



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd
14/2, SECOND FLOOR, SRI SKANDHA TOWERS, COWLEY BROWN ROAD, RS PURAM,
COIMBATORE - 641002
Coimbatore, 641002
Tamilnadu, India
Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956
Email : customercare.coimbatore@agilus.in



ULR No. 775000007353512-0183

PATIENT NAME : VINOD T D		REF. DOCTOR : DR. UNION BANK INDIA	
CODE/NAME & ADDRESS : C000138396		ACCESSION NO : 0183XD001462	AGE/SEX : 40 Years Male
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156		PATIENT ID : VINOM010583183	DRAWN : 27/04/2024 00:00:00
		CLIENT PATIENT ID:	RECEIVED : 27/04/2024 08:53:58
		ABHA NO :	REPORTED : 29/04/2024 12:11:33

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

BIOCHEMISTRY

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

GLUCOSE FASTING, FLUORIDE PLASMA

FBS (FASTING BLOOD SUGAR) 221 High (Normal <100, Impaired fasting glucose: 100 to 125, Diabetes mellitus: >=126 (on more than 1 occasion) (ADA guidelines 2024))

METHOD : HEXOKINASE

GLUCOSE, POST-PRANDIAL, PLASMA

PBBS (POST PRANDIAL BLOOD SUGAR) 282 High 70 - 140 mg/dL

METHOD : HEXOKINASE

LIPID PROFILE WITH CALCULATED LDL, SERUM

CHOLESTEROL, TOTAL 207 High < 200 Desirable mg/dL
200 - 239 Borderline High
>/= 240 High

METHOD : CHOD-POD

TRIGLYCERIDES 164 High < 150 Normal mg/dL
150 - 199 Borderline High
200 - 499 High
>/= 500 Very High

METHOD : GPO - PAP

HDL CHOLESTEROL 47 < 40 Low mg/dL
>/= 60 High

METHOD : DIRECT MEASURE

CHOLESTEROL LDL 127 High < 100 Optimal mg/dL
100 - 129 Near optimal/ above optimal
130 - 159 Borderline High
160 - 189 High
>/= 190 Very High



Dr. Karthick Prabhu R
Consultant Pathologist



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd
14/2, SECOND FLOOR, SRI SKANDHA TOWERS, COWLEY BROWN ROAD, RS PURAM,
COIMBATORE - 641002
Coimbatore, 641002
Tamilnadu, India
Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956
Email : customercare.coimbatore@agilus.in



PATIENT NAME : VINOD T D		REF. DOCTOR : DR. UNION BANK INDIA	
CODE/NAME & ADDRESS : C000138396		ACCESSION NO : 0183XD001462	AGE/SEX : 40 Years Male
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156		PATIENT ID : VINOM010583183	DRAWN : 27/04/2024 00:00:00
		CLIENT PATIENT ID:	RECEIVED : 27/04/2024 08:53:58
		ABHA NO :	REPORTED : 29/04/2024 12:11:33

Test Report Status	Final	Results	Biological Reference Interval	Units
NON HDL CHOLESTEROL		160 High	Desirable-Less than 130 Above Desirable-130-159 Borderline High-160-189 High-190-219 Very High- >or =220	mg/dL
VERY LOW DENSITY LIPOPROTEIN CHOL/HDL RATIO		32.8 High 4.4	< or = 30 3.3 - 4.4: Low Risk 4.5 - 7.0: Average Risk 7.1 - 11.0: Moderate Risk >11.0: High Risk	mg/dL
LDL/HDL RATIO		2.7	0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate Risk >6.0 High Risk	

Interpretation(s)

Serum lipid profile is measured for cardiovascular risk prediction. Lipid Association of India recommends LDL-C as primary target and Non HDL-C as co-primary treatment target.

Risk Stratification for ASCVD (Atherosclerotic cardiovascular disease) by Lipid Association of India

Risk Category	
Extreme risk group	A.CAD with > 1 feature of high risk group B. CAD with > 1 feature of Very high risk group or recurrent ACS (within 1 year) despite LDL-C < or = 50 mg/dl or polyvascular disease
Very High Risk	1. Established ASCVD 2. Diabetes with 2 major risk factors or evidence of end organ damage 3. Familial Homozygous Hypercholesterolemia
High Risk	1. Three major ASCVD risk factors. 2. Diabetes with 1 major risk factor or no evidence of end organ damage. 3. CKD stage 3B or 4. 4. LDL >190 mg/dl 5. Extreme of a single risk factor. 6. Coronary Artery Calcium - CAC >300 AU. 7. Lipoprotein a >/= 50mg/dl 8. Non stenotic carotid plaque
Moderate Risk	2 major ASCVD risk factors
Low Risk	0-1 major ASCVD risk factors
Major ASCVD (Atherosclerotic cardiovascular disease) Risk Factors	
1. Age > or = 45 years in males and > or = 55 years in females	3. Current Cigarette smoking or tobacco use
2. Family history of premature ASCVD	4. High blood pressure
5. Low HDL	

Newer treatment goals and statin initiation thresholds based on the risk categories proposed by LAI in 2020.

Risk Group	Treatment Goals		Consider Drug Therapy	
	LDL-C (mg/dl)	Non-HDL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)

Dr. Karthick Prabhu R
Consultant Pathologist



View Details



View Report

PERFORMED AT :
Agilus Diagnostics Ltd
 14/2, SECOND FLOOR, SRI SKANDHA TOWERS, COWLEY BROWN ROAD, RS PURAM,
 COIMBATORE - 641002
 Coimbatore, 641002
 Tamilnadu, India
 Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956
 Email : customercare.coimbatore@agilus.in



PATIENT NAME : VINOD T D

REF. DOCTOR : DR. UNION BANK INDIA

CODE/NAME & ADDRESS : C000138396

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : 0183XD001462

PATIENT ID : VINOM010583183

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 40 Years Male

DRAWN : 27/04/2024 00:00:00

RECEIVED : 27/04/2024 08:53:58

REPORTED : 29/04/2024 12:11:33

Test Report Status Final Results Biological Reference Interval Units

Extreme Risk Group Category A	<50 (Optional goal < OR = 30)	< 80 (Optional goal <OR = 60)	>OR = 50	>OR = 80
Extreme Risk Group Category B	<OR = 30	<OR = 60	> 30	>60
Very High Risk	<50	<80	>OR= 50	>OR= 80
High Risk	<70	<100	>OR= 70	>OR= 100
Moderate Risk	<100	<130	>OR= 100	>OR= 130
Low Risk	<100	<130	>OR= 130*	>OR= 160

*After an adequate non-pharmacological intervention for at least 3 months.

References: Management of Dyslipidaemia for the Prevention of Stroke: Clinical Practice Recommendations from the Lipid Association of India. Current Vascular Pharmacology, 2022, 20, 134-155.

LIVER FUNCTION PROFILE, SERUM

BILIRUBIN, TOTAL METHOD : DIAZO METHOD	1.43 High	Upto 1.2	mg/dL
BILIRUBIN, DIRECT METHOD : DIAZO METHOD	0.33 High	Upto 0.2	mg/dL
BILIRUBIN, INDIRECT METHOD : CALCULATED PARAMETER	1.1 High	0.00 - 0.90	mg/dL
TOTAL PROTEIN	7.7	6.4 - 8.3	g/dL
ALBUMIN	4.7	3.97 - 4.94	g/dL
GLOBULIN	3	2.0 - 4.0	g/dL
ALBUMIN/GLOBULIN RATIO	1.6	1.0 - 2.0	RATIO
ASPARTATE AMINOTRANSFERASE(AST/SGOT)	28	0 - 40	U/L
ALANINE AMINOTRANSFERASE (ALT/SGPT)	44 High	0 - 41	U/L
ALKALINE PHOSPHATASE	79	40 - 129	U/L
GAMMA GLUTAMYL TRANSFERASE (GGT)	30	8 - 61	U/L
LACTATE DEHYDROGENASE	177	135 - 225	U/L

BLOOD UREA NITROGEN (BUN), SERUM

BLOOD UREA NITROGEN METHOD : UREASE -GLDH	12	6 - 20	mg/dL
---	----	--------	-------

CREATININE, SERUM

CREATININE METHOD : JAFFE KINETIC METHOD	1.10	0.7 - 1.2	mg/dL
--	------	-----------	-------

Dr. Karthick Prabhu R
Consultant Pathologist



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd
14/2,SECOND FLOOR, SRI SKANDHA TOWERS, COWLEY BROWN ROAD,RS PURAM,
COIMBATORE - 641002
Coimbatore, 641002
Tamilnadu, India
Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956
Email : customercare.coimbatore@agilus.in



ULR No.775000007353512-0183

PATIENT NAME : VINOD T D

REF. DOCTOR : DR. UNION BANK INDIA

CODE/NAME & ADDRESS : C000138396
 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
 F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
 DELHI
 NEW DELHI 110030
 8800465156

ACCESSION NO : **0183XD001462**
PATIENT ID : VINOM010583183
CLIENT PATIENT ID:
ABHA NO :

AGE/SEX : 40 Years Male
DRAWN : 27/04/2024 00:00:00
RECEIVED : 27/04/2024 08:53:58
REPORTED : 29/04/2024 12:11:33

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

BUN/CREAT RATIO

BUN/CREAT RATIO 10.91 5.00 - 15.00
 METHOD : CALCULATED PARAMETER

URIC ACID, SERUM

URIC ACID 4.3 3.4 - 7.0 mg/dL
 METHOD : ENZYMATIC COLORIMETRIC ASSAY

TOTAL PROTEIN, SERUM

TOTAL PROTEIN 7.7 6.4 - 8.3 g/dL
 METHOD : BIURET

ALBUMIN, SERUM

ALBUMIN 4.7 3.97 - 4.94 g/dL
 METHOD : BCG

GLOBULIN

GLOBULIN 3 2.0 - 4.0 g/dL

ELECTROLYTES (NA/K/CL), SERUM

SODIUM, SERUM 135.6 135.0 - 148.0 mmol/L
 METHOD : ISE DIRECT
 POTASSIUM, SERUM 4.24 3.5 - 5.3 mmol/L
 METHOD : ISE DIRECT
 CHLORIDE, SERUM 99.3 98.0 - 107.0 mmol/L
 METHOD : ISE DIRECT

Dr. Karthick Prabhu R
Consultant Pathologist



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd
 14/2, SECOND FLOOR, SRI SKANDHA TOWERS, COWLEY BROWN ROAD, RS PURAM,
 COIMBATORE - 641002
 Coimbatore, 641002
 Tamilnadu, India
 Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956
 Email : customercare.coimbatore@agilus.in



PATIENT NAME : VINOD T D		REF. DOCTOR : DR. UNION BANK INDIA	
CODE/NAME & ADDRESS : C000138396		ACCESSION NO : 0183XD001462	AGE/SEX : 40 Years Male
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156		PATIENT ID : VINOM010583183	DRAWN : 27/04/2024 00:00:00
		CLIENT PATIENT ID:	RECEIVED : 27/04/2024 08:53:58
		ABHA NO :	REPORTED : 29/04/2024 12:11:33

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

Interpretation(s)

Sodium	Potassium	Chloride
Decreased in: CCF,cirrhosis, vomiting, diarrhea, excessive sweating, salt-losing nephropathy,adrenal insufficiency, nephrotic syndrome, water intoxication, SIADH. Drugs: thiazides, diuretics, ACE inhibitors, chlorpropamide, carbamazepine, anti depressants (SSRI), antipsychotics.	Decreased in: Low potassium intake,prolonged vomiting or diarrhea, RTA types I and II, hyperaldosteronism, Cushing’s syndrome,osmotic diuresis (e.g., hyperglycemia),alkalosis, familial periodic paralysis,trauma (transient).Drugs: Adrenergic agents, diuretics.	Decreased in: Vomiting, diarrhea, renal failure combined with salt deprivation, over-treatment with diuretics, chronic respiratory acidosis, diabetic ketoacidosis, excessive sweating, SIADH, salt-losing nephropathy, porphyria, expansion of extracellular fluid volume, adrenalinsufficiency, hyperaldosteronism,metabolic alkalosis. Drugs: chronic laxative,corticosteroids, diuretics.
Increased in: Dehydration (excessivesweating, severe vomiting or diarrhea),diabetes mellitus, diabetesinsipidus, hyperaldosteronism, inadequate water intake. Drugs: steroids, licorice,oral contraceptives.	Increased in: Massive hemolysis, severe tissue damage, rhabdomyolysis, acidosis, dehydration,renal failure, Addison’ s disease, RTA type IV, hyperkalemic familial periodic paralysis. Drugs: potassium salts, potassium- sparing diuretics,NSAIDs, beta-blockers, ACE inhibitors, high-dose trimethoprim-sulfamethoxazole.	Increased in: Renal failure, nephrotic syndrome, RTA,dehydration, overtreatment with saline,hyperparathyroidism, diabetes insipidus, metabolic acidosis from diarrhea (Loss of HCO3-), respiratory alkalosis,hyperadrenocorticism. Drugs: acetazolamide,androgens, hydrochlorothiazide,salicylates.
Interferences: Severe lipemia or hyperproteinemi, if sodium analysis involves a dilution step can cause spurious results. The serum sodium falls about 1.6 mEq/L for each 100 mg/dL increase in blood glucose.	Interferences: Hemolysis of sample, delayed separation of serum, prolonged fist clenching during blood drawing, and prolonged tourniquet placement. Very high WBC/PLT counts may cause spurious. Plasma potassium levels are normal.	Interferences: Test is helpful in assessing normal and increased anion gap metabolic acidosis and in distinguishing hypercalcemia due to hyperparathyroidism (high serum chloride) from that due to malignancy (Normal serum chloride)

Interpretation(s)

GLUCOSE FASTING, FLUORIDE PLASMA- TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and so that no glucose is excreted in the urine.

Increased in: Diabetes mellitus, Cushing’ s syndrome (10 – 15%), chronic pancreatitis (30%). Drugs:corticosteroids,phenytoin, estrogen, thiazides.

Decreased in : Pancreatic islet cell disease with increased insulin,insulinoma,adrenocortical insufficiency,hypopituitarism,diffuse liver disease, malignancy(adrenocortical,stomach,fibrosarcoma),infant of a diabetic mother,enzyme deficiency diseases(e.g.galactosemia),Drugs-insulin,ethanol,propranolol sulfonylureas,tolbutamide,and other oral hypoglycemic agents.

NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values),there is wide fluctuation within individuals.Thus, glycosylated hemoglobin(HbA1c) levels are favored to monitor glycemic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glycosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glycosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. **Elevated levels** results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when

Dr. Karthick Prabhu R
Consultant Pathologist



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd
14/2, SECOND FLOOR, SRI SKANDHA TOWERS, COWLEY BROWN ROAD, RS PURAM,
COIMBATORE – 641002
Coimbatore, 641002
Tamilnadu, India
Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956
Email : customercare.coimbatore@agilus.in



PATIENT NAME : VINOD T D		REF. DOCTOR : DR. UNION BANK INDIA	
CODE/NAME & ADDRESS : C000138396		ACCESSION NO : 0183XD001462	AGE/SEX : 40 Years Male
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156		PATIENT ID : VINOM010583183	DRAWN : 27/04/2024 00:00:00
		CLIENT PATIENT ID:	RECEIVED : 27/04/2024 08:53:58
		ABHA NO :	REPORTED : 29/04/2024 12:11:33

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors & Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health. AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease.

GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.

Total Protein also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

Albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc

BLOOD UREA NITROGEN (BUN), SERUM- Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

Causes of decreased level include Liver disease, SIADH.

CREATININE, SERUM- Higher than normal level may be due to:

- Blockage in the urinary tract, Kidney problems, such as kidney damage or failure, infection, or reduced blood flow, Loss of body fluid (dehydration), Muscle problems, such as breakdown of muscle fibers, Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to: • Myasthenia Gravis, Muscuophy

URIC ACID, SERUM- Causes of Increased levels:- Dietary (High Protein Intake, Prolonged Fasting, Rapid weight loss), Gout, Lesch nyhan syndrome, Type 2 DM, Metabolic syndrome

Causes of decreased levels- Low Zinc intake, OCP, Multiple Sclerosis

TOTAL PROTEIN, SERUM- is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin.

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.

Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUM- Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. **Low blood albumin levels (hypoalbuminemia) can be caused by:** Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

Dr. Karthick Prabhu R
Consultant Pathologist



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd
14/2, SECOND FLOOR, SRI SKANDHA TOWERS, COWLEY BROWN ROAD, RS PURAM,
COIMBATORE - 641002
Coimbatore, 641002
Tamilnadu, India
Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956
Email : customercare.coimbatore@agilus.in



ULR No. 77500007353512-0183

PATIENT NAME : VINOD T D		REF. DOCTOR : DR. UNION BANK INDIA	
CODE/NAME & ADDRESS : C000138396		ACCESSION NO : 0183XD001462	AGE/SEX : 40 Years Male
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156		PATIENT ID : VINOM010583183	DRAWN : 27/04/2024 00:00:00
		CLIENT PATIENT ID:	RECEIVED : 27/04/2024 08:53:58
		ABHA NO :	REPORTED : 29/04/2024 12:11:33

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

CLINICAL PATH - URINALYSIS

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

PHYSICAL EXAMINATION, URINE

COLOR	PALE YELLOW
APPEARANCE	CLEAR

CHEMICAL EXAMINATION, URINE

PH	5.5	4.7 - 7.5
SPECIFIC GRAVITY	1.025	1.003 - 1.035
PROTEIN	DETECTED (TRACE)	NOT DETECTED
GLUCOSE	DETECTED (++)	NOT DETECTED
KETONES	NOT DETECTED	NOT DETECTED
BLOOD	NEGATIVE	NEGATIVE
BILIRUBIN	NOT DETECTED	NOT DETECTED
UROBILINOGEN	NORMAL	NORMAL
NITRITE	NOT DETECTED	NOT DETECTED
LEUKOCYTE ESTERASE	NOT DETECTED	NOT DETECTED

MICROSCOPIC EXAMINATION, URINE

RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF
PUS CELL (WBC'S)	3-5	0-5	/HPF
EPITHELIAL CELLS	3-5	0-5	/HPF
CASTS	NOT DETECTED		
CRYSTALS	NOT DETECTED		
BACTERIA	NOT DETECTED	NOT DETECTED	
YEAST	NOT DETECTED	NOT DETECTED	

Dr. Karthick Prabhu R
Consultant Pathologist



View Details View Report

PERFORMED AT :
Agilus Diagnostics Ltd
 14/2,SECOND FLOOR, SRI SKANDHA TOWERS, COWLEY BROWN ROAD,RS PURAM,
 COIMBATORE - 641002
 Coimbatore, 641002
 Tamilnadu, India
 Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956
 Email : customercare.coimbatore@agilus.in



PATIENT NAME : VINOD T D

REF. DOCTOR : DR. UNION BANK INDIA

CODE/NAME & ADDRESS : C000138396

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : 0183XD001462

PATIENT ID : VINOM010583183

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 40 Years Male

DRAWN : 27/04/2024 00:00:00

RECEIVED : 27/04/2024 08:53:58

REPORTED : 29/04/2024 12:11:33

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

Comments

URINALYSIS :- MICROSCOPIC EXAMINATION OF URINE IS CARRIED OUT ON CENTRIFUGED URINARY SEDIMENT.

Interpretation(s)

The following table describes the probable conditions, in which the analytes are present in urine

Presence of	Conditions
Proteins	Inflammation or immune illnesses
Pus (White Blood Cells)	Urinary tract infection, urinary tract or kidney stone, tumors or any kind of kidney impairment
Glucose	Diabetes or kidney disease
Ketones	Diabetic ketoacidosis (DKA), starvation or thirst
Urobilinogen	Liver disease such as hepatitis or cirrhosis
Blood	Renal or genital disorders/trauma
Bilirubin	Liver disease
Erythrocytes	Urological diseases (e.g. kidney and bladder cancer, urolithiasis), urinary tract infection and glomerular diseases
Leukocytes	Urinary tract infection, glomerulonephritis, interstitial nephritis either acute or chronic, polycystic kidney disease, urolithiasis, contamination by genital secretions
Epithelial cells	Urolithiasis, bladder carcinoma or hydronephrosis, ureteric stents or bladder catheters for prolonged periods of time
Granular Casts	Low intratubular pH, high urine osmolality and sodium concentration, interaction with Bence-Jones protein
Hyaline casts	Physical stress, fever, dehydration, acute congestive heart failure, renal diseases
Calcium oxalate	Metabolic stone disease, primary or secondary hyperoxaluria, intravenous infusion of large doses of vitamin C, the use of vasodilator naftidrofuryl oxalate or the gastrointestinal lipase inhibitor orlistat, ingestion of ethylene glycol or of star fruit (Averrhoa carambola) or its juice
Uric acid	arthritis
Bacteria	Urinary infection when present in significant numbers & with pus cells.
Trichomonas vaginalis	Vaginitis, cervicitis or salpingitis

Dr. Karthick Prabhu R
Consultant Pathologist



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd
14/2, SECOND FLOOR, SRI SKANDHA TOWERS, COWLEY BROWN ROAD, RS PURAM,
COIMBATORE - 641002
Coimbatore, 641002
Tamilnadu, India
Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956
Email : customercare.coimbatore@agilus.in



ULR No. 775000007353512-0183

PATIENT NAME : VINOD T D

REF. DOCTOR : DR. UNION BANK INDIA

CODE/NAME & ADDRESS : C000138396

 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
 F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
 DELHI
 NEW DELHI 110030
 8800465156

ACCESSION NO : 0183XD001462

PATIENT ID : VINOM010583183

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 40 Years Male

DRAWN : 27/04/2024 00:00:00

RECEIVED : 27/04/2024 08:53:58

REPORTED : 29/04/2024 12:11:33

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

SPECIALISED CHEMISTRY - HORMONE

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

THYROID PANEL, SERUM

Test Name	Result	Reference Range	Units
T3	114.30	80.0 - 200.0	ng/dL
T4	8.03	5.10 - 14.10	µg/dL
TSH (ULTRASENSITIVE)	2.950	0.270 - 4.200	µIU/mL

Interpretation(s)

Triiodothyronine T3, Thyroxine T4, and Thyroid Stimulating Hormone TSH are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low.

Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3. Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3) Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1) Subclinical Hypothyroidism (2) Patient with insufficient thyroid hormone replacement therapy (3) In cases of Autoimmune/Hashimoto thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical inflammation, drugs like amphetamines, Iodine containing drug and dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre (3) Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4 replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism
6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent treatment for Hyperthyroidism



Dr. Karthick Prabhu R
 Consultant Pathologist

Page 19 Of 20



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd
 14/2, SECOND FLOOR, SRI SKANDHA TOWERS, COWLEY BROWN ROAD, RS PURAM,
 COIMBATORE - 641002
 Coimbatore, 641002
 Tamilnadu, India
 Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956
 Email : customercare.coimbatore@agilus.in



ULR No. 77500007353512-0183

PATIENT NAME : VINOD T D

REF. DOCTOR : DR. UNION BANK INDIA

CODE/NAME & ADDRESS : C000138396

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST
DELHI
NEW DELHI 110030
8800465156

ACCESSION NO : 0183XD001462

PATIENT ID : VINOM010583183

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX : 40 Years Male

DRAWN : 27/04/2024 00:00:00

RECEIVED : 27/04/2024 08:53:58

REPORTED : 29/04/2024 12:11:33

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies

REF: 1. TIETZ Fundamentals of Clinical chemistry 2.Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011.

NOTE: It is advisable to detect Free T3,FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

****End Of Report****Please visit www.agilusdiagnostics.com for related Test Information for this accession**CONDITIONS OF LABORATORY TESTING & REPORTING**

1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
2. All tests are performed and reported as per the turnaround time stated in the AGILUS Directory of Services.
3. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event.
4. A requested test might not be performed if:
 - i. Specimen received is insufficient or inappropriate
 - ii. Specimen quality is unsatisfactory
 - iii. Incorrect specimen type
 - iv. Discrepancy between identification on specimen container label and test requisition form
5. AGILUS Diagnostics confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.
6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.
7. Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.
8. Test results cannot be used for Medico legal purposes.
9. In case of queries please call customer care (91115 91115) within 48 hours of the report.

Agilus Diagnostics Ltd

Fortis Hospital, Sector 62, Phase VIII,
Mohali 160062

Page 20 Of 20



Dr. Karthick Prabhu R
Consultant Pathologist



View Details



View Report

PERFORMED AT :

Agilus Diagnostics Ltd
14/2,SECOND FLOOR, SRI SKANDHA TOWERS, COWLEY BROWN ROAD,RS PURAM,
COIMBATORE - 641002
Coimbatore, 641002
Tamilnadu, India
Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956
Email : customercare.coimbatore@agilus.in



ULR No.77500007353512-0183