

Medical Examination Report

NAME:	Kale Surendra Pandarinath	DATE :	09- May-2024
AGE:	55	CORPORATE/TPA:	Mediwheel
GENDER	Male	Booking ID/ center:	Madyoasis Kharadi center

Vitals

Height (cm)	Weight (kg)	Blood Pressure	Pulse	BMI- kg/m2 Underweight=< 18.5 Normal Weight = 18.5 - 24.9 Overweight = 25- 29.9 Obesity =BMI od 30 or Greater
158	66	155/94	87	26.4

Doctor Remark:



Madyoasis Medical Services Pvt Ltd.: CIN No.: U85320PN2018PTC175152 | GST NO: 27AALCM6611R1ZR Reg. Add.: Office No-406 , Bhakti Genesis, Wakad Rd, Shedge Vasti, Shankar Kalate Nagar, Wakad, Pimpri-Chinchwad, Maharashtra 411057

MADYOASIS DIÀGNOSTIÈS

Patient Name	: Mr Surendra Pandarinath Ka	le			
DOB/Age/Gender	: 55 Y/Male	Sample Coll	ected : May 09,	2024, 10:00 AM	M(EL)T
Patient ID / UHID	: 8221441/RCL7442358	Report Date	e : May 09,	2024, 06:23 PM	LABS
Referred By	: Self	Barcode No	: HY6022	57	XX
Sample Type	: Whole blood EDTA	Report State	us : Final Re	eport	NABL-M(EL)T-00605
Test Description		Value(s)	Unit(s)	Reference	Range

Hemogram (CBC + ESR)

Complete Blood Count (CBC)

RBC Parameters			
Hemoglobin	15.1	g/dL	13.0 - 17.0
colorimetric			
RBC Count	4.9	10^6/µl	4.5 - 5.5
Electrical impedance			
PCV	43.6	%	40 - 50
Calculated MCV		fl	00 404
MCV Calculated	89.6	TI I	83 - 101
MCH	31	pg	27 - 32
Calculated		P9	21 52
MCHC	34.6	g/dL	31.5 - 34.5
Calculated			
RDW (CV) *	13.8	%	11.6 - 14.0
Calculated		_	
RDW-SD *	36.3	fl	35.1 - 43.9
Calculated			
WBC Parameters		1	
TLC	5.5	10^3/µl	4 - 10
Electrical impedance and microscopy			
Differential Leucocyte Count			
Neutrophils	56	%	40-80
Lymphocytes	33	%	20-40
Monocytes	7	%	2-10
Eosinophils	4	%	1-6
Basophils	0	%	<2
Absolute Leukocyte Counts <i>Calculated</i>			
Neutrophils.	3.08	10^3/µl	2 - 7
Lymphocytes.	1.82	10^3/µl	1 - 3
Monocytes.	0.39	10^3/µl	0.2 - 1.0
Eosinophils.	0.22	10^3/µl	0.02 - 0.5
Basophils.	0.22	10^3/µl	0.02 - 0.5
Platelet Parameters	, v	10 0/Pi	0.02 0.0
Platelet Count	451	10^3/µl	150 - 410
Electrical impedance and microscopy			
Mean Platelet Volume (MPV) *	9.5	fL	9.3 - 12.1
Calculated			
PCT *	0.4	%	0.17 - 0.32
Calculated			

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.

Pallari

Dr. Pallavi Rath MBBS, MD (Pathology) Consultant Pathologist



Booking Centre :- Madyosis Diagnostics, Office No-406, 4th Floor, Bhakti Genesis, Wakad Rd, Shedge Vasti, Shankar Kalat Nagar, Wakad, Pimpri-Chinchwad, Maharashtra 411057

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., First Floor, B Wing. Aswani Chambers, S.No. 199+204+205 206/1, 209/1, Plot 28 - 45/8 - Corresponding city S No. 199 Village Lobasen Pune 411014, All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

MADYOASIS DIÀGNOSTIÈS

Patient Name DOB/Age/Gender Patient ID / UHID Referred By Sample Type	: Mr Surendra Pandarinath Kale : 55 Y/Male : 8221441/RCL7442358 : Self : Whole blood EDTA	e Sample Colle Report Date Barcode No Report Statu	: May 09, : HY6022	•••	NABL M(EL)T LABS NABL-M(EL)T-00605
Test Description		Value(s)	Unit(s)	Reference	Range
PDW * Calculated		11.1	fL	8.3 - 2	5.0
P-LCR * Calculated		24.6	%	18 - 5	50
P-LCC * Calculated		111	%	44 - 1	40
Mentzer Index * Calculated		18.29	%	> 13	}

Interpretation:

CBC provides information about red cells, white cells and platelets. Results are useful in the diagnosis of anemia, infections, leukemias, clotting disorders and many other medical conditions.

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.

Pallari

Dr. Pallavi Rath MBBS, MD (Pathology) Consultant Pathologist



Booking Centre :- Madyosis Diagnostics, Office No-406, 4th Floor, Bhakti Genesis, Wakad Rd, Shedge Vasti, Shankar Kalat Nagar, Wakad, Pimpri-Chinchwad, Maharashtra 411057

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., First Floor, B Wing. Aswani Chambers, S.No. 199+204+205 206/1, 209/1, Plot 28 - 45/B - Gerrs sponding city S No. 199 Village Loharon Pune 411014, All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

MADYOASIS DIÀGNOSTIÈS

Patient Name	: Mr Surendra Pandarinath Ka	le		
DOB/Age/Gender	: 55 Y/Male	Sample Col	ected : May 09,	2024, 10:00 AM
Patient ID / UHID	: 8221441/RCL7442358	Report Date	: May 09,	2024, 07:32 PM
Referred By	: Self	Barcode No	: HY6022	57
Sample Type	: Whole blood EDTA	Report State	us : Final Re	eport
Test Description		Value(s)	Unit(s)	Reference Range

Erythrocyte Sedimentation Rate (ESR)

ESR - Erythrocyte Sedimentation Rate	5	mm/hr	0 - 12
MODIFIED WESTERGREN			

Interpretation:

ESR is also known as Erythrocyte Sedimentation Rate. An ESR test is used to assess inflammation in the body. Many conditions can cause an abnormal ESR, so an ESR test is typically used with other tests to diagnose and monitor different diseases. An elevated ESR may occur in inflammatory conditions including infection, rheumatoid arthritis ,systemic vasculitis, anemia, multiple myeloma, etc. Low levels are typically seen in congestive heart failure, polycythemia ,sickle cell anemia, hypo fibrinogenemia , etc.

AGE	MALE	FEMALE
1 DAY	0-2	0-2
2 - 7 DAYS	0-4	0-4
8 - 14 DAYS	0-17	0-17
15 DAYS - 17 YEARS	0-20	0-20
18 - 50 YEARS	0-10	0-12
51- 60 YEARS	0-12	0-19
61 - 70 YEARS	0-14	0-20
71 - 100 YEARS	0-30	0-35

Reference- Dacie and lewis practical hematology

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.

Pallari

Dr. Pallavi Rath MBBS, MD (Pathology) Consultant Pathologist



Booking Centre :- Madyosis Diagnostics, Office No-406, 4th Floor, Bhakti Genesis, Wakad Rd, Shedge Vasti, Shankar Kalat Nagar, Wakad, Pimpri-Chinchwad, Maharashtra 411057

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., First Floor, B Wing. Aswani Chambers, S.No. 199+204+205 206/1, 209/1, Plot 38-450B Corresponding city S No. 199 Village Lohgen Pune 411014, All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

MADYOASIS DIÀGNOSTIÈS

Patient Name	: Mr Surendra Pandarinath Ka	le			
DOB/Age/Gender	: 55 Y/Male	Sample Coll	ected : May 09,	2024, 10:00 AM	NABL M(EL)T
Patient ID / UHID	: 8221441/RCL7442358	Report Date	: May 09,	2024, 07:09 PM	LABS
Referred By	: Self	Barcode No	: HY6022	57	XXX
Sample Type	: Whole blood EDTA	Report State	us : Final Re	port	NABL-M(EL)T-00605
Test Description		Value(s)	Unit(s)	Reference	Range

HbA1C (Glycosylated Haemoglobin)

Glycosylated Hemoglobin (HbA1c) HPLC	6.2		%	<5.7
Estimated Average Glucose *	131.24		mg/dL	Refer Table Belov
Interpretation: Interpretation For HbA1c% As per American Diabetes Assoc	ciation (ADA)			
Reference Group]	HbA1c in %		
Non diabetic adults >=18 years		<5.7		
At risk (Prediabetes)	4	5.7 - 6.4		
Diagnosing Diabetes		>= 6.5		
Therapeutic goals for glycemic control		Age < 1	therapy: < 7.0	

Note:

1. Since HbA1c reflects long term fluctuations in the blood glucose concentration, a diabetic patient who is recently under good control may still have a high concentration of HbA1c. Converse is true for a diabetic previously under good control but now poorly controlled.

2. Target goals of < 7.0 % may be beneficial in patients with short duration of diabetes, long life expectancy and no significant cardiovascular disease. In patients with significant complications of diabetes, limited life expectancy or extensive co-morbid conditions, targeting a goal of < 7.0 % may not be appropriate.

Comments :

HbA1c provides an index of average blood glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations ADA criteria for correlation between HbA1c & Mean plasma glucose levels.

HbA1c(%)	Mean Plasma Glucose (mg/dL)	HbA1c(%)	Mean Plasma Glucose (mg/dL)
6	126	12	298
8	183	14	355
10	240	16	413

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.

Pallari

Dr. Pallavi Rath MBBS, MD (Pathology) Consultant Pathologist



Booking Centre :- Madyosis Diagnostics, Office No-406, 4th Floor, Bhakti Genesis, Wakad Rd, Shedge Vasti, Shankar Kalat Nagar, Wakad, Pimpri-Chinchwad, Maharashtra 411057

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., First Floor, B Wing. Aswani Chambers, S.No. 199+204+205 206/1, 209/1, Plot 28-450B Corresponding city S No. 199 Village Lobaren Bune 411014,
Www.redcliffelabs.com All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

MADYOASIS DIÀGNOSTIÈS

Patient Name	: Mr Surendra Pandarinath Ka	le		
DOB/Age/Gender	: 55 Y/Male	Sample Col	ected : May 09,	2024, 10:00 AM
Patient ID / UHID	: 8221441/RCL7442358	Report Date	e : May 09,	2024, 07:28 PM
Referred By	: Self	Barcode No	: HY6022	57
Sample Type	: Whole blood EDTA	Report State	us : Final Re	port
Test Description		Value(s)	Unit(s)	Reference Range

Blood Group ABO & Rh Typing

Blood Group	AB	-	-
Rh Factor	Positive	-	-

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.

Pallari

Dr. Pallavi Rath MBBS, MD (Pathology) Consultant Pathologist



Booking Centre :- Madyosis Diagnostics, Office No-406, 4th Floor, Bhakti Genesis, Wakad Rd, Shedge Vasti, Shankar Kalat Nagar, Wakad, Pimpri-Chinchwad, Maharashtra 411057

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., First Floor, B Wing. Aswani Chambers, S.No. 199+204+205 206/1, 209/1, Plot 28 - 45/B - Gerrs sponding city S No. 199 Village Loharon Pune 411014, All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

MADYOASIS DIÀGNOSTIÈS

Patient Name	: Mr Surendra Pandarinath Kal	le			
DOB/Age/Gender	: 55 Y/Male	Sample Coll	ected : May 09,	2024, 10:00 AM	NABL M(EL)T
Patient ID / UHID	: 8221441/RCL7442358	Report Date	e : May 09,	2024, 06:32 PM	LABS
Referred By	: Self	Barcode No	: ZC7025	74	XX
Sample Type	: FLUORIDE F	Report State	us : Final Re	port	NABL-M(EL)T-00605
Test Description		Value(s)	Unit(s)	Reference	Range

Glucose Fasting (BSF)

Glucose Fasting Hexokinase	71	mg/dL	70 - 100

Interpretation:

Status	Fasting plasma glucose in mg/dL
Normal	<100
Impaired fasting glucose	100 - 125
Diabetes	=>126

Reference : American Diabetes Association

Comment :

Blood glucose determinations in commonly used as an aid in the diagnosis and treatment of diabetes. Elevated glucose levels (hyperglycemia) may also occur with pancreatic neoplasm, hyperthyroidism, and adrenal cortical hyper function as well as other disorders. Decreased glucose levels (hypoglycemia) may result from excessive insulin therapy insulinoma, or various liver diseases.

Note

1. The diagnosis of Diabetes requires a fasting plasma glucose of > or = 126 mg/dL or a random / 2 hour plasma glucose value of > or = 200 mg/dL with symptoms of diabetes mellitus.

2. Very high glucose levels (>450 mg/dL in adults) may result in Diabetic Ketoacidosis.

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.

Pallari

Dr. Pallavi Rath MBBS, MD (Pathology) Consultant Pathologist



Booking Centre :- Madyosis Diagnostics, Office No-406, 4th Floor, Bhakti Genesis, Wakad Rd, Shedge Vasti, Shankar Kalat Nagar, Wakad, Pimpri-Chinchwad, Maharashtra 411057

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., First Floor, B Wing. Aswani Chambers, S.No. 199+204+205 206/1, 209/1, Plot 28-456B Corresponding city S No. 199 Village Loharen Pune 411014, All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

MADYOASIS DIÀGNOSTIÈS

Patient Name	: Mr Surendra Pandarinath Kale				
DOB/Age/Gender	: 55 Y/Male	Sample Coll	ected : May 09,	2024, 10:00 AM	NABL
Patient ID / UHID	: 8221441/RCL7442358	Report Date	: May 09,	2024, 07:22 PM	M(EL)T LABS
Referred By	: Self	Barcode No	: ZC7025	75	XX
Sample Type	: Serum	Report Statu	is : Final Re	eport	NABL-M(EL)T-00605
Test Description		Value(s)	Unit(s)	Reference	Range

Liver Function Test (LFT)

Bilirubin Total	1.1	mg/dL	0.2 - 1.2
Photometric			
Bilirubin Direct *	0.4	mg/dL	0.0 - 0.5
Diazo Reaction			
Bilirubin Indirect *	0.7	mg/dL	0.1 - 1.0
Calculation (T Bil - D Bil)			
SGOT/AST	62	U/L	5 - 34
IFCC without P5P			
SGPT/ALT	65	U/L	0 to 55
IFCC without P5P			
SGOT/SGPT Ratio *	0.95	-	-
Alkaline Phosphatase	52	U/L	40 - 150
IFCC			
Total Protein	7.6	g/dL	6.4 - 8.3
Biuret			
Albumin	4.8	gm/dL	3.8 - 5.0
BCG			
Globulin *	2.8	g/dL	2.3 - 3.5
Calculation (T.P - Albumin)			
Albumin :Globulin Ratio *	1.71	-	1.0 - 2.1
Calculation (Albumin/Globulin)			
Gamma Glutamyl Transferase (GGT) *	44	U/L	12 - 64
Photometric			
	44	U/L	12 - 64

Result Rechecked.

Kindly Correlate Clinically.

Adv. Close follow up for confirmation.

Interpretation:

The liver filters and processes blood as it circulates through the body. It metabolizes nutrients, detoxifies harmful substances, makes blood clotting proteins, and performs many other vital functions. The cells in the liver contain proteins called enzymes that drive these chemical reactions. When liver cells are damaged or destroyed, the enzymes in the cells leak out into the blood, where they can be measured by blood tests Liver tests check the blood for two main liver enzymes. Aspartate aminotransferase (AST),SGOT: The AST enzyme is also found in muscles and many other tissues besides the liver. Alanine aminotransferase (ALT), SGPT: ALT is almost exclusively found in the liver. If ALT and AST are found together in elevated amounts in the blood, liver damage is most likely present. Alkaline Phosphatase and GGT: Another of the liver's key functions is the production of bile, which helps digest fat. Bile flows through the liver in a system of small tubes (ducts), and is eventually stored in the gallbladder, under the liver. When bile flow is slow or blocked, blood levels of certain liver enzymes rise: Alkaline phosphatase Gamma-utamyl transpeptidase (GGT) Liver tests may check for any or all of these enzymes in the blood. Alkaline phosphatase is by far the most commonly tested of the three. If alkaline phosphatase and GGT are elevated, a problem with bile flow is most likely present. Bile flow problems can be due to a problem in the liver, the gallbladder, or the tubes connecting them. Proteins are important building blocks of all cells and tissues. Proteins are necessary for your body's growth, development, and health. Blood contains two classes of protein, albumin and

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.

Pallari

Dr. Pallavi Rath MBBS, MD (Pathology) Consultant Pathologist



Booking Centre :- Madyosis Diagnostics, Office No-406, 4th Floor, Bhakti Genesis, Wakad Rd, Shedge Vasti, Shankar Kalat Nagar, Wakad, Pimpri-Chinchwad, Maharashtra 411057

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., First Floor, B Wing. Aswani Chambers, S.No. 199+204+205 206/1, 209/1, Plot 28-45/B- Corresponding city S No. 199 Village Lobaren Bune 411014, All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

MADYOASIS DIÀGNOSTIÈS

Patient Name	: Mr Surendra Pandarinath Ka		M. 22	0004 40 00 11	NABL
DOB/Age/Gender	: 55 Y/Male	Sample Colle	-	2024, 10:00 AM	M(EL)T
Patient ID / UHID	: 8221441/RCL7442358	Report Date	: May 09,	2024, 07:22 PM	LABS
Referred By	: Self	Barcode No	: ZC7025	75	XX
Sample Type	: Serum	Report Status	s : Final Re	port	NABL-M(EL)T-00605
Test Description		Value(s)	Unit(s)	Reference	Range
	mia High Protein levels 'Hyperproteine re vomiting, diarrhea, Addison's disea ve				

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.

Pallari

Dr. Pallavi Rath MBBS, MD (Pathology) Consultant Pathologist



Booking Centre :- Madyosis Diagnostics, Office No-406, 4th Floor, Bhakti Genesis, Wakad Rd, Shedge Vasti, Shankar Kalat Nagar, Wakad, Pimpri-Chinchwad, Maharashtra 411057

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., First Floor, B Wing. Aswani Chambers, S.No. 199+204+205 206/1, 209/1, Plot 28 - 45/B - Corresponding city S No. 199 Village Loharen Pune 411014, All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

MADYOASIS DIÀGNOSTIÈS

Patient Name	: Mr Surendra Pandarinath Kale	9			
DOB/Age/Gender	: 55 Y/Male	Sample Coll	ected : May 09,	, 2024, 10:00 AM	NABL M(EL)T
Patient ID / UHID	: 8221441/RCL7442358	Report Date	: May 09,	, 2024, 07:22 PM	LABS
Referred By	: Self	Barcode No	: ZC7025	575	XX
Sample Type	: Serum	Report State	us : Final Re	eport	NABL-M(EL)T-00605
Test Description		Value(s)	Unit(s)	Reference	Range

Kidney Function Test (KFT)

Blood Urea	22	mg/dL	18 - 55
Urease			
Creatinine	0.85	mg/dL	0.72 - 1.25
Photometric			
Bun *	10.28	mg/dL	8.4 - 25.7
Urease			
Bun/Creatinine Ratio *	12.09		
Urea / Creatinine Ratio *	25.88		
Uric Acid	3.3	mg/dL	3.5 - 7.2
Uricase			
Calcium Serum	10.2	mg/dL	8.4 - 10.2
Arsenazo III			
Phosphorus	3	mg/dL	2.3 - 4.7
Photometric			
Sodium	142	mmol/L	136 - 145
Potentiometric			
Potassium	3.6	mmol/L	3.5 - 5.1
Potentiometric			
Chloride	106	mmol/L	98 - 107
Potentiometric			

Interpretation:

Kidney function tests is a collective term for a variety of individual tests and proceduresthat can be done toevaluate how well the kidneys are functioning. Many conditions can affect the ability of the kidneys to carryout their vital functions. Somelead to a rapid (acute) decline in kidney functionothers lead to a gradual (chronic) declineinfunction. Both result in a buildup of toxic waste subst done on urine samples, as well as on blood samples. A number of symptoms may indicate a problem with your kidneys. These include : high blood pressure,blood in urine frequent urges to urinate,difficulty beginning urination,painful urination,swelling in the hands and feet due to a buildup of fluids in the body. A single symptom may not mean something serious. However, when occurring simultaneously, these symptoms suggest that your kidneys are not working properly. Kidney function tests can help determine the reason. Electrolytes (sodium,potassium,and chloride) are present in the human body and the balancing act of the electrolytes in our bodies is essential for normal function of our cells and organs. There has to be a balance.Ionized calcium this test if you have signs of kidney or parathyroid disease. The test may also be done to monitor progress and treatment of these diseases.

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.

Pallari

Dr. Pallavi Rath MBBS, MD (Pathology) Consultant Pathologist



Booking Centre :- Madyosis Diagnostics, Office No-406, 4th Floor, Bhakti Genesis, Wakad Rd, Shedge Vasti, Shankar Kalat Nagar, Wakad, Pimpri-Chinchwad, Maharashtra 411057

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., First Floor, B Wing. Aswani Chambers, S.No. 199+204+205 206/1, 209/1, Plot 38-456 Corresponding city S No. 199 Village Loharon Pune 411014, All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

MADYOASIS DIAGNOSTIES

Patient Name	: Mr Surendra Pandarinath Kal	le			
DOB/Age/Gender	: 55 Y/Male	Sample Coll	ected : May 09,	2024, 10:00 AM	NABL M(EL)T
Patient ID / UHID	: 8221441/RCL7442358	Report Date	: May 09,	2024, 07:22 PM	LABS
Referred By	: Self	Barcode No	: ZC7025	75	XX
Sample Type	: Serum	Report Statu	ıs : Final Re	port	NABL-M(EL)T-00605
Test Description		Value(s)	Unit(s)	Reference	Range

Lipid Profile

Total Cholesterol	177	m a /al	-200
	177	mg/dL	<200
Enzymatic - Cholesterol Oxidase			
Triglycerides	125	mg/dL	<150
Colorimetric - Lip/Glycerol Kinase			
HDL Cholesterol	31	mg/dL	>40
Accelerator Selective Detergent			
Non HDL Cholesterol *	146	mg/dL	<130
Calculated			
LDL Cholesterol *	121	mg/dL	<100
Calculated			
V.L.D.L Cholesterol *	25	mg/dL	< 30
Calculated		U U U	
Chol/HDL Ratio *	5.71	Ratio	3.5 - 5.0
Calculated			
HDL/ LDL Ratio *	0.26	Ratio	0.5 - 3.0
Calculated			
LDL/HDL Ratio *	3.9	Ratio	-
Calculated			

Interpretation:

Lipid level assessments must be made following 9 to 12 hours of fasting, otherwise assay results might lead to erroneous interpretation. NCEP recommends of 3 different samples to be drawn at intervals of 1 week for harmonizing biological variables that might be encountered in single assays.

	Total Cholesterol (mg/dL)			Non HDL Cholesterol (mg/dL)
Optimal	<200	<150	<100	<130
Above Optimal			100-129	130 - 159
Borderline High	200-239	150-199	130-159	160 - 189
High	>=240	200-499	160-189	190 - 219
Very High	-	>=500	>=190	>=220

	HDL Cholesterol			
Low High				
	<40	>=60		

Risk Stratification for ASCVD (Atherosclerotic Cardiovascular Disease) by Lipid Association of India.

Risk Category	A. CAD with > 1 feature of high risk group
Extreme risk group	B. CAD with >1 feature of very high risk group of recurrent ACS (within 1 year) despite LDL-C <or 50="" =="" disease<="" dl="" mg="" or="" poly="" th="" vascular=""></or>
Verv High Risk	1.Established ASCVD 2.Diabetes with 2 major risk factors of evidence of end organ damage 3. Familial Homozygous Hypercholesterolemia
	1 Three major ASCVD risk factors 2 Diabetes with 1 major risk factor or no evidence

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.

Pallari

Dr. Pallavi Rath MBBS, MD (Pathology) Consultant Pathologist



Booking Centre :- Madyosis Diagnostics, Office No-406, 4th Floor, Bhakti Genesis, Wakad Rd, Shedge Vasti, Shankar Kalat Nagar, Wakad, Pimpri-Chinchwad, Maharashtra 411057

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., First Floor, B Wing. Aswani Chambers, S.No. 199+204+205 206/1, 209/1, Plote 28-45/B- Gerrs sponding city S No. 199 Village Lobare Dure 411014, All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

MADYOASIS DIÀGNOSTIÈS

I	Patient Name	: Mr S	Surendra Pandarinath Kal	е				
I	DOB/Age/Gender	: 55 Y	/Male		Sample Collected : May 09,		9, 2024, 10:00 AM	M MEL)T
I	Patient ID / UHID	: 822	1441/RCL7442358		Report Date	e : May 09	9, 2024, 07:22 PM	LABS
I	Referred By	: Self			Barcode No	: ZC702	575	XX
;	Sample Type	: Seru	im		Report State	us : Final R	Report	NABL-M(EL)T-00605
Test Description			Val	ue(s)	Unit(s)	Referenc	e Range	
risk factor 6. Cor		of end organ damage 3. CHD stage risk factor 6. Coronary Artery Calciu 8. Non stenotic carotid plaque		•	•			
	Moderate Risk		2 major ASCVD risk factors					
	Low Risk		0-1 major ASCVD risk factors					
		M	ajor ASCVD (Atherosclerotic	cardiovasci	ular disease) I	Risk Factors		
1. Age >/=45 years in Males & >/= 55 years in Females 3. Current Cigarette smoking or toba		acco use						
2 Family history of premature		4. High blood pressure						
	5. Low HDL							

Newer treatment goals and statin initiation thresholds based on the risk categories proposed by Lipid Association of India in 2020.

Risk Group	Treatment Goals	Consider Drug Therapy		
	_DL-C (mg/dl) Non-HDL (mg/dl) L		LDL-C (mg/dl)	Non-HDL (mg/dl)
Extreme Risk Group Category A	<50 (Optional goal <or 30)<="" =="" td=""><td><80 (Optional goal <or 60)<="" =="" td=""><td>>OR = 50</td><td>>OR = 80</td></or></td></or>	<80 (Optional goal <or 60)<="" =="" td=""><td>>OR = 50</td><td>>OR = 80</td></or>	>OR = 50	>OR = 80
Extreme Risk Group Category B	>OR = 30	>OR = 60	> 30	> 60
Very High Risk	<50	<80	>OR = 50	>OR = 80
High Risk	<70	<100	>OR = 70	>OR = 100
Moderate Risk	<100	<130	>OR = 100	>OR = 130
Low Risk	<100	<130	>OR = 130*	>OR = 160

* After an adequate non-pharmacological intervention for at least 3 months.

References : Management of Dyslipidaemia for the Prevention of Stroke : Clinical practice Recommendations from the Lipid Association of India. Current Vascular Pharmacology,2022,20,134-155.

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.

Pallari

Dr. Pallavi Rath MBBS, MD (Pathology) Consultant Pathologist



Booking Centre :- Madyosis Diagnostics, Office No-406, 4th Floor, Bhakti Genesis, Wakad Rd, Shedge Vasti, Shankar Kalat Nagar, Wakad, Pimpri-Chinchwad, Maharashtra 411057

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., First Floor, B Wing. Aswani Chambers, S.No. 199+204+205 206/1, 209/1, Plot 38-45/B- Corresponding city S No. 199 Village Loharen Pune 411014, All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

MADYOASIS DIAGNOSTIES

Patient Name	: Mr Surendra Pandarinath Ka	le		
DOB/Age/Gender	: 55 Y/Male	Sample Col	ected : May 09,	2024, 10:00 AM
Patient ID / UHID	ent ID / UHID : 8221441/RCL7442358 Report Date		e : May 09,	2024, 07:38 PM
Referred By : Self		Barcode No	Barcode No : ZC702575	
Sample Type : Serum		Report State	us : Final Re	eport
Test Description		Value(s)	Unit(s)	Reference Range

Thyroid Profile Total

Triiodothyronine (T3) <i>CMIA</i>	100.4	ng/dL	35 - 193
Total Thyroxine (T4) CMIA	12	µg/dL	4.87 - 11.2
Thyroid Stimulating Hormone (Ultrasensitive)	1.31	µIU/mL	0.35 - 4.94

` Kindly correlate clinically.

Close follow-up for confirmation.

Interpretation:		
Pregnancy	Reference ranges TSH	
1 st Trimester	0.1 - 2.5	
2 ed Trimester	0.2 - 3.0	
3 rd Trimester	0.3 - 3.0	

Primary malfunction of the thyroid gland may result in excessive (hyper) or below normal (hypo) release of T3 or T4. In addition as TSH directly affects thyroid function, malfunction of the pituitary or the hypo - thalamus influences the thyroid gland activity. Disease in any portion of the thyroid-pitutary-hypothala- mus system may influence the levels of T3 and T4 in the blood. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels may be low. In addition, in the Euthyroid Sick Syndrome, multiple alterations in serum thyroid function test findings have been recognized in patients with a wide variety of non-thyroidal illnesses (NTI) without evidence of preexisting thyroid or hypothalami c-pitutary diseases. Thyroid Binding Globulin (TBG) concentrations remain relatively constant in healthy individuals. However, pregnancy, excess estrogen's, antibiotic steroids and glucocorticoids are known to alter TBG levels and may cause false thyroid values for Total T3 and T4 tests.

TSH	T4	Т3	Interpretation
High	High Normal Normal Mild (subcli		Mild (subclinical) hypothyroidism
High Low Low r Normal Hypothyroidism		Hypothyroidism	
Low Normal Normal Mild (subclinical) hyperthyroidism		Mild (subclinical) hyperthyroidism	
Low	Low High or normal High or h		Hypothyroidism
Low Low or Low or Nonthy			Nonthyroidal illness; pituitary (secondary) hypothyroidism
Norma	l High	High	Thyroid hormone resistance syndrome (a mutation in the thyroid hormone receptor decreases thyroid hormone function)

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.

Pallari

Dr. Pallavi Rath MBBS, MD (Pathology) Consultant Pathologist



Booking Centre :- Madyosis Diagnostics, Office No-406, 4th Floor, Bhakti Genesis, Wakad Rd, Shedge Vasti, Shankar Kalat Nagar, Wakad, Pimpri-Chinchwad, Maharashtra 411057

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., First Floor, B Wing. Aswani Chambers, S.No. 199+204+205 206/1, 209/1, Plot 28-45/B- Serresponding city S No. 199 Village Lobaren Bune 411014, All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

MADYOASIS DIÀGNOSTIÈS

Patient Name	: Mr Surendra Pandarinath Kal	e		
DOB/Age/Gender	: 55 Y/Male	Sample Coll	ected : May 09,	2024, 10:00 AM
Patient ID / UHID	: 8221441/RCL7442358	Report Date	: May 09,	2024, 07:38 PM
Referred By	: Self	Barcode No	: ZC7025	75
Sample Type	: Serum	Report State	us : Final Re	eport
Test Description		Value(s)	Unit(s)	Reference Range

Prostate Specific Antigen (PSA) Total

Prostate Specific Antigen-Total (PSA-Total)	1	ng/mL	<4.0
---	---	-------	------

Interpretation:

1. Prostate specific antigen (PSA), a member of the human kallikrein gene family, is a serine protease with chymotrypsin-like activity.

 2^{\cdot} The major site of PSA production is the glandular epithelium of the prostate. PSA has also been found in breast cancers, salivary gland neoplasms, periurethral and anal glands, cells of the male urethra, breast milk, blood and urine.

3. The combined use of DRE (digital rectal examination) and PSA has been shown to result in an increased detection of early stage prostate cancer.

4. PSA testing can have significant value in detecting metastatic or persistent disease in patients following surgical or medical treatment of prostate cancer.
 5. Persistent elevation of PSA following treatment, or an increase in a post-treatment PSA level is indicative of recurrent or residual disease. PSA testing is widely

accepted as an adjunctive test in the management of prostate cancer patients.

Increased Levels

Prostate cancer Benign Prostatic Hyperplasia Prostatitis Genitourinary infections

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.

Pallari

Dr. Pallavi Rath MBBS, MD (Pathology) Consultant Pathologist



Booking Centre :- Madyosis Diagnostics, Office No-406, 4th Floor, Bhakti Genesis, Wakad Rd, Shedge Vasti, Shankar Kalat Nagar, Wakad, Pimpri-Chinchwad, Maharashtra 411057

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., First Floor, B Wing. Aswani Chambers, S.No. 199+204+205 206/1, 209/1, Plot 28-450B Corresponding city S No. 199 Village Lohgen Pune 411014, All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

MADYOASIS DIÀGNOSTIÈS

Patient Name	: Mr Surendra Pandarinath Ka	le			
DOB/Age/Gender	: 55 Y/Male	Sample Col	ected : May 09,	2024, 10:00 AM	NABL M(EL)T
Patient ID / UHID	Patient ID / UHID : 8221441/RCL7442358 Report Date		: May 09,	: May 09, 2024, 06:30 PM	
Referred By	: Self	Barcode No	: YA6190	09	LABS
Sample Type	: Spot Urine	Report State	us : Final Re	eport	NABL-M(EL)T-00605
Test Description		Value(s)	Unit(s)	Reference	Range

Urine Routine and Microscopic Examination

Physical Examination *			
Volume *	20	ml	-
Colour *	Pale yellow	-	Pale yellow
Transparency *	Clear	-	Clear
Deposit *	Absent	-	Absent
Chemical Examination *	· · · · ·		1
Reaction (pH) Double Indicator	6.5	-	4.5 - 8.0
Specific Gravity Ion Exchange	1.015	-	1.010 - 1.030
Urine Glucose (sugar) Oxidase / Peroxidase	Negative	-	Negative
Urine Protein (Albumin) Acid / Base Colour Excahnge	Positive(Trace)	-	Negative
Urine Ketones (Acetone) Legals Test	Negative	-	Negative
Blood Peroxidase Hemoglobin	Negative	-	Negative
Leucocyte esterase Enzymatic Reaction	Negative	-	Negative
Bilirubin Urine Coupling Reaction	Negative	-	Negative
Nitrite Griless Test	Negative	-	Negative
Urobilinogen Ehrlichs Test	Normal	-	Normal
Microscopic Examination *			•
Pus Cells (WBCs) *	2-3	/hpf	0 - 5
Epithelial Cells *	1-2	/hpf	0 - 4
Red blood Cells *	Absent	/hpf	Absent
Crystals *	Absent	-	Absent
Cast *	Absent	-	Absent
Yeast Cells *	Absent	-	Absent
Amorphous deposits *	Absent	-	Absent
Bacteria *	Absent	-	Absent
Protozoa *	Absent	-	Absent

*** End Of Report ***

(*) Parameter(s) are outside the scope of tests recognized under the NABL M(EL)T Scheme.

Pallari

Dr. Pallavi Rath MBBS, MD (Pathology) Consultant Pathologist



Booking Centre :- Madyosis Diagnostics, Office No-406, 4th Floor, Bhakti Genesis, Wakad Rd, Shedge Vasti, Shankar Kalat Nagar, Wakad, Pimpri-Chinchwad, Maharashtra 411057

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., First Floor, B Wing. Aswani Chambers, S.No. 199+204+205 206/1, 209/1, Plot 28 - 45/B - Gerrs sponding circ S No. 199 Village Lobaren Bune 411014, All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Terms and Conditions of Reporting

- 1. The presented findings in the Reports are intended solely for informational and interpretational purposes by the referring physician or other qualified medical professionals possessing a comprehensive understanding of reporting units, reference ranges, and technological limitations. The laboratory shall not be held liable for any interpretation or misinterpretation of the results, nor for any consequential or incidental damages arising from such interpretation.
- 2. It is to be presumed that the tests performed pertain to the specimen/sample attributed to the Customer's name or identification. It is presumed that the verification particulars have been cleared out by the customer or his/her representation at the point of generation of said specimen / sample. It is hereby clarified that the reports furnished are restricted solely to the given specimen only.
- 3. It is to be noted that variations in results may occur between different laboratories and over time, even for the same parameter for the same Customer. The assays are performed and conducted in accordance with standard procedures, and the reported outcomes are contingent on the specific individual assay methods and equipment(s) used, as well as the quality of the received specimen.
- 4. This report shall not be deemed valid or admissible for any medico-legal purposes.
- 5. The Customers assume full responsibility for apprising the Company of any factors that may impact the test finding. These factors, among others, includes dietary intake, alcohol, or medication / drug(s) consumption, or fasting. This list of factors is only representative and not exhaustive.

MADYOASIS DIÀGNOSTIÈS

Patient Name	: Mr Surendra Pandarinath Kal	e			
DOB/Age/Gender	: 55 Y/Male	Sample Coll	ected : May 09,	2024, 10:00 AM	MABL M(EL)T
Patient ID / UHID	: 1_8221442/RCL7442358	21442/RCL7442358 Report Date		: May 09, 2024, 06:32 PM	
Referred By	: Self	Barcode No	: ZC7025	: ZC702593	
Sample Type	: FLUORIDE PP	Report State	us : Final Re	: Final Report	
Test Description		Value(s)	Unit(s)	Reference	Range

Glucose Post Prandial (BSPP)

Glucose Post Prandial (Fluoride Plasma-P,Hexokinase)	153	mg/dL	70 - 140		
Interpretation:					
Status	PP plasma gluco	PP plasma glucose in mg/dL			
Normal	<140	<140			
Impaired glucose tolerance	140 - 199	140 - 199			
Diabetes	=>200	=>200			

Reference : American Diabetes Association

Comment :

Blood glucose determinations in commonly used as an aid in the diagnosis and treatment of diabetes. Elevated glucose levels (hyperglycemia) may also occur with pancreatic neoplasm, hyperthyroidism, and adrenal cortical hyper function as well as other disorders. Decreased glucose levels (hypoglycemia) may result from excessive insulin therapy insulinoma, or various liver diseases.

Note

1. The diagnosis of Diabetes requires a fasting plasma glucose of > or = 126 mg/dL or a random / 2 hour plasma glucose value of > or = 200 mg/dL with symptoms of diabetes mellitus.

2. Very high glucose levels (>450 mg/dL in adults) may result in Diabetic Ketoacidosis.

*** End Of Report ***

Pallari

Dr. Pallavi Rath MBBS, MD (Pathology) Consultant Pathologist



Booking Centre :- Madyosis Diagnostics, Office No-406, 4th Floor, Bhakti Genesis, Wakad Rd, Shedge Vasti, Shankar Kalat Nagar, Wakad, Pimpri-Chinchwad, Maharashtra 411057

Processing Lab :- Redcliffe Lifetech Pvt. Ltd., First Floor, B Wing. Aswani Chambers, S.No. 199+204+205 206/1, 209/1, Plot 28-45/B Corresponding city SNo. 199 Village Lobson Bune 411014, All Lab results are subject to clinical interpretation by qualified medical professional and this report is not subject to use for any medico-legal purpose.

Terms and Conditions of Reporting

- 1. The presented findings in the Reports are intended solely for informational and interpretational purposes by the referring physician or other qualified medical professionals possessing a comprehensive understanding of reporting units, reference ranges, and technological limitations. The laboratory shall not be held liable for any interpretation or misinterpretation of the results, nor for any consequential or incidental damages arising from such interpretation.
- 2. It is to be presumed that the tests performed pertain to the specimen/sample attributed to the Customer's name or identification. It is presumed that the verification particulars have been cleared out by the customer or his/her representation at the point of generation of said specimen / sample. It is hereby clarified that the reports furnished are restricted solely to the given specimen only.
- 3. It is to be noted that variations in results may occur between different laboratories and over time, even for the same parameter for the same Customer. The assays are performed and conducted in accordance with standard procedures, and the reported outcomes are contingent on the specific individual assay methods and equipment(s) used, as well as the quality of the received specimen.
- 4. This report shall not be deemed valid or admissible for any medico-legal purposes.
- 5. The Customers assume full responsibility for apprising the Company of any factors that may impact the test finding. These factors, among others, includes dietary intake, alcohol, or medication / drug(s) consumption, or fasting. This list of factors is only representative and not exhaustive.





Shop No 20, Cross Road Building Bhumkar Chowk, Wakad, pune, Maharashtra 411057

+91 74100 01785 / 77966 95666

www.madyoasis.in

Mr. Surendra Kale



Kharadi Shivranjani Ahmedabad Gujarat India

Gendr/DOB (Age) : Male/09-May-1968(56Y 0M) Referred By : History : Medico ID Date

: 24050902661239 : 09-May-2024 / 10:29 AM

REPORT ON ECG łł H aVL aVF aVR V1 V2 V3 V4 ٧5 V6 11 STD Device - Medicodb Hospitronic V2.0.5 (M) Setting :- 25mm/Sec :10mm/mv.

VITALS	:	TEMP	: - (F)	PULSE RATE	: - /MIN	RBS	: - mg/dL
		HR	: 83 /MIN	BP	: 0 / 0 mmHg	SPO2	: 92.0 %
MEASUREMENTS*	:	PR	: 179.17 ms	QT	: 375.0 ms	Р	: 0.0 deg
(ECG Parameters)		ST	: 0.04 ms	QTc	: 440.42 ms	QRs	: 7.31 deg
		R-R	: 725.0 ms	QRS	: 7.31 ms	Т	: 0.0 deg
FINDINGS	: N	ORMAL S	INUS RHYTHM. NO SI	GNIFICANT ST C	HANGES NOTED		
IMPRESSION RECOMMENDATION	THIS ECG IS FOUND TO BE WITHIN NORMAL LIMITS. CLINICAL CORRELATION						

This is electronically authenticated report; hence doesn't require signature. * Software calculated values; to be verified manually.

Printed By : Madyoasis Clinic Pune On 09-May-2024 / 10:44 PM



Reported By Express Diagnostics HQ

(Dr. Nimish Parikh (Critical Care)) Reg. No : G-14844



Name	: MR. SURENDRA KALE	Age/Sex : 56 YEARS/M
Ref By	: Dr. MADYOASIS MEDICAL SERVICES	Date : 09 May 2024

2D ECHOCARDIOGRAPHY & COLOUR DOPPLER STUDY

Thursday, May 09, 2024

Left Ventricle: The left ventricle is normal in size. No e/o RWMA. The left ventricular ejection fraction is normal.

Left Atrium: The left atrium is normal size. No clot.

Right Ventricle: The right ventricular is normal size. There is normal right Ventricular wall thickness.

Aorta: The aortic root is normal.

Pulmonary Artery: The Pulmonary artery is normal.

Pericardium: There is no pericardial effusion. No calcification.

Aortic Valve: The aortic valve is tri-leaflet with thin, pliable leaflets that move normally. There is no aortic Stenosis. No aortic regurgitation is present.

Mitral Valve: The mitral valve leaflets are thin. Normal mitral gradients. There is no evidence of stenosis, prolapse. Diastolic flows are altered . No mitral regurgitation noted.

Tricuspid Valve: The tricuspid valve leaflets are thin and pliable and the valve motion is normal. No tricuspid Regurgitation is noted.

Pulmonary Valve: The pulmonary valve leaflets are thin and pliable and the valve motion is normal. No pulmonary Valvular regurgitation is noted.

Proximal Coronaries: Not visualized.

IAS and IVS are intact.

M-MODE/2D PARAMETERS

AO	29	(23-37mm)
LA	31	(19-40mm)
RVD		(7-23mm)
LVD	38	(35-55mm)
LVS	26	(24-42mm)
IVS	12.4	(6-11mm)
LVPW	12.6	(6-11mm)
EF	55-60%	(50-70%)

Parameters in brackets indicate normal adult Values.

IMPRESSION:

- Mild LVH
- Grade I LVDD.
- No e/o RWMA
- Normal EF.
- RA / RV not dilated.
- No e/o pulmonary hypertension
- Normal valves and velocities.
- No clot, vegetations or effusions.



Dr. Ganesh Sanap MBBS, DMRD, DNB.

Shop/ofc. No. 2, Ground floor, Building A, City Vista Downtown Kolte Patil , opposite Victorius School, Kharadi Pune 411014
 8009 22 4005 / 8009 45 4005 (Content of the second seco



Patient Name	:	MR. SURENDRA KALE	Date : 09 May 2024
Referred By	:	Dr. MADYOASIS MEDICAL SERVICES -	Age: 56 YEARS Sex: M

USG ABDOMEN AND PELVIS

Liver:

The liver is normal in size and echotexture. No focal lesion is seen. The intrahepatic biliary radicles are normal. The common bile duct and the portal vein appear normal.

Gall Bladder

The gall bladder is well distended. No e/o calculus seen_. The wall thickness is normal.

Pancreas

The pancreas is normal in size and shape. No focal lesion or calcifications are seen within it. The pancreatic duct is normal.

<u>Spleen</u>

The spleen measures 8cm in size and is normal in echotexture. No focal lesion is seen.

Kidneys

The right kidney measures 10.7 x 4cm. The left kidney measures 9.9x 4 cm.Right renal mid pole non obstructing calculus of size 9 mm seen . Both kidneys show normal parenchymal echo texture. The cortico-medullary differentiation is maintained bilaterally. The pelvicalyceal system is normal in both the kidneys.

Aorta/IVC

The aorta and IVC appear grossly normal. No ascites or lymphadenopathy is seen.

Urinary bladder

The bladder is well distended. The wall thickness is normal. No vesical calculus is seen.

Prostate

The prostate corresponding to a weight of about 27 gms. No focal lesion or calcification is seen.

Impression

Right renal mid pole non obstructing calculus of size 9 mm seen . The prostate corresponding to a weight of about 27 gms.

Dr. Ganesh Sanap MBBS, DMRD, DNB.



Patient Name: MR. SURENDRA KALE Ref. By: Dr. MADYOASIS MEDICAL SERVICES -- Date: 09 May 2024 Age/sex :56 YEARS/M

X RAY CHEST PA VIEW

Both the lung fields are clear.

Both diaphragmatic domes have normal contours and positions.

Cardio-aortic silhouette has a normal appearance.

There is no evidence of any pleural effusion.

Bony thorax appears normal

IMPRESSION :

No obvious abnormality seen at present study.



Dr. Ganesh Sanap MBBS, DMRD, DNB.

 Shop/ofc. No. 2, Ground floor, Building A, City Vista Downtown Kolte Patil , opposite Victorius School, Kharadi Pune 411014

 8009 22 4005 / 8009 45 4005