

Add: Near Pulse Hospital, Chatra Sangh Chauraha, Gorakhpur (U.P) Ph: 7232903044,9161222228 CIN : U85110DL2003PLC308206



Patient Name Age/Gender UHID/MR NO Visit ID Ref Doctor	: Mr.AJAY KUMAR YADAV : 48 Y 0 M 0 D /M : CGKP.0000029286 : CGKP0029582425 : Dr.Mediwheel gkp -		Registered O Collected Received Reported Status	n : 25/May/2024 1 : 25/May/2024 1 : 25/May/2024 1 : 25/May/2024 1 : 25/May/2024 1 : Final Report	2:43:28 2:46:17
	I	DEPARTMENT	OF HAEMATO	LOGY	
	MEDIWHE	EL BANK OF B	SARODA MALE	ABOVE 40 YRS	
Test Name		Result	Unit	Bio. Ref. Interval	Method
Blood Group (AB	3O&Rhtyping)*, <i>Blood</i>				
Blood Group		В			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)		POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE
Complete Blood	Count (CBC) * , Whole Bloc	od			
Haemoglobin		16.00	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	
TLC (WBC) <u>DLC</u>		6,500.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neu	trophils)	57.00	%	40-80	ELECTRONIC IMPEDANCE
Lymphocytes		35.00	%	20-40	ELECTRONIC IMPEDANCE
Monocytes		5.00	%	2-10	ELECTRONIC IMPEDANCE
Eosinophils Basophils ESR		3.00 0.00	% %	1-6 < 1-2	ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE
Observed		20.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5	





Add: Near Pulse Hospital, Chatra Sangh Chauraha, Gorakhpur (U.P) Ph: 7232903044,9161222228 CIN : U85110DL2003PLC308206



Patient Name	: Mr.AJAY KUMAR YADAV	Registered On	: 25/May/2024 12:19:06	
Age/Gender	: 48 Y 0 M 0 D /M	Collected	: 25/May/2024 12:43:28	
UHID/MR NO	: CGKP.0000029286	Received	: 25/May/2024 12:46:17	
Visit ID	: CGKP0029582425	Reported	: 25/May/2024 13:13:29	
Ref Doctor	: Dr.Mediwheel gkp -	Status	: Final Report	

DEPARTMENT OF HAEM ATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			80-91 Yr 15.8 Pregnancy Early gestation - 48 (62 if anaemic) Leter gestation - 70 (95 if anaemic)	
Corrected	0.00	Mm for 1st hr.	< 9	
PCV (HCT)	47.70	%	40-54	
Platelet count				
Platelet Count	2.60	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.20	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	30.70	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.27	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	10.50	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	5.24	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)			in the second	
MCV	91.10	fl	80-100	CALCULATED PARAMETER
MCH	30.50	pg	27-32	CALCULATED PARAMETER
MCHC	33.50	%	30-38	CALCULATED PARAMETER
RDW-CV	14.30	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	48.30	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,705.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	195.00	/cu mm	40-440	

hara

DR VASUNDHARA MD PATHOLOGIST

Page 2 of 12







Add: Near Pulse Hospital, Chatra Sangh Chauraha, Gorakhpur (U.P) Ph: 7232903044,9161222228 CIN : U85110DL2003PLC308206



Patient Name	: Mr.AJAY KUMAR YADAV		Registered		
Age/Gender UHID/MR NO	: 48 Y 0 M 0 D /M : CGKP.0000029286		Collected Received	: 25/May/202 : 25/May/202	
Visit ID	: CGKP0029582425		Reported	: 25/May/202	
Ref Doctor	: Dr.Mediwheel gkp -		Status	: Final Report	
		DEPARTM ENT	OFBIOCHE	MISTRY	
	MEDIWH	EEL BANK OF E	BARODA MA	LEABOVE 40 YRS	
Test Name		Result	Uni	t Bio. Ref. Interv	al Method
LUCOSE FASTIN Glucose Fasting	G* , Plasma	87.60	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD
-	alinically with intoke of hypogl	veemic agents dr	, In dosage variat	tions and other drug inte	ractions
a) Kindly correlate b) A negative test f will never get diabo c) I.G.T = Imparec	clinically with intake of hypogly result only shows that the perso etics in future, which is why an d Glucose Tolerance.	n does not have di	iabetes at the tin	me of testing. It does no tial. <140 Normal	
b) A negative test i will never get diaba	result only shows that the perso etics in future, which is why an d Glucose Tolerance.	n does not have di Annual Health Ch	iabetes at the tin neck up is essen	me of testing. It does no tial.	t mean that the person
a) Kindly correlate b) A negative test f will never get diaba c) I.G.T = Impared Aucose PP * Ample: Plasma After M Interpretation: a) Kindly correlate b) A negative test f will never get diaba	result only shows that the perso etics in future, which is why an d Glucose Tolerance.	n does not have di Annual Health Ch 120.30 ycemic agents, dru n does not have di	iabetes at the tin eeck up is essen mg/dl ug dosage variat iabetes at the tin	me of testing. It does no tial. <140 Normal 140-199 Pre-diabetes >200 Diabetes tions and other drug inte me of testing. It does no	GOD POD
a) Kindly correlate b) A negative test f will never get diaba c) I.G.T = Impared Aucose PP * Ample: Plasma After M Interpretation: a) Kindly correlate b) A negative test f will never get diaba	result only shows that the personetics in future, which is why and Glucose Tolerance.	n does not have di Annual Health Ch 120.30 ycemic agents, dru n does not have di	iabetes at the tin eeck up is essen mg/dl ug dosage variat iabetes at the tin	me of testing. It does no tial. <140 Normal 140-199 Pre-diabetes >200 Diabetes tions and other drug inte me of testing. It does no	GOD POD
a) Kindly correlate b) A negative test f will never get diaba c) I.G.T = Impared Sucose PP * ample:Plasma After M Interpretation: a) Kindly correlate b) A negative test f will never get diaba c) I.G.T = Impared	result only shows that the personetics in future, which is why and Glucose Tolerance.	n does not have di Annual Health Ch 120.30 ycemic agents, dru n does not have di Annual Health Ch	iabetes at the tin eeck up is essen mg/dl ug dosage variat iabetes at the tin	me of testing. It does no tial. <140 Normal 140-199 Pre-diabetes >200 Diabetes tions and other drug inte me of testing. It does no	GOD POD

Glycosylated Haemoglobin (HbA1c)5.70% NGSPHPIGlycosylated Haemoglobin (HbA1c)38.30mmol/mol/IFCCEstimated Average Glucose (eAG)116mg/dl

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.



Home Sample Collection

1800-419-0002





Add: Near Pulse Hospital, Chatra Sangh Chauraha, Gorakhpur (U.P) Ph: 7232903044,9161222228 CIN : U85110DL2003PLC308206



Patient Name	: Mr.AJAY KUMAR YADAV	Registered On	: 25/May/2024 12:19:09	
Age/Gender	: 48 Y 0 M 0 D /M	Collected	: 25/May/2024 12:43:27	
UHID/MR NO	: CGKP.0000029286	Received	: 25/May/2024 12:46:17	
Visit ID	: CGKP0029582425	Reported	: 25/May/2024 14:21:18	
Ref Doctor	: Dr.Mediwheel gkp -	Status	: Final Report	

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.





Add: Near Pulse Hospital, Chatra Sangh Chauraha, Gorakhpur (U.P) Ph: 7232903044,9161222228 CIN : U85110DL2003PLC308206



Patient Name	: Mr.AJAY KUMAR YADAV	Registered On	: 25/May/2024 12:19:09
Age/Gender	: 48 Y 0 M 0 D /M	Collected	: 25/May/2024 12:43:27
UHID/MR NO	: CGKP.0000029286	Received	: 25/May/2024 12:46:17
Visit ID	: CGKP0029582425	Reported	: 25/May/2024 14:21:18
Ref Doctor	: Dr.Mediwheel gkp -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS


Test Name

Result

Unit

Bio. Ref. Interval

Method



BUN (Blood Urea Nitrogen) * Sample:Serum	15.90	mg/dL	7.0-23.0	CALCULATED
Creatinine *	0.96	mg/dl	0.6-1.30	MODIFIED JAFFES
Sample:Serum	6 46	(11		
Uric Acid * Sample:Serum	6.46	mg/dl	3.4-7.0	URICASE
LFT (WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST)	29.60	U/L	< 35	IFCC WITHOUT P5P





Add: Near Pulse Hospital, Chatra Sangh Chauraha, Gorakhpur (U.P) Ph: 7232903044,9161222228 CIN : U85110DL2003PLC308206



Patient Name	: Mr.Ajay Kumar yadav	Registered On	: 25/May/2024 12:19:09
Age/Gender	: 48 Y 0 M 0 D /M	Collected	: 25/May/2024 12:43:27
UHID/MR NO	: CGKP.0000029286	Received	: 25/May/2024 12:46:17
Visit ID	: CGKP0029582425	Reported	: 25/May/2024 14:21:18
Ref Doctor	: Dr.Mediwheel gkp -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	U	nit Bio. Ref. Inter	val Method
SGPT / Alanine Aminotransferase (ALT)	32.30	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	33.40	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.88	gm/dl	6.2-8.0	BIURET
Albumin	4.49	gm/dl	3.4-5.4	B.C.G.
Globulin	2.39	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.88		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	104.00	U/Ľ	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.69	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.27	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.42	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) * , Serum				
Cholesterol (Total)	214.00	mg/dl	<200 Desirable 200-239 Borderline Hig > 240 High	CHOD-PAP gh
HDL Cholesterol (Good Cholesterol)	88.50	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	108	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline Hig 160-189 High > 190 Very High	
VLDL	17.20	mg/dl	10-33	CALCULATED
Triglycerides	86.00	mg/dl	< 150 Normal 150-199 Borderline Hig 200-499 High >500 Very High	GPO-PAP

hara SUN

DR VASUNDHARA MD PATHOLOGIST

Page 6 of 12







Add: Near Pulse Hospital, Chatra Sangh Chauraha, Gorakhpur (U.P) Ph: 7232903044,9161222228 CIN : U85110DL2003PLC308206



Patient Name	: Mr.AJAY KUMAR YADAV		Registered On	: 25/May/2024 12:	19:08
Age/Gender	: 48 Y 0 M 0 D /M		Collected	: 25/May/2024 12:	43:28
UHID/MR NO	: CGKP.0000029286		Received	: 25/May/2024 12:	46:17
Visit ID	: CGKP0029582425		Reported	: 25/May/2024 13	13:29
Ref Doctor	: Dr.Mediwheel gkp -		Status	: Final Report	
	DEF	PARTMENT OF C	LINICAL PATHO	DLOGY	
	MEDIWHE	EL BANK OF BA	RODA MALE AI	BOVE 40 YRS	
Test Name		Result	Unit	Bio. Ref. Interval	Method
URINE EXAMIN	ATION, ROUTINE*, Urine				
Color		YELLOW			
Specific Gravity		1.030			
Reaction PH		Acidic (6.0)			DIPSTICK
Appearance		CLEAR			
Protein		ABSENT	mg %	< 10 Absent	DIPSTICK
				10-40 (+)	
				40-200 (++)	
				200-500 (+++)	
				> 500 (++++)	
Sugar		ABSENT	gms%	< 0.5 (+)	DIPSTICK
				0.5-1.0 (++)	
				1-2 (+++)	
			1814	> 2 (++++)	1.37
Ketone		ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts		ABSENT			
Bile Pigments		ABSENT		and the second second	
Bilirubin		ABSENT			DIPSTICK
Leucocyte Estera	se	ABSENT			DIPSTICK
Urobilinogen(1:2	20 dilution)	ABSENT			
Nitrite		ABSENT			DIPSTICK
Blood		ABSENT			DIPSTICK
Microscopic Exa	mination:				
Epithelial cells		1-2/h.p.f			MICROSCOPIC
		1 2/11.0.1			EXAMINATION
Pus cells		1-2/h.p.f			
RBCs		ABSENT			MICROSCOPIC
ndes		ABSENT			EXAMINATION
Cast		ABSENT			
Crystals		ABSENT			MICROSCOPIC
el ystals		, BOENN			EXAMINATION
Others		ABSENT			
SIGAR FASTIN	G STAGE*, Urine				
			24		
Sugar, Fasting sta	age	ABSENT	gms%		

Interpretation:

Page 7 of 12





Add: Near Pulse Hospital, Chatra Sangh Chauraha, Gorakhpur (U.P) Ph: 7232903044,9161222228 CIN: U85110DL2003PLC308206



Patient Name	: Mr.AJAY KUMAR YADAV	Registered On	: 25/May/2024 12:19:08
Age/Gender	: 48 Y 0 M 0 D /M	Collected	: 25/May/2024 12:43:28
UHID/MR NO	: CGKP.0000029286	Received	: 25/May/2024 12:46:17
Visit ID	: CGKP0029582425	Reported	: 25/May/2024 13:13:29
Ref Doctor	: Dr.Mediwheel gkp -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
(+) < 0.5					
(++) 0.5-1.0					
(+++) 1-2					

(++++) > 2



Page 8 of 12







Since 1991

CHANDAN DIAGNOSTIC CENTRE

Add: Near Pulse Hospital, Chatra Sangh Chauraha, Gorakhpur (U.P) Ph: 7232903044,9161222228 CIN : U85110DL2003PLC308206



Patient Name	: Mr.AJAY KUMAR YADAV	Registered On	: 25/May/2024 12:	:19:11
Age/Gender	: 48 Y 0 M 0 D /M	Collected	: 25/May/2024 12	:43:27
UHID/MR NO	: CGKP.0000029286	Received	: 26/May/2024 10	:51:37
Visit ID	: CGKP0029582425	Reported	: 26/May/2024 13	:43:22
Ref Doctor	: Dr.Mediwheel gkp -	Status	: Final Report	
DEPARTMENT OF IMMUNOLOGY				
MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS				
Test Name		Result Unit	Bio, Ref, Interval	Method

PSA (Prostate Specific Antigen), Total **	1.54	ng/mL <4.1	CLIA
Sample:Serum			

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone⁻
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

Dr. Anupam Singh (MBBS MD Pathology)

Page 9 of 12





Add: Near Pulse Hospital, Chatra Sangh Chauraha, Gorakhpur (U.P) Ph: 7232903044,9161222228 CIN : U85110DL2003PLC308206



Patient Name	: Mr.AJAY KUMAR YADAV	Registered On	: 25/May/2024 12:19:08
Age/Gender	: 48 Y 0 M 0 D /M	Collected	: 25/May/2024 12:43:27
UHID/MR NO	: CGKP.0000029286	Received	: 25/May/2024 12:46:17
Visit ID	: CGKP0029582425	Reported	: 25/May/2024 16:37:40
Ref Doctor	: Dr.Mediwheel gkp -	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	136.00	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	6.87	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.550	μIU/mL	0.27 - 5.5	CLIA
Interpretation:		0.2.4.5	- Einst Tuimester	
		0.3-4.5 μIU/ 0.5-4.6 μIU/		r

0.3-4.5	µIU/mL	First Trimester
0.5-4.6	µIU/mL	Second Trimester
0.8-5.2	µIU/mL	Third Trimester
0.5-8.9	µIU/mL	Adults 55-87 Years
0.7-27	µIU/mL	Premature 28-36 Week
2.3-13.2	µIU/mL	Cord Blood > 37Week
0.7-64	µIU/mL	Child(21 wk - 20 Yrs.)
1-39	µIU/mL	Child 0-4 Days
1.7-9.1	µIU/mL	Child 2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

DR VASUNDHARA MD PATHOLOGIST

Page 10 of 12







Add: Near Pulse Hospital, Chatra Sangh Chauraha, Gorakhpur (U.P) Ph: 7232903044,9161222228 CIN : U85110DL2003PLC308206



Patient Name	: Mr.AJAY KUMAR YADAV	Registered On	: 25/May/2024 12:19:10
Age/Gender	: 48 Y 0 M 0 D /M	Collected	: N/A
UHID/MR NO	: CGKP.0000029286	Received	: N/A
Visit ID	: CGKP0029582425	Reported	: 25/May/2024 12:44:10
Ref Doctor	: Dr.Mediwheel gkp -	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *

X-RAY CHEST PA VIEW

(Rotation +)

Mildly prominent bronchovascular markings are noted in bilateral lung fields.

Bilateral hilar appears normal.

Cardiac size and contours appears normal.

Diaphragmatic shadows are bilaterally normal.

Costo-phrenic angles are bilaterally clear.

Bony cage is normal.

Trachea is central in position.

Soft tissue appears normal.

Clinical correlation is recommended.

Dr Aditya Agarwal (MD Radiology)





Add: Near Pulse Hospital, Chatra Sangh Chauraha, Gorakhpur (U.P) Ph: 7232903044,9161222228 CIN : U85110DL2003PLC308206



1800-419-0002

Patient Name	: Mr.AJAY KUMAR YADAV	Registered On	: 25/May/2024 12:19:10
Age/Gender	: 48 Y 0 M 0 D /M	Collected	: N/A
UHID/MR NO	: CGKP.0000029286	Received	: N/A
Visit ID	: CGKP0029582425	Reported	: 25/May/2024 12:41:03
Ref Doctor	: Dr.Mediwheel gkp -	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOM EN (UPPER & LOWER) *

Liver - Normal in size with homogenous echo texture. No IHBR dilatation is seen. Portal vein shows normal diameter and flow pattern. No definite focal or diffuse mass lesion noted.

Gall bladder – Adequately distended. No calculus in lumen. Wall thickness is normal.

CBD – Normal. No intra-ducal calculus is seen.

Pancreas- is normal in thickness. Clearly defined margins are seen.

Spleen- shows normal size and parenchymal echotexture.

Right kidney- is normal in size. No pelvicalyceal calculus is seen. No backpressure changes are seen. Ureter is normal.

Left kidney- is normal in size. No pelvicalyceal calculus is seen. No backpressure changes are seen. Ureter is normal.

Urinary bladder- is adequately distended. Wall is smooth and regular. No mass or calculus seen.

PVRU~ 27 ml insignificant.


Prostate - is enlarged in size- 30 cc.


No ascites is seen.

IMPRESSION

• Grade I prostatomegaly.

ADV-CLINICAL CORRELATION AND FOLLOW UP STUDY.





Chandan Diagnostic



Age / Gender:48/MalePatient ID:CGKP0029582425Patient Name:Mr.AJAY KUMAR YADAV

Date and Time: 25th May 24 10:01 AM

