mh013509774 57 Years

Rate

mr radhey shyam yadav Male

. Sinus rhythm..... V-rate 50-99

6/8/2024 10:10:30 AM

HCMCT Manipal Hospital

HEALTH CHECK

```
. ST elevation, consider anterolateral injury......ST >0.15mV, I aVL V2-V6
PR
         169
QRSD
         103
         397
QT
         407
QTc
--AXIS--
          61
          59
                                                          - ABNORMAL ECG -
QRS
          22
12 Lead; Standard Placement
                                                                            Unconfirmed Diagnosis
                                                                      V1
1
                                   aVR
                                                                      V2
                                                                                                        V5
II
                                   aVL
III
                                                                                                      F 60~ 0.15-100 Hz
                                                              Chest: 10.0 mm/mV
                                                                                                                                100B CL
                     Speed: 25 mm/sec
                                           Limb: 10 mm/mV
                                                                                                                                                P?
Device:
```

Sector-6, Dwarka, New Delhi 110 075



GST: 07AAAAH3917LIZM PAN NO: AAAAH3917L

NAME	MR Radhey SHYAM YADAV	STUDY DATE	08/06/2024 1:21PM
AGE / SEX	57 y / M	HOSPITAL NO.	MH013509774
ACCESSION NO.	NM14348035	MODALITY	US
REPORTED ON	08/06/2024 2:10PM	REFERRED BY	Health Check MHD

2D Echocardiography Report

	End diastole	End systole
IVS thickness (cm)	1.0	1.3
Left Ventricular Dimension (cm)	4.5	3.0
Left Ventricular Posterior Wall thickness (cm)	1.0	1.3

Aortic Root Diameter (cm)	2.9
Left Atrial Dimension (cm)	3.0
Left Ventricular Ejection Fraction (%)	55%

LEFT VENTRICLE Normal in size. No RWMA. LVEF= 55 %

RIGHT VENTRICLE Normal in size. Normal RV function.

Normal in size **LEFT ATRIUM**

RIGHT ATRIUM Normal in size

MITRAL VALVE Mild MR

AORTIC VALVE Normal.

TRICUSPID VALVE Trace TR (PASP~25mmHg)

PULMONARY VALVE Normal

MAIN PULMONARY ARTERY &

ITS BRANCHES

Appears normal.

INTERATRIAL SEPTUM Intact.

INTERVENTRICULAR SEPTUM Intact.

PERICARDIUM No pericardial effusion or thickening











NABH Accredited Hospital NABL Accredited Hospital Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021

Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

Awarded Clean & Green Hospital

www.manipalhospitals.com E info@manipalhospitals.com P +91 11 4967 4967 Home sample collection: +91 74 2876 9482 Pharmacy Home Delivery: +91 84 4848 6472

Sector-6, Dwarka, New Delhi 110 075



GST: 07AAAAH3917LIZM PAN NO: AAAAH3917L

NAME	MR Radhey SHYAM YADAV	STUDY DATE	08/06/2024 1:21PM
AGE / SEX	57 y / M	HOSPITAL NO.	MH013509774
ACCESSION NO.	NM14348035	MODALITY	US
REPORTED ON	08/06/2024 2:10PM	REFERRED BY	Health Check MHD

DOPPLER STUDY

VALVE	Peak Velocity	Maximum P.G. (mmHg)	Mean P. G. (mmHg)	Regurgitation	Stenosis
	(cm/sec)				
MITRAL	E= 76	-	-	Mild	Nil
	A=96				
AORTIC	126	-	-	Nil	Nil
TRICUSPID	-	N	N	Trace	Nil
PULMONARY	80	N	N	Nil	Nil

SUMMARY & INTERPRETATION:

- No LV regional wall motion abnormality with LVEF = 55%
- Normal sized RA/RV/LV/LA with no chamber hypertrophy. Normal RV function.
- Mild MR
- Trace TR (PASP~25mmHg)
- Grade- I diastolic dysfunction.
- IVC normal in size, >50% collapse with inspiration, suggestive of normal RA pressure.
- No clot/vegetation/pericardial effusion.

Please correlate clinically.

Dr. Amit Gupta MBBS, MD (Medicine), DNB (Cardiology) DMC 22478

Senior Consultant Cardiology

*****End Of Report****











Awarded Emergency Excellence Services MC/3228/04/09/2019-03/09/2021 E-2019-0026/27/07/2019-26/07/2021

Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

Awarded Clean & Green Hospital

www.manipalhospitals.com E info@manipalhospitals.com P +91 11 4967 4967 Home sample collection: +91 74 2876 9482 Pharmacy Home Delivery: +91 84 4848 6472

Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR RADHEY SHYAM YADAV Age : 57 Yr(s) Sex : Male

Referred By: HEALTH CHECK MHD **Reporting Date**: 08 Jun 2024 12:29

Receiving Date : 08 Jun 2024 11:29

Department of Transfusion Medicine (Blood Bank)

BLOOD GROUPING, RH TYPING & ANTIBODY SCREEN (TYPE & SCREEN) Specimen-Blood

Blood Group & Rh Typing (Agglutinaton by gel/tube technique)

Blood Group & Rh typing O Rh(D) Positive

Antibody Screening (Microtyping in gel cards using reagent red cells)

Final Antibody Screen Result Negative

Technical Note:

ABO grouping and Rh typing is done by cell and serum grouping by microplate / gel technique. Antibody screening is done using a 3 cell panel of reagent red cells coated with Rh, Kell, Duffy, Kidd, Lewis, P, MNS, Lutheran and Xg antigens using gel technique.

Page 1 of 4

-----END OF REPORT-----

Damba

Dr Himanshu Lamba

Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR RADHEY SHYAM YADAV Age : 57 Yr(s) Sex :Male

Referred By: HEALTH CHECK MHD **Reporting Date**: 08 Jun 2024 13:37

Receiving Date : 08 Jun 2024 11:22

BIOCHEMISTRY

Specimen: EDTA Whole blood

As per American Diabetes Association(ADA) 2010

HbAlc (Glycosylated Hemoglobin) 5.3 % [4.0-6.5]

HbA1c in %

Non diabetic adults : < 5.7 %

Prediabetes (At Risk) : 5.7 % - 6.4 %

Diabetic Range : > 6.5 %

Estimated Average Glucose (eAG) 105 mg/dl

Use

- 1.Monitoring compliance and long-term blood glucose level control in patients with diabetes.
- 2. Index of diabetic control (direct relationship between poor control and development of complications).
- 3. Predicting development and progression of diabetic microvascular complications.

Limitations :

- 1. AlC values may be falsely elevated or decreased in those with chronic kidney disease.
- 2.False elevations may be due in part to analytical interference from carbamylated hemoglobin formed in the presence of elevated concentrations of urea, with some assays.
- 3. False decreases in measured A1C may occur with hemodialysis and altered red cell turnover, especially in the setting of erythropoietin treatment

References: Rao.L.V., Michael snyder.L.(2021). Wallach's Interpretation of Diagnostic Tests. 11th Edition. Wolterkluwer. NaderRifai, Andrea Rita Horvath, Carl T. wittwer. (2018) Teitz Text book

of Clinical Chemistry and Molecular Diagnostics. First edition, Elsevier, South Asia.

Page 2 of 4

P 011 4967 4967 **E** info@manipalhospitals.com **Emergency** 011 4040 7070

www.hcmct.in www.manipalhospitals.com/delhi/

Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

 Name
 :
 MR RADHEY SHYAM YADAV
 Age
 :
 57 Yr(s) Sex :Male

 Registration No
 :
 MH013509774
 Lab No
 :
 32240604064

Referred By : HEALTH CHECK MHD Reporting Date : 08 Jun 2024 15:35

Receiving Date : 08 Jun 2024 10:59

BIOCHEMISTRY

Lipid Profile (Serum)

TOTAL CHOLESTEROL	(CHOD/POD)	155	mg/dl	<pre>[<200] Moderate risk:200-239 High risk:>240</pre>
TRIGLYCERIDES (GPC	/POD)	136	mg/dl	[<150] Borderline high:151-199 High: 200 - 499 Very high:>500
HDL - CHOLESTEROL	(Direct)	42	mg/dl	[30-60]
Methodology: Homog	enous Enzymatic			
VLDL - Cholesterol	(Calculated)	27	mg/dl	[10-40]
	(CALCULATED) LDL- CH	OLESTEROL	86 mg/dl	[<100]
	(CILCOLITIED) EDE CIT	JHHUIHKUH	oo mg/ar	[\100]
				Near/Above optimal-100-129 Borderline High:130-159 High Risk:160-189
T.Chol/HDL.Chol ra	tio	3.7		Borderline High:130-159

Note:

Reference ranges based on ATP III Classifications. Recommended to do fasting Lipid Profile after a minimum of 8 hours of overnight fasting.

Technical Notes:

Lipid profile is a panel of blood tests that serves as initial broad medical screening tool for abnormalities in lipids, the results of these tests can identify certain genetic

Page 3 of 4

P 011 4967 4967 **E** info@manipalhospitals.com **Emergency** 011 4040 7070

www.hcmct.in www.manipalhospitals.com/delhi/

Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

 Name
 :
 MR RADHEY SHYAM YADAV
 Age
 :
 57 Yr(s) Sex :Male

 Registration No
 :
 MH013509774
 Lab No
 :
 32240604064

 Patient Episode
 :
 H03000063625
 Collection Date :
 08 Jun 2024 10:13

Referred By : HEALTH CHECK MHD **Receiving Date** : 08 Jun 2024 10:59

BIOCHEMISTRY

diseases and determine approximate risks for cardiovascular disease, certain forms of pancreatitis and other diseases.

Test Name			Result	Unit	Biological Ref.	Interval
TOTAL PSA,	Serum	(ECLIA)	2.590	ng/mL	[<3.500]	

Note: PSA is a glycoprotein that is produced by the prostate gland. Normally, very little PSA is secreted in the blood. Increases in glandular size and tissue damage caused by BPH, prostatitis, or prostate cancer may increase circulating PSA levels.

Caution : Serum markers are not specific for malignancy, and values may vary by method.

Immediate PSA testing following digital rectal examination, ejaculation, prostate massage urethral instrumentation, prostate biopsy may increase PSA levels.

Some patients who have been exposed to animal antigens, may have circulating anti-animal antibodies present. These antibodies may interfere with the assay reagents to produce unreliable results.

Page 4 of 4

Shalakha

Reporting Date:

08 Jun 2024 15:35

Dr. Shalakha Agrawal Associate Consultant,M.B.B.S,M.D. Pathology

Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR RADHEY SHYAM YADAV Age : 57 Yr(s) Sex :Male

Referred By: HEALTH CHECK MHD Reporting Date: 08 Jun 2024 14:09

Receiving Date : 08 Jun 2024 10:59

BIOCHEMISTRY

THYROID PROFILE, Serum			Specimen Type : Serum
T3 - Triiodothyronine (ECLIA)	1.060	ng/ml	[0.400-1.810]
T4 - Thyroxine (ECLIA)	7.550	ug/dl	[4.600-10.500]

Note: TSH levels are subject to circadian variation, reaching peak levels between 2-4.a.m.and at a minimum between 6-10 pm.Factors such as change of seasons hormonal fluctuations, Ca or Fe supplements, high fibre diet, stress and illness affect TSH results.

- * References ranges recommended by the American Thyroid Association
- 1) Thyroid. 2011 Oct; 21(10):1081-125.PMID .21787128
- 2) http://www.thyroid-info.com/articles/tsh-fluctuating.html

Test Name	Result	Unit	Biological Ref. Interval
LIVER FUNCTION TEST (Serum)			
BILIRUBIN-TOTAL (Diazonium Ion)	0.47	mg/dl	[0.10-1.20]
BILIRUBIN - DIRECT (Diazotization)	0.18	mg/dl	[0.00-0.30]
BILIRUBIN - INDIRECT (Calculated)	0.29	mg/dl	[0.20-1.00]
SGOT/ AST (UV without P5P)	27	U/L	[10-50]
SGPT/ ALT (UV without P5P)	35	U/L	[0-41]
ALP (p-NPP, kinetic) *	97	U/L	[45-135]
TOTAL PROTEIN (Biuret)	8.2	g/dl	[7.0-9.0]
SERUM ALBUMIN (BCG-dye)	4.6	g/dl	[3.5-5.2]
SERUM GLOBULIN (Calculated)	3.6 #	g/dl	[1.8-3.4]
ALB/GLOB (A/G) Ratio(Calculated)	1.28		[1.10-1.80]

Page 1 of 8



Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR RADHEY SHYAM YADAV Age : 57 Yr(s) Sex :Male

Registration No : MH013509774 Lab No 32240604064

Patient Episode : H03000063625 **Collection Date:** 08 Jun 2024 10:13

Referred By : HEALTH CHECK MHD **Reporting Date:** 08 Jun 2024 15:36

: 08 Jun 2024 10:59 **Receiving Date**

BIOCHEMISTRY

Technical Notes:

Liver function test aids in diagnosis of various pre hepatic, hepatic and post hepatic causes of dysfunction like hemolytic anemia's, viral and alcoholic hepatitis and cholestasis of obstructive causes.

Test Name	Result	Unit B	iological Ref. Interval
KIDNEY PROFILE (Serum)			
BUN (Urease/GLDH)	20.00	mg/dl	[6.00-20.00]
SERUM CREATININE (Jaffe's method)	1.07	mg/dl	[0.80-1.60]
SERUM URIC ACID (Uricase)	5.4	mg/dl	[3.5-7.2]
SERUM CALCIUM (NM-BAPTA)	9.83	mg/dl	[8.00-10.50]
SERUM PHOSPHORUS (Molybdate, UV)	3.0	mg/dl	[2.5-4.5]
SERUM SODIUM (ISE)	140.0	mmol/l	[134.0-145.0]
SERUM POTASSIUM (ISE)	4.98	mmol/l	[3.50-5.20]
SERUM CHLORIDE (ISE Indirect)	100.4	mmol/L	[95.0-105.0]
eGFR	76.6	ml/min/1.73sq	.m [>60.0]

Technical Note

eGFR which is primarily based on Serum Creatinine is a derivation of CKD-EPI 2009 equation normalized to 1.73 sq.m BSA and is not applicable to individuals below 18 years. eGFR tends to be less accurate when Serum Creatinine estimation is indeterminate e.g. patients at extremes of muscle mass, on unusual diets etc. and samples with severe Hemolysis / Icterus / Lipemia.

Page 2 of 8 -----END OF REPORT-------------

Chalakhe

Dr. Shalakha Agrawal Associate Consultant, M.B.B.S, M.D. Pathology



Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR RADHEY SHYAM YADAV Age 57 Yr(s) Sex :Male

Registration No : MH013509774 Lab No 32240604065

Patient Episode : H03000063625 **Collection Date:** 08 Jun 2024 10:15

Referred By : HEALTH CHECK MHD **Reporting Date:** 08 Jun 2024 12:32

Receiving Date : 08 Jun 2024 11:08

BIOCHEMISTRY

Specimen Type : Plasma

GLUCOSE-Fasting (Hexokinase) 96 mg/dl [74-106]

Page 3 of 8

----END OF REPORT-----

Chalakhe

Dr. Shalakha Agrawal Associate Consultant, M.B.B.S, M.D. Pathology

Managed by Manipal Hospitals (Dwarka) Private Limited

Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR RADHEY SHYAM YADAV Age : 57 Yr(s) Sex :Male

Referred By: HEALTH CHECK MHD Reporting Date: 08 Jun 2024 16:05

Receiving Date : 08 Jun 2024 14:10

BIOCHEMISTRY

Specimen Type : Plasma
PLASMA GLUCOSE - PP

Plasma GLUCOSE - PP (Hexokinase) 116 mg/dl [70-140]

Note: Conditions which can lead to lower postprandial glucose levels as compared to fasting glucose are excessive insulin release, rapid gastric emptying,

brisk glucose absorption , post exercise

Page 4 of 8

-----END OF REPORT-----

Galakhe

Dr. Shalakha Agrawal Associate Consultant,M.B.B.S,M.D. Pathology

Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR RADHEY SHYAM YADAV Age : 57 Yr(s) Sex :Male

Referred By: HEALTH CHECK MHD Reporting Date: 08 Jun 2024 13:03

Receiving Date : 08 Jun 2024 11:21

HAEMATOLOGY

ERYTHROCYTE SEDIMENTATION RATE (Automated) Specimen-Whole Blood

ESR 5.0 mm/1sthour [0.0-12.0]

Interpretation :

Erythrocyte sedimentation rate (ESR) is a non-specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants (e.g. pyogenic infections, inflammation and malignancies). The ESR is increased in pregnancy from about the 3rd month and returns to normal by the 4th week postpartum.

ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives).

It is especially low (0 - 1mm) in polycythemia, hypofibrinogenemia or congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis or sickle cells.

Test Name	Result	Unit Bi	ological Ref. Interval
COMPLETE BLOOD COUNT (EDTA Blood)			
WBC Count (Flow cytometry)	7650	/cu.mm	[4000-10000]
RBC Count (Impedence)	5.18	million/cu.mm	[4.50-5.50]
Haemoglobin (SLS Method)	15.8	g/dL	[13.0-17.0]
Haematocrit (PCV)	49.4	%	[40.0-50.0]
(RBC Pulse Height Detector Method)			
MCV (Calculated)	95.4	fL	[83.0-101.0]
MCH (Calculated)	30.5	pg	[25.0-32.0]
MCHC (Calculated)	32.0	g/dL	[31.5-34.5]
Platelet Count (Impedence)	318000	/cu.mm	[150000-410000]
RDW-CV (Calculated)	11.6	용	[11.6-14.0]
DIFFERENTIAL COUNT			
Neutrophils (Flowcytometry)	56.1	%	[40.0-80.0]
Lymphocytes (Flowcytometry)	34.0	ଚ	[20.0-40.0]

Page 5 of 8



Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR RADHEY SHYAM YADAV Age : 57 Yr(s) Sex : Male

Referred By: HEALTH CHECK MHD Reporting Date: 08 Jun 2024 12:07

Receiving Date : 08 Jun 2024 11:21

HAEMATOLOGY

Monocytes (Flowcytometry)	7.6		용	[2.0-10.0]
Eosinophils (Flowcytometry)	1.8		ુ	[1.0-6.0]
Basophils (Flowcytometry)	0.5 #		8	[1.0-2.0]
IG	0.30		ે	
Neutrophil Absolute (Flouroscence fl	low cytometry)	4.3	/cu mm	$[2.0-7.0] \times 10^{3}$
Lymphocyte Absolute (Flouroscence fl	low cytometry)	2.6	/cu mm	$[1.0-3.0] \times 10^{3}$
Monocyte Absolute (Flouroscence flow	w cytometry)	0.6	/cu mm	$[0.2-1.2] \times 10^{3}$
Eosinophil Absolute (Flouroscence fl	low cytometry)	0.1	/cu mm	$[0.0-0.5] \times 10^{3}$
Basophil Absolute (Flouroscence flow	w cytometry)	0.0	/cu mm	$[0.0-0.1] \times 10^{3}$

Complete Blood Count is used to evaluate wide range of health disorders, including anemia, infection, and leukemia. Abnormal increase or decrease in cell counts as revealed may indicate that an underlying medical condition that calls for further evaluation.

-----END OF REPORT-----

Page 6 of 8

Shalakhe

Dr. Shalakha Agrawal Associate Consultant,M.B.B.S,M.D. Pathology



Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR RADHEY SHYAM YADAV Age 57 Yr(s) Sex :Male

Registration No : MH013509774 Lab No 38240600728

Patient Episode : H03000063625 **Collection Date:** 08 Jun 2024 10:13

Referred By : HEALTH CHECK MHD **Reporting Date:** 08 Jun 2024 13:34

Receiving Date : 08 Jun 2024 12:34

CLINICAL PATHOLOGY

Test Name	Result	Biological Ref. Interval
ROUTINE URINE ANALYSIS		
MACROSCOPIC DESCRIPTION		
Colour (Visual)	PALE YELLOW	(Pale Yellow - Yellow)

SLIGHTLY TURBID Appearance (Visual)

CHEMICAL EXAMINATION

Reaction[pH] (5.0-9.0)

(Reflectancephotometry (Indicator Method))

(1.003-1.035)Specific Gravity 1.020

(Reflectancephotometry(Indicator Method))

NEGATIVE Bilirubin Negative

Protein/Albumin PRESENT 1+ (NEGATIVE-TRACE)

(Reflectance photometry (Indicator Method) / Manual SSA)

NOT DETECTED (NEGATIVE) Glucose

(Reflectance photometry (GOD-POD/Benedict Method))

Ketone Bodies NOT DETECTED (NEGATIVE)

(Reflectance photometry(Legal's Test)/Manual Rotheras)

Urobilinogen (NORMAL)

Reflactance photometry/Diazonium salt reaction

NEGATIVE Nitrite NEGATIVE

Reflactance photometry/Griess test

NEGATIVE Leukocytes NIL

Reflactance photometry/Action of Esterase

NEGATIVE BLOOD PRESENT TRACE

(Reflectance photometry (peroxidase))

MICROSCOPIC EXAMINATION	(Manual)	Method: Light mi	croscopy on centrifuged urine
WBC/Pus Cells		1-2 /hpf	(4-6)
Red Blood Cells		1-2 /hpf	(1-2)
Epithelial Cells		1-2 /hpf	(2-4)
Casts		NIL	(NIL)
Crystals		NIL	(NIL)
Bacteria		NIL	
Yeast cells		NIL	

Interpretation:

Page 7 of 8



Registered Office: Sector-6, Dwarka, New Delhi 110 075

Department Of Laboratory Medicine

Name : MR RADHEY SHYAM YADAV Age : 57 Yr(s) Sex :Male

Referred By: HEALTH CHECK MHD Reporting Date: 08 Jun 2024 13:34

Receiving Date : 08 Jun 2024 12:34

CLINICAL PATHOLOGY

 $\textit{URINALYSIS-Routine urine analysis assists in screening and diagnosis of various metabolic , urological, kidney and liver disorders \\$

Protein: Elevated proteins can be an early sign of kidney disease. Urinary protein excretion can also be temporarily elevated by strenuous exercise, orthostatic proteinuria, dehydration, urina tract infections and acute illness with fever

Glucose: Uncontrolled diabetes mellitus can lead to presence of glucose in urine.

Other causes include pregnancy, hormonal disturbances, liver disease and certain medications.

Ketones: Uncontrolled diabetes mellitus can lead to presence of ketones in urine.

Ketones can also be seen in starvation, frequent vomiting, pregnancy and strenuous exercise.

Blood: Occult blood can occur in urine as intact erythrocytes or haemoglobin, which can occur in various urological, nephrological and bleeding disorders.

Leukocytes: An increase in leukocytes is an indication of inflammation in urinary tract or kidneys Most Common cause is bacterial urinary tract infection.

Nitrite: Many bacteria give positive results when their number is high. Nitrite concentration duri infection increases with length of time the urine specimen is retained in bladder prior to collection.

pH: The kidneys play an important role in maintaining acid base balance of the body. Conditions of the body producing acidosis/alkalosis or ingestion of certain type of food can affect the pH of urine.

Specific gravity: Specific gravity gives an indication of how concentrated the urine is. Increased Specific gravity is seen in conditions like dehydration, glycosuria and proteinuria while decrease Specific gravity is seen in excessive fluid intake, renal failure and diabetes insipidus.

Bilirubin: In certain liver diseases such as biliary obstruction or hepatitis,

bilirubin gets excreted in urine.

Urobilinogen: Positive results are seen in liver diseases like hepatitis and cirrhosis and in case of hemolytic anemia.

Page 8 of 8

Shalakha

Dr. Shalakha Agrawal Associate Consultant, M.B.B.S, M.D. Pathology



Sector-6, Dwarka, New Delhi 110 075



GST: 07AAAAH3917LIZM PAN NO: AAAAH3917L

NAME	MR Radhey SHYAM YADAV	STUDY DATE	08/06/2024 10:44AM
AGE / SEX	57 y / M	HOSPITAL NO.	MH013509774
ACCESSION NO.	R7561858	MODALITY	CR
REPORTED ON	08/06/2024 3:34PM	REFERRED BY	Health Check MHD

X-RAY CHEST - PA VIEW

Results:

Bilateral lung fields appear clear.

Both hilar shadows appear normal.

Cardiothoracic ratio is within normal limits.

Both hemidiaphragmatic outlines appear normal.

Both costophrenic angles are clear.

Kindly correlate clinically.

Dr. Prerna Malhotra MBBS, MD, DMC No: 90870

ASSOCIATE CONSULTANT

freme balkons

*****End Of Report****











NABH Accredited Hospital NABL Accredited Hospital MC/3228/04/09/2019-03/09/2021

Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021

Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

Awarded Clean & Green Hospital

www.manipalhospitals.com E info@manipalhospitals.com P +91 11 4967 4967 Home sample collection: +91 74 2876 9482 Pharmacy Home Delivery: +91 84 4848 6472