

Name: MR. N V MITHUN NAYAKA

Age / Gender: 38 years / Male

Sample ID: 3492 Source: MEDIWHEEL Referral: Dr. MEDIWHEEL

Collection Time: Jun 22, 2024, 02:48 p.m. Receiving Time: Jun 22, 2024, 07:02 p.m. Reporting Time: Jun 22, 2024, 07:15 p.m.

Lab Code:

## **HEMATOLOGY**

Test Description	Value(s)	Reference Range	
CBC - Complete Blood Count			
Hemoglobin (Hb)*	15.8	13 - 17	gm/dL
Method : Cynmeth Photometric Measurement			
Erythrocyte (RBC) Count*	5.6	4.7 - 6.0	mil/cu.mm
Method : Electrical Impedence			
Packed Cell Volume (PCV)*	46.4	42 - 52	%
Method : Calculated			
Mean Cell Volume (MCV)*	82.8	80-100	fL
Method : Electrical Impedence			
Mean Cell Haemoglobin (MCH)*	28.2	27 - 32	pg
Method : Calculated			
Mean Corpuscular Hb Concn. (MCHC)*	32.2	30-35	gm/dL
Method : Calculated			
Total Leucocytes (WBC) Count*	5200	4000-10000	cell/cu.mm
Method : Electrical Impedence			
Neutrophils*	66	40 - 75	%
Method : VCSn Technology			
Lymphocytes*	29	20 - 40	%
Method: VCSn Technology			
Monocytes*	04	2 - 10	%
Method: VCSn Technology			
Eosinophils*	01	1 - 6	%
Method: VCSn Technology			
Basophils*	00	0-1	%
Method : VCSn Technology			
Platelet Count*	1.72	1.50 - 4.50	lakhs/cumm
Method : Electrical Impedence			

Tests done on Automated Five Part Cell Counter. (WBC, RBC, Platelet count by impedance method, colorimetric method for Hemoglobin, WBC differential by flow cytometry using laser technology other parameters are calculated). All Abnormal Haemograms are reviewed confirmed microscopically.













Name: MR. N V MITHUN NAYAKA

Age / Gender: 38 years / Male

Sample ID: 3492
Source: MEDIWHEEL

Referral: Dr. MEDIWHEEL

Collection Time: Jun 22, 2024, 02:48 p.m.

Receiving Time: Jun 22, 2024, 07:02 p.m.

Reporting Time: Jun 22, 2024, 07:11 p.m.

Lab Code :

### **HEMATOLOGY**

Test Description	Value(s)	Reference Range	
Erythrocyte Sedimentation Rate			
Erythrocyte Sedimentation Rate	06	<15	mm/hr
Method : EDTA Whole blood, modified westerngren			

Method : EDTA Whole blood, modified western

### Interpretation:

It indicates presence and intensity of an inflammatory process. It is a prognostic test and used to monitor the course or response to treatment of diseases like tuberculosis, acute rheumatic fever,. It is also increased in multiple myeloma, hypothyroidism.













Name: MR. N V MITHUN NAYAKA

Age / Gender: 38 years / Male

Sample ID: 3492 Source: MEDIWHEEL Referral: Dr. MEDIWHEEL

Collection Time: Jun 22, 2024, 02:48 p.m.

Receiving Time: Jun 22, 2024, 07:02 p.m.

Reporting Time: Jun 22, 2024, 07:12 p.m.

Lab Code:

### **BIOCHEMISTRY**

Test Description	Value(s)	Reference Range	
Glycosylated Haemoglobin (HbA1c)			
Glyco Hb (HbA1C)	7.39	Non-Diabetic: <=5.6	%
Method : EDTA Whole blood, HPLC		Pre Diabetic:5.7-6.4	
		Diabetic: >=6.5	
Estimated Average Glucose :	165.39		mg/dL
Interpretations			•

Interpretations

- 1. HbA1C has been endorsed by clinical groups and American Diabetes Association guidelines 2017 for diagnosing diabetes using a cut off point of 6.5%
- 2. Low glycated haemoglobin in a non diabetic individual are often associated with systemic inflammatory diseases, chronic anaemia (especially severe iron deficiency and haemolytic), chronic renal failure and liver diseases. Clinical correlation suggested.
- 3. In known diabetic patients, following values can be considered as a tool for monitoring the glycemic control.

Excellent control-6-7 %

Fair to Good control - 7-8 %

Unsatisfactory control - 8 to 10 %

Poor Control - More than 10 %











Name: MR. N V MITHUN NAYAKA

Age / Gender: 38 years / Male

Sample ID: 3492
Source: MEDIWHEEL

Referral: Dr. MEDIWHEEL

Collection Time: Jun 22, 2024, 02:48 p.m.

Receiving Time: Jun 22, 2024, 07:02 p.m.

Reporting Time: Jun 22, 2024, 07:09 p.m.

Lab Code :

### **IMMUNOLOGY**

Test Description	Value(s)	Reference Range	
TFT - THYROID FUNCTION TEST			
T3 -Total	0.85	Newborn: 0.7-2.0	ng/ml
Method : (Serum,Clia)		< 1 Year: 1.0-2.4	
		1 - 5 Years: 1.0-2.4	
		6 - 10 Years: 0.9-2.4	
		11 - 50 Years: 0.7-2.0	
		> 50 Years: 0.4-1.8	
		First Trimester: 0.8-1.9	
		Second Trimester: 1.0-2.6	
T4-Total*	6.42	Newborn: > 7.5	ug/dL
Method : Serum,CLIA		7 Days - 1 Year: 5.9-13.7	
		1 - 9 Years: 5.5-10.3	
		9 - 12 Years: 5.5-9.3	
		12 - 14 Years: 5.0-8.3	
		Male 15 - 60 Years: 4.6-10.5	
		> 60 Years: 5.0-10.7	
		Female 15 - 60 Years: 5.5-11.0	
TSH-Ultrasensitive*	2.22	Newborn: < 20	μIU/mL
Method : (serum/CLIA)		4 Days - 6 Months: 0.7-4.8	
		6 Months - 4 Years: 0.7-4.2	
		5 - 20 Years: 0.5-3.4	
		21 - 54 Years: 0.4-4.2	
		55 - 87 Years: 0.5-8.9	
		First Trimester: 0.1-2.5	
		Second Trimester: 0.2-3.0	
Interpretation			













Name: MR. N V MITHUN NAYAKA

Age / Gender : 38 years / Male

Sample ID: 3492
Source: MEDIWHEEL

Referral: Dr. MEDIWHEEL

Collection Time: Jun 22, 2024, 02:48 p.m.

Receiving Time: Jun 22, 2024, 07:02 p.m.

Reporting Time: Jun 22, 2024, 07:10 p.m.

Lab Code :

## **BIOCHEMISTRY**

Test Description	Value(s)	Reference Range	
LIPID PROFILE			
Cholesterol-Total  Method : Serum, Cholesterol oxidase esterase, peroxidase	155	Desirable: <= 200 Borderline High: 201-239 High: > 239 Ref: The National Cholesterol Education Program (NCEP) Adult Treatment Panel III Report.	mg/dL
Triglycerides  Method : Serum, Enzymatic, endpoint	238	Normal: < 150 Borderline High: 150-199 High: 200-499 Very High: >= 500	mg/dL
Cholesterol-HDL Direct  Method : Serum, Direct measure-PEG	38	Normal: > 40 Major Heart Risk: < 40	mg/dL
LDL Cholesterol  Method : Serum	69.40	Optimal: < 100 Near optimal/above optimal: 100-129 Borderline high: 130-159 High: 160-189 Very High: >= 190	mg/dL
Non - HDL Cholesterol, Serum Method : calculated	117	Desirable: < 130 mg/dL Borderline High: 130-159mg/dL High: 160-189 mg/dL Very High: > or = 190 mg/dL	mg/dL
VLDL Cholesterol  Method : calculated	47.60	6 - 38	mg/dL
CHOL/HDL RATIO  Method : calculated	4.08	3.5 - 5.0	ratio
LDL/HDL RATIO  Method : calculated	1.83	Desirable / low risk - 0.5 -3.0 Low/ Moderate risk - 3.0- 6.0 Elevated / High risk - > 6.0	ratio
HDL/LDL RATIO  Method : calculated	0.55	Desirable / low risk - 0.5 -3.0 Low/ Moderate risk - 3.0- 6.0 Elevated / High risk - > 6.0	ratio


Note: 8-10 hours fasting sample is required.

\*\*END OF REPORT\*\*











080 2364 4448 080 2990 2769





Name: MR. N V MITHUN NAYAKA

Age / Gender: 38 years / Male

Sample ID: 3492
Source: MEDIWHEEL

Referral: Dr. MEDIWHEEL

Collection Time: Jun 22, 2024, 02:48 p.m.

Receiving Time: Jun 22, 2024, 07:02 p.m.

Reporting Time: Jun 22, 2024, 07:12 p.m.

Lab Code:

#### **BIOCHEMISTRY**

Test Description	Value(s)	Reference Range	
CREATININE - BODY FLUID			
Creatinine	1.1	Reference Range Not Established	mg/dl
(Body fluid)			

Method : Alk. picrate IDMS

### Interpretation:

- 1. Creatinine is generally regarded as the most useful endogenous substance to measure for the assessment of kidney function.
- 2. Creatinine measurements are used in the diagnosis and treatment of certain renal diseases, in monitoring renal dialysis and as a calculation basis for measuring other urine analytes.

#### Increased level is seen in:


Renal function impairment both acute and chronic diseases, postrenal obstruction of urine, decrease in the blood perfusion because of any reason, injury to the muscles (Rhabdomyolysis), dehydration due to loss of body fluids etc.

#### The decreased level is seen in:

Old-age, decreased muscle mass, pregnancy especially in a first and second trimester, advanced and severe liver disease, inadequate dietary intake etc.

\*\*END OF REPORT\*\*







Name: MR. N V MITHUN NAYAKA

Age / Gender: 38 years / Male

**Sample ID**: 3492 Source: MEDIWHEEL Referral: Dr. MEDIWHEEL

Collection Time: Jun 22, 2024, 02:48 p.m. Receiving Time: Jun 22, 2024, 07:02 p.m. Reporting Time: Jun 22, 2024, 07:11 p.m.

Lab Code:

#### **HEMATOLOGY**

Investigations Result(s)

### **Blood Group & Rh Typing**

**Blood Group** 

"B"

Method: Forward and Reverse By Tube Method

**RH Factor** Positive

### Methodology

This is done by forward and reverse grouping by tube Agglutination method.

### Interpretation

Newborn baby does not produce ABO antibodies until 3 to 6 months of age. So the blood group of the Newborn baby is done by ABO antigen grouping (forward grouping) only, antibody grouping (reverse grouping) is not required. Confirmation of the New-born's blood group is indicated when the A and B antigen expression and the isoagglutinins are fully developed (2–4 years).











Name: MR. N V MITHUN NAYAKA

Age / Gender: 38 years / Male

Sample ID: 3492 Source: MEDIWHEEL Referral: Dr. MEDIWHEEL

Collection Time: Jun 22, 2024, 02:48 p.m. Receiving Time: Jun 22, 2024, 07:02 p.m. Reporting Time: Jun 22, 2024, 07:11 p.m.

Lab Code:

Test Description	Value(s)	Reference Range	
Urine Complete Analysis			
Volume*	15	-	ml
Colour*	Pale Yellow	Pale Yellow	
Transparency (Appearance)*	Clear	Clear	
Deposit*	Absent	Absent	
Reaction (pH)*	6.0	4.5 - 8	
Specific Gravity*	1.020	1.010 - 1.030	
Chemical Examination (Automated Dipstick Method)	Jrine		
Urine Glucose (sugar)*	Absent	Absent	
Urine Protein (Albumin)*	Absent	Absent	
Urine Ketones (Acetone)*	Absent	Absent	
Blood*	Absent	Absent	
Bile pigments*	Absent	Absent	
Nitrite*	Absent	Absent	
Urobilinogen*	Normal	Normal	
Microscopic Examination Urine			
Pus Cells (WBCs)*	2-3	0 - 5	/hpf
Epithelial Cells*	2-3	0 - 4	/hpf
Red blood Cells*	Absent	Absent	/hpf
Crystals*	Absent	Absent	
Cast*	Absent	Absent	
Trichomonas Vaginalis*	Absent	Absent	
Yeast Cells*	Absent	Absent	
Amorphous deposits*	Absent	Absent	
Bacteria*	Absent	Absent	















Name: MR. N V MITHUN NAYAKA

Age / Gender: 38 years / Male

Sample ID: 3492
Source: MEDIWHEEL

Referral: Dr. MEDIWHEEL

Collection Time: Jun 22, 2024, 02:48 p.m.

Receiving Time: Jun 22, 2024, 07:02 p.m.

Reporting Time: Jun 22, 2024, 07:07 p.m.

Lab Code:

### **BIOCHEMISTRY**

Test Description	Value(s)	Reference Range	
Fasting Glucose- FBS			
Glucose fasting	199	Normal: 70 - 99	mg/dL
Method : Fluoride Plasma-F, Hexokinase		Impaired Tolerance: 100-125	
		Diabetes mellitus: >= 126	
		(on more than one occassion)	
		(American diabetes association	
		guidelines 2018)	

\*\*END OF REPORT\*\*

Dr. Guruprasad Consultant Pathologist









Name: MR. N V MITHUN NAYAKA

Age / Gender: 38 years / Male

Sample ID: 3492
Source: MEDIWHEEL

Referral: Dr. MEDIWHEEL

Collection Time: Jun 22, 2024, 02:48 p.m.

Receiving Time: Jun 22, 2024, 07:02 p.m.

Reporting Time: Jun 22, 2024, 07:07 p.m.

Lab Code :

CLINICAL BIOCHEMISTRY			
Test Description	Value(s)	Reference Range	
Glucose - Post Prandial(PP)			
Blood Glucose-Post Prandial*  Method : Plasma - P, Hexokinase	300	70-140	mg/dL

\*\*END OF REPORT\*\*

KIIIC 90510











Name: MR. N V MITHUN NAYAKA

Age / Gender: 38 years / Male

Sample ID: 3492
Source: MEDIWHEEL

Referral: Dr. MEDIWHEEL

Collection Time: Jun 22, 2024, 02:48 p.m.

Receiving Time: Jun 22, 2024, 07:02 p.m.

Reporting Time: Jun 22, 2024, 07:09 p.m.

Lab Code :

		RIOCHEMISTRY
( .I II	11 . AI	RICKARINISTRY

Test Description	Value(s)	Reference Range	
<u>Uric Acid - Serum</u>			
Uric Acid*  Method : Uricase, POD	3.5	3.5 - 7.2	mg/dL

\*\*END OF REPORT\*\*











Name: MR. N V MITHUN NAYAKA

Age / Gender: 38 years / Male

Sample ID: 3492
Source: MEDIWHEEL

Referral: Dr. MEDIWHEEL

Collection Time: Jun 22, 2024, 02:48 p.m.

Receiving Time: Jun 22, 2024, 07:02 p.m.

Reporting Time: Jun 22, 2024, 07:10 p.m.

Lab Code :



### **BIOCHEMISTRY**

Test Description	Value(s)	Reference Range	
LFT - LIVER FUNCTION TEST			
Bilirubin - Total	0.6	0.3 - 1.2	mg/dL
Method : Serum, Jendrassik Grof			
Bilirubin - Direct	0.2	0.0 - 0.5	mg/dL
Method : Serum, Diazotization			
Bilirubin - Indirect	0.40	0.1 - 1.0	mg/dL
Method : Serum, Calculated			
SGOT	19	<55	U/L
Method : Serum, UV with P5P, IFCC 37 degree			
SGPT	20	<55	U/L
Method : Serum, UV with P5P, IFCC 37 degree			
SGOT/SGPT	0.95	0.7 - 1.4	ratio
Method : calculated			
GGT-Gamma Glutamyl Transpeptidae	26	< 55	U/L
Method : Serum, G-glutamyl-carboxy-nitoanilide			
Alkaline Phosphatase-ALPI	67	30-120	U/L
Method : Serum, PNPP, AMP Buffer, IFCC 37 degree			
Total Protein	6.7	6.4 - 8.3	g/dL
Method : Serum, Biuret, reagent blank end point			
Albumin	3.5	3.5 - 5.2	g/dL
Method : Serum, Bromcresol purple			
Globulin	3.20	2.3 - 3.5	g/dL
Method : Calculated			
A/G Ratio	1.09	1.0 - 1.8	ratio
Method : Calculated			













Name: MR. N V MITHUN NAYAKA

Age / Gender: 38 years / Male

Sample ID: 3492
Source: MEDIWHEEL

Referral: Dr. MEDIWHEEL

Collection Time: Jun 22, 2024, 02:48 p.m.

Receiving Time: Jun 22, 2024, 07:02 p.m.

Reporting Time: Jun 22, 2024, 07:10 p.m.

Lab Code :

		RIOCHEMISTRY
( .I II	11C - 42 I	BICK HEIMISTRY

Test Description	Value(s)	Reference Range	
Blood Urea Nitrogen (BUN)			
UREA*  Method : Serum, Urease	13.9	17 - 43	mg/dL
BUN* Method : Serum, Calculated	6.50	Children 1-14yrs: 5.1- 16.8, 14-19yrs: 8.4-21, Adult Male < 50yrs: 8.9-20.6, > 50yrs: 8.4-25.7, Adult Female < 50yrs: 7.0-18.7, > 50yrs: 9.8- 20.1	mg/dL









NAME: MR. N V MITHUN NAYAKA

AGE: 38Y/MALE

**REF.BY: MEDIWHEEL** 

DATE:22/06/2024

# CHEST X - RAY AP VIEW

- Both lung fields appear normal
- Both C.P. angles appears normal.
- Both hilar shadows normal.
- Mediastinal silhouette appears normal.
- Both domes of diaphragm, bony cage and soft tissue appears normal

# **IMPRESSION**

NO SIGNIFICANT ABNORMALITY DETECTED



DR. NAVEEN KUMAR R CONSULTANT RADIOLOGIST


> Dr.NAVEEN KUMAR R Consitant Radiologist KMC No.76623













Create with Canva

Eye	cnecku	μ

YOUR CONTACT INFORMATION					
First Name Milmin. Nayara	Last Name N.V.				
Address					
City/State	Zipcode				
Phone	Email				
1. VISUAL ACUITY  A UNAIDED DV.  B UNAIDED NV.  C WITH GLASSES DV.  D WITH GLASSES NV.  2. NIGHT BLINDNESS.  3. COLOUR BLINDNESS.  4. SEQUIN.	RE N/ LE N/ W  RE 6/ LE 6/ LE N/  YES NO				



place. 20 06 (2024)

date : 20 06 (2024)

signature :

Breed

Approved

Date

