



H-2022-0977  
June 16, 2022 - June 15, 2026

**DEPARTMENT OF LABORATORY**

<b>Patient Name</b> : Mr. VIKRANT MADHUSUDAN	<b>Age / Gender</b> : 45 Y(s)/Male
<b>Bill No/ UMR No</b> : MANSAKAR MAB177067/MAU118589	<b>Referred By</b> : Dr. ANANDEEP AGARWAL MBBS
<b>Received Dt</b> : 22-Jun-24 01:50 pm	<b>Report Date</b> : 22-Jun-24 04:20 pm

**FINAL REPORT**

<u>Parameters</u>	<u>Specimen</u>	<u>Result</u>	<u>Biological Reference Intervals</u>	<u>Method</u>
<b>CUE(COMPLETE URINE EXAMINATION)</b>				
<b><u>PHYSICAL EXAMINATION</u></b>				
<b>QUANTITY</b>	URINE	20		
<b>COLOUR</b>		Pale yellow	Yellow	
<b>APPEARANCE</b>		Clear	Clear	
<b><u>CHEMICAL EXAMINATION</u></b>				
<b>PROTEIN</b>	URINE	Absent	Absent	
<b>SUGAR</b>		Absent	Absent	
<b><u>MICROSCOPICAL EXAMINATION</u></b>				
<b>PUS CELLS</b>	URINE	1-2	0-2/HPF	
<b>EPITHELIAL CELLS</b>		1-2	0-4/HPF	
<b>RBC</b>		Absent	0-1/HPF	
<b>CASTS</b>		Absent	Absent	
<b>CRYSTALS</b>		Absent	Absent	
<b>BACTERIA</b>		Absent	Absent	

\*\*\* End Of Report \*\*\*



H-2022-0977  
June 16, 2022 - June 15, 2026

**DEPARTMENT OF HAEMATOLOGY**

<b>Patient Name</b> : Mr. VIKRANT MADHUSUDAN	<b>Age /Gender</b> : 45 Y(s)/Male
<b>Bill No/ UMR No</b> : MANSAKAR MAB177067/MAU118589	<b>Referred By</b> : Dr. ANANDEEP AGARWAL MBBS
<b>Received Dt</b> : 22-Jun-24 01:50 pm	<b>Report Date</b> : 22-Jun-24 04:20 pm

**FINAL REPORT**

<u>Parameters</u>	<u>Specimen</u>	<u>Result</u>	<u>Biological Reference Intervals</u>	<u>Method</u>
<b>COMPLETE BLOOD COUNT</b>				
<b>HAEMOGLOBIN</b>	Blood	14.1	12.1 - 15.2 g/dL	Automated Cell Counter cyanmethemoglobin
RED BLOOD CELLS		4.23	4.5 - 6 mill/cumm.	Automated Cell Counter Electrical Impedance
PCV (PACKED CELL VOLUME)		38.7	39 - 50 % 35 - 47 %	Automated Cell Counter Calculated
MCV (MEAN CORPUSCULAR VOLUME)		92	82 - 95 fl	Automated Cell Counter Calculated
MCH (Mean Corpuscular Hemoglobin)		33.3	27 - 31 pg	Automated cell counter calculated
MCHC (Mean Corpuscular Hemoglobin Concentration)		36.4	32 - 36 g/dL	Automated cell counter calculated
RDW (Red cell Distribution Width)		15.0	11.5 - 14.0 %	Automated Cell Counter Calculated
<b>WHITE BLOOD CELLS (WBC)</b>		7300	4000 - 11000 Cells/cumm.	Automated Cell Counter Electrical Impedance
NEUTROPHILS		57	50 - 75 %	Microscopy
LYMPHOCYTES		34	20 - 40 %	Microscopy
MONOCYTES		05	0 - 10 %	Microscopy
EOSINOPHILS		04	0 - 6 %	Microscopy
BASOPHILS		00	0 - 1 %	Microscopy
<b>PLATELET COUNT</b>		357000	150000 - 450000 /cumm.	Automated Cell Counter Electrical Impedance
<b>BLOOD GROUPING RH TYPING</b>				
<b>BLOOD GROUP</b>		" B "		
<b>Rh TYPING</b>		POSITIVE		
Erythrocyte Sedimentation Rate (ESR)		05	0 - 10 mm at 1 hr	westergren's

\*\*\* End Of Report \*\*\*



H-2022-0977  
June 16, 2022 - June 15, 2026



A Unit of Sahrudaya Health Care Private Limited

**DEPARTMENT OF HAEMATOLOGY**

<b>Patient Name</b> : Mr. VIKRANT MADHUSUDAN	<b>Age /Gender</b> : 45 Y(s)/Male
<b>Bill No/ UMR No</b> : MANSAKAR MAB177067/MAU118589	<b>Referred By</b> : Dr. ANANDEEP AGARWAL MBBS
<b>Received Dt</b> : 22-Jun-24 01:50 pm	<b>Report Date</b> : 23-Jun-24 10:35 am

<u>Parameters</u>	<u>Specimen</u>	<u>Result</u>	<u>Biological Reference In Method</u>
[Faint, illegible text]			



H-2022-0977  
June 16, 2022 - June 15, 2026



A Unit of Sahrudaya Health Care Private Limited

## DEPARTMENT OF BIOCHEMISTRY

<b>Patient Name</b> : Mr. VIKRANT MADHUSUDAN	<b>Age /Gender</b> : 45 Y(s)/Male
<b>Bill No/ UMR No</b> : MANSAKAR MABI77067/MAU118589	<b>Referred By</b> : Dr. ANANDEEP AGARWAL MBBS
<b>Received Dt</b> : 22-Jun-24 01:50 pm	<b>Report Date</b> : 23-Jun-24 10:35 am

### FINAL REPORT

<u>Parameters</u>	<u>Specimen</u>	<u>Result</u>	<u>Biological Reference Intervals</u>	<u>Method</u>
SGPT (ALT)		12.8	0.0 - 50.0 U/L	Uv kinetic with P5P
SERUM ALBUMIN		4.28	3.5 - 5.2 g/dL	Bromocresol purple
POST PRANDIAL PLASMA / SERUM GLUCOSE(PLBS)		79	80 - 140 mg/dL	Hexokinase
SGOT (AST)		22.5	9 - 48 U/L	Uv kinetic with P5P
<b>LIPID PROFILE</b>				
TOTAL CHOLESTEROL		160.3	High : > 240 mg/dL 0 - 200 mg/dL Desirable : < 200 mg/dL Border line : 200 - 240 mg/dL	Cholesterol esterase
SERUM TRYGLYCERIDES		62.4	High : > 400 mg/dL Desirable : < 200 mg/dL Border line : 200 - 240 mg/dL	Lipoprotein Lipase
HDL CHOLESTEROL		44.5	0 - 200 mg/dL Desirable : >= 40 mg/dL	Direct measure-PEG
LDL CHOLESTEROL		103	40 - 60 mg/dL Border line : 100 - 130 mg/dL High : > 130 mg/dL Desirable : < 100 mg/dL	CALCULATED
VLDL		12.48	0 - 40 mg/dL	Calculated
LDL/HDL RATIO		2.32	2.5 - 3.5	
CHOL/HDL RATIO		3.60	3.5 - 5	
FASTING PLASMA /SERUM GLUCOSE (FBS)		79	70 - 110 mg/dL	Hexokinase
<b>SERUM CREATININE</b>				
<b>CREATININE; SERUM</b>		0.81	0.6 - 1.3 mg/dL	Kinetic jaffe reaction
ALKALINE PHOSPHATASE		91.9	56 - 119 U/L	p-NPP AMP Buffer
<b>SERUM BILIRUBIN TOTAL</b>				
<b>TOTAL BILIRUBIN</b>		0.50	0.1 - 1.2 mg/dl	Diazotization
<b>DIRECT BILIRUBIN</b>		0.10	0.0 - 0.4 mg/dL	Diazotization
<b>INDIRECT BILIRUBIN</b>		0.40		Calculated
BLOOD UREA		12.8	15.0 - 45.0 mg/dL	Urease kinetic
SERUM URIC ACID		6.5	3.5 - 7.2 mg/dL	uricase
TOTAL SERUM PROTEINS		7.08	6.4 - 8.2 g/dL	Biuret reaction
SERUM ALBUMIN		4.28	3.5 - 5.2 g/dL	Bromocresol purple
GLOBULINS		2.80	1.8 - 3.6 g/dl	Calculated



H-2022-0977  
June 16, 2022 - June 15, 2026

**DEPARTMENT OF BIOCHEMISTRY**

<b>Patient Name</b> : Mr. VIKRANT MADHUSUDAN	<b>Age / Gender</b> : 45 Y(s)/Male
<b>Bill No/ UMR No</b> : MANSAKAR MAB177067/MAU118589	<b>Referred By</b> : Dr. ANANDEEP AGARWAL MBBS
<b>Received Dt</b> : 22-Jun-24 01:50 pm	<b>Report Date</b> : 23-Jun-24 10:35 am

<u>Parameters</u>	<u>Specimen</u>	<u>Result</u>	<u>Biological Reference In</u>	<u>Method</u>
A/G RATIO		1.53	0.8 - 2.0	Calculated
<b>T3 T4 TSH</b>				
<b>TRI-IODO THYRONINE (T3)</b>		1.21	0.8 - 2.0 ng/mL	Chemiluminescent Microparticle Immunoassay
<b>THYROXINE (T4)</b>		8.24	5.1 - 14.2 ug/dL	Chemiluminescent Microparticle Immunoassay
<b>THYROID STIMULATING HORMONE (TSH)</b>		3.17	0.50 - 4.5 µIU/mL	Chemiluminescent Microparticle Immunoassay
VITAMIN B12		282.7	187 - 883 pg/mL	Chemiluminescence
GLYCOSYLATED HAEMOGLOBIN (HbA1c)		5.8	NORMAL : 4.0 - 6.0 % increased risk of diabetes : 6.0 - 6.4 % indicate diabetes : > 6.5 %	Enzymatic
VITAMIN D-25 OH		16.57	Deficient : < 20 ng/mL. Insufficient : 20 - 29 ng/mL. Sufficient : 30 - 100 ng/mL. Potential toxicity : > 100 ng/mL.	

\*\*\* End Of Report \*\*\*

Lab Incharge

  
Dr. URMILA AJAY ROTTE, MBBS.DPB  
CONSULTANT PATHOLOGIST

22.06.2024 9:49:56 AM  
Medicovert Hospitl  
N-6 Cidco  
AURANGABAD

Location:  
Order Number:  
Indication:  
Medication 1:  
Medication 2:  
Medication 3:


Room:  
65 bpm  
-- / -- mmHg

Male

Technician:  
Ordering Ph:  
Referring Ph:  
Attending Ph:

Normal sinus rhythm  
Normal ECG

QRS : 90 ms  
QT / QTcBaz : 372 / 386 ms  
PR : 128 ms  
P : 112 ms  
RR / pp : 916 / 923 ms  
P / QRS / T : 64 / 61 / 52 degrees





H:2022-0977  
June 16, 2022 - June 15, 2026



A Unit of Sahrudaya Health Care Private Limited

REPORT DISCLOSED

<b>Patient ID:</b>	MAU118589	<b>Patient Name:</b>	VIKRANT MANSAKAR
<b>Age:</b>	45 Years	<b>Sex:</b>	M
<b>Accession Number:</b>		<b>Modality:</b>	CR
<b>Referring Physician:</b>	DR.A.AGARWAL	<b>Study:</b>	Chest
<b>Study Date:</b>	22-Jun-2024		

### X-RAY CHEST PA VIEW

Both lung fields appears normal  
Both C.P.angles appears normal.  
Both hilar shadows normal.  
Mediastinal silhouette appears normal.  
Both domes of diaphragm, bony cage and soft tissue appears normal

**Imp : No significant abnormality detected.**

**DR. SNEHA SHINDE**  
**DMRD RADIOLOGY**  
**(CONSULTANT RADIOLOGIST)**

For Appointment Please Contact - 040 - 6833 4455

📍 Near Chistiya Police Chowk, N-6, Cidco,  
Chhatrapati Sambhajnagar - 431003.

🌐 [www.medicoverhospitals.in](http://www.medicoverhospitals.in)  
✉ [info@medicoverhospitals.in](mailto:info@medicoverhospitals.in)

**For Reports Only**

# MEDICOVER HOSPITAL

Near Chistiya Colony , Police Chowki, N-6 Cidco ,  
Aurangabad - 431001

Email\_ID: info@medicoverhospitals.in

Name: Mr. VIKRANT MANSAKAR  
Age: 45 Y  
Sex: M  
Date: 22-Jun-2024

Ref By: Dr. ANANDEEP AGRAWAL  
Study: 2D ECHO  
Examined By: Dr. ANKUSH KOLHE  
Hospital ID: MAU118589

## ECHOCARDIOGRAPHY REPORT

### MEASUREMENTS

Aorta	32mm	LA	30mm
IVSed	11mm	PWed	10mm
LV ed	39mm	LVes	28mm
LVEF	60 %	IVC	12 mm, collapsing

IVS Motion - NORMAL

### CHAMBERS

LV                    NORMAL CHAMBER DIMENSIONS  
                          RWMA- ABSENT  
                          DIASTOLIC DYSFUNCTION - ABSENT

LA                    NORMAL

RA                    NORMAL

RV                    NORMAL

### MITRAL VALVE

Morphology            NORMAL  
Mitral Stenosis -      ABSENT  
Mitral Regurgitation - **MILD MR**

### TRICUSPID VALVE

Morphology            NORMAL  
Doppler                **TRIVIAL TR, RVSP- 25mm of Hg**

### PULMONARY VALVE

Morphology            NORMAL  
Doppler                NORMAL

### AORTIC VALVE

Morphology            NORMAL  
Doppler                NORMAL

**AORTA-Normal / No-CoA/ dissection**

**IAS/ IVS - Intact**

**NO CLOT/VEGETATION/PERICARDIAL EFFUSION**

### FINAL IMPRESSION-

- NORMAL CHAMBER DIMENSIONS
- NO RESTING RWMA, LVEF - 60%
- NO LV DIASTOLIC DYSFUNCTION
- MILD MR, NO PAH

**DR ANKUSH KOLHE**  
MBBS/FCPS/DIP. PRE.MED/DIP CARD(PGDCC)  
REG-2007-07-3028

**DR. KULDEEP R TOTAWAR**  
MD,DM CARDIOLOGIST  
REG. NO.-MMC 2014-06-2848





# MEDICOVER HOSPITAL

Near Chistiya Colony , Police Chowki, N-6 Cidco ,  
Aurangabad - 431001

Email\_ID: info@medicoverhospitals.in

Name: Mr. VIKRANT MANSAKAR  
Age: 45 Y  
Sex: M  
Date: 22-Jun-2024

Ref By: Dr. ANANDEEP AGRAWAL  
Study: 2D ECHO  
Examined By: Dr. ANKUSH KOLHE  
Hospital ID: MAU118589





H-2022-0977  
June 16, 2022 - June 15, 2026

Mr. Nikrant Mansar Age 45 / M  
D - 22/6/2024

Nm 6/36  
6/36

PH 6/6  
6/6

NUV N-8  
nt8

Colour Vision Normal

RR

-2.00 — 6/6

Add +1.50

LR

-2.00 — 6/6

Add +1.50

R. Teeth

For Appointment Please Contact - 040 - 6833 4455

Near Chistiya Police Chowk, N-6, Cidco,  
Chhatrapati Sambhajinagar - 431003.

www.medicoverhospitals.in  
info@medicoverhospitals.in

For Reports Only