

Name : MR.SURENDRA BABAN BIDYE

:56 Years / Male Age / Gender

Consulting Dr. Collected Reported Reg. Location : Borivali West (Main Centre)

Authenticity Check

R

E



Use a QR Code Scanner Application To Scan the Code

:16-Mar-2024 / 09:34 :16-Mar-2024 / 12:34

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

CBC (Complete Blood Count), Blood				
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>	
RBC PARAMETERS				
Haemoglobin	15.1	13.0-17.0 g/dL	Spectrophotometric	
RBC	5.02	4.5-5.5 mil/cmm	Elect. Impedance	
PCV	45.0	40-50 %	Measured	
MCV	90	80-100 fl	Calculated	
MCH	30.2	27-32 pg	Calculated	
MCHC	33.6	31.5-34.5 g/dL	Calculated	
RDW	14.1	11.6-14.0 %	Calculated	
WBC PARAMETERS				
WBC Total Count	5330	4000-10000 /cmm	Elect. Impedance	
WBC DIFFERENTIAL AND ABSO	LUTE COUNTS			
Lymphocytes	32.0	20-40 %		
Absolute Lymphocytes	1705.6	1000-3000 /cmm	Calculated	
Monocytes	9.9	2-10 %		
Absolute Monocytes	527.7	200-1000 /cmm	Calculated	
Neutrophils	53.5	40-80 %		
Absolute Neutrophils	2851.6	2000-7000 /cmm	Calculated	
Eosinophils	4.2	1-6 %		
Absolute Eosinophils	223.9	20-500 /cmm	Calculated	
Basophils	0.4	0.1-2 %		
Absolute Basophils	21.3	20-100 /cmm	Calculated	

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	219000	150000-400000 /cmm	Elect. Impedance
MPV	8.1	6-11 fl	Calculated
PDW	13.0	11-18 %	Calculated

RBC MORPHOLOGY

Immature Leukocytes

Hypochromia Microcytosis

Page 1 of 15



Name : MR.SURENDRA BABAN BIDYE

Age / Gender : 56 Years / Male

Consulting Dr. : - Collected : 16-Mar-2024 / 09:34

Reg. Location : Borivali West (Main Centre) Reported : 16-Mar-2024 / 11:48

Macrocytosis -

Anisocytosis -

Poikilocytosis -

Polychromasia -

Target Cells -

Basophilic Stippling -

Normoblasts -

Others Normocytic, Normochromic

WBC MORPHOLOGY -

PLATELET MORPHOLOGY -

COMMENT -

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 9 2-20 mm at 1 hr. Sedimentation

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

- It is a non-specific measure of inflammation.
- · The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***





Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 2 of 15



Name : MR.SURENDRA BABAN BIDYE

Age / Gender : 56 Years / Male

Consulting Dr. :

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

pplication To Scan the Code

: 16-Mar-2024 / 13:07 : 16-Mar-2024 / 17:25

Hexokinase

Hexokinase

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

<u>PARAMETER</u> <u>RESULTS</u> <u>BIOLOGICAL REF RANGE</u> <u>METHOD</u>

GLUCOSE (SUGAR) FASTING, 97.9 Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose:

100-125 mg/dl

Diabetic: >/= 126 mg/dl

Collected

Reported

GLUCOSE (SUGAR) PP, Fluoride 91.7 Non-Diabetic: < 140 mg/dl

Plasma PP/R Impaired Glucose Tolerance:

140-199 mg/dl

Diabetic: >/= 200 mg/dl

Urine Sugar (Fasting)AbsentAbsentUrine Ketones (Fasting)AbsentAbsent

Urine Sugar (PP) Absent Absent Urine Ketones (PP) Absent Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***









Name : MR.SURENDRA BABAN BIDYE

Age / Gender : 56 Years / Male

Consulting Dr. : -

Reg. Location : Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

:16-Mar-2024 / 09:34

Reported :16-Mar-2024 / 16:19

Collected

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO KIDNEY FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
BLOOD UREA, Serum	26.2	12.8-42.8 mg/dl	Kinetic
BUN, Serum	12.2	6-20 mg/dl	Calculated
CREATININE, Serum	0.81	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	103	(ml/min/1.73sqm) Normal or High: Above 90 Mild decrease: 60-89 Mild to moderate decrease: 45-59 Moderate to severe decrease: 30-44 Severe decrease: 15-29 Kidney failure: < 15	Calculated


Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation w.e.f 16-08-2023

TOTAL PROTEINS, Serum	7.2	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.8	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.4	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	2.0	1 - 2	Calculated
URIC ACID, Serum	5.3	3.5-7.2 mg/dl	Enzymatic
PHOSPHORUS, Serum	2.8	2.7-4.5 mg/dl	Molybdate UV
CALCIUM, Serum	9.3	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	138	135-148 mmol/l	ISE
POTASSIUM, Serum	4.5	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	107	98-107 mmol/l	ISE

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***









Name : MR.SURENDRA BABAN BIDYE

Age / Gender :56 Years / Male

Consulting Dr. : -

Reg. Location : Borivali West (Main Centre)



Use a OR Code Scanner Application To Scan the Code

: 16-Mar-2024 / 09:34

Reported :16-Mar-2024 / 12:11

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **GLYCOSYLATED HEMOGLOBIN (HbA1c)**

BIOLOGICAL REF RANGE PARAMETER RESULTS METHOD

Glycosylated Hemoglobin (HbA1c), EDTA WB - CC

5.7 Non-Diabetic Level: < 5.7 %

Prediabetic Level: 5.7-6.4 %

Collected

Diabetic Level: >/= 6.5 %

Estimated Average Glucose (eAG), EDTA WB - CC

116.9

mg/dl

Calculated

HPLC

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***





BMhaskar Dr.KETAKI MHASKAR M.D. (PATH) **Pathologist**

Page 5 of 15



Name : MR.SURENDRA BABAN BIDYE

:56 Years / Male Age / Gender

Consulting Dr. : -

TOTAL PSA, Serum

Reg. Location

: Borivali West (Main Centre)

0.538

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

<4.0 ng/ml

:16-Mar-2024 / 09:34 :16-Mar-2024 / 14:02

CLIA

Authenticity Check

R

E

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **PROSTATE SPECIFIC ANTIGEN (PSA)**

BIOLOGICAL REF RANGE PARAMETER RESULTS METHOD

Kindly note change in platform w.e.f. 24-01-2024

Page 6 of 15



Name : MR.SURENDRA BABAN BIDYE

Age / Gender : 56 Years / Male

Consulting Dr. : - Collected : 16-Mar-2024 / 09:34

Reg. Location : Borivali West (Main Centre) Reported :16-Mar-2024 / 14:02

Clinical Significance:

- PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.
- · Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.
- Prostate cancer screening 4.The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH
 than in patients with prostate cancer. 5.Calculation of % free PSA (ie. FPSA/TPSA x 100), has been suggested as way of improving the
 differentiation of BPH and Prostate cancer.

Interpretation:

Increased In- Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter, Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta, Acute renal failure, Acute myocardial infarction,

Decreased In- Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artifactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5-α-reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

Reflex Tests: % FREE PSA, USG Prostate

Limitations:

- tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be
 the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then
 the tPSA values obtained upon changing over to the new procedure must be confirmed by parallelmeasurements with both methods.
 Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization,
 ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.
- Patients who have been regularly exposed to animals or have received immunotherapy or diagnostic procedures utilizing
 immunoglobulins or immunoglobulin fragments may produce antibodies, e.g. HAMA, that interferes with immunoassays.
- PSA results should be interpreted in light of the total clinical presentation of the patient, including: symptoms, clinical history, data from additional tests, and other appropriate information.
- Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of prostate cancer.

Note: The concentration of PSA in a given specimen, determined with assay from different manufacturers, may not be comparable due to differences in assay methods and reagent specificity.

Reference:

- Wallach's Interpretation of diagnostic tests
- · Total PSA Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***





Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 7 of 15



Name : MR.SURENDRA BABAN BIDYE

Age / Gender : 56 Years / Male

Consulting Dr. : Reg. Location : Borivali West (Main Centre)



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 16-Mar-2024 / 09:34 : 16-Mar-2024 / 16:19


MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO EXAMINATION OF FAECES

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Colour	Brown	Brown	-
Form and Consistency	Semi Solid	Semi Solid	-
Mucus	Absent	Absent	-
Blood	Absent	Absent	-
CHEMICAL EXAMINATION			
Reaction (pH)	Acidic (6.0)	-	pH Indicator
Occult Blood	Absent	Absent	Guaiac
MICROSCOPIC EXAMINATION			
Protozoa	Absent	Absent	-
Flagellates	Absent	Absent	-
Ciliates	Absent	Absent	-
Parasites	Absent	Absent	-
Macrophages	Absent	Absent	-
Mucus Strands	Absent	Absent	-
Fat Globules	Absent	Absent	-
RBC/hpf	Absent	Absent	-
WBC/hpf	Absent	Absent	-
Yeast Cells	Absent	Absent	-
Undigested Particles	Present +	-	-
0		-	
Concentration Method (for ova)	No ova detected	Absent	-
Reducing Substances	-	Absent	Benedicts

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***









Name : MR.SURENDRA BABAN BIDYE

:56 Years / Male Age / Gender

Consulting Dr. : -Collected Reported

Reg. Location : Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

:16-Mar-2024 / 09:34

:16-Mar-2024 / 15:58

R

E

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **URINE EXAMINATION REPORT**

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	6.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.020	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	5	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	2-3		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	2-3	Less than 20/hpf	
Others	-		

Note:Sample quantity less than 12ml.



Name : MR.SURENDRA BABAN BIDYE

Age / Gender : 56 Years / Male

Consulting Dr. : - Collected : 16-Mar-2024 / 09:34

Reg. Location : Borivali West (Main Centre) Reported : 16-Mar-2024 / 15:58

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

• Protein (1+ = 25 mg/dl , 2+ = 75 mg/dl , 3+ = 150 mg/dl , 4+ = 500 mg/dl)


Glucose(1+ = 50 mg/dl , 2+ =100 mg/dl , 3+ =300 mg/dl ,4+ =1000 mg/dl)

Ketone (1 + = 5 mg/dl, 2 + = 15 mg/dl, 3 + = 50 mg/dl, 4 + = 150 mg/dl)

Reference: Pack inert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***





Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Page 10 of 15



Name : MR.SURENDRA BABAN BIDYE

Age / Gender : 56 Years / Male

Consulting Dr. : -

Reg. Location: Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

: 16-Mar-2024 / 09:34

:16-Mar-2024 / 14:38

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO BLOOD GROUPING & Rh TYPING

PARAMETER RESULTS

ABO GROUP 0

Rh TYPING Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***





Dr.VRUSHALI SHROFF M.D.(PATH) Pathologist

Page 11 of 15



Name : MR.SURENDRA BABAN BIDYE

Age / Gender : 56 Years / Male

Consulting Dr. : -

Reg. Location : Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

: 16-Mar-2024 / 09:34

Reported :16-Mar-2024 / 15:34

Collected


MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	234.8	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	89.7	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	46.9	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	187.9	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	170.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	17.9	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	5.0	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	3.6	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***









Name : MR.SURENDRA BABAN BIDYE

Age / Gender : 56 Years / Male

Consulting Dr. : -

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

R

E

Use a QR Code Scanner Application To Scan the Code

Collected : 16-Mar-2024 / 09:34

Reported :16-Mar-2024 / 18:06

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	3.6	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	16.4	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	1.3	0.35-5.5 microIU/ml	ECLIA



Name : MR.SURENDRA BABAN BIDYE

Age / Gender :56 Years / Male

Consulting Dr. Collected : 16-Mar-2024 / 09:34 Reported Reg. Location : Borivali West (Main Centre) :16-Mar-2024 / 18:06

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological
- can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation: 19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET. Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4. Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***





BMhaskar Dr.KETAKI MHASKAR M.D. (PATH) **Pathologist**

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 14 of 15



Name : MR.SURENDRA BABAN BIDYE

Age / Gender : 56 Years / Male

Consulting Dr. : -

Reg. Location : Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

Reported

Application To Scan the Code: 16-Mar-2024 / 09:34

:16-Mar-2024 / 15:34


MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIVER FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	0.99	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.34	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.65	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.2	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.8	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.4	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	2.0	1 - 2	Calculated
SGOT (AST), Serum	21.9	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	32.4	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	13.7	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	73.7	40-130 U/L	Colorimetric

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***









: MR.JATIN SANGHAVI

Age / Gender : 44 Years/Male

Consulting Dr. :

Reg.Location : Borivali West (Main Centre)

Collected

: 16-Mar-2024 / 09:21

R

E

P

0

R

T

: 18-Mar-2024 / 08:16 Reported

PHYSICAL EXAMINATION REPORT

History and Complaints:

Nil

EXAMINATION FINDINGS:

Height (cms):

165

Afebrile

Temp (0c): Blood Pressure (mm/hg): 120/80 72/min

Pulse:

Weight (kg):

Skin:

Normal

116

Nails:

Normal

Lymph Node:

Not palpable

Systems

Cardiovascular: Normal Normal

Respiratory: Genitourinary:

Normal

GI System:

Normal

CNS:

Normal

IMPRESSION:

obesity

wt- reduction.

ADVICE:

CHIEF COMPLAINTS:

1) Hypertension:

IHD 2)

3) Arrhythmia

No

No

No



Name : MR.JATIN SANGHAVI

Age / Gender : 44 Years/Male

Consulting Dr. :

Reg.Location : Borivali West (Main Centre)

Collected

: 16-Mar-2024 / 09:21

R

Reported

: 18-Mar-2024 / 08:16

		-	
	2.10		
	34		

R

E

P


O

4)	Diabetes Mellitus	No
5)	Tuberculosis	No
6)	Asthama	No
7)	Pulmonary Disease	No
8)	Thyroid/ Endocrine disorders	No
9)	Nervous disorders	No
10)	GI system	No
11)	Genital urinary disorder	No
12)	Rheumatic joint diseases or symptoms	No
	Blood disease or disorder	No
14)	Cancer/lump growth/cyst	No
15)	Congenital disease	No
16)	Surgeries	No
17)	Musculoskeletal System	No

PERSONAL HISTORY:

1)	Alcohol	No
2)	Smoking	No
3)	Diet	Veg
4)	Medication	No

*** End Of Report ***



Suburban Diagnostics (f. Pvt. Ltd. 3018, 302, 3rd Fleet, Ltd. Elseaners) Above Tenting Iwellar, L. T. Ross, Bookel (Most), Mumbai - 400 092



R E P 0 R T

Date:-

CID: 2407631735

Sex / Age: 44/ 77

Name: Jutin Sanghali EYE CHECK UP

Chief complaints:

Systemic Diseases:

Past history:

Unaided Vision:

Aided Vision:

Refraction:

(Left Eye)

(Right Eye)			(Left Lye)					
					Sph	Cyl	Axis	Vn
	Sph	Cyl	Axis	Vn	Зрп			
Distance								
Near								

Colour Vision: Normal / Abnormal

Remark:

Suburban Diagnostic (I) PVL Ltd. 3018 302, 3:0 Two 10 Elogarance Above Tenisc moter L. T. Road. Bornell (Most), Mumbai - 400 002



SUBURBAN DIAGNOSTICS

: Male Gender

0

R

E

R

Patient: JATIN SANGHAVI


Refd.By:


Pred.Eqns: RECORDERS


: 16-Mar-2024 12:05 PM

: 44 Yrs Age Height: 165 Cms Weight : 116 Kgs : 2407631735 TD

Eth. Corr: 100 Temp







(FEV1,	/FVC) %Pr	ed					
		FVC	Resul	ts		0.77-0-0	%Imp
		Pred	M. Pre	Pred	M. Post	%Pred	The state of the s
Parameter			03.11	099			
FVC	(L)	03.14	02.73	107			
FEV1	(L)	02.55		108			SOM MOT 1995
FEV1/FVC	(%)	81.21	87.78	093			
FEF25-75	(L/s)	03.66	03.40	082			
PEFR	(L/s)	08.36	06.88	082			
FIVC	(L)		02.47				
FEV.5	(L)		02.19	102			
FEV3	(L)	03.05	03.11		11		NOW AND THE
PIFR	(L/s)		03.68				
FEF75-85	(L/s)		01.09				NAME AND ADDRESS OF
FEF.2-1.		06.36	05.29	083			
	(L/s)	07.62	05.20	068	# HALS		
1	(L/s)	05.37	04.36	081			
FEF 50%	(L/s)	02.49	01.75	070			
FEF 75%			mm a a m				
FEV.5/FV		97.13					
FEV3/FVC	(%)						
FET	(Sec)						
ExplTime			041	093			
Lung Age	(Yrs)	00 1/					
FEV6	(L)	03.14	00 11				

00.11

02.98

03.43

PRE - POST FEV6 5 FIF25% FIF50% 4 DEEV6 DFEV3 3 DFEV1 2 1 0 4 3

(L/s)Pre Test COPD Severity

(L/s)

(L/s)

Test Within normal limits

FIF75%

Spirometry within normal limits as (FEV1/FVC)%Pred >95 and FVC%Pred >80

T (Seconds)

Dr. Akhil P. Parulekar. MBBS, MD. Medicine DNB Cardiology Reg. No. 2012082483



SUBURBAN DIAGNOSTICS

Gender : Male

P 0

Refd.By:

Date

Patient: JATIN SANGHAVI

Pred.Eqns: RECORDERS

: 16-Mar-2024 12:06 PM

Height: 165 Cms Weight: 116 Kgs : 2407631735

: 44 Yrs

Age

Eth. Corr: 100


Temp

R

T

R

E



MVV Results

Parameter	Pred	M.Pre	%Pred	M.Post	%Pred	%Imp
MVV (L/min)	124	108	087			
MRf (1/min)		82.14				
MVT (L)		01.31				and 300 1000

Dr. Akhil P. Parulekar. MBBS. MD. Medicine DNB Cardiology Reg. No. 2012082483

SUBURBAN DIAGNOSTICS - BORIVALI WEST

PRECISE TESTING . HEALTHIER LIVING

Patient ID: Patient Name: JATIN SANGHAVI 2407631735


Date and Time: 16th Mar 24 11:10 AM

years months

days

44

NA



N N NA NA

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

REPORTED BY

430ms

150ms

356ms

 $80 \mathrm{ms}$

51° 25° 39°

Dr Nitin Sonavane M.B.B.S.AFLH, D.DIAB, D.CARD Consultant Cardiologist 87714



R
E
P
0
R

T

CID NO: 2407631735	
PATIENT'S NAME: MR.JATIN SANGHAVI	AGE/SEX: 44 Y/ M
REF BY:	DATE: 16/03/2024

2-D ECHOCARDIOGRAPHY

- 1. RA, LA RV is Normal Size.
- 2. No LV Hypertrophy.
- 3. Normal LV systolic function. LVEF 60 % by bi-plane
- 4. No RWMA at rest.
- 5. Aortic, Pulmonary, Mitral, Tricuspid valves normal.
- 6. Great arteries: Aorta: Normal
 - a. No mitral valve prolaps.
- 7. Inter-ventricular septum is intact and normal.
- 8. Intra Atrial Septum intact.
- 9. Pulmonary vein, IVC, hepatic are normal.
- 10.No LV clot.
- 11. No Pericardial Effusion
- 12. No Diastolic disfunction. No Doppler evidence of raised LVEDP.



PATIENT'S NAME: MR.JATIN SANGHAVI

REF BY: ---
DATE: 16/03/2024

1. AO root diameter 3.0 cm
2. IVSd 0.0 cm

-		
1.		3.0 cm
	IVSd	0.9 cm
	LVIDd	4.3 cm
	LVIDs	2.3 cm
	LVPWd	0.9 cm
6.	LA dimension	3.5 cm
7.	RA dimension	3.5 cm
8.	RV dimension	3.0 cm
9.	Pulmonary flow vel:	1.1 m/s
10.	Pulmonary Gradient	5 m/s
11.	Tricuspid flow vel	1.4 m/s
12.	Tricuspid Gradient	9 m/s
13.	PASP by TR Jet	19 mm Hg
	TAPSE	3.0 cm
15.	Aortic flow vel	1.1 m/s
16.	Aortic Gradient	5 m/s
	MV:E	$0.7 \mathrm{m/s}$
18.	A vel	0.6 m/s
	IVC	
	E/E'	16 mm
		10

Impression:

Normal 2d echo study.

Disclaimer

Echo may have inter/Intra observer variations in measurements as the study is observer dependent and changes with Pt's hemodynamics. Please co-relate findings with patients clinical status.

End of Report

DR. S. NITIN Consultant Cardiologist Reg. No. 87714 R

E

0

R

T



R

P

CID

: 2407631735

Name

: Mr JATIN SANGHAVI

Age / Sex

: 44 Years/Male

Ref. Dr

:

Reg. Location

: Borivali West

Reg. Date

: 16-Mar-2024

Reported

: 16-Mar-2024 / 14:36

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

DR.SUDHANSHU SAXENA Consultant Radiologist M.B.B.S DMRE (RadioDiagnosis) RegNo .MMC 2016061376.

Click here to view images <<ImageLink>>

AUDIOMETRY

Name: mg satin songlass


Date: 16/03/2075

2407631735 Sex/Age: m/44

History: -

AUDIOGRAM

Pure Tone Audiogram Right




0 - > Right A. C. Threshold

? - > Right Masked A. C. Threshold 🛆

< - > Right B. C. Threshold

[- > Right Masked B. C. Threshold

Pure Tone Audiogram Left



X - > Left A. C. Threshold

? - > Left Masked A. C. Threshold

> - > Left B. C. Threshold

] - > Left Masked B. C. Threshold

Interpretation:

Ble flearing severitivity winin wound limits

Amol J. Rathod Audiologist Reg. No. B 41893