PID No.
 : MED111034550
 Register On
 : 26/03/2022 9:26 AM

 SID No.
 : 922018318
 Collection On
 : 26/03/2022 11:19 AM

 Age / Sex
 : 33 Year(s) / Female
 Report On
 : 27/03/2022 3:28 PM

MEDALL

Ref. Dr : MediWheel

Investigation	Observed <u>Value</u>	<u>Unit</u>	Biological Reference Interval
HAEMATOLOGY			
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood/Spectrophotometry)	11.3	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood/Derived from Impedance)	34.4	%	37 - 47
RBC Count (EDTA Blood/Impedance Variation)	4.10	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (EDTA Blood/Derived from Impedance)	84.0	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood/Derived from Impedance)	27.5	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood/Derived from Impedance)	32.8	g/dL	32 - 36
RDW-CV (EDTA Blood/Derived from Impedance)	12.7	%	11.5 - 16.0
RDW-SD (EDTA Blood/Derived from Impedance)	37.34	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood/Impedance Variation)	6500	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood/Impedance Variation & Flow Cytometry)	62.4	%	40 - 75
Lymphocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	23.0	%	20 - 45
Eosinophils (EDTA Blood/Impedance Variation & Flow Cytometry)	7.8	%	01 - 06



VERIFIED BY



 PID No.
 : MED111034550
 Register On
 : 26/03/2022 9:26 AM

 SID No.
 : 922018318
 Collection On
 : 26/03/2022 11:19 AM

 Age / Sex
 : 33 Year(s) / Female
 Report On
 : 27/03/2022 3:28 PM

AIVI M

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Monocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	6.1	%	01 - 10
Basophils (EDTA Blood/Impedance Variation & Flow Cytometry)	0.7	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	4.06	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	1.50	10^3 / μl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.51	10^3 / μΙ	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.40	10^3 / μΙ	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.05	10^3 / μΙ	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	339	10^3 / μl	150 - 450
MPV (EDTA Blood/Derived from Impedance)	8.3	fL	8.0 - 13.3
PCT (EDTA Blood/Automated Blood cell Counter)	0.28	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (EDTA Blood/Modified Westergren)	25	mm/hr	< 20



VERIFIED BY



 PID No.
 : MED111034550
 Register On
 : 26/03/2022 9:26 AM

 SID No.
 : 922018318
 Collection On
 : 26/03/2022 11:19 AM

 Age / Sex
 : 33 Year(s) / Female
 Report On
 : 27/03/2022 3:28 PM

Ref. Dr : MediWheel



Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
Liver Function Test			
Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	0.4	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.2	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.2	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	7.5	gm/dL	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.3	gm/dL	3.5 - 5.2
Globulin (Serum/Derived)	3.2	gm/dL	2.3 - 3.6
A : G Ratio (Serum/Derived)	1.3		1.1 - 2.2
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC Kinetic)	16	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	10	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/IFCC Kinetic)	74	U/L	42 - 98
GGT(Gamma Glutamyl Transpeptidase) (Serum/SZASZ standarised IFCC)	12	U/L	< 38



VERIFIED BY



 PID No.
 : MED111034550
 Register On
 : 26/03/2022 9:26 AM

 SID No.
 : 922018318
 Collection On
 : 26/03/2022 11:19 AM

 Age / Sex
 : 33 Year(s) / Female
 Report On
 : 27/03/2022 3:28 PM

MEDALL

Type : OP Printed On : 29/03/2022 5:43 PM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	151	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	66	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >=500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the "usual" circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	53	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	84.8	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	13.2	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	98.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2. It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.



VERIFIED BY



 PID No.
 : MED111034550
 Register On
 : 26/03/2022 9:26 AM

 SID No.
 : 922018318
 Collection On
 : 26/03/2022 11:19 AM

 Age / Sex
 : 33 Year(s) / Female
 Report On
 : 27/03/2022 3:28 PM

Ref. Dr : MediWheel



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	2.8		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	1.2		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	1.6		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0



VERIFIED BY



PID No. : MED111034550 Register On : 26/03/2022 9:26 AM : 922018318 SID No. Collection On : 26/03/2022 11:19 AM Age / Sex : 33 Year(s) / Female

Report On : 27/03/2022 3:28 PM

: OP **Type Printed On** : 29/03/2022 5:43 PM

Ref. Dr : MediWheel



Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glycosylated Haemoglobin (HbA1c)			
HbA1C (Whole Blood/HPLC)	5.8	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 119.76 mg/dL

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



VERIFIED BY



PID No. : MED111034550 Register On : 26/03/2022 9:26 AM : 922018318 SID No. Collection On : 26/03/2022 11:19 AM

Age / Sex : 33 Year(s) / Female Report On : 27/03/2022 3:28 PM

: OP **Type** 29/03/2022 5:43 PM **Printed On**

Ref. Dr : MediWheel



<u>Investigation</u>	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
IMMUNOASSAY			
THYROID PROFILE / TFT			
T3 (Triiodothyronine) - Total (Serum/ <i>CMIA</i>)	1.13	ng/mL	0.7 - 2.04
INTERPRETATION: Comment:			

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

4.2 - 12.0 T4 (Thyroxine) - Total 7.78 μg/dL

(Serum/CMIA)

INTERPRETATION:

Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

0.35 - 5.50TSH (Thyroid Stimulating Hormone) 1.52 μIU/mL

(Serum/Chemiluminescent Microparticle

Immunoassay(CMIA))

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester: 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment:

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values&lt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



 PID No.
 : MED111034550
 Register On
 : 26/03/2022 9:26 AM

 SID No.
 : 922018318
 Collection On
 : 26/03/2022 11:19 AM

 Age / Sex
 : 33 Year(s) / Female
 Report On
 : 27/03/2022 3:28 PM



Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
	Value		Reference Interval

CLINICAL PATHOLOGY

PHYSICAL EXAMINATION

Colour (Urine)	Pale Yellow		
Appearance (Urine)	Clear		Clear
Volume (Urine)	20	mL	
<u>CHEMICAL EXAMINATION(Automated-Urineanalyser)</u>			
pH (Urine/AUTOMATED URINANALYSER)	5.0		4.5 - 8.0
Specific Gravity	1.015		1.002 - 1.035

(Urine)		
Ketones	Negative	Negative
(Urine)		

Urobilinogen 0.2 0.2 - 1.0 (Urine/AUTOMATED URINANALYSER)

Blood Negative Negative

(Urine/AUTOMATED URINANALYSER)

Nitrite Negative Negative

(Urine/AUTOMATED URINANALYSER)

Bilirubin Negative (Urine/AUTOMATED URINANALYSER)

Protein Negative Negative

(Urine)

Glucose Negative Negative (Urine)



VERIFIED BY



: Ms. HEMLATA ANURAGI Name

PID No. : MED111034550 Register On : 26/03/2022 9:26 AM : 922018318 SID No. Collection On : 26/03/2022 11:19 AM Age / Sex : 33 Year(s) / Female Report On

: 27/03/2022 3:28 PM

: 29/03/2022 5:43 PM **Printed On**

Ref. Dr : MediWheel

: OP

Type



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
Leukocytes (Urine) MICROSCOPY(URINE DEPOSITS)	Negative	leuco/uL	Negative
Pus Cells (Urine/Flow cytometry)	2-4	/hpf	3-5
Epithelial Cells (Urine)	3-5	/hpf	1-2
RBCs (Urine/Flow cytometry)	Nil	/hpf	NIL
Others (Urine)	Nil		Nil
Casts (Urine/Flow cytometry)	Nil	/hpf	0 - 1
Crystals (Urine)	Nil		NIL







APPROVED BY

PID No. : MED111034550 Register On : 26/03/2022 9:26 AM : 922018318 SID No. Collection On : 26/03/2022 11:19 AM

Age / Sex : 33 Year(s) / Female Report On : 27/03/2022 3:28 PM : OP **Type**

Printed On

Ref. Dr : MediWheel



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
BUN / Creatinine Ratio	12.8		6 - 22
Glucose Fasting (FBS) (Plasma - F/GOD - POD)	86	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

29/03/2022 5:43 PM

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose Fasting - Urine	Negative		Negative
(Urine - F)			
Glucose Postprandial (PPBS)	103	mg/dL	70 - 140
(Plasma - PP/GOD - POD)			

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Glucose Postprandial - Urine (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease-GLDH)	9	mg/dL	7.0 - 21
Creatinine (Serum/Jaffe Kinetic)	0.7	mg/dL	0.6 - 1.1

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin, cefazolin, ACE inhibitors, angiotensin II receptor antagonists, N-acetylcyteine, chemotherapeutic agent such as flucytosine etc.

3.6 2.6 - 6.0 Uric Acid mg/dL (Serum/*Uricase/Peroxidase*)



VERIFIED BY



 PID No.
 : MED111034550
 Register On
 : 26/03/2022 9:26 AM

 SID No.
 : 922018318
 Collection On
 : 26/03/2022 11:19 AM

 Age / Sex
 : 33 Year(s) / Female
 Report On
 : 27/03/2022 3:28 PM

 Type
 : OP
 Printed On
 : 29/03/2022 5:43 PM

Ref. Dr : MediWheel

(*) MEDALL

InvestigationObservedUnitBiologicalValueReference Interval

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING 'B' 'Positive'

 $(EDTA\ Blood Agglutination)$





APPROVED BY

-- End of Report --



ಭಾರತ ಸರ್ಕಾರ Government of India

Issue Date: 16/04/2013



ಹೆಂಲತಾ ಅನುರಾಗಿ Hemlata Anuragi ಜನ್ನ ದಿನಾಂಕ/DOB: 12/09/1988 ಸ್ತ್ರಿ/ FEMALE

2912 9947 5910

VID: 9157 7524 7288 1937

ಆಧಾರ್, ನನ್ನ ಗುರುತು



ಭಾರತೀಯ ವಿಶಿಷ್ಟ ಗುರುತು ಪ್ರಾಧಿಕಾರ Unique Identification Authority of India



ವಿಳಿತಿ: ಡಬ್ಬ್ಯ/ಓ ಮಿಸ್ಟರ್ ರಾಜೇಶ್ ಅನುರಾಗಿ, ಫ್ಲಾಟ್ ನಂ -1704 ರೋಸಬಾಯ ಬ್ಲಾಕ್ ಈಟ ದ ಗಾರ್ಡನ್ಸ್, # 9 ಕೆ ಪಿ ಅಗ್ರಹಾರ, ಮಾಗಡಿ ರಸ್ತೆ, ಬೆಂಗಳೂರು, ಕರ್ನಾಟಕ - 560023

Address: W/O Mr. Rajesh Anuragi, Flat No.- 1704 Rosebay Block Eta The Gardens, # 9 KP Agrahara, Magadi Road, Bengaluru, Karnataka - 560023



2912 9947 5910

VID: 9157 7524 7288 1937

1947

help@uidai.gov.in | www.uidai.gov.in

Hemlate

Customer Name	Hemlata Ameragi	Customer ID	922018318
Age & Gender	33 ys; Fernale	Visit Date	2.6/03/22


Eye Screening

With spectacles / without spectacles (strike out whichever is not applicable)

Observation / Comments: ___ N Drond

1) au

Dr. RAVI V. HALAKATTI
M.S. (OPHTH)
EYE SURGEON
Regd. No. 11801





Name	HEMLATA ANURAGI	Customer ID	MED111034550
Age & Gender	33Y/F	Visit Date	Mar 26 2022 9:25AM
Ref Doctor	MediWheel		

X-RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: Essentially normal study.

02

DR. H.K. ANAND

DR. SHWETHAS

DR. PRAJNA SHENOY

DR. MAHESH M S

CONSULTANT RADIOLOGISTS



Name	MS.HEMLATA ANURAGI	ID	MED111034550
Age & Gender	33Y/FEMALE	Visit Date	26/03/2022
Ref Doctor	MediWheel		a a

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER show normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN show normal shape, size and echopattern.

No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	9.5	1.7
Left Kidney	9.6	1.6

URINARY BLADDER show normal shape and wall thickness.

It has clear contents. No evidence of diverticula.

UTERUS is anteverted and has normal shape and size.

It has uniform myometrial echopattern.

Endometrial echo is of normal thickness – 9.0mms.

Uterus measures as follows:

LS: 8.0cms AP: 3.0cms TS: 4.6cms.

••-



	MS.HEMLATA ANURAGI	ID	MED111034550
& Gender	33Y/FEMALE	Visit Date	26/03/2022
xef Doctor	MediWheel		

:2:

OVARIES are normal size, shape and echotexture

Ovaries measures as follows:

Right ovary: 2.7 x 1.6cms Left ovary: 2.7 x 1.7cms.

POD & adnexa are free.

No evidence of ascites.

A hernia with a defect of 1.1cms noted in umbilical region with omentum as its contents.

Impression: Umbilical hernia with omentum as its contents.

CONSULTANT RADIOLOGISTS:

DR. H. K. ANAND DR. PRAJNA SHENOY

DR. MAHESH. M. S

DR. RADHA KRISHNA. A.

DR. HIMA BINDU.P Ms/pu





Name	MS.HEMLATA ANURAGI	ID	MED111034550
Age & Gender	33Y/FEMALE	Visit Date	26/03/2022
Ref Doctor	MediWheel	2	

2D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA : 2.86 cms

LEFT ATRIUM : 3.51 cms

AVS : 1.59 cms

LEFT VENTRICLE (DIASTOLE) : 4.49 cms

(SYSTOLE) : 3.06 cms

VENTRICULAR SEPTUM (DIASTOLE) : 1.22 cms

(SYSTOLE) : 1.88 cms

POSTERIOR WALL (DIASTOLE) : 1.10 cms

(SYSTOLE) : 2.69 cms

EDV : 92 ml

ESV : 36 ml

FRACTIONAL SHORTENING : 31 %

EJECTION FRACTION : 60 %

EPSS : cms

RVID : 2.57 cms

DOPPLER MEASUREMENTS

MITRAL VALVE : 'E' -1.24m/s 'A' -0.72m/s TRIVIAL MR

AORTIC VALVE :1.45 m/s NO AR.

TRICUSPID VALVE : PASP : 22 mmHg TRIVIAL TR

PULMONARY VALVE :0.84 m/s NO PR



Name	MS.HEMLATA ANURAGI	ID	MED111034550
Age & Gender	33Y/FEMALE	Visit Date	26/03/2022
Ref Doctor	MediWheel		

:2:

2D ECHOCARDIOGRAPHY FINDINGS:

Left Ventricle

Normal size, Normal systolic function.

No regional wall motion abnormalities

Left Atrium

Normal

Right Ventricle

Normal

Right Atrium

Normal.

Mitral valve

Normal, No mitral valve prolapse.

Aortic valve

Normal, Trileaflet

Tricuspid valve

Normal.

Pulmonary valve

Normal.

IAS

Intact.

IVS

Intact.

Pericardium

No Pericardial effusion.

IMPRESSION:

- TRIVIAL MITRAL REGURGITATION
- > TRIVIAL TRICUSPID REGURGITATION. PASP 22 mmHg
- NORMAL SIZED CARDIAC CHAMBERS.
- **▶ NORMAL LV SYSTOLIC FUNCTION. EF: 60 %**
- > NO REGIONAL WALL MOTION ABNORMALITIES.
- > NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

(KINDLY CORRELATE CLINICALLY AND WITH ECG)

DR.SRIDHAR.L MD, DM, FICC. CONSULTANT CARDIOLOGIST

Dr. SRIDHAR L

MD, (Med), DM(Cardio), FICC Interventional Cardiologist K.M.C. No.: 32248

Please produce bill copy at the time of collecting the



Signature:

Sign-up & Health Assessment Form

	To be filled by Customer			
ame: Mr/Ms/Mrs HEMCA				
ender: O Male O Female	ge: 3 3 years DOB: / /			
lobile: 783852	3 9 5 7. Pincode:			
mail:				
	To be filled by C			
	Medical Hist	tory		
	Have you been previously diagnosed with?	O Yes	O No	
Bar code	Diabetes (Sugar)	O Yes	O No	
	Hypertension (BP)	O Yes	O No	
	Cardiovascular Disease (Heart) Asthma/Allergies (Dust, Pollen, Food, Animals, etc.)	O Yes	O No	
Vitals	Neurological Problems (Nerve)	O Yes	O No	
	Are you currently taking medications for?	O Tes		Y
To be filled by Technician	Dichotos (Sugar)	O Yes	O No	
Height: (65.	ms Diabetes (Sugar) Hypertension (BP)	O Yes	O No	
Waist: 38.	n. Cardiovascular Disease (Heart)	O Yes	O No	
Hip: 43 .	n. Liver Disease	O Yes	O No	,
	Cancer	O Yes	O No	1
Weight: 70.4	g Tuberculosis (TB)	O Yes	O No	
Fat: 25 . 4 %	Family Hist	ory		
	Is there a history of below diseases in your family?			
Visc. Fat: 0.3%	Diabetes (Sugar)	O Yes	O No	
RM: 1487 cal	Hypertension (BP)	O Yes	O No	
BMI: 25.9 kg/m ²	Cardiovascular Disease (Heart)	O Yes	O No	
	Cancer Lifestyle	O Yes	O No	
Body Age: 39 years	Do you exercise regularly?	O Yes	O No	
Sys. BP: 96 mmHg	Do you consume alcohol more than 2 times a week?	O Yes	O No	
Dia. BP: 7 mmHg	Do you smoke/chew tobacco?	O Yes	O No	
indianaminanian	Are you vegetarian?	O Yes	O No	
S	General General	O Yes	O No	
	Do you see a doctor at least once in 6 months? Do you undergo a health checkup every year?	O Yes	O No	
	How would you rate your overall Health?	0 0	0 0	
	Excelle	ent Good Norma	al Poor Very Poor	
	Women's How Is there a family history of Breast Cancer?	O Yes	O No	
	Is there a family history of Endometrial (Uterus) Cancer?	O-Yes	O No	
	Is there a family history of Ovarian Cancer?	O Yes	O No	
	Do you have irregular periods?	O Yes	O No	
	Do you have heavy bleeding during periods?	O Yes	O No	
. 9	Do you have scanty periods?	O Yes	O No	
	Have you attained Menopause?	O Yes	O No	
	Do you have children?	O Yes	O No	
	Was it a normal delivery?	O Yes	O No	
	Did you have disheter/hyportension during delivery?	O vos	O No	