Rate

. Sinus rhythm..... V-rate 50-99

30 Years Male

PR 101 95 QRSD 373 QT 391 QTc --AXIS--56 - BORDERLINE ECG -QRS 31 12 Lead; Standard Placement Unconfirmed Diagnosis 1 aVR **V**1 **V2** II aVL III F 60~ 0.15-100 Hz Speed: 25 mm/sec Chest: 10.0 mm/mV 100B CL Limb: 10 mm/mV P? Device:



Registered Office: Sector-6, Dwarka, New Delhi-110075

: MR SHIVAM RAM LAKHAN GUPTA 30 Yr(s) Sex: Male Name Age

Registration No : MH010806002 Lab No 31230201118

25 Feb 2023 10:33 **Patient Episode** : H03000052431 **Collection Date:**

Referred By : HEALTH CHECK MHD **Reporting Date:** 25 Feb 2023 16:08

Receiving Date : 25 Feb 2023 12:59

Department of Transfusion Medicine (Blood Bank)

BLOOD GROUPING, RH TYPING & ANTIBODY SCREEN (TYPE & SCREEN) Specimen-Blood

Blood Group & Rh Typing (Agglutinaton by gel/tube technique)

O Rh(D) Positive Blood Group & Rh typing

Antibody Screening (Microtyping in gel cards using reagent red cells)

Cell Panel I NEGATIVE Cell Panel II NEGATIVE Cell Panel III NEGATIVE Autocontrol NEGATIVE

Final Antibody Screen Result Negative

Technical Note:

ABO grouping and Rh typing is done by cell and serum grouping by microplate / gel technique. Antibody screening is done using a 3 cell panel of reagent red cells coated with Rh, Kell, Duffy, Kidd, Lewis, P, MNS, Lutheran and Xg antigens using gel technique.

Page1 of 10

-----END OF REPORT-----



Dr Himanshu Lamba











Awarded Emergency Excellence Services

Awarded Nursing Excellence Services

Awarded Clean & Green Hospital E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Registered Office: Sector-6, Dwarka, New Delhi-110075

: MR SHIVAM RAM LAKHAN GUPTA 30 Yr(s) Sex: Male Name Age

Registration No : MH010806002 Lab No 32230209691

25 Feb 2023 10:33 **Patient Episode** : H03000052431 **Collection Date:**

Referred By : HEALTH CHECK MHD **Reporting Date:** 25 Feb 2023 16:15

Receiving Date : 25 Feb 2023 12:39

BIOCHEMISTRY

Glycosylated Hemoglobin Specimen: EDTA Whole blood

As per American Diabetes Association (ADA)

HbA1c (Glycosylated Hemoglobin) [4.0-6.5] HbA1c in % 6.2 Non diabetic adults >= 18 years <5.7

Prediabetes (At Risk) 5.7-6.4 Diagnosing Diabetes >= 6.5

Turbidimetric inhibition immunoassay (TINIA) Methodology

Estimated Average Glucose (eAG) 131 mg/dl

Comments: HbAlc provides an index of average blood glucose levels over the past 8-12 weeks and is a much better indicator of long term glycemic control.

Specimen Type : Serum

THYROID PROFILE, Serum

| T3 - Triiodothyronine (ECLIA) | 1.19 | ng/ml | [0.70-2.04] |
|-------------------------------------|-------|---------|---------------|
| T4 - Thyroxine (ECLIA) | 9.31 | micg/dl | [4.60-12.00] |
| Thyroid Stimulating Hormone (ECLIA) | 1.370 | uIU/mL | [0.340-4.250] |

Note: TSH levels are subject to circadian variation, reaching peak levels between 2-4.a.m. and at a minimum between 6-10 pm. Factors such as change of seasons hormonal fluctuations, Ca or Fe supplements, high fibre diet, stress and illness affect TSH results.

- * References ranges recommended by the American Thyroid Association
- 1) Thyroid. 2011 Oct; 21(10):1081-125.PMID .21787128

Page 2 of 10







NABL Accredited Hospital



Awarded Emergency Excellence Services



Awarded Nursing Excellence Services E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Awarded Clean & Green Hospital



Registered Office: Sector-6, Dwarka, New Delhi- 110075

Name MR SHIVAM RAM LAKHAN GUPTA 30 Yr(s) Sex: Male Age **Registration No** MH010806002 Lab No 32230209691 **Patient Episode** H03000052431 **Collection Date:** 25 Feb 2023 10:33 **Referred By** HEALTH CHECK MHD **Reporting Date:** 25 Feb 2023 16:15

Receiving Date : 25 Feb 2023 12:39

BIOCHEMISTRY

2) http://www.thyroid-info.com/articles/tsh-fluctuating.html

| Test Name | Result | Unit | Biological Ref. Interval |
|---------------------------------|--------|-------|----------------------------|
| Lipid Profile (Serum) | | | |
| TOTAL CHOLESTEROL (CHOD/POD) | 197 | mg/dl | [<200] |
| | | | Moderate risk:200-239 |
| | | | High risk:>240 |
| TRIGLYCERIDES (GPO/POD) | 88 | mg/dl | [<150] |
| | | | Borderline high:151-199 |
| | | | High: 200 - 499 |
| | | | Very high:>500 |
| HDL - CHOLESTEROL (Direct) | 41 | mg/dl | [30-60] |
| VLDL - Cholesterol (Calculated) | 18 | mg/dl | [10-40] |
| LDL- CHOLESTEROL | 138 # | mg/dl | [<100] |
| | | | Near/Above optimal-100-129 |
| | | | Borderline High:130-159 |
| | | | High Risk:160-189 |
| T.Chol/HDL.Chol ratio | 4.8 | | <4.0 Optimal |
| | | | 4.0-5.0 Borderline |
| | | | >6 High Risk |
| LDL.CHOL/HDL.CHOL Ratio | 3.4 | | <3 Optimal |
| | | | 3-4 Borderline |
| | | | >6 High Risk |

Note:

Reference ranges based on ATP III Classifications. Recommended to do fasting Lipid Profile after a minimum of 8 hours of overnight fasting.

Page 3 of 10











Hospital Awarded Emergency Excellence Services Awarded Nursing Excellence Services Awarded Clean & Green Hospital 9-03/09/2021 E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018-04/12/2019



Registered Office: Sector-6, Dwarka, New Delhi- 110075

Name : MR SHIVAM RAM LAKHAN GUPTA 30 Yr(s) Sex: Male Age

Registration No MH010806002 Lab No 32230209691

Patient Episode H03000052431 **Collection Date:** 25 Feb 2023 10:33

: HEALTH CHECK MHD Referred By **Reporting Date:** 25 Feb 2023 16:16

Receiving Date : 25 Feb 2023 12:39

BIOCHEMISTRY

| Test Name | Result | Unit | Biological Ref. Interval |
|------------------------------------|--------|-------|--------------------------|
| LIVER FUNCTION TEST (Serum) | | | |
| BILIRUBIN-TOTAL (mod.J Groff) ** | 0.38 | mg/dl | [0.10-1.20] |
| BILIRUBIN - DIRECT (mod.J Groff) | 0.13 | mg/dl | [<0.2] |
| BILIRUBIN - INDIRECT (mod.J Groff) | 0.25 | mg/dl | [0.20-1.00] |
| SGOT/ AST (P5P, IFCC) | 17.90 | IU/L | [5.00-37.00] |
| SGPT/ ALT (P5P, IFCC) | 12.90 | IU/L | [10.00-50.00] |
| ALP (p-NPP, kinetic) * | 96 | IU/L | [45-135] |
| TOTAL PROTEIN (mod.Biuret) | 7.5 | g/dl | [6.0-8.2] |
| SERUM ALBUMIN (BCG-dye) | 4.8 | g/dl | [3.5-5.0] |
| SERUM GLOBULIN (Calculated) | 2.7 | g/dl | [1.8-3.4] |
| ALB/GLOB (A/G) Ratio | 1.78 | | [1.10-1.80] |

Page 4 of 10











Awarded Nursing Excellence Services

Awarded Clean & Green Hospital E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

^{**}NEW BORN: Vary according to age (days), body wt & gestation of baby

^{*}New born: 4 times the adult value



Registered Office: Sector-6, Dwarka, New Delhi-110075

: MR SHIVAM RAM LAKHAN GUPTA 30 Yr(s) Sex: Male Name Age

Registration No MH010806002 Lab No 32230209691

Patient Episode H03000052431 **Collection Date:** 25 Feb 2023 10:33

Referred By : HEALTH CHECK MHD **Reporting Date:** 25 Feb 2023 16:16

Receiving Date : 25 Feb 2023 12:39

BIOCHEMISTRY

| Test Name | Result | Unit | Biological Ref. Interval |
|----------------------------------|--------|--------------|--------------------------|
| KIDNEY PROFILE (Serum) | | | |
| BUN (Urease/GLDH) | 8.00 | mg/dl | [8.00-23.00] |
| SERUM CREATININE (mod.Jaffe) | 0.70 # | mg/dl | [0.80-1.60] |
| SERUM URIC ACID (mod.Uricase) | 5.1 | mg/dl | [3.5-7.2] |
| SERUM CALCIUM (NM-BAPTA) | 9.5 | mg/dl | [8.6-10.0] |
| SERUM PHOSPHORUS (Molybdate, UV) | 3.5 | mg/dl | [2.3-4.7] |
| SERUM SODIUM (ISE) | 138.0 | mmol/l | [134.0-145.0] |
| SERUM POTASSIUM (ISE) | 4.55 | mmol/l | [3.50-5.20] |
| SERUM CHLORIDE (ISE / IMT) | 100.9 | mmol/l | [95.0-105.0] |
| eGFR | 126.6 | ml/min/1.73s | sq.m [>60.0] |

Technical Note

eGFR which is primarily based on Serum Creatinine is a derivation of CKD-EPI 2009 equation normalized to 1.73 sq.m BSA and is not applicable to individuals below 18 years. eGFR tends to be less accurate when Serum Creatinine estimation is indeterminate e.g. patients at extremes of muscle mass, on unusual diets etc. and samples with severe Hemolysis / Icterus / Lipemia.

Page 5 of 10

----END OF REPORT----

Dr. Neelam Singal CONSULTANT BIOCHEMISTRY







E-2019-0026/27/07/2019-26/07/2021





Awarded Nursing Excellence Services

Awarded Clean & Green Hospital N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Registered Office: Sector-6, Dwarka, New Delhi-110075

: MR SHIVAM RAM LAKHAN GUPTA 30 Yr(s) Sex: Male Name Age

Registration No MH010806002 Lab No 32230209692

Patient Episode : H03000052431 **Collection Date:** 25 Feb 2023 16:17

Referred By : HEALTH CHECK MHD **Reporting Date:** 25 Feb 2023 21:54

Receiving Date : 25 Feb 2023 17:30

BIOCHEMISTRY

Specimen Type : Plasma PLASMA GLUCOSE - PP

Plasma GLUCOSE - PP (Hexokinase) mg/dl [70-140]

Note : Conditions which can lead to lower postprandial glucose levels as compared to fasting glucose are excessive insulin release, rapid gastric emptying,

brisk glucose absorption , post exercise

Specimen Type : Serum/Plasma

Plasma GLUCOSE-Fasting (Hexokinase) mq/dl [70-100] 97

Page 6 of 10

-----END OF REPORT-----

Dr. Neelam Singal

CONSULTANT BIOCHEMISTRY











Awarded Clean & Green Hospital E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Registered Office: Sector-6, Dwarka, New Delhi- 110075

: MR SHIVAM RAM LAKHAN GUPTA 30 Yr(s) Sex: Male Name Age

Registration No MH010806002 Lab No 33230205990

Patient Episode H03000052431 **Collection Date:** 25 Feb 2023 10:34

Referred By : HEALTH CHECK MHD **Reporting Date:** 25 Feb 2023 16:09

Receiving Date : 25 Feb 2023 12:39

HAEMATOLOGY

ERYTHROCYTE SEDIMENTATION RATE (Automated) Specimen-Whole Blood

ESR 6.0 /1sthour [0.0-10.0]

Interpretation :

Erythrocyte sedimentation rate (ESR) is a non-specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants (e.g. pyogenic infections, inflammation and malignancies). The ESR is increased in pregnancy from about the 3rd month and returns to normal by the 4th week postpartum.

ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives).

It is especially low (0 - 1mm) in polycythemia, hypofibrinogenemia or congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis or sickle cells.

| Test Name | Result | Unit Bi | ological Ref. Interval |
|------------------------------------|--------|---------------|------------------------|
| COMPLETE BLOOD COUNT (EDTA Blood) | | | |
| WBC Count (Flow cytometry) | 7110 | /cu.mm | [4000-10000] |
| RBC Count (Impedence) | 4.08 # | million/cu.mm | [4.50-5.50] |
| Haemoglobin (SLS Method) | 13.4 | g/dL | [13.0-17.0] |
| Haematocrit (PCV) | 40.6 | 90 | [40.0-50.0] |
| (RBC Pulse Height Detector Method) | | | |
| MCV (Calculated) | 99.5 | fL | [83.0-101.0] |
| MCH (Calculated) | 32.8 # | pg | [25.0-32.0] |
| MCHC (Calculated) | 33.0 | g/dL | [31.5-34.5] |
| Platelet Count (Impedence) | 314000 | /cu.mm | [150000-410000] |
| RDW-CV (Calculated) | 13.4 | % | [11.6-14.0] |
| DIFFERENTIAL COUNT | | | |
| Neutrophils (Flowcytometry) | 68.3 | 90 | [40.0-80.0] |

Page 7 of 10







Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021



Awarded Clean & Green Hospital

Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Registered Office: Sector-6, Dwarka, New Delhi- 110075

Name : MR SHIVAM RAM LAKHAN GUPTA 30 Yr(s) Sex: Male Age

Registration No MH010806002 Lab No 33230205990

Patient Episode H03000052431 **Collection Date:** 25 Feb 2023 10:34

Referred By : HEALTH CHECK MHD **Reporting Date:** 25 Feb 2023 16:09

Receiving Date : 25 Feb 2023 12:39

HAEMATOLOGY

| Lymphocytes (Flowcytometry) | 22.8 | | 용 | [20.0-40.0] |
|--|-----------------|-----|--------|---------------------------|
| Monocytes (Flowcytometry) | 7.2 | | % | [2.0-10.0] |
| Eosinophils (Flowcytometry) | 1.4 | | % | [1.0-6.0] |
| Basophils (Flowcytometry) | 0.3 # | | 8 | [1.0-2.0] |
| IG | 0.10 | | ଚ୍ଚ | |
| Neutrophil Absolute (Flouroscence | flow cytometry) | 4.9 | /cu mm | $[2.0-7.0] \times 10^{3}$ |
| Lymphocyte Absolute(Flouroscence | flow cytometry) | 1.6 | /cu mm | $[1.0-3.0] \times 10^{3}$ |
| Monocyte Absolute (Flouroscence flouroscence) | ow cytometry) | 0.5 | /cu mm | $[0.2-1.2] \times 10^{3}$ |
| Eosinophil Absolute(Flouroscence | flow cytometry) | 0.1 | /cu mm | $[0.0-0.5] \times 10^{3}$ |
| Basophil Absolute (Flouroscence flouroscence flouroscence) | ow cytometry) | 0.0 | /cu mm | $[0.0-0.1] \times 10^{3}$ |

Complete Blood Count is used to evaluate wide range of health disorders, including anemia, infection, and leukemia. Abnormal increase or decrease in cell counts as revealed may indicate that an underlying medical condition that calls for further evaluation.

Page 8 of 10

----END OF REPORT-----



Dr. Privanka Bhatia CONSULTANT PATHOLOGY











Awarded Emergency Excellence Services

Awarded Nursing Excellence Services E-2019-0026/27/07/2019-26/07/2021 N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

Awarded Clean & Green Hospital



Registered Office: Sector-6, Dwarka, New Delhi- 110075

Name MR SHIVAM RAM LAKHAN GUPTA 30 Yr(s) Sex: Male Age **Registration No** MH010806002 Lab No 38230201697 **Collection Date: Patient Episode** H03000052431 25 Feb 2023 10:33 HEALTH CHECK MHD 27 Feb 2023 10:12 **Referred By Reporting Date:**

Receiving Date : 25 Feb 2023 14:11

CLINICAL PATHOLOGY

| Test Name | Result | Biological Ref. Interval |
|--|---------------------------|--------------------------|
| ROUTINE URINE ANALYSIS | | |
| MACROSCOPIC DESCRIPTION | | |
| Colour (Visual) | PALE YELLOW | (Pale Yellow - Yellow) |
| Appearance (Visual) | CLEAR | |
| CHEMICAL EXAMINATION | | |
| Reaction[pH] | 7.0 | (5.0-9.0) |
| (Reflectancephotometry(Indicator Metho | od)) | |
| Specific Gravity | 1.005 | (1.003-1.035) |
| (Reflectancephotometry(Indicator Metho | od)) | |
| Bilirubin | Negative | NEGATIVE |
| Protein/Albumin | Negative | (NEGATIVE-TRACE) |
| (Reflectance photometry(Indicator Meth | nod)/Manual SSA) | |
| Glucose | NOT DETECTED | (NEGATIVE) |
| (Reflectance photometry (GOD-POD/Bened | lict Method)) | |
| Ketone Bodies | NOT DETECTED | (NEGATIVE) |
| (Reflectance photometry(Legal's Test)/ | 'Manual Rotheras) | |
| Urobilinogen | NORMAL | (NORMAL) |
| Reflactance photometry/Diazonium salt | reaction | |
| Nitrite | NEGATIVE | NEGATIVE |
| Reflactance photometry/Griess test | | |
| Leukocytes | NIL | NEGATIVE |
| Reflactance photometry/Action of Ester | case | |
| BLOOD | NIL | NEGATIVE |
| (Reflectance photometry(peroxidase)) | | |
| MICROSCOPIC EXAMINATION (Manual) Me | thod: Light microscopy on | centrifuged urine |
| WBC/Pus Cells | 2-3/hpf | (4-6) |
| Red Blood Cells | NIL | (1-2) |
| Epithelial Cells | 1-2 /hpf | (2-4) |
| Casts | NIL | (NIL) |
| Crystals | NIL | (NIL) |
| Bacteria | NIL | |
| Yeast cells | NIL | |

Page 9 of 10



IBH Accredited Hospital NABL Accredited Hospit





Awarded Nursing Excellence Services Awarded Clean & Green Hospital N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018-04/12/2019



Registered Office: Sector-6, Dwarka, New Delhi- 110075

: MR SHIVAM RAM LAKHAN GUPTA Name 30 Yr(s) Sex: Male Age

: MH010806002 38230201697 **Registration No** Lab No

: H03000052431 **Collection Date: Patient Episode** 25 Feb 2023 10:33

Reporting Date: Referred By : HEALTH CHECK MHD 27 Feb 2023 10:12

: 25 Feb 2023 14:11 **Receiving Date**

CLINICAL PATHOLOGY

Interpretation:

URINALYSIS-Routine urine analysis assists in screening and diagnosis of various metabolic , urological, kidney and liver disorders

Protein: Elevated proteins can be an early sign of kidney disease. Urinary protein excretion can also be temporarily elevated by strenuous exercise, orthostatic proteinuria, dehydration, urina tract infections and acute illness with fever

Glucose: Uncontrolled diabetes mellitus can lead to presence of glucose in urine.

Other causes include pregnancy, hormonal disturbances, liver disease and certain medications.

Ketones: Uncontrolled diabetes mellitus can lead to presence of ketones in urine.

Ketones can also be seen in starvation, frequent vomiting, pregnancy and strenuous exercise.

Blood: Occult blood can occur in urine as intact erythrocytes or haemoglobin, which can occur in various urological, nephrological and bleeding disorders.

Leukocytes: An increase in leukocytes is an indication of inflammation in urinary tract or kidneys Most Common cause is bacterial urinary tract infection.

Nitrite: Many bacteria give positive results when their number is high. Nitrite concentration duri infection increases with length of time the urine specimen is retained in bladder prior to collection.

pH: The kidneys play an important role in maintaining acid base balance of the body. Conditions of the body producing acidosis/alkalosis or ingestion of certain type of food can affect the pH of urine.

Specific gravity: Specific gravity gives an indication of how concentrated the urine is. Increased Specific gravity is seen in conditions like dehydration, glycosuria and proteinuria while decrease Specific gravity is seen in excessive fluid intake, renal failure and diabetes insipidus.

Bilirubin: In certain liver diseases such as biliary obstruction or hepatitis, bilirubin gets excreted in urine.

Urobilinogen: Positive results are seen in liver diseases like hepatitis and cirrhosis

and in case of hemolytic anemia.

Page 10 of 10

----END OF REPORT-----

Dr.Lakshita singh









Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021



Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Awarded Clean & Green Hospital

Name: SHIVAM RAM LAKHAN GUPTA Hospital No: MH010806002
Age: 30 Sex: M Episode No: H03000052431
Doctor: Health Check MHD Result Date: 25 Feb 2023 16:37

Order: Tread Mill Test

EXERCISE STRESS TEST REPORT (TMT)

Findings:

Baseline ECG NSR Premedications Nil

Protocol Bruce MPHR 179
Duration of 10 Minutes 27sec 85% OF MPHR 152

exercise

Reason for THR achieved METS 13.40

termination

Peak achieved 155 % of MPHR 86 %

achieved

| Stage | Time | Heart rate (bpm) | BP (mmHg) | ECG(ST/T changes/arrhyth | mia) Symptoms |
|-----------|------|------------------|-----------|--------------------------|---------------|
| Control | 0.00 | 90 | 100/70 | No ST-T changes seen | Nil |
| Stage 1 | 3.00 | 120 | 110/70 | No ST-T changes seen | Nil |
| Stage II | 3.00 | 121 | 120/70 | No ST-T changes seen | Nil |
| Stage III | 3.00 | 139 | 130/70 | No ST-T changes seen | Nil |
| Stage IV | 1.00 | 155 | 140/70 | No ST-T changes seen | Nil |
| Recovery | 3.00 | 106 | 120/70 | No ST-T changes seen | Nil |
| Pocult: | | | | _ | |

Result:

- Normal heart rate and BP response
- No significant ST-T changes were seen during exercise or recovery period.
- No symptomatic of angina/ chest pain during the test
- No significant arrhythmia during the test

FINAL IMPRESSION.

- Exercise stress test is Negative for reversible myocardial Ischemia.
- Excellent effort tolerance.

Name: SHIVAM RAM LAKHAN GUPTA Hospital No: MH010806002

Age: 30 Sex: M Episode No: H03000052431

Doctor: Health Check MHD Result Date: 25 Feb 2023 16:37

Order: Tread Mill Test

DR. SAMANJOY MUKHERJEE MD, DM CONSULTANT CARDIOLOGIST

DR. (MAJ) J S KHATRI MBBS, PGDCC, FNIC SPECIALIST (NON-INVASIVE CARDIOLOGY)

> **Dr Samanjoy Mukherjee** ASSOCIATE CONSULTANT

| NAME | Shivam ram LAKHAN GUPTA | STUDY DATE | 25-02-2023 14:38:45 |
|----------------|-------------------------|--------------------|---------------------------------|
| AGE / SEX | 030Yrs / M | HOSPITAL NO. | MH010806002 |
| REFERRING DEPT | OPD | MODALITY/Procedure | US /Ultrasound abdomen n pelvis |
| REPORTED ON | 25-02-2023 16:15:48 | REFERRED BY | Dr. Health Check MHD |

USG WHOLE ABDOMEN

Findings:

Liver is normal in size and echopattern. No focal intra-hepatic lesion is detected. Intra-hepatic biliary radicals are not dilated. Portal vein is normal in calibre.

Gall bladder appears echofree with normal wall thickness. Common bile duct is normal in calibre.

Pancreas is normal in size and echopattern.

Spleen is normal in size (9.4cm) and echopattern.

Both kidneys are normal in position, size (RK = 85x45mm and LK = 96x48mm) and outline. Cortico-medullary differentiation of both kidneys is maintained. Central sinus echoes are compact. No focal lesion or calculus seen. Bilateral pelvicalyceal systems are not dilated.

Urinary bladder is normal in wall thickness with clear contents. No significant intra or extraluminal mass is seen.

Prostate is normal in size, shape and echopattern. It measures 15.8cc in volume.

No significant free fluid is detected.

Impression:

Normal study.

Kindly correlate clinically

Dr. Nipun Gumber MD

DMC No. 90272 Associate Consultant

N.B.: This is only a professional opinion and not the final diagnosis. Radiological investigations are subject to variations due to technical limitations. Hence, correlation with clinical findings and other investigations should be carried out to know true nature of illness.

| NAME | Shivam ram LAKHAN GUPTA | STUDY DATE | 25-02-2023 14:38:45 |
|----------------|-------------------------|--------------------|---------------------------------|
| AGE / SEX | 030Yrs / M | HOSPITAL NO. | MH010806002 |
| REFERRING DEPT | OPD | MODALITY/Procedure | US /Ultrasound abdomen n pelvis |
| REPORTED ON | 25-02-2023 16:15:48 | REFERRED BY | Dr. Health Check MHD |

N.B.: This is only a professional opinion and not the final diagnosis. Radiological investigations are subject to variations due to technical limitations. Hence, correlation with clinical findings and other investigations should be carried out to know true nature of illness.

| Name: | SHIVAM RAI | M LAKHAN GUPTA | Hospital No: | MH010806002 |
|----------------|--------------------|--------------------|--------------|-------------------|
| Age: 30 | Sex: | M | Episode No: | H03000052431 |
| Doctor: | Health Check | MHD | Result Date: | 25 Feb 2023 16:26 |
| Order: | Xray chest P | A (CXR) | | |
| X-RAY CHE | EST - PA VIEW | | | |
| Findings: | | | | |
| Visualized lu | ng fields appear o | elear. | | |
| Both hilar sha | adows appear nor | mal. | | |
| Cardiothoraci | ic ratio is within | normal limits. | | |
| Both hemidia | phragmatic outli | nes appear normal. | | |
| Both costophi | renic angles are c | lear. | | |
| Kindly correl | ate clinically | | | |

Dr. Nipun Gumber ASSOCIATE CONSULTANT