

Name : Ms PRIYA SANJAY NATHE

Age / Sex : 30 Years/Female

Ref. Dr :

Reg. Location: Pimple Saudagar, Pune Main Centre

 \mathbf{E}

R

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

: 12-Mar-2022 / 17:41

: 12-Mar-2022 / 17:44

USG WHOLE ABDOMEN

Reg. Date

Reported

Liver- Normal in size, shape and echo pattern. No focal lesion. Intrahepatic biliary and portal radicals appear normal. Visualised portion of CBD appears normal in calibre. Portal vein appears normal.

Gall bladder– partially distended with normal wall thickness. No calculus or mass lesion is visualized. No pericholecystic collection.

Pancreas- Head and body are visualized and appear normal in size, shape and echo pattern. No focal lesion seen. No peripancreatic collection noted.

Spleen – Appears normal in size, Shape & echo pattern. No focal lesion seen.

Kidneys- Right kidney- 8.7×3.6 cm, Left kidney - 10.1×5.1 cm, Both kidneys appear normal in size, shape, position & echo pattern with maintained cortico-medullary differentiation. No hydronephrosis, hydroureter or calculus noted.

Urinary bladder- Is distended & shows normal wall thickness. No calculus or mass lesion is noted.

Uterus- is retroverted, appears normal in size, shape and myometrial echopattern. No obvious focal lesion. ET is in midline measures 5.2mm

Ovaries: bilateral ovaries appear normal in size and appearance. No focal lesion.

No free fluid in abdomen and pelvis.

Visualized bowel loops appear normal and show normal peristalsis. No evidence of enlarged lymph nodes.

CONCLUSION:

No significant sonological abnormality detected.

Advice – clinical correlation and further evaluation if clinically indicated.

Produke

Dr. SATYAJEET S. GHODAKE MBBS, MD, DNB, MNAMS. Regd. No. 2013/05/1417 Consultant Radiologist

Investigations have their own limitations. Solitary radiological investigation never leads to a final diagnosis. They should be always correlated with clinical and pathological examinations.

Click here to view images

http://202.143.96.162/Suburban/Viewer?ViewerType=3&AccessionNo=2022031209531123

Page 1of 2

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : Ms PRIYA SANJAY NATHE

Age / Sex : 30 Years/Female

Ref. Dr :

Reg. Location: Pimple Saudagar, Pune Main Centre

Authenticity Check

R

E

R

T

Use a QR Code Scanner Application To Scan the Code

Reg. Date : 12-Mar-2022 / 17:41

Reported

: 12-Mar-2022 / 17:44

This report is prepared and physically checked by DR SATYAJEET before dispatch.

Click here to view images

http://202.143.96.162/Suburban/Viewer?ViewerType=3&AccessionNo=2022031209531123

Page 2of 2



: 2207126876 CID

: Ms PRIYA SANJAY NATHE Name

: 30 Years/Female Age / Sex

Ref. Dr

Reg. Location: Pimple Saudagar, Pune Main Centre

Reg. Date Reported

 \mathbf{E}

R

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

: 12-Mar-2022 / 12:56

: 12-Mar-2022 / 17:12

X-RAY CHEST PA VIEW

Patient is minimally rotated.

Trachea is central.

Slightly prominent bronchovascular markings are noted bilaterally. Visualized bilateral lung fields otherwise appear grossly normal. Both hila appear normal.

Cardio-aortic silhouette has grossly normal appearance for age. Diaphragmatic domes have normal contours and positions. Bilateral costophrenic and cardiophrenic angles appear normal. Visualized bony thorax and soft-tissues are grossly normal for age.

IMPRESSION:

No other significant abnormality detected.

Advice – Clinical correlation and further evaluation if clinically indicated.

Dr. SATYAJEET S. GHODAKE MBBS, MD, DNB, MNAMS. Regd. No. 2013/05/1417 Consultant Radiologist

Investigations have their own limitations. Solitary radiological investigation never leads to a final diagnosis. They should be always correlated with clinical and pathological examinations.

This report is prepared and physically checked by DR SATYAJEET before dispatch.

Click here to view images

http://202.143.96.162/Suburban/Viewer?ViewerType=3&AccessionNo=2022031209531130



Name : MS.PRIYA SANJAY NATHE

Age / Gender : 30 Years / Female

Consulting Dr. Collected Reported

Reg. Location : Pimple Saudagar, Pune (Main Centre)



Use a OR Code Scanner Application To Scan the Code

:12-Mar-2022 / 10:14

:12-Mar-2022 / 14:10

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC (Complete Blood Count), Blood			
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	12.2	12.0-15.0 g/dL	Spectrophotometric
RBC	4.33	3.8-4.8 mil/cmm	Elect. Impedance
PCV	36.6	36-46 %	Measured
MCV	84	80-100 fl	Calculated
MCH	28.2	27-32 pg	Calculated
MCHC	33.4	31.5-34.5 g/dL	Calculated
RDW	11.0	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	4840	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND ABS	SOLUTE COUNTS		
Lymphocytes	35.0	20-40 %	
Absolute Lymphocytes	1694.0	1000-3000 /cmm	Calculated
Monocytes	4.3	2-10 %	
Absolute Monocytes	208.1	200-1000 /cmm	Calculated
Neutrophils	51.4	40-80 %	
Absolute Neutrophils	2487.8	2000-7000 /cmm	Calculated
Eosinophils	7.9	1-6 %	
Absolute Eosinophils	382.4	20-500 /cmm	Calculated
Basophils	1.4	0.1-2 %	
Absolute Basophils	67.8	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	281000	150000-400000 /cmm	Elect. Impedance
MPV	9.0	6-11 fl	Calculated
PDW	14.7	11-18 %	Calculated

RBC MORPHOLOGY

Hypochromia	-
Microcytosis	_

Page 1 of 10

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MS.PRIYA SANJAY NATHE

: 30 Years / Female Age / Gender

Consulting Dr. Collected

Reported Reg. Location : Pimple Saudagar, Pune (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

: 12-Mar-2022 / 10:14 :12-Mar-2022 / 13:45

Macrocytosis

Anisocytosis

Poikilocytosis

Polychromasia

Target Cells

Basophilic Stippling

Normoblasts

Others Normocytic, Normochromic

WBC MORPHOLOGY

PLATELET MORPHOLOGY

COMMENT

Specimen: EDTA Whole Blood

ESR, EDTA WB 2-20 mm at 1 hr. Westergren

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Baner Balewadi Lab *** End Of Report ***



K.S. Wadgaarkat

Dr.Khushboo Wadgaonkar M.B.B.S., M.D. (Path), **Consultant Pathologist**

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

Brief Disclaimer: (1) Suburban Diagnostics ensures that the tests are conducted with utmost care and safety and are performed on samples received as per the sample collection guide of Suburban Diagnostics. (2) Sample may be rejected



Name : MS.PRIYA SANJAY NATHE

: 30 Years / Female Age / Gender

Consulting Dr. Collected Reported

: Pimple Saudagar, Pune (Main Centre) Reg. Location



Use a OR Code Scanner Application To Scan the Code

:12-Mar-2022 / 10:14

:12-Mar-2022 / 16:19

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE DECLII TO RIOLOGICAL PEE PANGE

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	86.9	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	84.5	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.58	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.21	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.37	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.9	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.5	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.4	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.9	1 - 2	Calculated
SGOT (AST), Serum	10.6	5-32 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	8.8	5-33 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	13.7	3-40 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	92.4	35-105 U/L	Colorimetric
BLOOD UREA, Serum	16.1	12.8-42.8 mg/dl	Kinetic
BUN, Serum	7.5	6-20 mg/dl	Calculated
CREATININE, Serum	0.58	0.51-0.95 mg/dl	Enzymatic
eGFR, Serum	130	>60 ml/min/1.73sqm	Calculated
URIC ACID, Serum	3.3	2.4-5.7 mg/dl	Enzymatic

Page 3 of 10

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MS.PRIYA SANJAY NATHE

Age / Gender : 30 Years / Female

Consulting Dr. : -

Reg. Location: Pimple Saudagar, Pune (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

:12-Mar-2022 / 12:46

:12-Mar-2022 / 17:51

Urine Sugar (Fasting) Absent Absent
Urine Ketones (Fasting) Absent Absent

Urine Sugar (PP) Absent Absent Urine Ketones (PP) Absent Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Lab, Pune Swargate

*** End Of Report ***







Dr.SHAMLA KULKARNI M.D.(PATH) Pathologist

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



Name : MS.PRIYA SANJAY NATHE

Age / Gender : 30 Years / Female

Consulting Dr. : - Collected : 12-Mar-2022 / 10:14

Reg. Location: Pimple Saudagar, Pune (Main Centre): Reported: 12-Mar-2022 / 16:19

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE GLYCOSYLATED HEMOGLOBIN (HbA1c)

<u>PARAMETER</u> <u>RESULTS</u> <u>BIOLOGICAL REF RANGE</u> <u>METHOD</u>

Glycosylated Hemoglobin 5.0 Non-Diabetic Level: < 5.7 % HPLC (HbA1c), EDTA WB - CC Prediabetic Level: 5.7-6.4 %

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Estimated Average Glucose 96.8 mg/dl Calculated

(eAG), EDTA WB - CC

Intended use:

• In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year

• In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly

• For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

• HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.

• The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Lab, Pune Swargate

*** End Of Report ***







Dr.GOURAV AGRAWAL DCP, DNB (Path) Pathologist

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 5 of 10



Name : MS.PRIYA SANJAY NATHE

: 30 Years / Female Age / Gender

Consulting Dr. Collected Reported

Reg. Location : Pimple Saudagar, Pune (Main Centre)



Use a OR Code Scanner Application To Scan the Code

: 12-Mar-2022 / 10:14

:12-Mar-2022 / 17:51

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIRINF FXAMINATION REPORT

ONINE EXAMINATION REPORT			
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	Acidic (6.0)	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.015	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	40	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION	<u> </u>		
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	

Red Blood Cells / hpf Absent 0-2/hpf

Epithelial Cells / hpf 2-3

Casts Absent Absent Crystals **Absent Absent** Amorphous debris Absent Absent

Bacteria / hpf 5-6 Less than 20/hpf



K.S. Wadgaarkat Dr.Khushboo Wadgaonkar M.B.B.S., M.D. (Path), **Consultant Pathologist**

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 6 of 10

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Baner Balewadi Lab *** End Of Report ***



Name : MS. PRIYA SANJAY NATHE

Age / Gender : 30 Years / Female

Consulting Dr. Collected : 12-Mar-2022 / 10:14

: Pimple Saudagar, Pune (Main Centre) Reported Reg. Location

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

:12-Mar-2022 / 15:02

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

RESULTS PARAMETER

ABO GROUP Α

Rh TYPING Positive

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Lab, Pune Swargate *** End Of Report *







Dr.GOURAV AGRAWAL DCP, DNB (Path) **Pathologist**

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 7 of 10



Name : MS.PRIYA SANJAY NATHE

: 30 Years / Female Age / Gender

Consulting Dr. Collected :12-Mar-2022 / 10:14

Reported Reg. Location : Pimple Saudagar, Pune (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

:12-Mar-2022 / 16:19

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	174.0	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	Enzymatic
TRIGLYCERIDES, Serum	51.1	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic
HDL CHOLESTEROL, Serum	50.0	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Enzymatic
NON HDL CHOLESTEROL, Serum	124	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/d High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated l
LDL CHOLESTEROL, Serum	114.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Colorimetric
VLDL CHOLESTEROL, Serum	10.0	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.5	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.3	0-3.5 Ratio	Calculated







Dr.GOURAV AGRAWAL DCP, DNB (Path) **Pathologist**

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



Free T3, Serum

CID : 2207126876

Name : MS.PRIYA SANJAY NATHE

Age / Gender : 30 Years / Female

Consulting Dr. : -

Reg. Location: Pimple Saudagar, Pune (Main Centre)



Use a QR Code Scanner Application To Scan the Code

:12-Mar-2022 / 10:14

:12-Mar-2022 / 17:45

CMIA

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE THYROID FUNCTION TESTS

PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

Kindly note change in reference range and method w.e.f. 16/08/2019

4.1

Free T4, Serum 12.6 9-19 pmol/L CMIA

Pregnant Women (pmol/L): First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59

2.6-5.7 pmol/L

Collected

Reported

Kindly note change in reference range and method w.e.f. 16/08/2019

sensitiveTSH, Serum 1.44 0.35-4.94 microIU/ml CMIA

Pregnant Women (microIU/ml): First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0

Kindly note change in reference range and method w.e.f. 16/08/2019. NOTE: 1) TSH values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH. 2) TSH values may be transiently altered because of non thyroidal illness like severe infections, liver disease, renal & heart failure, severe burns, trauma & surgery etc.

Page 9 of 10



Name : MS.PRIYA SANJAY NATHE

Age / Gender : 30 Years / Female

Consulting Dr. Collected :12-Mar-2022 / 10:14

:12-Mar-2022 / 17:45 Reg. Location : Pimple Saudagar, Pune (Main Centre) Reported



A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation: 19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations: Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2. Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4. Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)







moshield Dr.SHAMLA KULKARNI M.D.(PATH) **Pathologist**

Page 10 of 10

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Pune Lab, Pune Swargate *** End Of Report *'