



To,

The Coordinator,
Mediwheel (Arcofemi Healthcare Limited)
Helpline number: 011- 41195959

Dear Sir / Madam,

Sub: Annual Health Checkup for the employees of Bank of Baroda

This is to inform you that the following spouse of our employee wishes to avail the facility of Cashless Annual Health Checkup provided by you in terms of our agreement.

PARTICULARS OF HEALTH CHECK UP BENEFICIARY	
NAME	NAYANABEN ASHWINKUMARTAVIYAD
DATE OF BIRTH	11-09-1983
PROPOSED DATE OF HEALTH CHECKUP FOR EMPLOYEE SPOUSE	14-10-2023
BOOKING REFERENCE NO.	23D78424100071174S
SPOUSE DETAILS	
EMPLOYEE NAME	MR. TAVIYAD ASHWINKUMAR KALABHAI
EMPLOYEE EC NO.	78424
EMPLOYEE DESIGNATION	BRANCH HEAD
EMPLOYEE PLACE OF WORK	ITADARA
EMPLOYEE BIRTHDATE	27-03-1982

This letter of approval / recommendation is valid if submitted along with copy of the Bank of Baroda employee id card. This approval is valid from **05-10-2023** till **31-03-2024**. The list of medical tests to be conducted is provided in the annexure to this letter. Please note that the said health checkup is a **cashless facility** as per our tie up arrangement. We request you to attend to the health checkup requirement of our employee's spouse and accord your top priority and best resources in this regard. The EC Number and the booking reference number as given in the above table shall be mentioned in the invoice, invariably.

We solicit your co-operation in this regard.

Yours faithfully,

Sd/-

**Chief General Manager
HRM Department
Bank of Baroda**

(Note: This is a computer generated letter. No Signature required. For any clarification, please contact Mediwheel (Arcofemi Healthcare Limited))





बैंक ऑफ बरोडा
Bank of Baroda

नाम
Name

Ashwinkumar Kalabhai
Taviyad

कर्मचारी कोड नं.
Employee Code No.

78424

जारीकर्ता प्राधिकारी
Issuing Authority



धारक के हस्ताक्षर
Signature of Holder

12/10/2023
11:00 PM

S/B Revul

Patient Came for Routine Army Healthy

Check-up.

- No any Present Complaints.

- Reports Provided.

- US of abd: s/o - left ovarian Dermoid cyst
(68 x 47 mm).

O/E

Patient conscious, oriented, fully obeying Command

P - 92/60

BP -

SpO2 - 98%.

ABG

- cytometry Reference for
Dermoid cyst

- Rest NAD.



Aashka Hospitals Ltd.

Between Sargasan and Reliance Cross Roads
Sargasan, Gandhinagar - 382421, Gujarat, India
Phone: 079-29750750, +91-7575006000 / 9000
Emergency No.: +91-7575007707 / 9879752777
www.aashkahospitals.in
CIN: L65110GJ2012PLC072647

 **aashka**
H O S P I T A L



DR. SEJAL J AMIN
B.D.S , M.D.S (PERIODONTIST)
IMPLANTOLOGIST
REG NO: A-12942

UHID: OSP 28203	Date: 14/10/23	Time:
Patient Name: Neyanur bun Tavijod	Age / Sex: 40/F	Height:
	Weight:	
Chief Complaint:		
History:	Routine dental check up	
Allergy History:		
Nutritional Screening: Well-Nourished / Malnourished / Obese		
Examination: —		
Extra oral: —		
Intra oral – Teeth Present :	gen. attrition present	
Teeth Absent :		
Diagnosis:		

Rx						
No	Dosage Form	Name of drug (IN BLOCK LETTERS ONLY)	Dose	Route	Frequency	Duration
①	TUBE.	VENTEJ TOOTH PASTE.		→ ①		

Other Advice:

→ Severe attrition w/ 

Follow-up:

Consultant's Sign:



Aashka Hospitals Ltd.

Between Sargasan and Reliance Cross Roads
Sargasan, Gandhinagar - 382421, Gujarat, India
Phone: 079-29750750, +91-7575006000 / 9000
Emergency No.: +91-7575007707 / 9879752777
www.aashkahospitals.in
CIN: L85110GJ2012PLC072647

 **aashka**
H O S P I T A L



PATIENT NAME: NAYANABEN ASHWINKUMAR TAVIYAD

GENDER/AGE: Female / 40 Years

DOCTOR:

OPDNO: OSP28203

DATE: 14/10/23

X-RAY CHEST PA

Both lung fields show increased broncho-vascular markings.
No evidence of collapse, consolidation, mediastinal lymph adenopathy, soft tissue infiltration or pleural effusion is seen.

Both hilar shadows and C.P. angles are normal.

Heart shadow appears normal in size. Aorta appears normal.

Bony thorax and both domes of diaphragm appear normal.

No evidence of cervical rib is seen on either side.


DR. SNEHAL PRAJAPATI
CONSULTANT RADIOLOGIST

Aashka Hospitals Ltd.

Between Sargasan and Reliance Cross Roads
Sargasan, Gandhinagar - 382421, Gujarat, India
Phone: 079-29750750, +91-7575006000 / 9000
Emergency No.: +91-7575007707 / 9879752777
www.aashkahospitals.in
CIN: L85110GJ2012PLC072647

**aashka**
H O S P I T A L



PATIENT NAME:NAYANABEN ASHWINKUMAR TAVIYAD

GENDER/AGE:Female / 40 Years

DATE:14/10/23

DOCTOR:

OPDNO:OSP28203

SONOGRAPHY OF ABDOMEN AND PELVIS

LIVER: Liver appears normal in size and shows normal parenchymal echoes. No evidence of focal or diffuse lesion is seen. No evidence of dilated IHBR is seen. Intrahepatic portal radicles appear normal. No evidence of solid or cystic mass lesion is seen.

GALL BLADDER: Gall bladder is physiologically distended and appears normal. No evidence of calculus or changes of cholecystitis are seen. No evidence of pericholecystic fluid collection is seen. CBD appears normal.

PANCREAS: Pancreas appears normal in size and shows normal parenchymal echoes. No evidence of pancreatitis or pancreatic mass lesion is seen.

SPLEEN: Spleen appears normal in size and shows normal parenchymal echoes. No evidence of focal or diffuse lesion is seen.

KIDNEYS: Both kidneys are normal in size, shape and position. Both renal contours are smooth. Cortical and central echoes appear normal. Bilateral cortical thickness appears normal. No evidence of renal calculus, hydronephrosis or mass lesion is seen on either side. No evidence of perinephric fluid collection is seen.

Right kidney measures about 10.1 x 4.6 cms in size.
Left kidney measures about 10.6 x 4.8 cms in size.

No evidence of suprarenal mass lesion is seen on either side.

Aorta, IVC and para aortic region appears normal.
No evidence of ascites is seen.

BLADDER: Bladder is normally distended and appears normal. No evidence of bladder calculus, diverticulum or mass lesion is seen. Prevoid bladder volume measures about 190 cc.

UTERUS: Uterus is anteverted and appears normal in size, shape and position. Endometrial and myometrial echoes appear normal. Endometrial thickness measures about 6 mm. No evidence of uterine mass lesion is seen.

Right oophorectomy.

Dermoid cyst is seen in left ovary. (68 x 47 mm)

COMMENT: Left ovarian dermoid.

Normal sonographic appearance of liver, GB, pancreas, spleen, kidneys, para aortic region, bladder and uterus.


DR. SNEHAL PRAJAPATI
CONSULTANT RADIOLOGIST

Aashka Hospitals Ltd.

Between Sargasan and Reliance Cross Roads
Sargasan, Gandhinagar - 382421. Gujarat, India
Phone: 079-29750750, +91-7575006000 / 9000
Emergency No.: +91-7575007707 / 9879752777
www.aashkahospitals.in
CIN: L85110GJ2012PLC072647

aashka
H O S P I T A L



PATIENT NAME: NAYANABEN ASHWINKUMAR TAVIYAD

GENDER/AGE: Female / 40 Years

DATE: 14/10/23

DOCTOR:

OPDNO: OSP28203

BILATERAL MAMMOGRAM

Dedicated digital mammography with Craniocaudal and medio lateral oblique view was performed.

Fibrofatty and glandular parenchyma is noted on either side. No definite evidence of mass, abnormal microcalcification or architectural distortion is seen. No evidence of skin thickening or nipple retraction is seen.

COMMENT: Normal mammography and sonography of breast on either side (BIRADS - Category - I).

BIRADS Categories:

- 0 Need imaging evaluation.
- I Negative.
- II Benign finding.
- III Probably benign finding.
- IV Suspicious abnormality.
- V Highly suggestive of malignancy.
- VI Biopsy proven malignancy.

The false negative mammography is approximately 10%. Management of a palpable abnormality must be based upon clinical grounds.

Screening mammogram:

Women with no symptoms

AGE: 35-39: Baseline study.

AGE: 40-49: Every 1-2 years

AGE: 50 and above: Every year


DR. SNEHAL PRAJAPATI
CONSULTANT RADIOLOGIST

COLOUR DOPPLER ECHOCARDIOGRAPH REPORT

Patient's Name : Mayaben Age : _____ Sex : _____

Ref. by Doctor : _____ IP/OP No. : OSP28203 Date: _____

MITRAL VALVE : mild MVP
AORTIC VALVE :
TRICUSPID VALVE : |
PULMONARY VALVE :
AORTA : 30
LEFT ATRIUM : 30
LV Dd/ Ds : 37/25 EF 60%

IVS / LVPW / D : 10/9
IVS : Intouch
IAS : floppy

RA :
RV : |
PA : |

PERICARDIUM : Thin ring PE

VEL : PEAK MEAN

M/S : Gradient mm Hg Gradient mm Hg

MITRAL : 1-2/0.8

AORTIC : 1.4

PULMONARY : 1.0

COLOUR DOPPLER : mild MR TR

RSVP : 32-4

CONCLUSION : mild MVP (mild MR)
in LV size / systolic f

Aashka Hospitals Ltd.

Between Sargasan and Reliance Cross Roads
Sargasan, Gandhinagar - 382421, Gujarat, India
Phone: 079-29750750, +91-7575006000 / 9000
Emergency No.: +91-7575007707 / 9879752777
www.aashkahospitals.in
CIN: L85110GJ2012PLC072647



DR. TAPAS RAVAL
MBBS . D.O
(FELLOW IN PHACO & MEDICAL
RATINA)
REG.NO.G-21350

UHID:	OSP 282203	Date:	10/12/19	Time:	11:30
Patient Name:	Age / Sex: Height: Weight:				
History:	Complains Headache				
Allergy History:					
Nutritional Screening:	Well-Nourished / Malnourished / Obese				
Examination:	Vn & 6/36 ^p NTE cornea 6/6 GL N/L				
Diagnosis:	Colours Vision - Normal Refractive error				



LABORATORY REPORT



Name : **NAYANABEN ASHWINKUMAR TAVIYAD** Sex/Age : **Female/ 40 Years** Case ID : **31002200416**
Ref.By : **HOSPITAL** Dis. At : Pt. ID : **3058100**
Bill. Loc. : **Aashka hospital** Pt. Loc :

Reg Date and Time : **14-Oct-2023 09:01** Sample Type : **Whole Blood EDTA** Mobile No :
Sample Date and Time : **14-Oct-2023 09:01** Sample Coll. By : Ref Id1 : **OSP28203**
Report Date and Time : **14-Oct-2023 11:00** Acc. Remarks : **Normal** Ref Id2 : **O23245799**

TEST	RESULTS	UNIT	BIOLOGICAL REF RANGE	REMARKS
ESR <i>Westergren Method</i>	H 28		mm after 1hr 3 - 20	

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Dr. Shreya Shah
M.D. (Pathologist)

Page 3 of 12

Printed On : 14-Oct-2023 15:52



CONDITIONS OF REPORTING

1. All laboratory investigations have their limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the quality of the specimen received by the laboratory. Isolated laboratory investigations never confirm the final diagnosis of the disease, but only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations.
2. The result(s) relate only to the sample(s) received.
3. The test report shall not be reproduced except in full, without written approval of the Neuberg Suprattech Reference Laboratory (NSRL).
4. For any query in the report, it is suggested to contact the concerned laboratory personnel as suggested in the table to help carry out follow-up action (rechecking, repeat sampling, reflex/confirmatory testing, etc.). Neuberg Suprattech Reference Laboratories (NSRL) follows a procedure of retaining & preserving samples after testing for a stipulated period. After the retention period of the sample, a fresh specimen is requested.
5. Report results are for the information of the referring doctor only.
6. For tests performed on specimens received from non - Neuberg Suprattech Reference Laboratory (NSRL) locations (within and outside Ahmedabad) it is presumed that the specimen belongs to the patient named or identified, such verification having been carried out at the point of generation of the said specimen.
7. A test requested might yield 'INCOMPLETE RESULTS' for various technical reasons and this response will appear against the test name followed by detailed comment at the end of the report. It is expected that a fresh specimen will be sent for the purpose of reporting on the same parameter(s).
8. Neuberg Suprattech Reference Laboratories (NSRL) Ahmedabad is accredited by ICMR and NABL for COVID-19 testing.

Lab Reports & Advisory Services	Contact Numbers
Biochemistry & Immunology	079-40408120
Microbiology	079-40408145
Histopathology & Cytology	079-40408132
Hematology & Clinical Pathology	079-40408114
Flow Cytometry, Coagulation & Electrophoresis	079-40408117
Genetics	079-40408161
Other Services	Contact Numbers
Marketing, Clinical Trials & Corporate Affairs : Dr. Ameer Shukla	7698009812
Marketing - Laboratories : Mr. Sunil Panchal	9824002011
Billing & Accounts : Mr. Provin Patel	9824728315
Visits (Home / Hospital for Sample Collection) & General Information : Mrs. Sonal Shah	98244408721
Sample Transport / Pick-up & Report Dispatch : Mr. Suchit Chauhan	7698009903

Any query may also be directed online on contact@suprattechlabs.com with attention to the concerned personnel.

Neuberg Suprattech Branches in Ahmedabad

Sindhu Bhevan - Ph : 079-61618111, 6357244307, Bapunagar - 635678001/22,
Maninagar - 079-40408282, 25450802, Bopal - 02717-235881/82, Gota - 6357244303
Bhuyangdev - 9879624264

Shahibaug - 079-25630134, Shyamal - 079-26743434, Paldi - 6359900406
Neuberg Suprattech Collection Centers in Ahmedabad

Neuberg Suprattech Reference Laboratories
"KEDAR" Opposite Krupa Petrol Pump,
Near Parimal Garden, Ahmedabad - 380006
Phone : 079-40408181 / 61618181
Email : contact@suprattechlabs.com
Website : www.neubergsuprattech.com

Regd. Office :

Neuberg Suprattech Reference Laboratories Private Limited
(Previously known as Suprattech Micropath Laboratory & Research Institute Pvt Ltd)
Trivritron Saphagiri Bhawan, 15, IV Street
Abhiramapuram, Chennai - 600018, Tamil Nadu
CIN : U85195TN2013PTC151947



LABORATORY REPORT



Name : NAYANABEN ASHWINKUMAR TAVIYAD Sex/Age : Female/ 40 Years Case ID : 31002200416
Ref.By : HOSPITAL Dis. At : Pt. ID : 3058100
Bill. Loc. : Aashka hospital Pt. Loc :

Reg Date and Time : 14-Oct-2023 09:01 Sample Type : Whole Blood EDTA Mobile No :
Sample Date and Time : 14-Oct-2023 09:01 Sample Coll. By : Ref Id1 : OSP28203
Report Date and Time : 14-Oct-2023 09:51 Acc. Remarks : Normal Ref Id2 : O23245799

TEST	RESULTS	UNIT	BIOLOGICAL REF RANGE	REMARKS
------	---------	------	----------------------	---------

HAEMATOLOGY INVESTIGATIONS

BLOOD GROUP AND RH TYPING (Erythrocyte Magnetized Technology) (Both Forward and Reverse Group)

ABO Type : AB
Rh Type : POSITIVE

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Dr. Shreya Shah
M.D. (Pathologist)

Page 4 of 12

Printed On : 14-Oct-2023 15:52



CONDITIONS OF REPORTING

1. All laboratory investigations have their limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the quality of the specimen received by the laboratory. Isolated laboratory investigations never confirm the final diagnosis of the disease, but only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations.
2. The result(s) relate only to the sample(s) received.
3. The test report shall not be reproduced except in full, without written approval of the Neuberg Suprattech Reference Laboratory (NSRL).
4. For any query in the report, it is suggested to contact the concerned laboratory personnel as suggested in the table to help carry out follow-up action (rechecking, repeat sampling, reflex/confirmatory testing, etc.). Neuberg Suprattech Reference Laboratories (NSRL) follows a procedure of retaining & preserving samples after testing for a stipulated period. After the retention period of the sample, a fresh specimen is requested.
5. Report results are for the information of the referring doctor only.
6. For tests performed on specimens received from non - Neuberg Suprattech Reference Laboratory (NSRL) locations (within and outside Ahmedabad) it is presumed that the specimen belongs to the patient named or identified, such verification having been carried out at the point of generation of the said specimen.
7. A test requested might yield 'INCOMPLETE RESULTS' for various technical reasons and this response will appear against the test name followed by detailed comment at the end of the report. It is expected that a fresh specimen will be sent for the purpose of reporting on the same parameter(s).
8. Neuberg Suprattech Reference Laboratories (NSRL) Ahmedabad is accredited by ICMR and NABL for COVID-19 testing.

Lab Reports & Advisory Services	Contact Numbers
Biochemistry & Immunology	079-40408120
Microbiology	079-40408145
Histopathology & Cytology	079-40408132
Hematology & Clinical Pathology	079-40408114
Flow Cytometry, Coagulation & Electrophoresis	079-40408117
Genetics	079-40408161
Other Services	Contact Numbers
Marketing, Clinical Trials & Corporate Affairs : Dr. Aimee Shukla	7698009812
Marketing - Laboratories : Mr. Sunil Panchal	9824002011
Billing & Accounts : Mr. Pravin Patel	9824728315
Visits (Home / Hospital for Sample Collection) & General Information : Mrs. Sonal Shah	98244408721
Sample Transport / Pick-up & Report Dispatch : Mr. Suchit Chauhan	7698009903

Any query may also be directed online on contact@suprattechlabs.com with attention to the concerned personnel.

Neuberg Suprattech Branches in Ahmedabad

Sindhu Bhavan - Ph : 079-61618111, 6357244307, Bapunagar - 635678001/22,
Mainagar - 079-40408282, 25450802, Bopal - 02717-235881/82, Gota - 6357244303
Bhuyangdev - 9879624264

Shohibaug - 079-25630134, Shyamal - 079-26743434, Paldi - 6359900406

Neuberg Suprattech Reference Laboratories
"KEDAR" Opposite Krupa Petrol Pump,
Near Parimal Garden, Ahmedabad - 380006
Phone : 079-40408181 / 61618181
Email : contact@suprattechlabs.com
Website : www.neubergsuprattech.com

Regd. Office :

Neuberg Suprattech Reference Laboratories Private Limited
(Previously known as Suprattech Microplate Laboratory & Research Institute Pvt Ltd)
Trivitran Saphthagiri Bhawan, 15, IV Street
Abhiramapuram, Chennai - 600018, Tamil Nadu
CIN : U85195TN2013PTC151947



LABORATORY REPORT



Name : **NAYANABEN ASHWINKUMAR TAVIYAD** Sex/Age : **Female/ 40 Years** Case ID : **31002200416**
 Ref.By : **HOSPITAL** Dis. At : Pt. ID : **3058100**
 Bill. Loc. : **Aashka hospital** Pt. Loc :

Reg Date and Time : **14-Oct-2023 09:01** Sample Type : **Spot Urine** Mobile No :
 Sample Date and Time : **14-Oct-2023 09:01** Sample Coll. By :
 Report Date and Time : **14-Oct-2023 10:32** Acc. Remarks : **Normal** Ref Id1 : **OSP28203**
 Ref Id2 : **O23245799**

TEST	RESULTS	UNIT	BIOLOGICAL REF RANGE	REMARKS
------	---------	------	----------------------	---------

URINE EXAMINATION (STRIP METHOD AND FLOWCYTOMETRY)

Physical examination

Colour **Pale yellow**
 Transparency **Clear**

Chemical Examination By Sysmex UC-3500

Sp.Gravity **1.025** 1.003 - 1.035
 pH **7.0** 4.6 - 8
 Leucocytes (ESTERASE) **Negative** Negative

Protein **Negative** Negative
 Glucose **Absent** Negative
 Ketone Bodies Urine **Absent** Negative
 Urobilinogen **Negative** Negative
 Bilirubin **Negative** Negative
 Blood **Negative** Negative
 Nitrite **Negative** Negative

Flowcytometric Examination By Sysmex UF-5000

Leucocyte **Nil** /HPF Nil
 Red Blood Cell **Nil** /HPF Nil
 Epithelial Cell **Present +** /HPF Present(+)
 Bacteria **Nil** /ul Nil
 Yeast **Nil** /ul Nil
 Cast **Nil** /LPF Nil
 Crystals **Nil** /HPF Nil

Note:(L-Very Low,L-Low,H-High,HH-Very High ,A-Abnormal)

Dr. Shreya Shah
 M.D. (Pathologist)



CONDITIONS OF REPORTING

1. All laboratory investigations have their limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the quality of the specimen received by the laboratory. Isolated laboratory investigations never confirm the final diagnosis of the disease, but only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations.
2. The result(s) relate only to the sample(s) received.
3. The test report shall not be reproduced except in full, without written approval of the Neuberg Supratech Reference Laboratory (NSRL).
4. For any query in the report, it is suggested to contact the concerned laboratory personnel as suggested in the table to help carry out follow-up action (rechecking, repeat sampling, reflex/confirmatory testing, etc.). Neuberg Supratech Reference Laboratories (NSRL) follows a procedure of retaining & preserving samples after testing for a stipulated period. After the retention period of the sample, a fresh specimen is requested.
5. Report results are for the information of the referring doctor only.
6. For tests performed on specimens received from non - Neuberg Supratech Reference Laboratory (NSRL) locations (within and outside Ahmedabad) it is presumed that the specimen belongs to the patient named or identified, such verification having been carried out at the point of generation of the said specimen.
7. A test requested might yield 'INCOMPLETE RESULTS' for various technical reasons and this response will appear against the test name followed by detailed comment at the end of the report. It is expected that a fresh specimen will be sent for the purpose of reporting on the same parameter(s).
8. Neuberg Supratech Reference Laboratories (NSRL) Ahmedabad is accredited by ICMR and NABL for COVID-19 testing.

Lab Reports & Advisory Services	Contact Numbers
Biochemistry & Immunology	079-40408120
Microbiology	079-40408145
Histopathology & Cytology	079-40408132
Hematology & Clinical Pathology	079-40408114
Flow Cytometry, Coagulation & Electrophoresis	079-40408117
Genetics	079-40408161
Other Services	Contact Numbers
Marketing, Clinical Trials & Corporate Affairs : Dr. Ameer Shukla	7698009812
Marketing - Laboratories : Mr. Sunil Panchal	9824002011
Billing & Accounts : Mr. Pravin Patel	9824728315
Visits (Home / Hospital for Sample Collection) & General Information : Mrs. Sonal Shah	9824408721
Sample Transport / Pick-up & Report Dispatch : Mr. Suchit Chauhan	7698009903

Any query may also be directed online on contact@supratechlabs.com with attention to the concerned personnel.

Neuberg Supratech Branches in Ahmedabad

Sindhu Bhovan - Ph : 079-61618111, 6357244507, Bapunagar - 635678001/22,
Maninagar - 079-40408282, 25450802, Bopal - 02717-235881/82, Gota - 6357244303
Bhuyangdev - 9879624264

Shahiboug - 079-25630134, Shyamal - 079-26743434, Paldi - 6359900406

Neuberg Supratech Reference Laboratories
"KEDAR" Opposite Krupa Petrol Pump,
Near Parimal Garden, Ahmedabad - 380006
Phone : 079-40408181 / 61618181
Email : contact@supratechlabs.com
Website : www.neubergsupratech.com

Regd. Office :

Neuberg Supratech Reference Laboratories Private Limited
(Previously known as Supratech Micropath Laboratory & Research Institute Pvt Ltd)
Trivitron Sapthagiri Bhawan, 15, IV Street
Abhiramapuram, Chennai - 600018, Tamil Nadu
CIN : U85195TN2013PTC151947



LABORATORY REPORT



Name : **NAYANABEN ASHWINKUMAR TAVIYAD** Sex/Age : **Female/ 40 Years** Case ID : **31002200416**
 Ref.By : **HOSPITAL** Dis. At : Pt. ID : **3058100**
 Bill. Loc. : **Aashka hospital** Pt. Loc :

Reg Date and Time : **14-Oct-2023 09:01** Sample Type : **Spot Urine** Mobile No :
 Sample Date and Time : **14-Oct-2023 09:01** Sample Coll. By : Ref Id1 : **OSP28203**
 Report Date and Time : **14-Oct-2023 10:32** Acc. Remarks : **Normal** Ref Id2 : **O23245799**

Parameter	Unit	Expected value	Trace	+	++	+++	++++
pH	-	4.6-8.0					
SG	-	1.003-1.035					
Protein	mg/dL	Negative (<10)	10	25	75	150	500
Glucose	mg/dL	Negative (<30)	30	50	100	300	1000
Bilirubin	mg/dL	Negative (0.2)	0.2	1	3	6	-
Ketone	mg/dL	Negative (<5)	5	15	50	150	-
Urobilinogen	mg/dL	Negative (<1)	1	4	8	12	-

Parameter	Unit	Expected value	Trace	+	++	+++	++++
Leukocytes (Strip)	/micro L	Negative (<10)	10	25	100	500	-
Nitrite(Strip)	-	Negative	-	-	-	-	-
Erythrocytes(Strip)	/micro L	Negative (<5)	10	25	50	150	250
Pus cells (Microscopic)	/hpf	<5	-	-	-	-	-
Red blood cells(Microscopic)	/hpf	<2	-	-	-	-	-
Cast (Microscopic)	/lpf	<2	-	-	-	-	-

Note:(LL-Very/Low,L-Low,H-High,HH-Very/High ,A-Abnormal)



Dr. Shreya Shah
M.D. (Pathologist)

Page 6 of 12

Printed On : 14-Oct-2023 15:52



CONDITIONS OF REPORTING

1. All laboratory investigations have their limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the quality of the specimen received by the laboratory. Isolated laboratory investigations never confirm the final diagnosis of the disease, but only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations.
2. The result(s) relate only to the sample(s) received.
3. The test report shall not be reproduced except in full, without written approval of the Neuberg Suprattech Reference Laboratory (NSRL).
4. For any query in the report, it is suggested to contact the concerned laboratory personnel as suggested in the table to help carry out follow-up action (rechecking, repeat sampling, reflex/confirmatory testing, etc.). Neuberg Suprattech Reference Laboratories (NSRL) follows a procedure of retaining & preserving samples after testing for a stipulated period. After the retention period of the sample, a fresh specimen is requested.
5. Report results are for the information of the referring doctor only.
6. For tests performed on specimens received from non - Neuberg Suprattech Reference Laboratory (NSRL) locations (within and outside Ahmedabad) it is presumed that the specimen belongs to the patient named or identified, such verification having been carried out at the point of generation of the said specimen.
7. A test requested might yield 'INCOMPLETE RESULTS' for various technical reasons and this response will appear against the test name followed by detailed comment at the end of the report. It is expected that a fresh specimen will be sent for the purpose of reporting on the same parameter(s).
8. Neuberg Suprattech Reference Laboratories (NSRL) Ahmedabad is accredited by ICMR and NABL for COVID-19 testing.

Lab Reports & Advisory Services	Contact Numbers
Biochemistry & Immunology	079-40408120
Microbiology	079-40408145
Histopathology & Cytology	079-40408132
Hematology & Clinical Pathology	079-40408114
Flow Cytometry, Coagulation & Electrophoresis	079-40408117
Genetics	079-40408161
Other Services	Contact Numbers
Marketing, Clinical Trials & Corporate Affairs : Dr. Ameet Shukla	7698009812
Marketing - Laboratories : Mr. Sunil Panchal	9824002011
Billing & Accounts : Mr. Provin Patel	9824728315
Visits (Home / Hospital for Sample Collection) & General Information : Mrs. Sonal Shah	9824408721
Sample Transport / Pick-up & Report Dispatch : Mr. Suchit Chauhan	7698009903

Any query may also be directed online on contact@suprattechlabs.com with attention to the concerned personnel.

Neuberg Suprattech Branches in Ahmedabad

Sindhu Bhavan - Ph : 079-61618111, 6357244307, Bapunagar - 635678001/22,
Maninagar - 079-40408282, 25450802, Bopal - 02717-235881/82, Gota - 6357244303
Bhuyangdev - 9879624264

Shahibaug - 079-25630134, Shyamal - 079-26743434, Paldi - 6359900406

Neuberg Suprattech Reference Laboratories
"KEDAR" Opposite Krupa Petrol Pump,
Near Parimal Garden, Ahmedabad - 380006
Phone : 079-40408181 / 61618181
Email : contact@suprattechlabs.com
Website : www.neubergsuprattech.com

Regd. Office :

Neuberg Suprattech Reference Laboratories Private Limited
(Previously known as Suprattech Micropath Laboratory & Research Institute Pvt Ltd)
Trivitron Saphthagiri Bhawan, 15, IV Street
Abhiramapuram, Chennai - 600018, Tamil Nadu
CIN : U85195TN2013PTC151947



LABORATORY REPORT



Name : NAYANABEN ASHWINKUMAR TAVIYAD
Ref.By : HOSPITAL
Bill. Loc. : Aashka hospital

Sex/Age : Female/ 40 Years
Dis. At :
Pt. ID : 31002200416
Pt. ID : 3058100
Pt. Loc :

Reg Date and Time : 14-Oct-2023 09:01

Sample Type : Plasma Fluoride F, Plasma Fluoride PP

Mobile No :

Sample Date and Time : 14-Oct-2023 09:01

Sample Coll. By :

Ref Id1 : OSP28203

Report Date and Time : 14-Oct-2023 15:07

Acc. Remarks : Normal

Ref Id2 : O23245799

TEST

RESULTS UNIT BIOLOGICAL REF RANGE

REMARKS

BIOCHEMICAL INVESTIGATIONS

Blood Glucose Level (Fasting & Post Prandial)

Plasma Glucose - F <i>Photometric, Hexokinase</i>	H	112.91	mg/dL	70 - 100
Plasma Glucose - PP <i>Photometric, Hexokinase</i>		107.22	mg/dL	70.0 - 140.0

Note: Reference range has been changed as per recent guidelines of ISPAD 2018.

<100 mg/dL : Normal level

100-<126 mg/dL: Impaired fasting glucoseeer guidelines

>=126 mg/dL: Probability of Diabetes, Confirm as per guidelines

Note:(L-L-VeryLow,L-Low,H-H-High,HH-VeryHigh ,A-Abnormal)

Dr. Shreya Shah
M.D. (Pathologist)

Page 7 of 12

Printed On : 14-Oct-2023 15:52



CONDITIONS OF REPORTING

- All laboratory investigations have their limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the quality of the specimen received by the laboratory. Isolated laboratory investigations never confirm the final diagnosis of the disease, but only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations.
- The result(s) relate only to the sample(s) received.
- The test report shall not be reproduced except in full, without written approval of the Neuberg Suprattech Reference Laboratory (NSRL).
- For any query in the report, it is suggested to contact the concerned laboratory personnel as suggested in the table to help carry out follow-up action (rechecking, repeat sampling, reflex/confirmatory testing, etc.). Neuberg Suprattech Reference Laboratories (NSRL) follows a procedure of retaining & preserving samples after testing for a stipulated period. After the retention period of the sample, a fresh specimen is requested.
- Report results are for the information of the referring doctor only.
- For tests performed on specimens received from non - Neuberg Suprattech Reference Laboratory (NSRL) locations (within and outside Ahmedabad) it is presumed that the specimen belongs to the patient named or identified, such verification having been carried out at the point of generation of the said specimen.
- A test requested might yield 'INCOMPLETE RESULTS' for various technical reasons and this response will appear against the test name followed by detailed comment at the end of the report. It is expected that a fresh specimen will be sent for the purpose of reporting on the same parameter(s).
- Neuberg Suprattech Reference Laboratories (NSRL) Ahmedabad is accredited by ICMR and NABL for COVID-19 testing.

Lab Reports & Advisory Services	Contact Numbers
Biochemistry & Immunology	079-40408120
Microbiology	079-40408145
Histopathology & Cytology	079-40408132
Hematology & Clinical Pathology	079-40408114
Flow Cytometry, Coagulation & Electrophoresis	079-40408117
Genetics	079-40408161
Other Services	Contact Numbers
Marketing, Clinical Trials & Corporate Affairs : Dr. Ameet Shukla	7698009812
Marketing - Laboratories : Mr. Sunil Panchal	9824002011
Billing & Accounts : Mr. Pravin Patel	9824728315
Visits (Home / Hospital for Sample Collection) & General Information : Mrs. Sonal Shah	98244408721
Sample Transport / Pick-up & Report Dispatch : Mr. Suchit Chauhan	7698009903

Any query may also be directed online on contact@suprattechlabs.com with attention to the concerned personnel.

Neuberg Suprattech Branches in Ahmedabad

Sindhu Bhovan - Ph : 079-61618111, 6357244307, Bapunagar - 635678001/22,
Maninagar - 079-40408262, 25450802, Bopal - 02717-235881/82, Gota - 6357244303
Bhuyangdev - 9879624264

Neuberg Suprattech Collection Centers in Ahmedabad

Shahiboug - 079-25630134, Shyamal - 079-26743434, Paldi - 6359900406

Neuberg Suprattech Reference Laboratories
"KEDAR" Opposite Krupa Petrol Pump,
Near Parimal Garden, Ahmedabad - 380006
Phone : 079-40408181 / 61618181
Email : contact@suprattechlabs.com
Website : www.neubergsuprattech.com

Regd. Office :

Neuberg Suprattech Reference Laboratories Private Limited
(Previously known as Suprattech Micropath, Laboratory & Research Institute Pvt Ltd)
Trivitron Saphagiri Bhawan, 15, IV Street
Abhiramapuram, Chennai - 600018, Tamil Nadu
CIN : U85195TN2013PTC151947



LABORATORY REPORT



Name : **NAYANABEN ASHWINKUMAR TAVIYAD** Sex/Age : **Female/ 40 Years** Case ID : **31002200416**
 Ref.By : **HOSPITAL** Dis. At : Pt. ID : **3058100**
 Bill. Loc. : **Aashka hospital** Pt. Loc :

Reg Date and Time : **14-Oct-2023 09:01** Sample Type : **Serum** Mobile No :
 Sample Date and Time : **14-Oct-2023 09:01** Sample Coll. By : Ref Id1 : **OSP28203**
 Report Date and Time : **14-Oct-2023 10:35** Acc. Remarks : **Normal** Ref Id2 : **O23245799**

TEST	RESULTS	UNIT	BIOLOGICAL REF RANGE	REMARKS
------	---------	------	----------------------	---------

BIOCHEMICAL INVESTIGATIONS

Lipid Profile

Cholesterol <i>Colorimetric, CHOD-POD</i>	125.62	mg/dL	110 - 200	
HDL Cholesterol	L 45.5	mg/dL	48 - 77	
Triglyceride <i>Glycerol Phosphate Oxidase</i>	61.04	mg/dL	<150	
VLDL <i>Calculated</i>	12.21	mg/dL	10 - 40	
Chol/HDL <i>Calculated</i>	2.76		0 - 4.1	
LDL Cholesterol <i>Calculated</i>	67.91	mg/dL	0.00 - 100.00	

NEW ATP III GUIDELINES (MAY 2001), MODIFICATION OF NCEP

LDL CHOLESTEROL	CHOLESTEROL	HDL CHOLESTEROL	TRIGLYCERIDES
Optimal < 100	Desirable < 200	Low < 40	Normal < 150
Near Optimal 100-129	Border Line 200-239	High > 60	Border High 150-199
Borderline 130-159	High > 240		High 200-499

- LDL Cholesterol level is primary goal for treatment and varies with risk category and assessment
- For LDL Cholesterol level Please consider direct LDL value
- Risk assessment from HDL and Triglyceride has been revised. Also LDL goals have changed.
- Detail test interpretation available from the lab
- All tests are done according to NCEP guidelines and with FDA approved kits.
- LDL Cholesterol level is primary goal for treatment and varies with risk category and assessment

Note: (LL-Very Low, L-Low, H-High, HH-Very High , A-Abnormal)



Dr. Shreya Shah
M.D. (Pathologist)

Printed On : 14-Oct-2023 15:52

Page 8 of 12



CONDITIONS OF REPORTING

1. All laboratory investigations have their limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the quality of the specimen received by the laboratory. Isolated laboratory investigations never confirm the final diagnosis of the disease, but only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations.
2. The result(s) relate only to the sample(s) received.
3. The test report shall not be reproduced except in full, without written approval of the Neuberg Suprattech Reference Laboratory (NSRL).
4. For any query in the report, it is suggested to contact the concerned laboratory personnel as suggested in the table to help carry out follow-up action (rechecking, repeat sampling, reflex/confirmatory testing, etc.). Neuberg Suprattech Reference Laboratories (NSRL) follows a procedure of retaining & preserving samples after testing for a stipulated period. After the retention period of the sample, a fresh specimen is requested.
5. Report results are for the information of the referring doctor only.
6. For tests performed on specimens received from non - Neuberg Suprattech Reference Laboratory (NSRL) locations (within and outside Ahmedabad) it is presumed that the specimen belongs to the patient named or identified, such verification having been carried out at the point of generation of the said specimen.
7. A test requested might yield 'INCOMPLETE RESULTS' for various technical reasons and this response will appear against the test name followed by detailed comment at the end of the report. It is expected that a fresh specimen will be sent for the purpose of reporting on the same parameter(s).
8. Neuberg Suprattech Reference Laboratories (NSRL) Ahmedabad is accredited by ICMR and NABL for COVID-19 testing.

Lab Reports & Advisory Services	Contact Numbers
Biochemistry & Immunology	079-40408120
Microbiology	079-40408145
Histopathology & Cytology	079-40408132
Hematology & Clinical Pathology	079-40408114
Flow Cytometry, Coagulation & Electrophoresis	079-40408117
Genetics	079-40408161
Other Services	Contact Numbers
Marketing, Clinical Trials & Corporate Affairs : Dr. Ameer Shukla	7698009812
Marketing - Laboratories : Mr. Sunil Panchal	9824002011
Billing & Accounts : Mr. Pravin Patel	9824728315
Visits (Home / Hospital for Sample Collection) & General Information : Mrs. Sonal Shah	9824408721
Sample Transport / Pick-up & Report Dispatch : Mr. Suchit Chauhan	7698009903

Any query may also be directed online on contact@suprattechlabs.com with attention to the concerned personnel.

Neuberg Suprattech Branches in Ahmedabad

Sindhu Bhavan - Ph : 079-61618111, 6357244307, Bopunagar - 635678001/22,
Maninagar - 079-40408282, 25450802, Bopal - 02717-235881/82, Gota - 6357244303
Bhuyangdev - 9879624264

Shahibaug - 079-25630134, Shyamal - 079-26743434, Paldi - 6359900406

Neuberg Suprattech Reference Laboratories
"KEDAR" Opposite Krupa Petrol Pump,
Near Parimal Garden, Ahmedabad - 380006
Phone : 079-40408181 / 61618181
Email : contact@suprattechlabs.com
Website : www.neubergsuprattech.com

Regd. Office :
Neuberg Suprattech Reference Laboratories Private Limited
(Previously known as Suprattech Micropath Laboratory & Research Institute Pvt Ltd)
Trivitron Sapthagiri Bhawan, 15, IV Street
Abhiramapuram, Chennai - 600018, Tamil Nadu
CIN : U85195TN2013PTC151947



LABORATORY REPORT



Name : NAYANABEN ASHWINKUMAR TAVIYAD Sex/Age : Female/ 40 Years Case ID : 31002200416
 Ref.By : HOSPITAL Dis. At : Pt. ID : 3058100
 Bill. Loc. : Aashka hospital Pt. Loc :

Reg Date and Time : 14-Oct-2023 09:01 Sample Type : Serum Mobile No :
 Sample Date and Time : 14-Oct-2023 09:01 Sample Coll. By : Ref Id1 : OSP28203
 Report Date and Time : 14-Oct-2023 10:51 Acc. Remarks : Normal Ref Id2 : O23245799

TEST	RESULTS	UNIT	BIOLOGICAL REF RANGE	REMARKS
------	---------	------	----------------------	---------

BIOCHEMICAL INVESTIGATIONS

Liver Function Test

S.G.P.T.	24.65	U/L	0 - 31	
S.G.O.T. <i>UV with PSp</i>	32.49	U/L	15 - 37	
Alkaline Phosphatase <i>Enzymatic, PNPP-AMP</i>	66.77	U/L	46 - 116	
Gamma Glutamyl Transferase <i>L-Gamma-glutamyl-3-Carboxy-4-nitroanilide Substrate</i>	29.19	U/L	0 - 38	
Proteins (Total) <i>Colorimetric, Biuret</i>	7.02	gm/dL	6.40 - 8.30	
Albumin <i>Bromocresol purple</i>	4.52	gm/dL	3.4 - 5	
Globulin <i>Calculated</i>	2.50	gm/dL	2 - 4.1	
A/G Ratio <i>Calculated</i>	1.8		1.0 - 2.1	
Bilirubin Total	H 2.83	mg/dL	0.2 - 1.0	
Bilirubin Conjugated	1.14	mg/dL		
Bilirubin Unconjugated <i>Calculated</i>	H 1.69	mg/dL	0 - 0.8	

Note: (LL-Very Low, L-Low, H-High, HH-Very High ,A-Abnormal)

Dr. Shreya Shah
M.D. (Pathologist)

Printed On : 14-Oct-2023 15:52



CONDITIONS OF REPORTING

1. All laboratory investigations have their limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the quality of the specimen received by the laboratory. Isolated laboratory investigations never confirm the final diagnosis of the disease, but only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations.
2. The result(s) relate only to the sample(s) received.
3. The test report shall not be reproduced except in full, without written approval of the Neuberg Supratech Reference Laboratory (NSRL).
4. For any query in the report, it is suggested to contact the concerned laboratory personnel as suggested in the table to help carry out follow-up action (rechecking, repeat sampling, reflex/confirmatory testing, etc.). Neuberg Supratech Reference Laboratories (NSRL) follows a procedure of retaining & preserving samples after testing for a stipulated period. After the retention period of the sample, a fresh specimen is requested.
5. Report results are for the information of the referring doctor only.
6. For tests performed on specimens received from non - Neuberg Supratech Reference Laboratory (NSRL) locations (within and outside Ahmedabad) it is presumed that the specimen belongs to the patient named or identified, such verification having been carried out at the point of generation of the said specimen.
7. A test requested might yield 'INCOMPLETE RESULTS' for various technical reasons and this response will appear against the test name followed by detailed comment at the end of the report. It is expected that a fresh specimen will be sent for the purpose of reporting on the same parameter(s).
8. Neuberg Supratech Reference Laboratories (NSRL) Ahmedabad is accredited by ICMR and NABL for COVID-19 testing.

Lab Reports & Advisory Services	Contact Numbers
Biochemistry & Immunology	079-40408120
Microbiology	079-40408145
Histopathology & Cytology	079-40408132
Hematology & Clinical Pathology	079-40408114
Flow Cytometry, Coagulation & Electrophoresis	079-40408117
Genetics	079-40408161
Other Services	Contact Numbers
Marketing, Clinical Trials & Corporate Affairs : Dr. Ameer Shukla	7698009812
Marketing - Laboratories : Mr. Sunil Panchal	9824002011
Billing & Accounts : Mr. Pravin Patel	9824728315
Visits (Home / Hospital for Sample Collection) & General Information : Mrs. Sonal Shah	9824408721
Sample Transport / Pick-up & Report Dispatch : Mr. Suchit Chauhan	7698009903

Any query may also be directed online on contact@supratechlabs.com with attention to the concerned personnel.

Neuberg Supratech Branches in Ahmedabad

Sindhu Bhavan - Ph : 079-61618111, 6357244307, Bopunagar - 635678001/22,
Maninagar - 079-40408282, 25450802, Bopal - 02717-235881/82, Gota - 6357244303
Bhuyangdev - 9879624264

Shahibaug - 079-25630134, Shyamal - 079-26743434, Paldi - 6359900406

Neuberg Supratech Reference Laboratories
"KEDAR" Opposite Krupa Petrol Pump,
Near Parimal Garden, Ahmedabad - 380006
Phone : 079-40408181 / 61618181
Email : contact@supratechlabs.com
Website : www.neubergsupratech.com

Regd. Office :

Neuberg Supratech Reference Laboratories Private Limited
(Previously known as Supratech Micropath Laboratory & Research Institute Pvt Ltd)
Trivitron Saphagiri Bhawan, 15, IV Street
Abhirampuram, Chennai - 600018, Tamil Nadu
CIN : U85195TN2013PTC151947



LABORATORY REPORT



Name : **NAYANABEN ASHWINKUMAR TAVIYAD** Sex/Age : **Female/ 40 Years** Case ID : **31002200416**
Ref.By : **HOSPITAL** Dis. At : Pt. ID : **3058100**
Bill. Loc. : **Aashka hospital** Pt. Loc :

Reg Date and Time : **14-Oct-2023 09:01** Sample Type : **Serum** Mobile No :
Sample Date and Time : **14-Oct-2023 09:01** Sample Coll. By : Ref Id1 : **OSP28203**
Report Date and Time : **14-Oct-2023 10:35** Acc. Remarks : **Normal** Ref Id2 : **O23245799**

TEST	RESULTS	UNIT	BIOLOGICAL REF RANGE	REMARKS
BUN (Blood Urea Nitrogen) <i>GLDH</i>	7.6	mg/dL	7.00 - 18.70	
Creatinine	0.63	mg/dL	0.50 - 1.50	
Uric Acid <i>Uricase</i>	H 6.48	mg/dL	2.6 - 6.2	

Note:(L\VeryLow,L\Low,H\High,HH\VeryHigh ,A\Abnormal)

Dr. Shreya Shah
M.D. (Pathologist)

Page 10 of 12

Printed On : 14-Oct-2023 15:52



CONDITIONS OF REPORTING

1. All laboratory investigations have their limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the quality of the specimen received by the laboratory. Isolated laboratory investigations never confirm the final diagnosis of the disease, but only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations.
2. The result(s) relate only to the sample(s) received.
3. The test report shall not be reproduced except in full, without written approval of the Neuberg Suprattech Reference Laboratory (NSRL).
4. For any query in the report, it is suggested to contact the concerned laboratory personnel as suggested in the table to help carry out follow-up action (rechecking, repeat sampling, reflex/confirmatory testing, etc.). Neuberg Suprattech Reference Laboratories (NSRL) follows a procedure of retaining & preserving samples after testing for a stipulated period. After the retention period of the sample a fresh specimen is requested.
5. Report results are for the information of the referring doctor only.
6. For tests performed on specimens received from non - Neuberg Suprattech Reference Laboratory (NSRL) locations (within and outside Ahmedabad) it is presumed that the specimen belongs to the patient named or identified, such verification having been carried out at the point of generation of the said specimen.
7. A test requested might yield 'INCOMPLETE RESULTS' for various technical reasons and this response will appear against the test name followed by detailed comment at the end of the report. It is expected that a fresh specimen will be sent for the purpose of reporting on the same parameter(s).
8. Neuberg Suprattech Reference Laboratories (NSRL) Ahmedabad is accredited by ICMR and NABL for COVID-19 testing.

Lab Reports & Advisory Services	Contact Numbers
Biochemistry & Immunology	079-40408120
Microbiology	079-40408145
Histopathology & Cytology	079-40408132
Hematology & Clinical Pathology	079-40408114
Flow Cytometry/ Coagulation & Electrophoresis	079-40408117
Genetics	079-40408161
Other Services	Contact Numbers
Marketing, Clinical Trials & Corporate Affairs : Dr. Ameer Shukla	7698009812
Marketing - Laboratories : Mr. Sunil Panchal	9824002011
Billing & Accounts : Mr. Pravin Patel	9824728315
Visits (Home / Hospital for Sample Collection) & General Information : Mrs. Sonal Shah	9824408721
Sample Transport / Pick-up & Report Dispatch : Mr. Suchit Chauhan	7698009903

Any query may also be directed online on contact@suprattechlabs.com with attention to the concerned personnel.

Neuberg Suprattech Branches in Ahmedabad

Sindhu Bhovan - Ph : 079-61618111, 6357244307, Bapunagar - 635678001/22,
Meninagar - 079-40408282, 25450802, Bopal - 02717-235881/82, Gota - 6357244303
Bhuyangdev - 9879624264

Neuberg Suprattech Collection Centers in Ahmedabad

Shahibaug - 079-25630134, Shyamal - 079-26743434, Paldi - 6359900406

Neuberg Suprattech Reference Laboratories

"KEDAR" Opposite Krupa Petrol Pump,
Near Parimal Garden, Ahmedabad - 380006
Phone : 079-40408181 / 61618181
Email : contact@suprattechlabs.com
Website : www.neubergsuprattech.com

Regd. Office :

Neuberg Suprattech Reference Laboratories Private Limited
(Previously known as Suprattech Micropath Laboratory & Research Institute Pvt Ltd)
Trivitron Saphagiri Bhowan, 15, IV Street
Abhiramapuram, Chennai - 600018, Tamil Nadu
CIN : U85195TN2013PTC151947



LABORATORY REPORT



Name : **NAYANABEN ASHWINKUMAR TAVIYAD** Sex/Age : Female/ 40 Years Case ID : 31002200416
 Ref.By : HOSPITAL Djs. At : Pt. ID : 3058100
 Bill. Loc. : Aashka hospital Pt. Loc :

Reg Date and Time : 14-Oct-2023 09:01 Sample Type : Serum Mobile No :
 Sample Date and Time : 14-Oct-2023 09:01 Sample Coll. By : Ref Id1 : OSP28203
 Report Date and Time : 14-Oct-2023 10:09 Acc. Remarks : Normal Ref Id2 : O23245799

TEST	RESULTS	UNIT	BIOLOGICAL REF RANGE	REMARKS
------	---------	------	----------------------	---------

Thyroid Function Test

Triiodothyronine (T3)	116.24	ng/dL	70 - 204	
Thyroxine (T4) <i>C_{MIA}</i>	9.15	ng/dL	4.87 - 11.72	
TSH <i>C_{MIA}</i>	0.77	μIU/mL	0.4 - 4.2	

INTERPRETATIONS

- Circulating TSH measurement has been used for screening for euthyroidism, screening and diagnosis for hyperthyroidism & hypothyroidism. Suppressed TSH (<0.01 μIU/mL) suggests a diagnosis of hyperthyroidism and elevated concentration (>7 μIU/mL) suggest hypothyroidism. TSH levels may be affected by acute illness and several medications including dopamine and glucocorticoids. Decreased (low or undetectable) in Graves disease. Increased in TSH secreting pituitary adenoma (secondary hyperthyroidism), PRTH and in hypothalamic disease thyrotropin (tertiary hyperthyroidism). Elevated in hypothyroidism (along with decreased T4) except for pituitary & hypothalamic disease.
- Mild to modest elevations in patient with normal T3 & T4 levels indicates impaired thyroid hormone reserves & incipient hypothyroidism (subclinical hypothyroidism).
- Mild to modest decrease with normal T3 & T4 indicates subclinical hyperthyroidism.
- Degree of TSH suppression does not reflect the severity of hyperthyroidism, therefore, measurement of free thyroid hormone levels is required in patient with a suppressed TSH level.

CAUTIONS

Sick, hospitalized patients may have falsely low or transiently elevated thyroid stimulating hormone. Some patients who have been exposed to animal antigens, either in the environment or as part of treatment or imaging procedure, may have circulating antianimal antibodies present. These antibodies may interfere with the assay reagents to produce unreliable results.

TSH ref range in pregnancy

First trimester
 Second trimester
 Third trimester

Reference range (microIU/ml)

0.24 - 2.00
 0.43-2.2
 0.8-2.5

Note:(L-L-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)



Dr. Shreya Shah
 M.D. (Pathologist)

Page 11 of 12

Printed On : 14-Oct-2023 15:52



CONDITIONS OF REPORTING

1. All laboratory investigations have their limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the quality of the specimen received by the laboratory. Isolated laboratory investigations never confirm the final diagnosis of the disease, but only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations.
2. The result(s) relate only to the sample(s) received.
3. The test report shall not be reproduced except in full, without written approval of the Neuberg Suprattech Reference Laboratory (NSRL).
4. For any query in the report, it is suggested to contact the concerned laboratory personnel as suggested in the table to help carry out follow-up action (rechecking, repeat sampling, reflex/confirmatory testing, etc.). Neuberg Suprattech Reference Laboratories (NSRL) follows a procedure of retaining & preserving samples after testing for a stipulated period. After the retention period of the sample, a fresh specimen is requested.
5. Report results are for the information of the referring doctor only.
6. For tests performed on specimens received from non - Neuberg Suprattech Reference Laboratory (NSRL) locations (within and outside Ahmedabad) it is presumed that the specimen belongs to the patient named or identified, such verification having been carried out at the point of generation of the said specimen.
7. A test requested might yield 'INCOMPLETE RESULTS' for various technical reasons and this response will appear against the test name followed by detailed comment at the end of the report. It is expected that a fresh specimen will be sent for the purpose of reporting on the same parameter(s).
8. Neuberg Suprattech Reference Laboratories (NSRL) Ahmedabad is accredited by ICMR and NABL for COVID-19 testing.

Lab Reports & Advisory Services	Contact Numbers
Biochemistry & Immunology	079-40408120
Microbiology	079-40408145
Histopathology & Cytology	079-40408132
Hematology & Clinical Pathology	079-40408114
Flow Cytometry, Coagulation & Electrophoresis	079-40408117
Genetics	079-40408161
Other Services	Contact Numbers
Marketing, Clinical Trials & Corporate Affairs : Dr. Ameer Shukla	7698009812
Marketing - Laboratories : Mr. Sunil Panchal	9824002011
Billing & Accounts : Mr. Pravin Patel	9824728315
Visits (Home / Hospital for Sample Collection) & General Information : Mrs. Sonal Shah	9824408721
Sample Transport / Pick-up & Report Dispatch : Mr. Suchit Chauhan	7698009903

Any query may also be directed online on contact@suprattechlabs.com with attention to the concerned personnel.

Neuberg Suprattech Branches in Ahmedabad

Sindhu Bhavan - Ph : 079-61618111, 6357244307, Bopunagar - 6355678001/22,
Maninagar - 079-40408282, 25450802, Bopal - 02717-235881/82, Gota - 6357244303.
Bhuyangdev - 9879624264

Shahibaug - 079-25630134, Shyamal - 079-26743434, Paldi - 6359900406

Neuberg Suprattech Reference Laboratories
"KEDAR" Opposite Krupa Petrol Pump,
Near Parimal Garden, Ahmedabad - 380006
Phone : 079-40408181 / 61618181
Email : contact@suprattechlabs.com
Website : www.neubergsuprattech.com

Regd. Office :

Neuberg Suprattech Reference Laboratories Private Limited
(Previously known as Suprattech Micropath Laboratory & Research Institute Pvt Ltd)
Trivitron Saphthagiri Bhawan, 15, IV Street
Abhiramapuram, Chennai - 600018, Tamil Nadu
CIN : U85195TN2013PTC151947



LABORATORY REPORT



Name : **NAYANABEN ASHWINKUMAR TAVIYAD** Sex/Age : Female/ 40 Years Case ID : 31002200416
 Ref.By : HOSPITAL Dis. At : Pt. ID : 3058100
 Bill. Loc. : Aashka hospital Pt. Loc :

Reg Date and Time : 14-Oct-2023 09:01 Sample Type : Serum Mobile No :
 Sample Date and Time : 14-Oct-2023 09:01 Sample Coll. By : Ref Id1 : OSP28203
 Report Date and Time : 14-Oct-2023 10:09 Acc. Remarks : Normal Ref Id2 : O23245799

Interpretation Note:

Ultra sensitive-thyroid-stimulating hormone (TSH) is a highly effective screening assay for thyroid disorders. In patients with an intact pituitary-thyroid axis, s-TSH provides a physiologic indicator of the functional level of thyroid hormone activity. Increased s-TSH indicates inadequate thyroid hormone, and suppressed s-TSH indicates excess thyroid hormone. Transient s-TSH abnormalities may be found in seriously ill, hospitalized patients, so this is not the ideal setting to assess thyroid function. However, even in these patients, s-TSH works better than total thyroxine (an alternative screening test), when the s-TSH result is abnormal, appropriate follow-up tests T4 & free T3 levels should be performed. If TSH is between 5.0 to 10.0 & free T4 & free T3 level are normal then it is considered as subclinical hypothyroidism which should be followed up after 4 weeks & if TSH is > 10 & free T4 & free T3 level are normal then it is considered as overt hypothyroidism.

Serum triiodothyronine (T3) levels often are depressed in sick and hospitalized patients, caused in part by the biochemical shift to the production of reverse T3. Therefore, T3 generally is not a reliable predictor of hypothyroidism. However, in a small subset of hypothyroid patients, hypothyroidism may be caused by overproduction of T3 (T3 toxicosis). To help diagnose and monitor this subgroup, T3 is measured on all specimens with suppressed s-TSH and normal FT4 concentrations.

Normal ranges of TSH & thyroid hormones vary according trimester in pregnancy.

TSH ref range in Pregnancy Reference range (microIU/ml)

First trimester 0.24 - 2.00

Second trimester 0.43-2.2

Third trimester 0.8-2.5

	T3	T4	TSH
Normal Thyroid function	N	N	N
Primary Hypothyroidism	↑	↑	↓
Secondary Hypothyroidism	↑	↑	↑
Grave's Thyroiditis	↑	↑	↑
T3 Thyrotoxicosis	↑	N	N/↓
Primary Hypothyroidism	↓	↓	↑
Secondary Hypothyroidism	↓	↓	↓
Subclinical Hypothyroidism	N	N	↑
Patient on treatment	N	N/↑	↓

----- End Of Report -----

For test performed on specimens received or collected from non-NSRL locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender. NSRL will be responsible Only for the analytical part of test carried out. All other responsibility will be of referring Laboratory.

Note:(L-L-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

Dr. Shreya Shah
 M.D. (Pathologist)

Printed On : 14-Oct-2023 15:52

Page 12 of 12



CONDITIONS OF REPORTING

1. All laboratory investigations have their limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the quality of the specimen received by the laboratory. Isolated laboratory investigations never confirm the final diagnosis of the disease, but only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations.
2. The result(s) relate only to the sample(s) received.
3. The test report shall not be reproduced except in full, without written approval of the Neuberg Supratech Reference Laboratory (NSRL).
4. For any query in the report, it is suggested to contact the concerned laboratory personnel as suggested in the table to help carry out follow-up action (rechecking, repeat sampling, reflex/confirmatory testing, etc.). Neuberg Supratech Reference Laboratories (NSRL) follows a procedure of retaining & preserving samples after testing for a stipulated period. After the retention period of the sample, a fresh specimen is requested.
5. Report results are for the information of the referring doctor only.
6. For tests performed on specimens received from non - Neuberg Supratech Reference Laboratory (NSRL) locations (within and outside Ahmedabad) it is presumed that the specimen belongs to the patient named or identified, such verification having been carried out at the point of generation of the said specimen.
7. A test requested might yield 'INCOMPLETE RESULTS' for various technical reasons and this response will appear against the test name followed by detailed comment at the end of the report. It is expected that a fresh specimen will be sent for the purpose of reporting on the same parameter(s).
8. Neuberg Supratech Reference Laboratories (NSRL) Ahmedabad is accredited by ICMR and NABL for COVID-19 testing.

Lab Reports & Advisory Services	Contact Numbers
Biochemistry & Immunology	079-40408120
Microbiology	079-40408145
Histopathology & Cytology	079-40408132
Hematology & Clinical Pathology	079-40408114
Flow Cytometry, Coagulation & Electrophoresis	079-40408117
Genetics	079-40408161
Other Services	Contact Numbers
Marketing, Clinical Trials & Corporate Affairs : Dr. Ameet Shukla	7698009812
Marketing - Laboratories : Mr. Sunil Panchal	9824002011
Billing & Accounts : Mr. Pravin Patel	9824728315
Visits (Home / Hospital for Sample Collection) & General Information : Mrs. Sonal Shah	9824408721
Sample Transport / Pick-up & Report Dispatch : Mr. Suchit Chauhan	7698009903

Any query may also be directed online on contact@supratechlabs.com with attention to the concerned personnel.

Neuberg Supratech Branches in Ahmedabad

Sindhu Bhavan - Ph : 079-61618111, 6357244307, Bapunagar - 635678001/22,
Maninagar - 079-40408282, 25450802, Bopal - 02717-235881/82, Gota - 6357244303
Bhuyangdev - 9879624264

Shohibaug - 079-25630134, Shyamal - 079-26743434, Paldi - 6359900406

Neuberg Supratech Reference Laboratories
"KEDAR" Opposite Krupa Petrol Pump,
Near Parimal Garden, Ahmedabad - 380006
Phone : 079-40408181 / 61618181
Email : contact@supratechlabs.com
Website : www.neubergsupratech.com

Regd. Office :
Neuberg Supratech Reference Laboratories Private Limited
(Previously known as Supratech Micropath Laboratory & Research Institute Pvt Ltd)
Trivitron Saphthagiri Bhawan, 15, IV Street
Abhiramapuram, Chennai - 600018, Tamil Nadu
CIN : U85195TN2013PTC151947



LABORATORY REPORT



Name : **NAYANABEN ASHWINKUMAR TAVIYAD** Sex/Age : Female/ 40 Years Case ID : 31002200416
 Ref.By : HOSPITAL Dis. At : Pt. ID : 3058100
 Bill. Loc. : Aashka hospital Pt. Loc :

Reg Date and Time : 14-Oct-2023 09:01 Sample Type : Mobile No :
 Sample Date and Time : 14-Oct-2023 09:01 Sample Coll. By : Ref Id1 : OSP28203
 Report Date and Time : Acc. Remarks : Normal Ref Id2 : O23245799

Abnormal Result(s) Summary

Test Name	Result Value	Unit	Reference Range
Blood Glucose Fasting & Postprandial			
Plasma Glucose - F	112.91	mg/dL	70 - 100
Haemogram (CBC)			
Haemoglobin	9.8	G%	12.0 - 15.0
PCV(Calc)	32.94	%	36.00 - 46.00
MCV (RBC histogram)	73.2	fL	83.00 - 101.00
MCH (Calc)	21.7	pg	27.00 - 32.00
MCHC (Calc)	29.7	gm/dL	31.50 - 34.50
Lipid Profile			
HDL Cholesterol	45.5	mg/dL	48 - 77
Liver Function Test			
Bilirubin Total	2.83	mg/dL	0.2 - 1.0
Bilirubin Unconjugated	1.69	mg/dL	0 - 0.8
ESR	28	mm after 1hr	3 - 20
Uric Acid	6.48	mg/dL	2.6 - 6.2

Abnormal Result(s) Summary End

Note:(LL-VeryLow,L-Low,H-High,HH-VeryHigh ,A-Abnormal)

CONDITIONS OF REPORTING

1. All laboratory investigations have their limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the quality of the specimen received by the laboratory. Isolated laboratory investigations never confirm the final diagnosis of the disease, but only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations.
2. The result(s) relate only to the sample(s) received.
3. The test report shall not be reproduced except in full, without written approval of the Neuberg Supratech Reference Laboratory (NSRL).
4. For any query in the report, it is suggested to contact the concerned laboratory personnel as suggested in the table to help carry out follow-up action (rechecking, repeat sampling, reflex/confirmatory testing, etc.). Neuberg Supratech Reference Laboratories (NSRL) follows a procedure of retaining & preserving samples after testing for a stipulated period. After the retention period of the sample, a fresh specimen is requested.
5. Report results are for the information of the referring doctor only.
6. For tests performed on specimens received from non - Neuberg Supratech Reference Laboratory (NSRL) locations (within and outside Ahmedabad) it is presumed that the specimen belongs to the patient named or identified, such verification having been carried out at the point of generation of the said specimen.
7. A test requested might yield 'INCOMPLETE RESULTS' for various technical reasons and this response will appear against the test name followed by detailed comment at the end of the report. It is expected that a fresh specimen will be sent for the purpose of reporting on the same parameter(s).
8. Neuberg Supratech Reference Laboratories (NSRL) Ahmedabad is accredited by ICMR, and NABL for COVID-19 testing.

Lab Reports & Advisory Services	Contact Numbers
Biochemistry & Immunology	079-40408120
Microbiology	079-40408145
Histopathology & Cytology	079-40408132
Hematology & Clinical Pathology	079-40408114
Flow Cytometry, Coagulation & Electrophoresis	079-40408117
Genetics	079-40408161
Other Services	Contact Numbers
Marketing, Clinical Trials & Corporate Affairs : Dr. Ameer Shukla	7698009812
Marketing - Laboratories : Mr. Sunil Panchal	9824002011
Billing & Accounts : Mr. Pravin Patel	9824728315
Visits (Home / Hospital for Sample Collection) & General Information : Mrs. Sonal Shah	9824408721
Sample Transport / Pick-up & Report Dispatch : Mr. Suchit Chauhan	7698009903

Any query may also be directed online on contact@supratechlabs.com with attention to the concerned personnel.

Neuberg Supratech Branches in Ahmedabad

Sindhu Bhawan - Ph : 079-61618111, 6357244307, Bapunagar - 635678001/22,
Maninagar - 079-40408262, 25450802, Bopal - 02717-235881/62, Gota - 6357244303
Bhuyangdev - 9879624264

Neuberg Supratech Collection Centers in Ahmedabad

Shahibaug - 079-25630134, Shyamal - 079-26743434, Paldi - 6359900406

Neuberg Supratech Reference Laboratories
"KEDAR" Opposite Krupa Petrol Pump,
Near Parimal Garden, Ahmedabad - 380006
Phone : 079-40408181 / 61618181
Email : contact@supratechlabs.com
Website : www.neubergsupratech.com

Regd. Office :
Neuberg Supratech Reference Laboratories Private Limited
(Previously known as Supratech Microtech Laboratory & Research Institute Pvt Ltd)
Trivitron Saphthagiri Bhawan, 15, IV Street
Abhiramapuram, Chennai - 600018, Tamil Nadu
CIN : U85195TN2013PTC151947



LABORATORY REPORT



Name : **NAYANABEN ASHWINKUMAR TAVIYAD** Sex/Age : **Female/ 40 Years** Case ID : **31002200416**
 Ref.By : **HOSPITAL** Dis. At : Pt. ID : **3058100**
 Bill. Loc. : **Aashka hospital** Pt. Loc. :

Reg Date and Time : **14-Oct-2023 09:01** Sample Type : **Whole Blood EDTA** Mobile No :
 Sample Date and Time : **14-Oct-2023 09:01** Sample Coll. By : Ref Id1 : **OSP28203**
 Report Date and Time : **14-Oct-2023 09:32** Acc. Remarks : **Normal** Ref Id2 : **O23245799**

TEST	RESULTS	UNIT	BIOLOGICAL REF. INTERVAL	REMARKS
------	---------	------	--------------------------	---------

HAEMOGRAM REPORT

HB AND INDICES	L	9.8	G%	12.0 - 15.0
Haemoglobin	L	9.8	G%	12.0 - 15.0
RBC (Electrical Impedance)	L	4.50	millions/cumm	3.80 - 4.80
PCV(Calc)	L	32.94	%	36.00 - 46.00
MCV (RBC histogram)	L	73.2	fL	83.00 - 101.00
MCH (Calc)	L	21.7	pg	27.00 - 32.00
MCHC (Calc)	L	29.7	gm/dL	31.50 - 34.50
RDW (RBC histogram)	L	14.80	%	11.00 - 16.00
<u>TOTAL AND DIFFERENTIAL WBC COUNT (Flowcytometry)</u>				
Total WBC Count		5610	/μL	4000.00 - 10000.00
Neutrophil	[%]	64.0	%	40.00 - 70.00
Lymphocyte		27.0	%	20.00 - 40.00
Eosinophil		4.0	%	1.00 - 6.00
Monocytes		5.0	%	2.00 - 10.00
Basophil		0.0	%	0.00 - 2.00
	[Abs]	3590	/μL	2000.00 - 7000.00
		1515	/μL	1000.00 - 3000.00
		224	/μL	20.00 - 500.00
		281	/μL	200.00 - 1000.00
		0	/μL	0.00 - 100.00

PLATELET COUNT (Optical)

Platelet Count	244000	/μL	150000.00 - 410000.00
Neut/Lympho Ratio (NLR)	2.37		0.78 - 3.53

SMEAR STUDY

RBC Morphology Microcytic hypochromic RBCS.
WBC Morphology Total WBC count within normal limits.
Platelet Platelets are adequate in number.
Parasite Malarial Parasite not seen on smear.

Note: (L-L-VeryLow, L-Low, H-High, HH-VeryHigh ,A-Abnormal)



Dr. Shreya Shah
 M.D. (Pathologist)

Printed On : 14-Oct-2023 15:52

Page 2 of 12



CONDITIONS OF REPORTING

1. All laboratory investigations have their limitations which are imposed by the limits of sensitivity and specificity of individual assay procedures as well as the quality of the specimen received by the laboratory. Isolated laboratory investigations never confirm the final diagnosis of the disease, but only help in arriving at a diagnosis in conjunction with clinical presentation and other related investigations.
2. The result(s) relate only to the sample(s) received.
3. The test report shall not be reproduced except in full, without written approval of the Neuberg Suprattech Reference Laboratory (NSRL).
4. For any query in the report, it is suggested to contact the concerned laboratory personnel as suggested in the table to help carry out follow-up action (rechecking, repeat sampling, reflex/confirmatory testing, etc.). Neuberg Suprattech Reference Laboratories (NSRL) follows a procedure of retaining & preserving samples after testing for a stipulated period. After the retention period of the sample, a fresh specimen is requested.
5. Report results are for the information of the referring doctor only.
6. For tests performed on specimens received from non - Neuberg Suprattech Reference Laboratory (NSRL) locations (within and outside Ahmedabad) it is presumed that the specimen belongs to the patient named on identified, such verification having been carried out at the point of generation of the said specimen.
7. A test requested might yield 'INCOMPLETE RESULTS' for various technical reasons and this response will appear against the test name followed by detailed comment at the end of the report. It is expected that a fresh specimen will be sent for the purpose of reporting on the same parameter(s).
8. Neuberg Suprattech Reference Laboratories (NSRL) Ahmedabad is accredited by ICAMR and NABL for COVID-19 testing.

Lab Reports & Advisory Services	Contact Numbers
Biochemistry & Immunology	079-40408120
Microbiology	079-40408145
Histopathology & Cytology	079-40408132
Hematology & Clinical Pathology	079-40408114
Flow Cytometry, Coagulation & Electrophoresis	079-40408117
Genetics	079-40408161
Other Services	Contact Numbers
Marketing, Clinical Trials & Corporate Affairs : Dr. Ameet Shukla	7698009812
Marketing - Laboratories : Mr. Sunil Panchal	9824002011
Billing & Accounts : Mr. Pravin Patel	9824728315
Visits (Home / Hospital for Sample Collection) & General Information : Mrs. Sonal Shah	9824408721
Sample Transport / Pick-up & Report Dispatch : Mr. Suchit Chauhan	7698009903

Any query may also be directed online on contact@suprattechlabs.com with attention to the concerned personnel.

Neuberg Suprattech Branches in Ahmedabad

Sindhu Bhavan - Ph : 079-61618111, 6357244307, Bapunagar - 635678001/22,
Maninagar - 079-40408282, 25450802, Bopal - 02717-235881/82, Gata - 6357244303
Bhuyangdev - 9879624264

Shahibaug - 079-25630134, Shyamal - 079-26743434, Paldi - 6359900406

Neuberg Suprattech Reference Laboratories
"KEDAR" Opposite Krupa Petrol Pump,
Near Parimal Garden, Ahmedabad - 380006
Phone : 079-40408181 / 61618181
Email : contact@suprattechlabs.com
Website : www.neubergsuprattech.com

Regd. Office :
Neuberg Suprattech Reference Laboratories Private Limited
(Previously known as Suprattech Micropath Laboratory & Research Institute Pvt Ltd)
Trivitron Sapthagiri Bhawan, 15, IV Street
Abhiramapuram, Chennai - 600018, Tamil Nadu
CIN : U85195TN2013PTC151947

14.10.2023 11:16:23 AM

AASHKA HOSPITAL LTD.

SARGASAN

GANDHINAGAR

Location: 1

Room:

Order Number:

Indication:

Medication 1:

Medication 2:

Medication 3:

92 bpm

-- / -- mmHg

Technician:

Ordering Ph:

Referring Ph:

Attending Ph:

QRS : 78 ms
 QT / QTcBaz : 382 / 472 ms
 PR : 142 ms
 P : 98 ms
 RR / PP : 654 / 652 ms
 P / QRS / T : 56 / 47 / -32 degrees

Normal sinus rhythm
 T wave abnormality, consider anterior ischemia
 Abnormal ECG



