

CID	: 2132924127
Name	: MR.SACHIN HENDWE
Age / Gender	: 33 Years / Male
Consulting Dr.	: -
Reg. Location	: J B Nagar, Andheri East (Main Centre)

Authenticity Check	
12 Contraction 201	

R

E

P

Ο

т

Use a QR Code Scanner Application To Scan the Code Collected :25-Nov-2021 / 19:41 Reported :26-Nov-2021 / 09:59

ARCOFEMI HEALTHCARE- BLOOD TEST

CBC (Complete Blood Count), Blood			
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	16.2	13.0-17.0 g/dL	Spectrophotometric
RBC	5.37	4.5-5.5 mil/cmm	Elect. Impedance
PCV	49.1	40-50 %	Measured
MCV	91.5	80-100 fl	Calculated
MCH	30.3	27-32 pg	Calculated
MCHC	33.1	31.5-34.5 g/dL	Calculated
RDW	15.8	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	6510	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND	ABSOLUTE COUNTS		
Lymphocytes	46.3	20-40 %	
Absolute Lymphocytes	3020	1000-3000 /cmm	Calculated
Monocytes	6.2	2-10 %	
Absolute Monocytes	400	200-1000 /cmm	Calculated
Neutrophils	45.0	40-80 %	
Absolute Neutrophils	2920	2000-7000 /cmm	Calculated
Eosinophils	2.0	1-6 %	
Absolute Eosinophils	130	20-500 /cmm	Calculated
Basophils	0.5	0.1-2 %	
Absolute Basophils	30	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS			
Platelet Count	271000	150000-400000 /cmm	Elect. Impedance
MPV	9.9	6-11 fl	Calculated
PDW	14.9	11-18 %	Calculated
RBC MORPHOLOGY			
Hypochromia	-		
Microcytosis	-		
Macrocytosis	-		

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

Page 1 of 9

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



CID	: 2132924127			Р
Name	: MR.SACHIN HENDWE			0
Age / Gender	: 33 Years / Male		Use a QR Code Scanner Application To Scan the Code	R
Consulting Dr.	: -	Collected	:25-Nov-2021 / 19:41	
Reg. Location	: J B Nagar, Andheri East (Main Centre)	Reported	:26-Nov-2021 / 14:09	т

Anisocytosis	-		
Poikilocytosis	-		
Polychromasia	-		
Target Cells	-		
Basophilic Stippling	-		
Normoblasts	-		
Others	Normocytic,Normochromic		
WBC MORPHOLOGY	-		
PLATELET MORPHOLOGY	-		
COMMENT	-		
Specimen: EDTA Whole Blood			
ESR, EDTA WB-ESR	4	2-15 mm at 1 hr.	Westergren

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***



John Gran Dr. AMAR DASGUPTA, MD, PhD

Consultant Hematopathologist Director - Medical Services

.Sharma **Dr.MEGHA SHARMA** M.D. (PATH), DNB (PATH) Pathologist

Page 2 of 9

Authenticity Check

R

E

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



CID :2132924127 Name : MR.SACHIN HENDWE Use a OR Code Scanner : 33 Years / Male Age / Gender Application To Scan the Code Consulting Dr. Collected : -:26-Nov-2021 / 16:04 Reported :26-Nov-2021 / 18:11 Reg. Location : J B Nagar, Andheri East (Main Centre)

ARCOFEMI HEALTHCARE- BLOOD TEST			
PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	81.7	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	97.2	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
TOTAL PROTEINS, Serum	7.8	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.8	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	3	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.6	1 - 2	Calculated
BLOOD UREA, Serum	21.0	12.8-42.8 mg/dl	Kinetic
BUN, Serum	9.8	6-20 mg/dl	Calculated
CREATININE, Serum	0.83	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	113	>60 ml/min/1.73sqm	Calculated
URIC ACID, Serum	4.2	3.5-7.2 mg/dl	Enzymatic
Urine Sugar (Fasting)	Absent	Absent	
Urine Ketones (Fasting)	Absent	Absent	
Urine Sugar (PP)	Absent	Absent	
Urine Ketones (PP)	Absent	Absent	

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***





Page 3 of 9

Dr.ANUPA DIXIT M.D.(PATH) **Consultant Pathologist & Lab Director**

Authenticity Check

R

E

O

т

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



CID

Name

Authenticity Check R F :2132924127 : MR.SACHIN HENDWE Use a OR Code Scanner Age / Gender : 33 Years / Male Application To Scan the Code : -Consulting Dr. Collected : 25-Nov-2021 / 19:41 :26-Nov-2021 / 14:34 : J B Nagar, Andheri East (Main Centre) Reported Reg. Location

<u>PARAMETER</u>	ARCOFEMI HEALTHC GLYCOSYLATED HEM RESULTS		<u>METHOD</u>
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	5.5	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	111.2	mg/dl	Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***





Page 4 of 9

Dr.LEENA SALUNKHE M.B.B.S, DPB (PATH) Pathologist

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



CID	: 2132924127
Name	: MR.SACHIN HENDWE
Age / Gender	: 33 Years / Male
Consulting Dr. Reg. Location	: - : J B Nagar, Andheri East (Main Centre)

Authenticity Check

R

E

P

0

т

Use a QR Code Scanner Application To Scan the Code Collected :25-Nov-2021 / 19:41 Reported :26-Nov-2021 / 12:00

ARCOFEMI HEALTHCARE- BLOOD TEST URINE EXAMINATION REPORT			
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Yellow	Pale Yellow	-
Reaction (pH)	5.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.025	1.001-1.030	Chemical Indicator
Transparency	Slight hazy	Clear	-
Volume (ml)	20	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	0-1		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	+(>20/hpf)	Less than 20/hpf	
Others	-		

Kindly rule out contamination.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***





Page 5 of 9

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



CID :2132924127 Name : MR.SACHIN HENDWE Use a OR Code Scanner Age / Gender : 33 Years / Male Application To Scan the Code Consulting Dr. : -Collected : 25-Nov-2021 / 19:41 :26-Nov-2021 / 13:59 : J B Nagar, Andheri East (Main Centre) Reported Reg. Location

ARCOFEMI HEALTHCARE- BLOOD TEST BLOOD GROUPING & Rh TYPING

PARAMETER

RESULTS

ABO GROUP B Rh TYPING POSITIVE

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West

*** End Of Report **



charto.

Authenticity Check

R

F

Dr.ANUPA DIXIT M.D.(PATH) Pathologist

Page 6 of 9

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



CID

Authenticity Check

Name: MR.SACHIN HENDWEAge / Gender: 33 Years / MaleConsulting Dr.: -Reg. Location: J B Nagar, Andheri East (Main Centre)

:2132924127



R

E

P

O

т

<u> </u>	ARCOFEMI HEALTHCAI LIPID PROF		
PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	216.5	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	Enzymatic
TRIGLYCERIDES, Serum	114.2	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic
HDL CHOLESTEROL, Serum	55.0	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Enzymatic
NON HDL CHOLESTEROL, Serum	161.5	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	139.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	22.5	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.9	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.5	0-3.5 Ratio	Calculated
*Comple processed at CLIPLIDRAN DIA		Andhari Wast	

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***





Pathologist

Page 7 of 9

ADDRESS: 2rd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com



A G N O S T I	C S			E
CID	: 2132924127			P
Name	: MR.SACHIN HENDWE			0
Age / Gender	: 33 Years / Male		Use a QR Code Scanner Application To Scan the Code	R
Consulting Dr.	: -	Collected	:25-Nov-2021 / 19:41	
Reg. Location	: J B Nagar, Andheri East (Main Centre)	Reported	:26-Nov-2021 / 11:48	т

ARCOFEMI HEALTHCARE- BLOOD TEST					
	THYROID FUNCTION TESTS				
PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>		
Free T3, Serum	5.2	3.5-6.5 pmol/L	ECLIA		
Free T4, Serum	17.4	11.5-22.7 pmol/L	ECLIA		
sensitiveTSH, Serum	1.43	0.35-5.5 microIU/ml	ECLIA		

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

1)TSH Values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation	
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non- thyroidal illness, TSH Resistance.	
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.	
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)	
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.	
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.	
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.	

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation: 19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations: Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

Reference:

1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)

2. Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357

3. Tietz, Text Book of Clinical Chemistry and Molecular Biology -5th Edition

4.Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***



sto.

Dr.ANUPA DIXIT M.D.(PATH) **Consultant Pathologist & Lab Director**

Authenticity Check

R

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 8 of 9



CID	: 2132924127
Name	: MR.SACHIN HENDWE
Age / Gender	: 33 Years / Male
Consulting Dr. Reg. Location	: - : J B Nagar, Andheri East (Main Centre)

R

E

P

O

т

Use a QR Code Scanner Application To Scan the Code Collected :25-Nov-2021 / 19:41 Reported :26-Nov-2021 / 14:34

ARCOFEMI HEALTHCARE- BLOOD TEST LIVER FUNCTION TESTS							
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>				
BILIRUBIN (TOTAL), Serum	1.38	0.1-1.2 mg/dl	Colorimetric				
BILIRUBIN (DIRECT), Serum	0.42	0-0.3 mg/dl	Diazo				
BILIRUBIN (INDIRECT), Serum	0.96	0.1-1.0 mg/dl	Calculated				
TOTAL PROTEINS, Serum	7.8	6.4-8.3 g/dL	Biuret				
ALBUMIN, Serum	4.8	3.5-5.2 g/dL	BCG				
GLOBULIN, Serum	3.0	2.3-3.5 g/dL	Calculated				
A/G RATIO, Serum	1.6	1 - 2	Calculated				
SGOT (AST), Serum	26.7	5-40 U/L	NADH (w/o P-5-P)				
SGPT (ALT), Serum	16.2	5-45 U/L	NADH (w/o P-5-P)				
GAMMA GT, Serum	39.6	3-60 U/L	Enzymatic				
ALKALINE PHOSPHATASE, Serum	84.0	40-130 U/L	Colorimetric				

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***





ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 9 of 9

Pathologist