Name	: Mr. P GOPAL KRISHNA	
PID No.	: MED111534678	Register On : 11/03/2023 8:29 AM
SID No.	: 423014198	Collection On : 11/03/2023 9:47 AM
Age / Sex	: 59 Year(s) / Male	Report On : 11/03/2023 9:13 PM
Туре	: OP	Printed On : 13/03/2023 11:14 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	Unit	Biological Reference Interval
<b>HAEMATOLOGY</b>			
<b>Complete Blood Count With - ESR</b>			
Haemoglobin (EDTA Blood'Spectrophotometry)	14.9	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	45.8	%	42 - 52
RBC Count (EDTA Blood)	5.59	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood)	81.9	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	26.6	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	32.5	g/dL	32 - 36
RDW-CV (EDTA Blood)	14.1	%	11.5 - 16.0
RDW-SD (EDTA Blood)	40.42	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	14900	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood)	41.5	%	40 - 75
Lymphocytes (EDTA Blood)	52.0	%	20 - 45
Eosinophils (EDTA Blood)	1.5	%	01 - 06
Monocytes (EDTA Blood)	4.7	%	01 - 10





Name	: Mr. P GOPAL KRISHNA	
PID No.	: MED111534678	Register On : 11/03/2023 8:29 AM
SID No.	: 423014198	Collection On : 11/03/2023 9:47 AM
Age / Sex	: 59 Year(s) / Male	<b>Report On</b> : 11/03/2023 9:13 PM
Туре	: OP	Printed On : 13/03/2023 11:14 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	Unit	Biological Reference Interval
Basophils (Blood)	0.3	%	00 - 02
INTERPRETATION: Tests done on Automated Five	Part cell counter. All	abnormal results are re	eviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	6.18	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	7.75	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.22	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.70	10^3 / µl	< 1.0
Absolute Basophil count (EDTA Blood)	0.04	10^3 / µl	< 0.2
Platelet Count (EDTA Blood)	216	10^3 / µl	150 - 450
MPV (EDTA Blood)	8.1	fL	7.9 - 13.7
PCT (EDTA Blood/Automated Blood cell Counter)	0.17	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	10	mm/hr	< 20





Name	: Mr. P GOPAL KRISHNA		
PID No.	: MED111534678	Register On : 11/03/2023 8:29 AM	l
SID No.	: 423014198	Collection On : 11/03/2023 9:47 AM	Λ
Age / Sex	: 59 Year(s) / Male	Report On : 11/03/2023 9:13 PM	Λ
Туре	: OP	Printed On : 13/03/2023 11:14 A	M
Ref. Dr	: MediWheel		

Investigation BIOCHEMISTRY	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	1.09	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.31	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.78	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/ <i>Modified IFCC</i> )	13.66	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/ <i>Modified IFCC</i> )	12.23	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	13.80	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/ <i>Modified IFCC</i> )	80.1	U/L	56 - 119
Total Protein (Serum/Biuret)	7.14	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.18	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.96	gm/dL	2.3 - 3.6
A : G RATIO	1.41		1.1 - 2.2

(Serum/Derived)





APPROVED BY

Name	: Mr. P GOPAL KRISHNA	
PID No.	: MED111534678	Register On : 11/03/2023 8:29 AM
SID No.	: 423014198	Collection On : 11/03/2023 9:47 AM
Age / Sex	: 59 Year(s) / Male	Report On : 11/03/2023 9:13 PM
Туре	: OP	Printed On : 13/03/2023 11:14 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
Lipid Profile			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	126.05	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	92.44	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >=500

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual\_circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	39.93	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	67.6	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	18.5	mg/dL	< 30
Non HDL Cholesterol (Serum/ <i>Calculated</i> )	86.1	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >=220

**INTERPRETATION:** 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.





Name	: Mr. P GOPAL KRISHNA	
PID No.	: MED111534678	Register On : 11/03/2023 8:29 AM
SID No.	: 423014198	Collection On : 11/03/2023 9:47 AM
Age / Sex	: 59 Year(s) / Male	Report On : 11/03/2023 9:13 PM
Туре	: OP	Printed On : 13/03/2023 11:14 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Total Cholesterol/HDL Cholesterol Ratio (Serum/ <i>Calculated</i> )	3.2		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i> )	2.3		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	1.7		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0





Name	: Mr. P GOPAL KRISHNA	
PID No.	: MED111534678	Register On : 11/03/2023 8:29 AM
SID No.	: 423014198	Collection On : 11/03/2023 9:47 AM
Age / Sex	: 59 Year(s) / Male	Report On : 11/03/2023 9:13 PM
Туре	: OP	Printed On : 13/03/2023 11:14 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u>	<u>Unit</u>	<u>Biological</u>
Glycosylated Haemoglobin (HbA1c)	<u>Value</u>		Reference Interval
HbA1C (Whole Blood/ <i>HPLC</i> )	6.1	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose	128.37
---------------------------	--------

(Whole Blood)

#### **INTERPRETATION:** Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

mg/dL

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



CONSULTANT BIOCHEMIST Reg No : 78771

APPROVED BY

Name	: Mr. P GOPAL KRISHNA	
PID No.	: MED111534678	Register On : 11/03/2023 8:29 AM
SID No.	: 423014198	Collection On : 11/03/2023 9:47 AM
Age / Sex	: 59 Year(s) / Male	Report On : 11/03/2023 9:13 PM
Туре	: OP	Printed On : 13/03/2023 11:14 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
<b>IMMUNOASSAY</b>			
THYROID PROFILE / TFT			
T3 (Triiodothyronine) - Total (Serum/ <i>ECLIA)</i> <b>INTERPRETATION:</b> <b>Comment :</b> Total T3 variation can be seen in other condition like preg Metabolically active.	1.46 gnancy, drugs, nephro	ng/ml osis etc. In such cases, Free T.	0.4 - 1.81 3 is recommended as it is
T4 (Tyroxine) - Total (Serum/ <i>ECLIA</i> )	10.96	µg/dl	4.2 - 12.0
<b>INTERPRETATION:</b> <b>Comment :</b> Total T4 variation can be seen in other condition like preg Metabolically active.	gnancy, drugs, nephro	osis etc. In such cases, Free Ta	4 is recommended as it is
TSH (Thyroid Stimulating Hormone) (Serum/ECLIA)	1.41	µIU/mL	0.35 - 5.50
INTERPRETATION: Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0 (Indian Thyroid Society Guidelines) Comment : 1.TSH reference range during pregnancy depends on Iodi 2.TSH Levels are subject to circadian variation, reaching of the order of 50%,hence time of the day has influence o 3.Values&amplt0.03 μIU/mL need to be clinically correl	peak levels between in the measured serur	2-4am and at a minimum betw n TSH concentrations.	ween 6-10PM.The variation can b





be

Name	: Mr. P GOPAL KRISHNA	
PID No.	: MED111534678	Register On : 11/03/2023 8:29 AM
SID No.	: 423014198	Collection On : 11/03/2023 9:47 AM
Age / Sex	: 59 Year(s) / Male	Report On : 11/03/2023 9:13 PM
Туре	: OP	Printed On : 13/03/2023 11:14 AM
Ref. Dr	: MediWheel	

Investigation <u>CLINICAL PATHOLOGY</u>	<u>Observed</u> <u>Unit</u> <u>Value</u>	Biological Reference Interval
<u>PHYSICAL EXAMINATION (URINE</u> <u>COMPLETE)</u>		
Colour (Urine)	Pale yellow	Yellow to Amber
Appearance (Urine)	Clear	Clear
Volume(CLU) (Urine)	25	
<u>CHEMICAL EXAMINATION (URINE</u> <u>COMPLETE)</u>		
pH (Urine)	6.5	4.5 - 8.0
Specific Gravity (Urine)	1.003	1.002 - 1.035
Ketone (Urine)	Negative	Negative
Urobilinogen (Urine)	Normal	Normal
Blood (Urine)	Negative	Negative
Nitrite (Urine)	Negative	Negative
Bilirubin (Urine)	Negative	Negative
Protein (Urine)	Negative	Negative
Glucose (Urine/GOD - POD)	Negative	Negative





Name	: Mr. P GOPAL KRISHNA	
PID No.	: MED111534678	Register On : 11/03/2023 8:29 AM
SID No.	: 423014198	Collection On : 11/03/2023 9:47 AM
Age / Sex	: 59 Year(s) / Male	Report On : 11/03/2023 9:13 PM
Туре	: OP	Printed On : 13/03/2023 11:14 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Leukocytes(CP) (Urine)	Positive(+)		
<u>MICROSCOPIC EXAMINATION</u> (URINE COMPLETE)			
Pus Cells (Urine)	2-5	/hpf	NIL
Epithelial Cells (Urine)	1-3	/hpf	NIL
RBCs (Urine)	NIL	/HPF	NIL
Others (Urine)	Bacteria Present		

**INTERPRETATION:** Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

Casts (Urine)	NIL	/hpf	NIL
Crystals (Urine)	NIL	/hpf	NIL





APPROVED BY

Name	: Mr. P GOPAL KRISHNA	
PID No.	: MED111534678 Re	Register On : 11/03/2023 8:29 AM
SID No.	: 423014198 C	Collection On : 11/03/2023 9:47 AM
Age / Sex	: 59 Year(s) / Male Re	Report On : 11/03/2023 9:13 PM
Туре	: OP Pi	Printed On : 13/03/2023 11:14 AM
Ref. Dr	: MediWheel	

Investigation

## **IMMUNOHAEMATOLOGY**

BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination)

<u>Observed</u> <u>Value</u>

<u>Unit</u>

Biological Reference Interval

'B' 'Positive'



Dr Anusha.K.S Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

Name	: Mr. P GOPAL KRISHNA	
PID No.	: MED111534678	Register On : 11/03/2023 8:29 AM
SID No.	: 423014198	Collection On : 11/03/2023 9:47 AM
Age / Sex	: 59 Year(s) / Male	Report On : 11/03/2023 9:13 PM
Туре	: OP	Printed On : 13/03/2023 11:14 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
BUN / Creatinine Ratio	11.2		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	88.76	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	66.92	mg/dL	70 - 140

#### **INTERPRETATION:**

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	9.2	mg/dL	7.0 - 21
Creatinine (Serum/ <i>Modified Jaffe</i> )	0.82	mg/dL	0.9 - 1.3

**INTERPRETATION:** Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid	4.62	mg/dL	3.5 - 7.2

(Serum/Enzymatic)





Name	: Mr. P GOPAL KRISHNA	
PID No.	: MED111534678	Register On : 11/03/2023 8:29 AM
SID No.	: 423014198	Collection On : 11/03/2023 9:47 AM
Age / Sex	: 59 Year(s) / Male	Report On : 11/03/2023 9:13 PM
Туре	: OP	Printed On : 13/03/2023 11:14 AM
Ref. Dr	: MediWheel	

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
<b>IMMUNOASSAY</b>			
Prostate specific antigen - Total(PSA) (Serum/ <i>Manometric method</i> )	1.15	ng/ml	Normal: 0.0 - 4.0 Inflammatory & Non Malignant conditions of Prostate & genitourinary system: 4.01 - 10.0 Suspicious of Malignant disease of Prostate: > 10.0

#### INTERPRETATION: Analytical sensitivity: 0.008 - 100 ng/mL

PSA is a tumor marker for screening of prostate cancer. Increased levels of PSA are associated with prostate cancer and benign conditions like bacterial infection, inflammation of prostate gland and benign hypertrophy of prostate/ benign prostatic hyperplasia (BPH). Transient elevation of PSA levels are seen following digital rectal examination, rigorous physical activity like bicycle riding, ejaculation within 24 hours.

PSA levels tend to increase in all men as they age. Clinical Utility of PSA:

**ð**In the early detection of Prostate cancer.

Ăs an aid in discriminating between Prostate cancer and Benign Prostatic disease.

ðTo detect cancer recurrence or disease progression.






APPROVED BY

-- End of Report --

and the	
SRI BADI C	Mahesh Mob:8618385220 9901569756
Multi Branded <u>Computerized Eye Tes</u> # 333 84 444	THI OPTICS Opticals Store
parvathiopticals@gmail	Ihippasandra, Bangalore - 560075
Name: ChoRal (CHIShna . Mobil No:	No. 2546
Age/Gender 593/H'	Date: 11/3/2023 . Ref. No.
RIGHT EYE	
SPH CYL AXIS VISION	LEFT EYE
DISTANCE + +	SPH CYL AXIS VISION
DISTANCE + + + + +	+ + + 0.50 1125 94 6/6
Go Hof	
ce to use glasses for:	
DISTANCE FAR & NEAR READIN	
	G COMPUTER PURFOSE
Care Your Eyes	and the second
SRI	PARVATHI OPTICS




## Package Name : Mediwheel Full Body Health Checkup Male Above 40

S.No	Modality	Study	Accession No	Time	Seq	Signature
1	LAB	BLOOD UREA NITROGEN				
-		(BUN)	- <u>29</u>		1420	and and
2	LAB	CREATININE			and the	i
3	LAB	GLUCOSE - FASTING				
4	LAB	GLUCOSE - POSTPRANDIAL (2 HRS)				
5	LAB	GLYCOSYLATED HAEMOGLOBIN (HbA1c)				
6	LAB	URIC ACID				
7	LAB	LIPID PROFILE				
8	LAB	LIVER FUNCTION TEST (LFT)				
9	LAB	TOTAL PROSTATE SPECIFIC ANTIGEN - PSA				
10	LAB	THYROID PROFILE/ TFT( T3, T4, TSH)				
11	LAB	URINE GLUCOSE - FASTING				
12	LAB	URINE GLUCOSE - POSTPRANDIAL (2 Hrs)				
13	LAB	COMPLETE BLOOD COUNT WITH ESR				

1	14	LAB	STOOL ANALYSIS - ROUTINE			
1	15	LAB	URINE ROUTINE			
	16	LAB	BUN/CREATININE RATIO			
	17	LAB	BLOOD GROUP & RH TYPE (Forward Reverse)			
	18	ECG	ECG	IND13744911138		-
	19	OTHERS	Treadmill / 2D Echo	IND137449114690	-	
	20	OTHERS	physical examination	IND137449115279		
-	21	US	ULTRASOUND ABDOMEN	IND137449115292	-	A
	22	OTHERS	Dental Consultation	IND137449116289		and a
	23	OTHERS	EYE CHECKUP	IND137449117756		allant-
	24	X-RAY	X RAY CHEST	IND137449118659	e	
Í	25	OTHERS	Consultation Physician	IND137449118736		

Registerd By

(HARI.O)



Name	MR.P GOPAL KRISHNA	ID	MED111534678
Age & Gender	59Y/MALE	Visit Date	11 Mar 2023
Ref Doctor Name	MediWheel		

## **2 D ECHOCARDIOGRAPHIC STUDY**

## M mode measurement:

AORTA			: 3.4cms
LEFT ATRIUM			: 3.4cms
AVS			:
LEFT VENTRICLE	(DIASTOLE)	)	: 4.3cms
(SYS'	TOLE)	: 2.9cm	ns
VENTRICULAR SEPTUM	(DIASTOLE)		: 0.9cms
(SYS'	TOLE)	: 1.2cm	ns
POSTERIOR WALL	(DIASTOLE)		: 0.8cms
(SYST	TOLE)	: 1.8cm	ns
EDV			: 81ml
ESV			: 31ml
FRACTIONAL SHORTENII	NG		: 33%
EJECTION FRACTION			: 62%
EPSS			:
RVID			: 1.9cms

# **DOPPLER MEASUREMENTS:**

MITRAL VALVE	: E' 0.62 m/s	A' 1.01 m/s	NO MR
AORTIC VALVE	: 1.14 m/s		NO AR
TRICUSPID VALVE	: E' - m/s	A' - m/s	NO TR
PULMONARY VALVE	: 0.84 m/s		NO PR

Name	MR.P GOPAL KRISHNA	ID	MED111534678
Age & Gender	59Y/MALE	Visit Date	11 Mar 2023
Ref Doctor Name	MediWheel	-	

## **2D ECHOCARDIOGRAPHY FINDINGS:**

Left ventricle : Normal size, Normal systolic function. No regional wall motion abnormalities.

Left Atrium	: Normal.
Right Ventricle	: Normal.
Right Atrium	: Normal.
Mitral valve	: Normal, No mitral valve prolapsed.
Aortic valve	: Normal, Trileaflet.
Tricuspid valve	: Normal.
Tricuspid valve Pulmonary valve	: Normal. : Normal.
1	
Pulmonary valve	: Normal.

### **IMPRESSION:**

- > L V DIASTOLIC DYSFUNCTION.
- > NORMAL SIZED CARDIAC CHAMBERS.
- > NORMAL LV SYSTOLIC FUNCTION. EF:62 %.
- > NO REGIONAL WALL MOTION ABNORMALITIES.
- > NORMAL VALVES.
- > NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

DR. K.S. SUBRAMANI. MBBS, MD, DM (CARDIOLOGY) FESC SENIOR CONSULTANT INTERVENTIONAL CARDIOLOGIST Kss/da

Name	MR.P GOPAL KRISHNA	ID	MED111534678
Age & Gender	59Y/MALE	Visit Date	11 Mar 2023
Ref Doctor Name	MediWheel	-	

<u>Note:</u> \* Report to be interpreted by qualified medical professional. \* To be correlated with other clinical findings. \* Parameters may be subjected to inter and intra observer variations. \*Any discrepancy in reports due to typing errors should be corrected as soon as possible.

Name	MR.P GOPAL KRISHNA	ID	MED111534678
Age & Gender	59Y/MALE	Visit Date	11 Mar 2023
Ref Doctor Name	MediWheel		

## ABDOMINO-PELVIC ULTRASONOGRAPHY

**LIVER** is normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

**GALL BLADDER** shows normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

**PANCREAS** has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

**SPLEEN** shows normal shape, size and echopattern. No demonstrable Para -aortic lymphadenopathy.

**KIDNEYS** move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout. No evidence of calculus or hydronephrosis.

### The kidney measures as follows:

	<b>Bipolar length (cms)</b>	Parenchymal thickness (cms)
Right Kidney	10.8	1.4
Left Kidney	9.8	1.5

**URINARY BLADDER** shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

**PROSTATE** shows normal shape, size and echopattern. It measures 3.2 x 2.8 x 2.9cms (Vol:14cc).

No evidence of ascites / pleural effusion.

### **IMPRESSION:**

## > NO SIGNIFICANT ABNORMALITY DETECTED.

DR. APARNA CONSULTANT RADIOLOGIST A/da

Name	MR.P GOPAL KRISHNA	ID	MED111534678
Age & Gender	59Y/MALE	Visit Date	11 Mar 2023
Ref Doctor Name	MediWheel		

Name	P GOPAL KRISHNA	Customer ID	MED111534678
Age & Gender	59Y/M	Visit Date	Mar 11 2023 8:29AM
Ref Doctor	MediWheel	-	

## X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: Essentially normal study.

DR. APARNA CONSULTANT RADIOLOGIST