: MediWheel

Ref. Dr

PID No.	: MED111637809	Register On	:	13/05/2023 11:09 AM	
SID No.	: 80026540	<b>Collection On</b>	:	13/05/2023 11:45 AM	C
Age / Sex	: 38 Year(s) / Female	Report On	:	14/05/2023 10:34 AM	mec
Туре	: OP	Printed On	:	15/05/2023 4:27 PM	DIAGNO

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
BLOOD GROUPING AND Rh TYPING	'O' 'Positive'		
(Blood/Agglutination)			
<u>Complete Blood Count With - ESR</u>			
Haemoglobin (Blood/Spectrophotometry)	11.8	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (Blood/Numeric Integration of MCV)	35.8	%	37 - 47
RBC Count (Blood/Electrical Impedance )	3.88	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (Blood/Calculated)	92.3	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (Blood/Calculated)	30.5	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (Blood/ <i>Calculated</i> )	33.1	g/dL	32 - 36
RDW-CV (Calculated)	14.0	%	11.5 - 16.0
RDW-SD (Calculated)	45.23	fL	39 - 46
Total Leukocyte Count (TC) (Blood/ <i>Electrical Impedance</i> )	6940	cells/cu.m m	4000 - 11000
Neutrophils (Blood/Impedance and absorbance)	54.66	%	40 - 75
Lymphocytes (Blood/Impedance and absorbance)	31.15	%	20 - 45
Eosinophils	5.19	%	01 - 06

(Blood/Impedance and absorbance)







APPROVED BY

The results pertain to sample tested.

Page 1 of 8

Ref. Dr	: MediWheel				
Туре	: OP	Printed On	:	15/05/2023 4:27 PM	DIAG
Age / Sex	: 38 Year(s) / Female	Report On	:	14/05/2023 10:34 AM	m
SID No.	: 80026540	<b>Collection On</b>	:	13/05/2023 11:45 AM	
PID No.	: MED111637809	Register On	:	13/05/2023 11:09 AM	

<u>Investigation</u>	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
Monocytes (Blood/Impedance and absorbance)	8.66	%	01 - 10
Basophils (Blood/Impedance and absorbance)	0.34	%	00 - 02
INTERPRETATION: Tests done on Automated F	ive Part cell counter. All	abnormal results are re	eviewed and confirmed microscopically.
Absolute Neutrophil count (Blood/Impedance and absorbance)	3.79	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (Blood/Impedance)	2.16	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (Blood/Impedance)	0.36	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (Blood/Impedance)	0.60	10^3 / µl	< 1.0
Absolute Basophil count (Blood/Impedance)	0.02	10^3 / µl	< 0.2
Platelet Count (Blood/Impedance)	2.34	lakh/cu.m m	1.4 - 4.5
INTERPRETATION: Platelet count less than 1.5 l	akhs will be confirmed	microscopically.	
MPV (Blood/Derived from Impedance)	8.92	fL	8.0 - 13.3
PCT (Calculated)	0.21	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Blood/Automated ESR analyser)	20	mm/hr	< 20
BUN / Creatinine Ratio	19.4		
Glucose Fasting (FBS) (Plasma - F/Glucose oxidase/Peroxidase)	95	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126







APPROVED BY

The results pertain to sample tested.

Page 2 of 8

Name	: Mrs. GUTHULA ANUPAMA			
PID No.	: MED111637809	Register On : 13/05/20	023 11:09 AM	<b>C</b>
SID No.	: 80026540	Collection On : 13/05/2	023 11:45 AM	
Age / Sex	: 38 Year(s) / Female	Report On : 14/05/2	023 10:34 AM	medall
Туре	: OP	Printed On : 15/05/2	023 4:27 PM	DIAGNOSTICS
Ref. Dr	: MediWheel			
<u>Investiga</u>	ation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
INTERPI blood gluc		uantity and time of food intake	, Physical activity	y, Psychological stress, and drugs can influence
Glucose, (Urine - F)	Fasting (Urine)	Negative		Negative
	Postprandial (PPBS) PP/GOD - POD)	96	mg/dL	70 - 140
Factors su Fasting bl	ood glucose level may be higher that	Postprandial glucose, because	e of physiological	and drugs can influence blood glucose level. surge in Postprandial Insulin secretion, Insulin cation during treatment for Diabetes.
Urine Gl (Urine - PI	ucose(PP-2 hours)	Negative		Negative
Blood U: (Serum/Ca	rea Nitrogen (BUN) ilculated)	10.7	mg/dL	7.0 - 21
Creatinir (Serum/Jaj	ne ffe ó"Alkaline Picrate)	0.6	mg/dL	0.6 - 1.1
Uric Aci (Serum/Ur	d icase/Peroxidase)	4	mg/dL	2.6 - 6.0
<u>Liver Fu</u>	unction Test			
Bilirubin (Serum/Di	n(Total) azotized Sulphanilic acid)	0.5	mg/dL	0.1 - 1.2
Bilirubin (Serum/Di	n(Direct) azotized Sulphanilic acid )	0.2	mg/dL	0.0 - 0.3
Bilirubin (Serum/Ca	n(Indirect) ilculated)	0.30	mg/dL	0.1 - 1.0
Aminotra	ST (Aspartate ansferase) CC without P-5-P)	20	U/L	5 - 40
	LT (Alanine Aminotransferase) CC without P-5-P)	13	U/L	5 - 41







APPROVED BY

The results pertain to sample tested.

Page 3 of 8

Name	: Mrs. GUTHULA ANUPAMA			
PID No.	: MED111637809	Register On	: 13/05/2023 11:09 AM	~
SID No.	: 80026540	<b>Collection On</b>	: 13/05/2023 11:45 AM	$\mathbf{O}$
Age / Sex	: 38 Year(s) / Female	Report On	: 14/05/2023 10:34 AM	medall
Туре	: OP	Printed On	: 15/05/2023 4:27 PM	DIAGNOSTICS

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Alkaline Phosphatase (SAP) (Serum/IFCC AMP Buffer)	52	U/L	42 - 98
Total Protein (Serum/Biuret)	7.0	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.2	gm/dl	3.5 - 5.2
Globulin (Serum/Calculated)	2.80	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Calculated)	1.50		1.1 - 2.2
INTERPRETATION: Enclosure : Graph			
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	11	U/L	< 38
Lipid Profile			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	146	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol-phosphate oxidase/Peroxidase)	137	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö"circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	68	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
CH. Shivej			K. Nechorita

Lab Manager VERIFIED BY

Ref. Dr

: MediWheel





APPROVED BY

The results pertain to sample tested.

CHINTHA SHIVAJI

Page 4 of 8

Name	: Mrs. GUTHULA ANUPAMA			
PID No.	: MED111637809	Register On	: 13/05/2023 11:09 AM	
SID No.	: 80026540	<b>Collection On</b>	: 13/05/2023 11:45 AM	
Age / Sex	: 38 Year(s) / Female	Report On	: 14/05/2023 10:34 AM	medall
Туре	: OP	Printed On	: 15/05/2023 4:27 PM	DIAGNOSTICS

## Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
LDL Cholesterol (Serum/ <i>Calculated</i> )	50.6	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >=190
VLDL Cholesterol (Serum/Calculated)	27.4	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	78.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >=220

**INTERPRETATION:** 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	2.1	Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i> )	2	Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	0.7	Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0

Glycosylated Haemoglobin (HbA1c)







APPROVED BY

The results pertain to sample tested.

Page 5 of 8

Name	: Mrs. GUTHULA ANUPAMA			
PID No.	: MED111637809	Register On : 13/05/2	2023 11:09 AM	
SID No.	: 80026540	Collection On : 13/05/	2023 11:45 AM	
Age / Sex	: 38 Year(s) / Female	Report On : 14/05/	/2023 10:34 AM	medall
Туре	: OP	Printed On : 15/05/	2023 4:27 PM	DIAGNOSTICS
Ref. Dr	: MediWheel			
Investiga	ation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
HbA1C (Whole Blo	ood/HPLC-Ion exchange)	5.5	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5
INTERPI	RETATION: If Diabetes - Good con	trol : 6.1 - 7.0 % , Fair contro	ol : 7.1 - 8.0 % , Poor	control >= 8.1 %
	ood Glucose	111.15	mg/dl	
(Whole Blo				
INTERPRETATION: Comments HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations. Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency, hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.				
<u>THYRO</u>	ID PROFILE / TFT			
(Serum/Ch (CLIA)) INTERPI Comment Total T3 v		1.06 on like pregnancy, drugs, nepl	ng/ml hrosis etc. In such ca	0.7 - 2.04 uses, Free T3 is recommended as it is
	coxine) - Total	10.97	µg/dl	4.2 - 12.0
	emiluminescent Immunometric Assay	10.97	μg/ui	7.2 - 12.0
<b>Comment</b> Total T4 v		on like pregnancy, drugs, nepl	hrosis etc. In such ca	ses, Free T4 is recommended as it is
	yroid Stimulating Hormone) emiluminescence)	4.70	µIU/mL	0.35 - 5.50
	H. Shivey INTHA SHIVAJI Lab Manager ERIFIED BY			KINCLOUILA DEK.NEEHARIKA MD PATHOLOGY Reg No : 96545 APPROVED BY

The results pertain to sample tested.

Page 6 of 8

Name	: Mrs. GUTHULA ANUPAMA			
PID No.	: MED111637809	Register On	: 13/05/2023 11:09 AM	~
SID No.	: 80026540	<b>Collection On</b>	: 13/05/2023 11:45 AM	
Age / Sex	: 38 Year(s) / Female	Report On	: 14/05/2023 10:34 AM	medall
Туре	: OP	Printed On	: 15/05/2023 4:27 PM	DIAGNOSTICS
Ref. Dr	: MediWheel			
Investiga	ation	<u>Obse</u> Val		Biological Reference Interval

## **INTERPRETATION:**

Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0 (Indian Thyroid Society Guidelines) **Comment :** 

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI. 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be

of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.

3.Values&amplt,0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

## Urine Analysis - Routine

Others (Urine/Microscopy) nil

INTERPRETATION: Note: Done with Automated Urine Analyser & microscopy

**Physical Examination(Urine Routine)** 

Colour (Urine/Physical examination)	pale yellow	Yellow to Amber
Appearance (Urine/Physical examination)	clear	Clear
Chemical Examination(Urine Routine)		
Protein (Urine/Dipstick-Error of indicator/ Sulphosalicylic acid method )	Negative	Negative
Glucose (Urine/Dip Stick Method / Glucose Oxidase - Peroxidase / Benedictøs semi quantitative method.)	Negative	Negative
<u>Microscopic Examination(Urine</u> <u>Routine)</u>		
CH. Shivey		K.Nulaila Dr K. NEEHARIKA MD PATHOLOGY

APPROVED BY

Reg No : 96545

The results pertain to sample tested.

Lab Manager

VERIFIED BY

Page 7 of 8

Name	: Mrs. GUTHULA ANUPAMA			
PID No.	: MED111637809	Register On	: 13/05/2023 11:09 AM	
SID No.	: 80026540	Collection On	: 13/05/2023 11:45 AM	$\mathbf{O}$
Age / Sex	: 38 Year(s) / Female	Report On	: 14/05/2023 10:34 AM	medall
Туре	: OP	Printed On	: 15/05/2023 4:27 PM	DIAGNOSTICS
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Pus Cells (Urine/Microscopy exam of urine sediment)	4-5	/hpf	0 - 5
Epithelial Cells (Urine/Microscopy exam of urine sediment)	5-7	/hpf	NIL
RBCs (Urine/Microscopy exam of urine sediment)	1-2	/hpf	0 - 5







APPROVED BY

-- End of Report --

The results pertain to sample tested.

Page 8 of 8