

R

E

P

0

R

т

CID :2309300245 Name : MR.GOVENDRA SHEKHAWAT Age / Gender :40 Years / Male Consulting Dr. : -Reg. Location : Kandivali East (Main Centre)

Use a QR Code Scanner Application To Scan the Code Collected Reported

:03-Apr-2023 / 08:13 :03-Apr-2023 / 11:17

# AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC (Complete Blood Count), Blood			
PARAMETER	<u>RESULTS</u>	<b>BIOLOGICAL REF RANGE</b>	<u>METHOD</u>
<b>RBC PARAMETERS</b>			
Haemoglobin	14.6	13.0-17.0 g/dL	Spectrophotometric
RBC	4.86	4.5-5.5 mil/cmm	Elect. Impedance
PCV	46.1	40-50 %	Measured
MCV	95	80-100 fl	Calculated
MCH	30.0	27-32 pg	Calculated
MCHC	31.6	31.5-34.5 g/dL	Calculated
RDW	14.1	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	6240	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND	ABSOLUTE COUNTS		
Lymphocytes	35.3	20-40 %	
Absolute Lymphocytes	2202.7	1000-3000 /cmm	Calculated
Monocytes	6.8	2-10 %	
Absolute Monocytes	424.3	200-1000 /cmm	Calculated
Neutrophils	56.1	40-80 %	
Absolute Neutrophils	3500.6	2000-7000 /cmm	Calculated
Eosinophils	1.8	1-6 %	
Absolute Eosinophils	112.3	20-500 /cmm	Calculated
Basophils	0.0	0.1-2 %	
Absolute Basophils	0.0	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

### **PLATELET PARAMETERS**

Platelet Count	163000	150000-400000 /cmm	Elect. Impedance
MPV	12.7	6-11 fl	Calculated
PDW	29.3	11-18 %	Calculated
RBC MORPHOLOGY			

Page 1 of 14

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2<sup>rd</sup> Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Omart, Premier Road, Vidyavihar (W), Mumbal - 400086.

HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com

Corporate Identity Number (CIN): U85110MH2002PTC136144



Hypochro	omia -			
Reg. Location	: Kandivali East (Main Centre)	Reported	:03-Apr-2023 / 11:36	
Consulting Dr.	: -	Collected	:03-Apr-2023 / 08:13	
Age / Gender	:40 Years / Male		Use a QR Code Scanner Application To Scan the Code	т
Name	: MR.GOVENDRA SHEKHAWAT		回应素用的产用。新生	R
CID	: 2309300245			0
RECISE TESTING - HEAL	THIER LIVING			Р
IAGNOSTI	C S			E
DUBUKBA				

Microcytosis	-		
Macrocytosis	-		
Anisocytosis	-		
Poikilocytosis	-		
Polychromasia	-		
Target Cells	-		
Basophilic Stippling	-		
Normoblasts	-		
Others	Normocytic,Normochromic		
WBC MORPHOLOGY	-		
PLATELET MORPHOLOGY	Megaplatelets seen on smea	r	
COMMENT	-		
Specimen: EDTA Whole Blood			
ESR, EDTA WB-ESR	5	2-15 mm at 1 hr.	Sedimentation
*Sample processed at SUBURBAN DI.	AGNOSTICS (INDIA) PVT. LTD Bor *** End Of Rep		



Bmhaskar

**Dr.KETAKI MHASKAR** M.D. (PATH) Pathologist

R

Page 2 of 14



R

E

P

0

R

т

CID	: 2309300245
Name	: MR.GOVENDRA SHEKHAWAT
Age / Gender	: 40 Years / Male
Consulting Dr. Reg. Location	: - : Kandivali East (Main Centre)

Use a QR Code Scanner Application To Scan the Code

Collected Reported :03-Apr-2023 / 08:13 :03-Apr-2023 / 10:54

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE			
<b>PARAMETER</b>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	96.8	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	99.6	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	1.2	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.42	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.78	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.1	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.6	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.5	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.8	1 - 2	Calculated
SGOT (AST), Serum	20.9	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	16.6	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	13.7	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	91.9	40-130 U/L	Colorimetric
BLOOD UREA, Serum	10.5	12.8-42.8 mg/dl	Kinetic
BUN, Serum	4.9	6-20 mg/dl	Calculated
CREATININE, Serum	0.90	0.67-1.17 mg/dl	Enzymatic



Urine Ketones (PP)

CID : 2309300245 Name : MR.GOVENDRA SHEKHAWAT Age / Gender : 40 Years / Male			Authenticity Check	R E P O R T	
Consulting Dr. Reg. Location	: - : Kandivali East (N	lain Centre)	Collected Reported	:03-Apr-2023 / 08:13 :03-Apr-2023 / 18:37	
eGFR, Se	erum	99	>60 ml/min/1.7	3sqm Calculated	
URIC AC	ID, Serum	4.0	3.5-7.2 mg/dl	Enzymatic	
Urine Sug	jar (Fasting)	Absent	Absent		
Urine Ket	ones (Fasting)	Absent	Absent		
Urine Sug	jar (PP)	Absent	Absent		

Absent

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West \*\*\* End Of Report \*\*\*

Absent



Bmhaskar

**Dr.KETAKI MHASKAR** M.D. (PATH) Pathologist

Page 4 of 14



R

Е

CID :2309300245 Name : MR. GOVENDRA SHEKHAWAT Age / Gender : 40 Years / Male Consulting Dr. : -Reg. Location : Kandivali East (Main Centre)

Use a QR Code Scanner Application To Scan the Code Collected Reported

Diabetic Level: >/= 6.5 %

:03-Apr-2023 / 08:13 :03-Apr-2023 / 12:34

Calculated

#### AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE GLYCOSYLATED HEMOGLOBIN (HbA1c) RESULTS **BIOLOGICAL REF RANGE** METHOD Glycosylated Hemoglobin HPLC 5.3 Non-Diabetic Level: < 5.7 % (HbA1c), EDTA WB - CC Prediabetic Level: 5.7-6.4 %

mg/dl

Estimated Average Glucose 105.4 (eAG), EDTA WB - CC

Intended use:

PARAMETER

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

**Clinical Significance:** 

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

### Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

### Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West \*\*\* End Of Report \*\*\*





Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 5 of 14



R

E

P

0

R

т

CID: 2309300245Name: MR.GOVENDRA SHEKHAWATAge / Gender: 40 Years / MaleConsulting Dr.: -Reg. Location: Kandivali East (Main Centre)

Use a QR Code Scanner Application To Scan the Code

BIOLOGICAL REF RANGE METHOD

Collected Reported :03-Apr-2023 / 08:13 :03-Apr-2023 / 17:27

## AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE URINE EXAMINATION REPORT

RESULTS

## PARAMETER

PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	7.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.005	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	10	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATIO	<u>N</u>		
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	0-1		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	2-3	Less than 20/hpf	
Others	-		

Note: Sample quantity less than 12ml.

Page 6 of 14



DIAGNOSTICS				E
PRECISE TESTING . HEAD	LYHIER LIVING			Р
CID	: 2309300245			0
Name	: MR.GOVENDRA SHEKHAWAT			R
Age / Gender	: 40 Years / Male		Use a QR Code Scanner Application To Scan the Code	т
Consulting Dr.	: -	Collected	:03-Apr-2023 / 08:13	
Reg. Location	: Kandivali East (Main Centre)	Reported	:03-Apr-2023 / 17:27	

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

Protein: (1+ ~25 mg/dl, 2+ ~75 mg/dl, 3+ ~ 150 mg/dl, 4+ ~ 500 mg/dl)

Glucose:(1+ ~ 50 mg/dl, 2+ ~100 mg/dl, 3+ ~300 mg/dl,4+ ~1000 mg/dl) •

Ketone: (1+ ~5 mg/dl, 2+ ~15 mg/dl, 3+ ~ 50 mg/dl, 4+ ~ 150 mg/dl) •

Reference: Pack insert

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West \*\*\* End Of Report \*\*\*



Bmhaskar

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Authenticity Check

R

Page 7 of 14



Authenticity Check R E P O Use a QR Code Scanner Application To Scan the Code : 03-Apr-2023 / 08:13

:03-Apr-2023 / 12:41

CID : 2309300245 Name : MR.GOVENDRA SHEKHAWAT Age / Gender : 40 Years / Male Consulting Dr. : -Reg. Location : Kandivali East (Main Centre)

## AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE BLOOD GROUPING & Rh TYPING

Collected

Reported

## PARAMETER

## <u>RESULTS</u>

ABO GROUP

**Rh TYPING** 

Positive

0

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

### Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

### Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab

\*\*\* End Of Report \*\*



Dr.TRUPTI SHETTY M. D. (PATH) Pathologist

Page 8 of 14



R

E


P

0

R

т

CID	: 2309300245
Name	: MR.GOVENDRA SHEKHAWAT
Age / Gender	:40 Years / Male
Consulting Dr. Reg. Location	: - : Kandivali East (Main Centre)



Collected Reported :03-Apr-2023 / 08:13 :03-Apr-2023 / 10:54

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE	

PARAMETER	RESULTS	<b>BIOLOGICAL REF RANGE</b>	<u>METHOD</u>
CHOLESTEROL, Serum	187.8	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	159.2	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	40.3	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	147.5	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	116.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	31.5	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.7	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.9	0-3.5 Ratio	Calculated

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West \*\*\* End Of Report \*\*\*



Bmhaskar

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 9 of 14



R

E

P

0

R

т

CID :2309300245 Name : MR.GOVENDRA SHEKHAWAT :40 Years / Male Age / Gender Consulting Dr. : -Reg. Location : Kandivali East (Main Centre)

Use a QR Code Scanner Application To Scan the Code Collected

Reported

3.5-6.5 pmol/L 11.5-22.7 pmol/L

0.35-5.5 microIU/ml

:03-Apr-2023 / 08:13

:03-Apr-2023 / 12:37

**ECLIA** 

**ECLIA** 

**ECLIA** 

#### AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE **THYROID FUNCTION TESTS** RESULTS **BIOLOGICAL REF RANGE** METHOD

|--|

Free T3, Serum	3.9
Free T4, Serum	14.1
sensitiveTSH, Serum	6.67

Page 10 of 14



CID

Name

Age / Gender

Consulting Dr.

Reg. Location

:03-Apr-2023 / 12:37

#### Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

#### **Clinical Significance:**

1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors

Reported

can give falsely high TSH.

: -

:2309300245

: 40 Years / Male

: MR. GOVENDRA SHEKHAWAT

: Kandivali East (Main Centre)

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non- thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

**Diurnal Variation:**TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7% (with in subject variation)

Reflex Tests:Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

#### Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours

following the last biotin administration.

 Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

#### Reference:

1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)

2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357

3. Tietz, Text Book of Clinical Chemistry and Molecular Biology -5th Edition

4.Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West \*\*\* End Of Report \*\*\*



Bmhaskar

Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Page 11 of 14


REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2<sup>rd</sup> Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbai - 400086. HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com

Corporate Identity Number (CIN): U85110MH2002PTC136144



CID	: 2309300245
Name	: MR.GOVENDRA SHEKHAWAT
Age / Gender	:40 Years / Male
Consulting Dr.	: -
Reg. Location	: Kandivali East (Main Centre)








Page 12 of 14



: 2309300245
: MR.GOVENDRA SHEKHAWAT
:40 Years / Male
: -
: Kandivali East (Main Centre)









Page 13 of 14



CID	: 2309300245
Name	: MR.GOVENDRA SHEKHAWAT
Age / Gender	:40 Years / Male
Consulting Dr.	: -
Reg. Location	: Kandivali East (Main Centre)





Page 14 of 14