

# Dr. Goyal's

## Path Lab & Imaging Centre

B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganer Road,  
Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9887049788

### General Physical Examination

Website: www.drgoyalspathlab.com | E-mail: drgoyalpiyush@gmail.com

Date of Examination: 10.03.24

Name: Zile Singh Yadav. Age: 51 Sex: Male

DOB: 10.04.1972.

Referred By: BoB

Photo ID: Adhar. ID #: attached

Ht: 175 (cm)

Wt: 89 (Kg)

Chest (Expiration): 101 (cm)

Abdomen Circumference: 108. (cm)

Blood Pressure: 144/95 mm Hg PR: 73. / min

BMI 29.1

Eye Examination: DPS vision 6/c with spec. Near vision  
N/G. with spec. NO Glaucoma blindness.


Other: not significant.

On examination he/she appears physically and mentally fit: Yes / No

Signature Of Examinee : [Signature] Name of Examinee: \_\_\_\_\_

Signature Medical Examiner : \_\_\_\_\_ Name Medical Examiner \_\_\_\_\_

Piyush Goyal  
M.B.B.S., D.M.R.D.  
RMC Reg. No. -017996



*Kanhaiya*

Dr. Piyush Goyal  
M.B.B.S., D.M.R.D.  
RMC Reg. No.-017936




**DR. GOYALS PATH LAB & IMAGING CENTER**

102337466 / MR Zile Singh Yadav / 51 Yrs / M/ Non Smoker

Heart Rate : 68 bpm / Tested On : 10-Mar-24 10:56:33 / HF 0.05 Hz - LF 100 Hz / Notch 50 Hz / Sn 1.00 Cm/mV / Sw 25 mm/s / Refd By: BOB

**ECG**



Vent Rate : 68 bpm

PR Interval : 184 ms

QRS Duration: 86 ms

QT/QTc Int : 414/430 ms

P-QRS-T axis: 49.00° 38.00° 36.00°



Axis  
R 38.00°  
T 36.00°  
P 49.00°

**Dr. Naresh Kumar Mohanka**

RMCH No. 35703

MBBS, DIP. CARDIO (ESCORTS)

D.E.M. (RCGP-UK)

Reported By:



3154 / MR ZILE SINGH YADAV / 51 Yrs / M / 0 Cms / 0 Kg / NonSmoker  
 Date: 10 / 03 / 2024 10:58:46 AM Refd By : BOB / MEDIWHEEL Examined By :

Stage	Time	Duration	Speed(mph)	Elevation	MEts	Rate	% THR	BP	RPP	PVC	Comments
Supine	03:20	3:20	01.1	00.0	01.0	067	40%	126/80	084	00	
Standing	03:43	0:23	01.1	00.0	01.0	067	40%	126/80	084	00	
HV	04:39	0:56	01.1	00.0	01.0	079	47%	126/80	089	00	
Warm Up	06:47	2:08	01.1	00.0	01.0	099	59%	126/80	124	00	
ExStart	06:49	0:02	01.1	00.0	01.0	099	59%	126/80	124	00	
BRUCE Stage 1	09:49	3:00	01.7	10.0	04.7	115	68%	140/90	161	00	
PeakEX	12:46	2:57	02.5	12.0	07.1	133	79%	156/90	207	00	
Recovery	13:46	1:00	00.0	00.0	01.0	116	69%	156/90	180	00	
Recovery	14:46	2:00	00.0	00.0	01.0	095	56%	150/90	142	00	
Recovery	16:46	4:00	00.0	00.0	01.0	093	55%	140/90	130	00	
Recovery	18:14	5:28	00.0	00.0	01.0	088	52%	126/86	110	00	

**FINDINGS :**

Exercise Time 05:57  
 Max HR Attained 133 bpm 79% of Target 169  
 Max BP Attained 156/90 (mm/Hg)  
 Max Workload Attained 7.1 Fair response to induced stress  
 Test End Reasons Test Complete, Heart Rate Achieved

Base line ECG shows poor r progressivity  
 in lead V<sub>1</sub>-V<sub>2</sub> there is no any fistula  
 significant ST-T changes seen during  
 exercise and in recovery. However  
 chest achieved his THR becoz of chest  
 app comforters THH in Conclusive for RHT,  
 chest clear. Chest calls.

**REPORT :**

Chest achieved his THR becoz of chest  
 app comforters THH in Conclusive for RHT,  
 chest clear. Chest calls.

Dr. Naresh Kumar Mohanka  
 RMCO No. 35703  
 MBBS, DIP, CARDIO (ESCORTS)  
 D.E.M. (RCGP-UK)




3154 / MR ZILE SINGH YADAV / 51 Yrs / M / 0 Cms / 0 Kg / HR : 67

Date: 10/03/2024 10:58:46 AM METS: 1.0/ 67 bpm 40% of THR BP: 126/80 mmHg Combined Mediana/ BLC Onv Notch On/16/ 0.05 Hz/LF 100 Hz

4X 80 ms Post J

ExTime: 00:00 - 1.47min - 0.0%  
25 mm/Sec - 1.0 Cm/mV



REMARKS:  
I aVR aVL V1 V2 V3 V4 V5  
II aVF aVF V2 V4 V6




3154 / MR ZILE SINGH YADAV / 51 Yrs / M / 0 Cms / 0 Kg / HR : 67

Date: 10 / 03 / 2024 10:58:46 AM METS: 1.0@ 67 bpm 40% of THR BP: 126/80 mmHg Combined Medication/ BLC ON Notch ON HF 0.05 Hz@LF 100 Hz

4X 80 ms Post J

Ext: 00:00 1.1 mph 0.0% 25 mmSec - 1.0 cm/mV



REMARKS:

You created this PDF from an application that is not licensed to print to novapdf printer (<http://www.novapdf.com>)






3154 / MR ZILE SINGH YADAV / 51 YRS / M / O Cons / 0 Kg / HR : 79

Date: 10 / 03 / 2024 10:58:46 AM METS: 1.01 79 bpm 47% of THR BP: 125/80 mmHg Combined Mediana/ ELIC Om Switch Om HF: 0.05 HzOLF: 100 Hz

4X 80 m/s Paper /

ExTime: 00:00 1.1 mV 0.0% 24 mm/sec 1.0 Cm/mV



REMARKS:

You created this PDF from an application that is not licensed to print to novaPDF printer (<http://www.novapdf.com>)







3154 / MR ZILE SINGH YADAV / 51 Yrs / M / 0 Cms / 0 Kg / HR : 99

Date: 10 / 03 / 2024 10:58:46 AM METS: 1.0r 99 bpm 59% of THR BP: 126/80 mmHg Combined Medication: B.L.C. Div. Noctid. Cav. HF. 0.05-Holfr-190 Hz

4X 30 ms Post J

ExTime: 00:00 5.1 mph 0.0%  
25 mm/sec, 1.0 Cm/Div










3154 / MR ZILE SINGH YADAV / 51 Yrs / M / 0 Cms / 0 Kg / HR : 115

Date: 10 / 03 / 2024 10:58:45 AM METS: 4.71 116 bpm 68% of THR BP: 140/90 mmHg Combined Mediana/ BUC: Cav Noice Cav HF: 0.05 HALL: 100 Hz

4X 80 ms Post J

Ex/Smk: 03:00 1.7 mph 10.0%  
25 mm/sec 1.0 Cm/sec



REMARKS:  
I II III aVR aVL aVF V1 V2 V3 V4 V5 V6








3154 / MR ZILE SINGH YADAV / 51 Yrs / M / 0 Cms / 0 Kg / HR : 133

Date: 10 / 03 / 2024 10:56:46 AM METS: 7.1 / 133 bpm 79% of THR BP: 156/90 mmHg Combined Median/ BLC Div North Div HF: 0.05 H/L/F: 100 Hz

4X 60 ms Post J

EXTIM: 05:57 2.5 mV, 12.0%, 25 mm/Sec, 1.0 Cm/mV



REMARKS:  
I II aVR aVL aVF V1 V2 V3 V4 V5 V6




3154 / MR ZILE SINGH YADAV / 51 Yrs / M / 0 Cms / 0 Kg / HR : 116

Date: 10 / 03 / 2024 10:38:46 AM METS: 1.0 / 116 bpm 69% of THR BP: 156/90 mmHg Combined Median/ BLC On/ Niche Doc HE 0.06-HVALF-100 Hz

4X 80 mS Print J

ExTime: 05:57 0.0 mps 0.0%  
25 number, 1.0 Cm/mV







3154 / MR ZILE SINGH YADAV / 51 Yrs / M / 0 Cms / 0 Kg / HR : 95

Date: 10 / 03 / 2024 10:58:46 AM METS: 1.07 95 bpm 56% of THR BP: 150/90 mmHg (Continued Medication) SLEC Qm Nalox Qm HR 6.05 FIELD 100 Hz

ExTime: 02:37 0.0 mph 0.0%

4X 80 ms Post J

25 mm/Sec 1.0 Centiv



I III aVL V1 V3 V5  
 II aVR aVF V2 V4 V6


REMARKS:



3154 / MR ZILE SINGH YADAV / 51 Yrs / M / 0 Cms / 0 Kg / HR : 93

Date: 10 / 03 / 2024 10:58:40 AM METS: 1.0/ 93 bpm 55% of THR BP: 140/90 mmHg Combined Machine/ ECG On Motion On JF: 0.05 Hz/ 100 Hz

ExTime: 05:57 0.0 mpa, 0.0% 25 mm/Sec 1.0 Cm/Div



REMARKS: I II aVR aVF V1 V2 V3 V4 V5 V6




3154 / MR ZILE SINGH YADAV / 51 Yrs / M / 0 Cms / 0 Kg / HR : 88

Date: 10/03/2024 10:56:46 AM METS: 1.07 88 bpm 52% of FH - ECG: 125186 mVsig Combined Mecodura/BLD Out Notch Onv Hr 0:05 Hz(L) 100 Hz

4X 80 ms Post J

ExTime: 05:57 0.0 rpm 0.0%  
25 mm/sec 1.0 cm/mV



REMARKS:  
I II aVR aVL aVF V1 V2 V3 V4 V5 V6





Date: 10/03/2024 10:58:46 AM











B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sangarner Road,  
Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9887049787

Website: [www.dr.goyalspathlab.com](http://www.dr.goyalspathlab.com) | E-mail: [dr.goyalpiyush@gmail.com](mailto:dr.goyalpiyush@gmail.com)

Date :- 10/03/2024 09:41:37

Patient ID :- 12236284



**NAME :- Mr. ZILE SINGH YADAV**

Ref. By Dr:- BOB

Sex / Age :- Male 51 Yrs 11 Mon

Lab/Hosp :-

Company :- MediWheel

Sample Type :- EDTA

Sample Collected Time 10/03/2024 10:05:15

Final Authentication : 10/03/2024 15:53:34

### HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
-----------	-------	------	-------------------------

BOB PACKAGE ABOVE 40MALE

GLYCOSYLATED HEMOGLOBIN (HbA1C)

6.3 H %

Non-diabetic: < 5.7  
Pre-diabetics: 5.7-6.4  
Diabetics: = 6.5 or higher  
ADA Target: 7.0  
Action suggested: > 6.5

Method:- HPLC

Instrument name: ARKRAY's ADAMS Lite HA 8380V, JAPAN.

#### Test Interpretation:

HbA1C is formed by the condensation of glucose with n-terminal valine residue of each beta chain of HbA to form an unstable schiff base. It is the major fraction, constituting approximately 80% of HbA1c. Formation of glycated hemoglobin (GHb) is essentially irreversible and the concentration in the blood depends on both the lifespan of the red blood cells (RBC) (120 days) and the blood glucose concentration. The GHb concentration represents the integrated values for glucose over the period of 6 to 8 weeks. GHb values are free of day to day glucose fluctuations and are unaffected by recent exercise or food ingestion. Concentration of plasma glucose concentration in GHb depends on the time interval, with more recent values providing a larger contribution than earlier values. The interpretation of GHb depends on RBC having a normal life span. Patients with hemolytic disease or other conditions with shortened RBC survival exhibit a substantial reduction of GHb. High GHb have been reported in iron deficiency anemia. GHb has been firmly established as an index of long term blood glucose concentrations and as a measure of the risk for the development of complications in patients with diabetes mellitus. The absolute risk of retinopathy and nephropathy are directly proportional to the mean of HbA1C. Genetic variants (e.g. HbS trait, HbC trait), elevated HbF and chemically modified derivatives of hemoglobin can affect the accuracy of HbA1c measurements. The effects vary depending on the specific Hb variant or derivative and the specific HbA1c method.

Ref by ADA 2020

MEAN PLASMA GLUCOSE

134 H mg/dL

Non Diabetic < 100 mg/dL  
Prediabetic 100- 125 mg/dL  
Diabetic 126 mg/dL or Higher

Method:- Calculated Parameter

AJAYSINGH  
Technologist

Page No. 1 of 13



**Dr. Rashmi Bakshi**  
MBBS, MD ( Path )  
RMC No. 17975/008828





Date :- 10/03/2024 09:41:37

Patient ID :- 12236284



NAME :- Mr. ZILE SINGH YADAV

Ref. By Dr:- BOB

Sex / Age :- Male 51 Yrs 11 Mon

Lab/Hosp :-

Company :- MediWheel

Sample Type :- EDTA

Sample Collected Time 10/03/2024 10:05:15

Final Authentication : 10/03/2024 15:53:34

### HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
<b>HAEMOGARAM</b>			
HAEMOGLOBIN (Hb)	13.7	g/dL	13.0 - 17.0
TOTAL LEUCOCYTE COUNT	6.40	/cumm	4.00 - 10.00
<b>DIFFERENTIAL LEUCOCYTE COUNT</b>			
NEUTROPHIL	61.2	%	40.0 - 80.0
LYMPHOCYTE	26.7	%	20.0 - 40.0
EOSINOPHIL	8.6 H	%	1.0 - 6.0
MONOCYTE	3.3	%	2.0 - 10.0
BASOPHIL	0.2	%	0.0 - 2.0
NEUT#	3.92	10 <sup>3</sup> /uL	1.50 - 7.00
LYMPH#	1.71	10 <sup>3</sup> /uL	1.00 - 3.70
EO#	0.55 H	10 <sup>3</sup> /uL	0.00 - 0.40
MONO#	0.21	10 <sup>3</sup> /uL	0.00 - 0.70
BASO#	0.01	10 <sup>3</sup> /uL	0.00 - 0.10
TOTAL RED BLOOD CELL COUNT (RBC)	4.55	x10 <sup>6</sup> /uL	4.50 - 5.50
HEMATOCRIT (HCT)	43.70	%	40.00 - 50.00
MEAN CORP VOLUME (MCV)	96.1	fL	83.0 - 101.0
MEAN CORP HB (MCH)	30.0	pg	27.0 - 32.0
MEAN CORP HB CONC (MCHC)	31.2 L	g/dL	31.5 - 34.5
<b>PLATELET COUNT</b>	236	x10 <sup>3</sup> /uL	150 - 410
RDW-CV	14.4 H	%	11.6 - 14.0
MENTZER INDEX	21.12		

The Mentzer index is used to differentiate iron deficiency anemia from beta thalassemia trait. If a CBC indicates microcytic anemia, these are two of the most likely causes, making it necessary to distinguish between them.

If the quotient of the mean corpuscular volume divided by the red blood cell count is less than 13, thalassemia is more likely. If the result is greater than 13, then iron-deficiency anemia is more likely.

AJAYSINGH  
Technologist

Page No: 2 of 13



Dr. Rashmi Bakshi  
MBBS, MD ( Path )  
RMC No. 17975/008828



# Dr. Goyal's

## Path Lab & Imaging Centre

B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganer Road,  
Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9887049787

Website: [www.dr.goyalspathlab.com](http://www.dr.goyalspathlab.com) | E-mail: [dr.goyalpiyush@gmail.com](mailto:dr.goyalpiyush@gmail.com)

Date :- 10/03/2024 09:41:37

Patient ID :- 12236284



**NAME :- Mr. ZILE SINGH YADAV**

Ref. By Dr:- BOB

Sex / Age :- Male 51 Yrs 11 Mon

Lab/Hosp :-

Company :- MediWheel

Sample Type :- EDTA

Sample Collected Time 10/03/2024 10:05:15

Final Authentication : 10/03/2024 15:53:34

### HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
Erythrocyte Sedimentation Rate (ESR)	18 H	mm/hr.	00 - 13

(ESR) Methodology : Measurement of ESR by cells aggregation.

Instrument Name : Independent form Hematocrit value by Automated Analyzer (Roller-20)

Interpretation : ESR test is a non-specific indicator of inflammatory disease and abnormal protein states.

The test is used to detect, follow course of a certain disease (e.g-tuberculosis, rheumatic fever, myocardial infarction)

Levels are higher in pregnancy due to hyperfibrinogenaemia.

The "3-figure ESR"  $\times > 100$  value nearly always indicates serious disease such as a serious infection, malignant paraproteinaemia (CBC) Methodology : TLC, DLC Fluorescent Flow cytometry, HB SLS method, TRBC, PCV, PLT Hydrodynamically focused Impedance. and or connective tissue disease.

MCH, MCV, MCHC, MENTZER INDEX are calculated. Instrument Name: Sysmex 6 part fully automatic analyzer XN-L, Japan

AJAYSINGH  
Technologist

Page No. 3 of 13



**Dr. Rashmi Bakshi**  
MBBS, MD ( Path )  
RMC No. 17975/008828



# Dr. Goyal's



## Path Lab & Imaging Centre

B-51, Ganesh Nagar, Near Metro Piller No. 109-110, New Sanganer Road,  
Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9887049787

Website: [www.dr.goyalspathlab.com](http://www.dr.goyalspathlab.com) | E-mail: [dr.goyalpiyush@gmail.com](mailto:dr.goyalpiyush@gmail.com)

Date :- 10/03/2024 09:41:37

Patient ID :- 12236284



NAME :- Mr. ZILE SINGH YADAV

Ref. By Dr:- BOB

Sex / Age :- Male 51 Yrs 11 Mon

Lab/Hosp :-

Company :- Medi/Wheel

Sample Type :- PLAIN/SERUM

Sample Collected Time 10/03/2024 10:05:15

Final Authentication : 10/03/2024 14:44:34

### BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
<b>LIPID PROFILE</b>			
TOTAL CHOLESTEROL Method:- Enzymatic Endpoint Method	229.36 H	mg/dl	Desirable <200 Borderline 200-239 High > 240
TRIGLYCERIDES Method:- GPO-PAP	215.09 H	mg/dl	Normal <150 Borderline high 150-199 High 200-499 Very high >500
DIRECT HDL CHOLESTEROL Method:- Direct clearance Method	40.07	mg/dl	Low < 40 High > 60
DIRECT LDL CHOLESTEROL Method:- Direct clearance Method	153.44 H	mg/dl	Optimal <100 Near Optimal/above optimal 100-129 Borderline High 130-159 High 160-189 Very High > 190
VLDL CHOLESTEROL Method:- Calculated	43.02	mg/dl	0.00 - 80.00
T.CHOLESTEROL/HDL CHOLESTEROL RATIO Method:- Calculated	5.72 H		0.00 - 4.90
LDL / HDL CHOLESTEROL RATIO Method:- Calculated	3.83 H		0.00 - 3.50
TOTAL LIPID Method:- CALCULATED	753.18	mg/dl	400.00 - 1000.00
<small>TOTAL CHOLESTEROL InstrumentName:Randox Rx Imola Interpretation: Cholesterol measurements are used in the diagnosis and treatment of lipid lipoprotein metabolism disorders.</small>			
<small>TRIGLYCERIDES InstrumentName:Randox Rx Imola Interpretation: Triglyceride measurements are used in the diagnosis and treatment of diseases involving lipid metabolism and various endocrine disorders e.g. diabetes mellitus, nephrosis and liver obstruction.</small>			
<small>DIRECT HDL CHOLESTEROL InstrumentName:Randox Rx Imola Interpretation: An inverse relationship between HDL-cholesterol (HDL-C) levels is seen and the incidence/prevalence of coronary heart disease (CHD) has been demonstrated in a number of epidemiological studies. Accurate measurement of HDL-C is of vital importance when assessing patient risk from CHD. Direct measurement gives improved accuracy and reproducibility when compared to precipitation methods.</small>			
<small>DIRECT LDL CHOLESTEROL InstrumentName:Randox Rx Imola Interpretation: Accurate measurement of LDL-Cholesterol is of vital importance in therapies which focus on lipid reduction to prevent atherosclerosis or reduce its progress and to avoid plaque rupture.</small>			
<small>TOTAL LIPID AND VLDL ARE CALCULATED</small>			

MANOJCHOUDHARY

Page No. 4 of 13



Dr. Piyush Goyal  
(D.M.R.D.)  
Dr. Rashmi Bakshi





Date :- 10/03/2024 09:41:37

Patient ID :- 12236284



**NAME :- Mr. ZILE SINGH YADAV**

Ref. By Dr:- BOB

Sex / Age :- Male 51 Yrs 11 Mon

Lab/Hosp :-

Company :- MediWheel

Sample Type :- PLAIN/SERUM

Sample Collected Time 10/03/2024 10:05:15

Final Authentication : 10/03/2024 14:44:34

### BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
<b>LIVER PROFILE WITH GGT</b>			
SERUM BILIRUBIN (TOTAL) Method:- Colorimetric method	0.65	mg/dl	Up to - 1.0 Cord blood <2 Premature < 6 days <16 Full-term < 6 days= 12 1 month - <12 months <2 1-19 years <1.5 Adult - Up to - 1.2 Ref-(ACCP 2020)
SERUM BILIRUBIN (DIRECT) Method:- Colorimetric Method	0.19	mg/dL	Adult - Up to 0.25 Newborn - <0.6 >- 1 month - <0.2
SERUM BILIRUBIN (INDIRECT) Method:- Calculated	0.46	mg/dl	0.30-0.70
SGOT Method:- IFCC	24.9	U/L	Men- Up to - 37.0 Women - Up to - 31.0
SGPT Method:- IFCC	27.3	U/L	Men- Up to - 40.0 Women - Up to - 31.0
SERUM ALKALINE PHOSPHATASE Method:- AMF Buffer	46.60	IU/L	30.00 - 120.00
SERUM GAMMA GT Method:- IFCC	77.40 H	U/L	11.00 - 50.00
SERUM TOTAL PROTEIN Method:- Buret Reagent	6.90	g/dl	6.40 - 8.30
SERUM ALBUMIN Method:- Bromocresol Green	4.20	g/dl	3.80 - 5.00
SERUM GLOBULIN Method:- CALCULATION	2.70	gm/dl	2.20 - 3.50
A/G RATIO	1.56		1.30 - 2.50

**Total Bilirubin** Methodology: Colorimetric method Instrument Name: Randox Rx Insite Interpretation: An increase in bilirubin concentration in the serum occurs in toxic or infectious diseases of the liver e.g. hepatitis B or obstruction of the bile duct and in those incompatible babies. High levels of unconjugated bilirubin indicate that too much haemoglobin is being destroyed or that the liver is not actively treating the haemoglobin it is receiving.

**AST Aspartate Aminotransferase** Methodology: IFCC Instrument Name: Randox Rx Insite Interpretation: Elevated levels of AST can signal myocardial infarction, hepatic disease, muscular dystrophy and organ damage. Although heart muscle is found to have the most activity of the enzyme, significant activity has also been seen in the brain, liver, gastric mucosa, adipose tissue and kidneys of humans.

**ALT Alanine Aminotransferase** Methodology: IFCC Instrument Name: Randox Rx Insite Interpretation: The enzyme ALT has been found to be in highest concentrations in the liver, with decreasing concentrations found in kidney, heart, skeletal muscle, pancreas, spleen and lung tissue respectively. Elevated levels of the transaminase can indicate myocardial infarction, hepatic disease, muscular dystrophy and organ damage.

**Alkaline Phosphatase** Methodology: AMF Buffer Instrument Name: Randox Rx Insite Interpretation: Measurements of alkaline phosphatase are of use in the diagnosis, treatment and investigation of hepatobiliary disease and in bone disease associated with increased osteoblastic activity. Alkaline phosphatase is also used in the diagnosis of parathyroid and intestinal disease.

**TOTAL PROTEIN** Methodology: Buret Reagent Instrument Name: Randox Rx Insite Interpretation: Measurements obtained by this method are used in the diagnosis and treatment of a variety of diseases involving the liver, kidney and bone marrow as well as other metabolic or nutritional disorders.

**ALBUMIN (ALB)** Methodology: Bromocresol Green Instrument Name: Randox Rx Insite Interpretation: Albumin measurements are used in the diagnosis and treatment of numerous diseases involving primarily the liver or kidneys. Globulin & A/G ratio is calculated.

**Instrument Name: Randox Rx Insite Interpretation:** Elevations in GGT levels occur earlier and more pronounced than those with other liver enzymes in cases of obstructive jaundice and metastatic neoplasms. It may reach 1 to 50 times normal levels in intra- or post-hepatic biliary obstruction. Only moderate elevations in the enzyme level (2 to 5 times normal)

MANOJCHOUDHARY

Page No: 5 of 13



**Dr. Piyush Goyal**  
(D.M.R.D.)  
**Dr. Rashmi Bakshi**





Date :- 10/03/2024 09:41:37

Patient ID :- 12236284



NAME :- Mr. ZILE SINGH YADAV

Ref. By Dr:- BOB

Sex / Age :- Male 51 Yrs 11 Mon

Lab/Hosp :-

Company :- MediWheel

Sample Type :- PLAIN/SERUM

Sample Collected Time 10/03/2024 10:05:15

Final Authentication : 10/03/2024 14:44:45

### IMMUNOASSAY

Test Name	Value	Unit	Biological Ref Interval
-----------	-------	------	-------------------------

#### TOTAL/THYROID PROFILE

SERUM TOTAL T3

1.300

ng/ml

0.970 - 1.690

Method:- Chemiluminescence(Competitive immunoassay)

SERUM TOTAL T4

7.670

ug/dl

6.530 - 13.210

Method:- Chemiluminescence(Competitive immunoassay)

SERUM TSH ULTRA

5.204

μIU/mL

0.350 - 5.500

Method:- Enhanced Chemiluminescence immunoassay

**Interpretation:** Triiodothyronine (T3) contributes to the maintenance of the euthyroid state. A decrease in T3 concentration of up to 50% occurs in a variety of clinical situations, including acute and chronic disease. Although T3 results alone cannot be used to diagnose hypothyroidism, T3 concentration may be more sensitive than thyroxine (T4) for hyperthyroidism. Consequently, the total T3 assay can be used in conjunction with other assays to aid in the differential diagnosis of thyroid disease. T3 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, Free T3 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake, or T4 uptake can be used with the total T3 result to calculate the free T3 index and estimate the concentration of free T3.

**Interpretation:** The measurement of Total T4 aids in the differential diagnosis of thyroid disease. While >99.9% of T4 is protein-bound, primarily to thyroxine-binding globulin (TBG), it is the free fraction that is biologically active. In most patients, the total T4 concentration is a good indicator of thyroid status. T4 concentrations may be altered in some conditions, such as pregnancy, that affect the capacity of the thyroid hormone-binding proteins. Under such conditions, free T4 can provide the best estimate of the metabolically active hormone concentration. Alternatively, T3 uptake may be used with the total T4 result to calculate the free T4 index (FT4I) and estimate the concentration of free T4. Some drugs and some nonthyroidal patient conditions are known to alter TT4 concentrations in vivo.

**Interpretation:** TSH stimulates the production of thyroxine (T4) and triiodothyronine (T3) by the thyroid gland. The diagnosis of overt hypothyroidism by the finding of a low total T4 or free T4 concentration is readily confirmed by a raised TSH concentration. Measurement of low or undetectable TSH concentrations may assist the diagnosis of hyperthyroidism, where concentrations of T4 and T3 are elevated and TSH secretion is suppressed. These have the advantage of discriminating between the concentrations of TSH observed in thyrotoxicosis, compared with the low, but detectable, concentrations that occur in subclinical hyperthyroidism. The performance of this assay has not been established for neonatal specimens. Some drugs and some nonthyroidal patient conditions are known to alter TSH concentrations in vivo.

#### INTERPRETATION

PREGNANCY	REFERENCE RANGE FOR TSH IN μIU/mL (As per American Thyroid Association)
1st Trimester	0.10-2.50
2nd Trimester	0.20-3.00
3rd Trimester	0.30-3.00

NARENDRAKUMAR  
Technologist

Page No. 6 of 13



Dr. Rashmi Bakshi  
MBBS, MD ( Path )  
RMC No. 17975/008828





Date :- 10/03/2024 09:41:37

Patient ID :- 12236284



NAME :- Mr. ZILE SINGH YADAV

Ref. By Dr:- BOB

Sex / Age :- Male 51 Yrs 11 Mon

Lab/Hosp :-

Company :- MediWheel

Sample Type :- URINE

Sample Collected Time 10/03/2024 10:06:15

Final Authentication : 10/03/2024 14:46:32

### CLINICAL PATHOLOGY

Test Name	Value	Unit	Biological Ref Interval
<b>Urine Routine</b>			
<b>PHYSICAL EXAMINATION</b>			
COLOUR	PALE YELLOW		PALE YELLOW
APPEARANCE	Clear		Clear
<b>CHEMICAL EXAMINATION</b>			
REACTION(PH)	6.0		5.0 - 7.5
<small>Method:- Reagent Strip(Double indicator blue reaction)</small>			
SPECIFIC GRAVITY	1.020		1.010 - 1.030
<small>Method:- Reagent Strip(bromothymol blue)</small>			
PROTEIN	NIL		NIL
<small>Method:- Reagent Strip (Sulphosalicylic acid test)</small>			
GLUCOSE	NIL		NIL
<small>Method:- Reagent Strip (Glu.Oxidase Peroxidase Benedict)</small>			
BILIRUBIN	NEGATIVE		NEGATIVE
<small>Method:- Reagent Strip (Azo-coupling reaction)</small>			
UROBILINOGEN	NORMAL		NORMAL
<small>Method:- Reagent Strip (Modified ehrlich reaction)</small>			
KETONES	NEGATIVE		NEGATIVE
<small>Method:- Reagent Strip (Sodium Nitroprusside) Rother's</small>			
NITRITE	NEGATIVE		NEGATIVE
<small>Method:- Reagent Strip (Diazotization reaction)</small>			
RBC	NIL		NIL
<small>Method:- Reagent Strip (Peroxidase like activity)</small>			
<b>MICROSCOPY EXAMINATION</b>			
RBC/HPF	NIL	/HPF	NIL
WBC/HPF	2-3	/HPF	2-3
EPITHELIAL CELLS	0-1	/HPF	2-3
CRYSTALS/HPF	ABSENT		ABSENT
CAST/HPF	ABSENT		ABSENT
AMORPHOUS SEDIMENT	ABSENT		ABSENT
BACTERIAL FLORA	ABSENT		ABSENT
YEAST CELL	ABSENT		ABSENT
OTHER	ABSENT		ABSENT

TRILOK  
Technologist

Page No: 7 of 13



**Dr. Rashmi Bakshi**  
MBBS, MD ( Path )  
RMC No. 17975/008828





Date :- 10/03/2024 09:41:37

Patient ID :- 12236284



NAME :- Mr. ZILE SINGH YADAV

Ref. By Dr:- BOB

Sex / Age :- Male 51 Yrs 11 Mon

Lab/Hosp :-

Company :- MediWheel

Sample Type :- K0x/Na FLUORIDE-F, K0x/Na BACONIDE-D, HES-33/1024 14:41:24

Final Authentication : 10/03/2024 14:44:34

### BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
FASTING BLOOD SUGAR (Plasma) Method:- GOD PAP	107.6	mg/dl	75.0 - 115.0
Impaired glucose tolerance (IGT)	111 - 125 mg/dL.		
Diabetes Mellitus (DM)	> 126 mg/dL.		

**Instrument Name:** Randox Rx Imola **Interpretation:** Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm, hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels (hypoglycemia) may result from excessive insulin therapy or various liver diseases.

BLOOD SUGAR PP (Plasma)

175.6 H

mg/dl

70.0 - 140.0

Method:- GOD PAP

**Instrument Name:** Randox Rx Imola **Interpretation:** Elevated glucose levels (hyperglycemia) may occur with diabetes, pancreatic neoplasm, hyperthyroidism and adrenal cortical hyper-function as well as other disorders. Decreased glucose levels (hypoglycemia) may result from excessive insulin therapy or various liver diseases.

SERUM CREATININE

0.99

mg/dl

Men - 0.6-1.30  
Women - 0.5-1.20

Method:- Colorimetric Method

SERUM URIC ACID

5.94

mg/dl

Men - 3.4-7.0  
Women - 2.4-5.7

Method:- Enzymatic colorimetric

MANOJCHOUDHARY

Page No. 9 of 13



Dr. Piyush Goyal  
(D.M.R.D.)  
Dr. Rashmi Bakshi



# Dr. Goyal's

## Path Lab & Imaging Centre

B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganer Road,  
Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9887049787

Website: [www.dr.goyalspathlab.com](http://www.dr.goyalspathlab.com) | E-mail: [dr.goyalpiyush@gmail.com](mailto:dr.goyalpiyush@gmail.com)

Date :- 10/03/2024 09:41:37

Patient ID :- 12236284



NAME :- Mr. ZILE SINGH YADAV

Ref. By Dr:- BOB

Sex / Age :- Male 51 Yrs 11 Mon

Lab/Hosp :-

Company :- MediWheel

Sample Type :- EDTA, URINE, URINE-PP

Sample Collected Time 10/03/2024 10:05:15

Final Authentication : 10/03/2024 15:53:34

### HAEMATOLOGY

Test Name	Value	Unit	Biological Ref Interval
BLOOD GROUP ABO	"A" POSITIVE		
BLOOD GROUP ABO Methodology : Haemagglutination reaction Kit Name : Monoclonal agglutinating antibodies (Span clone).			
URINE SUGAR (FASTING) Collected Sample Received	Nil		Nil
URINE SUGAR PP Collected Sample Received	Nil		Nil

AJAYSINGH, TRILOK  
Technologist

Page No: 11 of 13



**Dr. Rashmi Bakshi**  
MBBS, MD ( Path )  
RMC No. 17975/008828



# Dr. Goyal's

## Path Lab & Imaging Centre

B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganer Road,  
Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9887049787

Website: [www.dr.goyalspathlab.com](http://www.dr.goyalspathlab.com) | E-mail: [dr.goyalpiyush@gmail.com](mailto:dr.goyalpiyush@gmail.com)

Date :- 10/03/2024 09:41:37

Patient ID :- 12236284



NAME :- Mr. ZILE SINGH YADAV

Ref. By Dr:- BOB

Sex / Age :- Male 51 Yrs 11 Mon

Lab/Hosp :-

Company :- MediWheel

Sample Type :- PLAIN/SERUM

Sample Collected Time 10/03/2024 10:05:15

Final Authentication : 10/03/2024 14:44:34

### BIOCHEMISTRY

Test Name	Value	Unit	Biological Ref Interval
BLOOD UREA NITROGEN (BUN)	8.0	mg/dl	0.0 - 23.0

MANOJCHOUDHARY

Page No: 12 of 13



Dr. Piyush Goyal  
(D.M.R.D.)  
Dr. Rashmi Bakshi



# Dr. Goyal's

## Path Lab & Imaging Centre

B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganer Road,  
Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9887049787

Website: [www.dr.goyalpathlab.com](http://www.dr.goyalpathlab.com) | E-mail: [dr.goyalpiyush@gmail.com](mailto:dr.goyalpiyush@gmail.com)

Date :- 10/03/2024 09:41:37

NAME :- Mr. ZILE SINGH YADAV

Sex / Age :- Male 51 Yrs 11 Mon

Company :- MediWheel

Patient ID :- 12236284

Ref. By Dr:- BOB

Lab/Hosp :-



Sample Type > PLAIN/SERUM

Sample Collected Time 10/03/2024 10:05:15

Final Authentication : 10/03/2024 14:44:45

### IMMUNOASSAY

Test Name	Value	Unit	Biological Ref Interval
TOTAL PSA Method:- Chemiluminescence	0.460	ng/ml	0.000 - 4.000

**InstrumentName:** VITROS ECI **Interpretation :** Elevated serum PSA concentrations are found in men with prostate cancer, benign prostatic hypertrophy (BHP) or inflammatory conditions of other adjacent genitourinary tissues, but not in apparently healthy men or in men with cancers other than prostate cancer. PSA has been demonstrated to be an accurate marker for monitoring advancing clinical stage in untreated patients and for monitoring response to therapy by radical prostatectomy, radiation therapy and anti-androgen therapy. PSA is also important in determining the potential and actual effectiveness of surgery or other therapies. Progressive disease is defined by an increase of at least 25%. Sampling should be repeated within two to four weeks for additional evidence. Different assay methods cannot be used interchangeably.

\*\*\* End of Report \*\*\*

NARENDRAKUMAR  
Technologist

Page No: 13 of 13



**Dr. Rashmi Bakshi**  
MBBS, MD ( Path )  
RMC No. 17975/008828



# Dr. Goyal's

## Path Lab & Imaging Centre

B-51, Ganesh Nagar, Near Metro Pillar No. 109-110, New Sanganeer Road,  
Sodala, Jaipur-302019

Tele : 0141-2293346, 4049787, 9887049787

Website: [www.drgoyalpathlab.com](http://www.drgoyalpathlab.com) | E-mail: [drgoyalpiyush@gmail.com](mailto:drgoyalpiyush@gmail.com)

Date :- 10/03/2024 09:41:37 Patient ID :- 12236284  
**NAME :- Mr. ZILE SINGH YADAV** Ref. By Dr:- BOB  
Sex / Age :- Male 51 Yrs 11 Mon Lab/Hosp :-  
Company :- MediWheel



Sample Type :- Sample Collected Time Final Authentication : 10/03/2024 16:33:03

BOB PACKAGE ABOVE 40MALE

### X RAY CHEST PA VIEW:

Both lung fields appears clear.

Bronchovascular markings appear normal.

Trachea is in midline.

Both the hilar shadows are normal.

Both the C.P.angles is clear.

Both the domes of diaphragm are normally placed.

Bony cage and soft tissue shadows are normal.

Heart shadows appear normal.

**Impression :- Normal Study**

(Please correlate clinically and with relevant further investigations)



**DR ABHISHEK JAIN**  
MBBS. DNB. (RADIO DIAGNOSIS)  
RMC NO. 21687

\*\*\* End of Report \*\*\*

ANITASHARMA

Page No: 1 of 1



**Dr. Piyush Goyal**  
( D.M.R.D.)





Date :- 10/03/2024 09:41:37  
**NAME :- Mr. ZILE SINGH YADAV**  
Sex / Age :- Male 51 Yrs 11 Mon  
Company :- MediWheel

Patient ID :- 12236284  
Ref. By Doctor:-BOB  
Lab/Hosp :-

Final Authentication : 10/03/2024 14:03:34

BOB PACKAGEFEMALE ABOVE 40

### USG WHOLE ABDOMEN

**Liver is mildly enlarged in size (~17cm) and shows mildly raised parenchymal echogenicity.** No focal space occupying lesion is seen within liver parenchyma. Intra hepatic biliary channels are not dilated. Portal vein diameter is normal.

**Gall bladder** is of normal size. Wall is not thickened. No calculus or mass lesion is seen in gall bladder. Common bile duct is not dilated.

**Pancreas** is of normal size and contour. Echo-pattern is normal. No focal lesion is seen within pancreas.

**Spleen** is of normal size and shape. Echotexture is normal. No focal lesion is seen.

**Kidneys** are normally sited and are of normal size and shape. Cortico-medullary echoes are normal. No focal lesion is seen. Collecting system does not show any dilatation.

**Two calculi are seen in right kidney measuring ~ 5.2mm & ~5.6mm in mid calyx.**

**Urinary bladder** is partially distended. Urinary bladder does not show any calculus or mass lesion.

**Visualized prostate is enlarged in size (~40cc).**  
No significant free fluid is seen in peritoneal cavity.

#### IMPRESSION:

- \* Mild hepatomegaly with grade I fatty changes.
- \* Right renal calculi.
- \* Grade II prostatomegaly.

*Needs clinical correlation.*

\*\*\* End of Report \*\*\*

Transcript by,



# Dr Goyal's Path Lab, Jaipur

Name : ZILE SINGH YADAV / F

10 Mar 2024



10.00x  
100.00um  
10.00um