





Patient Name	: Mr.ANKUR MISHRA	Registered On	: 04/Jun/2023 09:51:00
Age/Gender	: 29 Y 5 M 1 D /M	Collected	: 04/Jun/2023 10:10:01
UHID/MR NO	: CHFD.0000247856	Received	: 04/Jun/2023 10:11:10
Visit ID	: CHFD0125802324	Reported	: 04/Jun/2023 14:06:17
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

## DEPARTMENT OF HAEMATOLOGY

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) * , E	Blood			
Blood Group	'O'			
Rh ( Anti-D)	POSITIVE			
Complete Blood Count (CBC) * , What	ole Blood			
Haemoglobin	14.00	g/dl	1 Day- 14.5-22.5 g/dl	
			1 Wk- 13.5-19.5 g/dl	
			1 Mo- 10.0-18.0 g/dl	
			3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5	
			g/dl	
			2-6 Yr- 11.5-15.5 g/dl	
			6-12 Yr- 11.5-15.5 g/d	Date Harry
		N. WY	12-18 Yr 13.0-16.0	
			g/dl	
	A A A A		Male- 13.5-17.5 g/dl	
TLC (WBC)	4,700.00	/Cu mm	Female- 12.0-15.5 g/d 4000-10000	I ELECTRONIC IMPEDANCE
	4,700.00	/cu mm	4000-10000	
<u>DLC</u>	54.00		55 30	
Polymorphs (Neutrophils )	51.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	45.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	1.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	3.00	% %	1-6	ELECTRONIC IMPEDANCE
Basophils <b>ESR</b>	0.00	70	< 1	ELECTRONIC IMPEDANCE
Observed	1/ 00	Mm for 1st br		
Corrected	16.00	Mm for 1st hr.		
PCV (HCT)	8.00 41.50	Mm for 1st hr. %	40-54	
Platelet count	41.50	70	40-34	
	4.40		1 5 4 0	
Platelet Count	1.10	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.80	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	49.60	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.14	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	13.50	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.90	Mill./cumm	4.2-5.5	ELECTRONIC IMPEDANCE









Patient Name	: Mr.ANKUR MISHRA	Registered On	: 04/Jun/2023 09:51:00
Age/Gender	: 29 Y 5 M 1 D /M	Collected	: 04/Jun/2023 10:10:01
UHID/MR NO	: CHFD.0000247856	Received	: 04/Jun/2023 10:11:10
Visit ID	: CHFD0125802324	Reported	: 04/Jun/2023 14:06:17
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF HAEMATOLOGY

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Indices (MCV, MCH, MCHC)				
MCV	97.20	fl	80-100	CALCULATED PARAMETER
МСН	30.40	pg	28-35	CALCULATED PARAMETER
MCHC	31.70	%	30-38	CALCULATED PARAMETER
RDW-CV	14.00	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	51.30	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	2, <mark>397.00</mark>	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	141.00	/cu mm	40-440	

Dr. R. B. Varshney M.D. Pathology

Page 2 of 13









Patient Name	: Mr.ANKUR MISHRA	Registered On	: 04/Jun/2023 09:51:01
Age/Gender	: 29 Y 5 M 1 D /M	Collected	: 04/Jun/2023 14:06:16
UHID/MR NO	: CHFD.0000247856	Received	: 04/Jun/2023 14:22:31
Visit ID	: CHFD0125802324	Reported	: 04/Jun/2023 14:47:39
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

### DEPARTMENT OF BIOCHEMISTRY

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLUCOSE FASTING, Plasma Glucose Fasting	99.05	mg/dl	< 100 Normal	GOD POD
u u u u u u u u u u u u u u u u u u u		Ŭ	100-125 Pre-diabetes ≥ 126 Diabetes	

#### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
c) I.G.T = Impared Glucose Tolerance.

Glucose PP Sample:Plasma After Meal	143.37	mg/dl	<140 Normal 140-199 Pre-diabetes >200 Diabetes	GOD POD

### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

Dr. R. B. Varshney

M.D. Pathology

Page 3 of 13





Add: Mukut Complex, Rekabganj,Faizabad Ph: 9235400973, CIN : U85110DL2003PLC308206



Patient Name	: Mr.ANKUR MISHRA	Registered On	: 04/Jun/2023 09:51:02
Age/Gender	: 29 Y 5 M 1 D /M	Collected	: 04/Jun/2023 10:10:00
UHID/MR NO	: CHFD.0000247856	Received	: 04/Jun/2023 18:45:26
Visit ID	: CHFD0125802324	Reported	: 04/Jun/2023 19:22:54
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

### DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLYCOSYLATED HAEMOGLOBIN (HBA1C) ** , ED	TA BLOOD			
Glycosylated Haemoglobin (HbA1c) Glycosylated Haemoglobin (HbA1c) Estimated Average Glucose (eAG)	4.60	% NGSP mmol/mol/IFC0 mg/dl	2	HPLC (NGSP)

#### Interpretation:

#### NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

\*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. \*\*Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.

#### **<u>Clinical Implications:</u>**

\*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

\*With optimal control, the HbA 1c moves toward normal levels.

\*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

ISO 9001:2015

Page 4 of 13



Add: Mukut Complex, Rekabganj,Faizabad Ph: 9235400973, CIN : U85110DL2003PLC308206



Patient Name	: Mr.ANKUR MISHRA	Registered On	: 04/Jun/2023 09:51:02
Age/Gender	: 29 Y 5 M 1 D /M	Collected	: 04/Jun/2023 10:10:00
UHID/MR NO	: CHFD.0000247856	Received	: 04/Jun/2023 18:45:26
Visit ID	: CHFD0125802324	Reported	: 04/Jun/2023 19:22:54
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd	<sup>-</sup> Status	: Final Report

## DEPARTMENT OF BIOCHEMISTRY

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

c. Alcohol toxicity d. Lead toxicity

\*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

\*Pregnancy d. chronic renal failure. Interfering Factors:

\*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

Dr. Anupam Singh (MBBS MD Pathology)

Page 5 of 13





Add: Mukut Complex, Rekabganj,Faizabad Ph: 9235400973, CIN : U85110DL2003PLC308206



Patient Name	: Mr.ANKUR MISHRA	Registered On	: 04/Jun/2023 09:51:02
Age/Gender	: 29 Y 5 M 1 D /M	Collected	: 04/Jun/2023 10:10:00
UHID/MR NO	: CHFD.0000247856	Received	: 04/Jun/2023 10:41:33
Visit ID	: CHFD0125802324	Reported	: 04/Jun/2023 11:39:44
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

### DEPARTMENT OF BIOCHEMISTRY

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

				N /
Test Name	Result	Unit	Bio. Ref. Interval	Method
BUN (Blood Urea Nitrogen) Sample:Serum	7.25	mg/dL	7.0-23.0	CALCULATED
<b>Creatinine</b> Sample:Serum	0.73	mg/dl	Serum 0.7-1.3 Spot Urine-Male- 20- 275 Female-20-320	MODIFIED JAFFES
Uric Acid Sample:Serum	5.10	mg/dl	3.4-7.0	URICASE
LFT (WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST) SGPT / Alanine Aminotransferase (ALT) Gamma GT (GGT) Protein Albumin Globulin A:G Ratio Alkaline Phosphatase (Total) Bilirubin (Total) Bilirubin (Direct) Bilirubin (Indirect) <b>LIPID PROFILE ( MINI ) *</b> , <i>Serum</i> Cholesterol (Total)	<b>35.28</b> <b>45.50</b> 36.67 6.45 4.06 2.39 1.70 106.79 0.95 <b>0.42</b> 0.53	U/L U/L IU/L gm/dl gm/dl gm/dl U/L mg/dl mg/dl mg/dl	< 35 < 40 11-50 6.2-8.0 3.8-5.4 1.8-3.6 1.1-2.0 42.0-165.0 0.3-1.2 < 0.30 < 0.8 <200 Desirable 200-239 Borderline Hig	IFCC WITHOUT P5P IFCC WITHOUT P5P OPTIMIZED SZAZING BIRUET B.C.G. CALCULATED CALCULATED IFCC METHOD JENDRASSIK & GROF JENDRASSIK & GROF
HDL Cholesterol (Good Cholesterol) LDL Cholesterol (Bad Cholesterol) VLDL	53.05 136 22.24	mg/dl mg/dl mg/dl	<ul> <li>&gt; 240 High</li> <li>30-70</li> <li>&lt; 100 Optimal</li> <li>100-129 Nr.</li> <li>Optimal/Above Optima</li> <li>130-159 Borderline Hig</li> <li>160-189 High</li> <li>&gt; 190 Very High</li> <li>10-33</li> </ul>	
Triglycerides	111.18	mg/dl	< 150 Normal 150-199 Borderline Hig 200-499 High	GPO-PAP h









Patient Name	: Mr.ANKUR MISHRA	Registered On	: 04/Jun/2023 09:51:02
Age/Gender	: 29 Y 5 M 1 D /M	Collected	: 04/Jun/2023 10:10:00
UHID/MR NO	: CHFD.0000247856	Received	: 04/Jun/2023 10:41:33
Visit ID	: CHFD0125802324	Reported	: 04/Jun/2023 11:39:44
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF BIOCHEMISTRY

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			>500 Very High	

Dr. R. B. Varshney

M.D. Pathology

Page 7 of 13







Add: Mukut Complex, Rekabganj,Faizabad Ph: 9235400973, CIN : U85110DL2003PLC308206



Patient Name	: Mr.ANKUR MISHRA	Registered On	: 04/Jun/2023 09:51:02
Age/Gender	: 29 Y 5 M 1 D /M	Collected	: 04/Jun/2023 14:20:38
UHID/MR NO	: CHFD.0000247856	Received	: 04/Jun/2023 16:53:44
Visit ID	: CHFD0125802324	Reported	: 04/Jun/2023 17:26:04
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd	Status	: Final Report

# DEPARTMENT OF CLINICAL PATHOLOGY

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE * , U	rine			
Color	PALE YELLOW			
Specific Gravity	1.015			
Reaction PH	Acidic ( 5.0 )			DIPSTICK
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++) > 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
	ADJENT	giii370	0.5-1.0 (++)	DITOTICK
			1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT	mg/dl	0.2-2.81	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile P <mark>igment</mark> s	ABSENT			
Urobilinogen(1:20 dilution)	ABSENT		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
Microscopic Examination:				
Epithelial cells	OCCASIONAL			MICROSCOPIC
				EXAMINATION
Pus cells	ABSENT			
RBCs	ABSENT			MICROSCOPIC
Cost				EXAMINATION
Cast	ABSENT ABSENT			MICROSCOPIC
Crystals	ADSENT			EXAMINATION
Others	ABSENT			
<b>STOOL, ROUTINE EXAMINATION</b> * , <i>st</i>	inal			
	BROWNISH			
Color Consistency	SEMI SOLID			
Reaction (PH)	Acidic ( 6.0 )			
Mucus	ABSENT			
Blood	ABSENT			
Worm	ABSENT			
Pus cells	ABSENT			





Add: Mukut Complex, Rekabganj,Faizabad Ph: 9235400973, CIN : U85110DL2003PLC308206



Patient Name	: Mr.ANKUR MISHRA	Registered On	: 04/Jun/2023 09:51:02
Age/Gender	: 29 Y 5 M 1 D /M	Collected	: 04/Jun/2023 14:20:38
UHID/MR NO	: CHFD.0000247856	Received	: 04/Jun/2023 16:53:44
	: CHFD0125802324	Reported	: 04/Jun/2023 17:26:04
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF CLINICAL PATHOLOGY

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Ova	ABSENT			
Cysts	ABSENT			
Others	ABSENT			
SUGAR, FASTING STAGE * , Urine				
Sugar, Fasting stage	ABSENT	gms%		
<b>T</b> , , , ,				
Interpretation: (+) < 0.5				
(+) < 0.5 (++) 0.5-1.0				
(+++) 1-2				
(++++) > 2				
SUGAR, PP STAGE * , Urine		222		
Sugar <mark>, PP St</mark> age	ABSENT			
			and the second	
Interpretation:				
(+) < 0.5 gms%				
(++) 0.5-1.0 gms%				
(+++) 1-2 gms%				
(++++) > 2  gms%				

Dr. R. B. Varshney M.D. Pathology

Page 9 of 13



Add: Mukut Complex, Rekabganj,Faizabad Ph: 9235400973, CIN : U85110DL2003PLC308206



Patient Name	: Mr.ANKUR MISHRA	Registered On	: 04/Jun/2023 09:51:02
Age/Gender	: 29 Y 5 M 1 D /M	Collected	: 04/Jun/2023 10:10:00
UHID/MR NO	: CHFD.0000247856	Received	: 04/Jun/2023 18:43:34
Visit ID	: CHFD0125802324	Reported	: 04/Jun/2023 19:28:53
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

### DEPARTMENT OF IMMUNOLOGY

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
THYROID PROFILE - TOTAL ** , Serum					
T3, Total (tri-iodothyronine)	115.62	ng/dl	84.61-201.7	CLIA	
T4, Total (Thyroxine)	9.60	ug/dl	3.2-12.6	CLIA	
TSH (Thyroid Stimulating Hormone)	2.63	µIU/mL	0.27 - 5.5	CLIA	
		,			

#### Interpretation:

0.3-4.5	µIU/mL	First Trimester
0.5-4.6	µIU/mL	Second Trimester
0.8-5.2	µIU/mL	Third Trimester
0.5-8.9	µIU/mL	Adults 55-87 Years
0.7-27	µIU/mL	Premature 28-36 Week
2.3-13.2	µIU/mL	Cord Blood > 37Week
0.7-64	µIU/mL	Child(21 wk - 20 Yrs.)
1-39	µIU/mL	Child 0-4 Days
1.7-9.1	µIU/mL	Child 2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

**4**) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

**8**) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr. Anupam Singh (MBBS MD Pathology)







Add: Mukut Complex, Rekabganj,Faizabad Ph: 9235400973, CIN : U85110DL2003PLC308206



Patient Name	: Mr.ANKUR MISHRA	Registered On	: 04/Jun/2023 09:51:03
Age/Gender	: 29 Y 5 M 1 D /M	Collected	: N/A
UHID/MR NO	: CHFD.0000247856	Received	: N/A
Visit ID	: CHFD0125802324	Reported	: 05/Jun/2023 14:30:03
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# **DEPARTMENT OF X-RAY**

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

### X-RAY DIGITAL CHEST PA \*

<u>X-RAY REPORT</u> (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) <u>CHEST P-A VIEW</u>

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

### **IMPRESSION :**

#### • NO SIGNIFICANT RADIOLOGICAL ABNORMALITY SEEN ON PRESENT STUDY.

Adv: clinico-pathological correlation and further evaluation.

Dr Raveesh Chandra Roy (MD-Radio)

Page 11 of 13







Add: Mukut Complex, Rekabganj,Faizabad Ph: 9235400973, CIN : U85110DL2003PLC308206



Patient Name	: Mr.ANKUR MISHRA	Registered On	: 04/Jun/2023 09:51:03
Age/Gender	: 29 Y 5 M 1 D /M	Collected	: N/A
UHID/MR NO	: CHFD.0000247856	Received	: N/A
Visit ID	: CHFD0125802324	Reported	: 04/Jun/2023 10:46:17
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF ULTRASOUND

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

### ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) \*

# WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

### LIVER

• Liver is normal in size 13.20 cm and shows diffuse increase in echogenecity s/o fatty liver grade-I. No obvious focal lesion is seen.

# PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- The portal vein is not dilated.
- Porta hepatis is normal.

# BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common duct is not dilated.
- The gall bladder is normal in size. GB Wall thicknes is normal.

# PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

# GREAT VESSELS

• Great vessels are normal.

# **KIDNEYS**

- Both the kidneys are normal in size and cortical echotexture.
- The collecting system of both the kidneys is normal and cortico-medullary demarcation is clear.

# SPLEEN

• The spleen is normal in size and has a normal homogenous echo-texture.

# LYMPH NODES

• No pre- or para - aortic lymph node mass is seen.

# RETROPERITONEUM

• Retroperitoneum is free.

# ILIAC FOSSAE & PERITONEUM

• Scan over the iliac fossae does not reveal any fluid collection or mass.





Add: Mukut Complex, Rekabganj,Faizabad Ph: 9235400973, CIN : U85110DL2003PLC308206



Patient Name	: Mr.ANKUR MISHRA	Registered On	: 04/Jun/2023 09:51:03
Age/Gender	: 29 Y 5 M 1 D /M	Collected	: N/A
UHID/MR NO	: CHFD.0000247856	Received	: N/A
Visit ID	: CHFD0125802324	Reported	: 04/Jun/2023 10:46:17
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF ULTRASOUND

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

- No free fluid is noted in peritoneal cavity.
- Gas filled bowel loops h/o constipation.

### URETERS

- The upper parts of both the ureters are normal.
- Thevesico ureteric junctions are normal.

### URINARY BLADDER

• The urinary bladder is normal.

### PROSTATE

• The Prostate gland is normal in size45 x 43 x 18 mm vol- 19.05 ml..

### FINAL IMPRESSION:-

- GRADE-I FATTY LIVER.
- GAS FILLED BOWEL LOOPS.
- HYPERACIDITY IS TO BE CONSIDERED.

Adv: Clinico-pathological correlation and follow-up.

\*\*\* End Of Report \*\*\*

(\*\*) Test Performed at Chandan Speciality Lab.

Result/s to Follow: ECG/EKG

Dr. R. B. Varshne

Ultrasonologist

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing \* 365 Days Open \*Facilities Available at Select Location

Page 13 of 13



