

Name : MRS.SNEHA SUBHASH DESHPANDE

Age / Gender : 60 Years / Female

Consulting Dr. Collected

:27-Apr-2024 / 11:07 Reported Reg. Location : Borivali West (Main Centre)

Authenticity Check

E

Use a QR Code Scanner Application To Scan the Code

:27-Apr-2024 / 08:10

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO

| CBC (Complete Blood Count), Blood | | | |
|-----------------------------------|---------------------------|-----------------------------|--------------------|
| <u>PARAMETER</u> | RESULTS | BIOLOGICAL REF RANGE | <u>METHOD</u> |
| RBC PARAMETERS | | | |
| Haemoglobin | 13.3 | 12.0-15.0 g/dL | Spectrophotometric |
| RBC | 4.54 | 3.8-4.8 mil/cmm | Elect. Impedance |
| PCV | 39.9 | 36-46 % | Measured |
| MCV | 88 | 80-100 fl | Calculated |
| MCH | 29.4 | 27-32 pg | Calculated |
| MCHC | 33.4 | 31.5-34.5 g/dL | Calculated |
| RDW | 13.9 | 11.6-14.0 % | Calculated |
| WBC PARAMETERS | | | |
| WBC Total Count | 4930 | 4000-10000 /cmm | Elect. Impedance |
| WBC DIFFERENTIAL AND A | ABSOLUTE COUNTS | | |
| Lymphocytes | 37.2 | 20-40 % | |
| Absolute Lymphocytes | 1834.0 | 1000-3000 /cmm | Calculated |
| Monocytes | 9.8 | 2-10 % | |
| Absolute Monocytes | 483.1 | 200-1000 /cmm | Calculated |
| Neutrophils | 47.4 | 40-80 % | |
| Absolute Neutrophils | 2336.8 | 2000-7000 /cmm | Calculated |
| Eosinophils | 5.1 | 1-6 % | |
| Absolute Eosinophils | 251.4 | 20-500 /cmm | Calculated |
| Basophils | 0.5 | 0.1-2 % | |
| Absolute Basophils | 24.6 | 20-100 /cmm | Calculated |
| Immature Leukocytes | - | | |
| WBC Differential Count by Abs | orbance & Impedance metho | od/Microscopy. | |

PLATELET PARAMETERS

| Platelet Count | 242000 | 150000-400000 /cmm | Elect. Impedance |
|----------------|--------|--------------------|------------------|
| MPV | 9.7 | 6-11 fl | Calculated |
| PDW | 18.6 | 11-18 % | Calculated |

RBC MORPHOLOGY

Hypochromia Microcytosis



Name : MRS.SNEHA SUBHASH DESHPANDE

Age / Gender : 60 Years / Female

Consulting Dr. Collected :27-Apr-2024 / 08:10 Reported :27-Apr-2024 / 11:36

Reg. Location : Borivali West (Main Centre)

Macrocytosis

Anisocytosis

Poikilocytosis

Polychromasia

Target Cells

Basophilic Stippling

Normoblasts

Others Normocytic, Normochromic

WBC MORPHOLOGY

PLATELET MORPHOLOGY

COMMENT

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 10 2-30 mm at 1 hr. Sedimentation

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

- It is a non-specific measure of inflammation.
- The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***





BMhaskar Dr.KETAKI MHASKAR M.D. (PATH) **Pathologist**

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 2 of 11



Name : MRS.SNEHA SUBHASH DESHPANDE

Age / Gender : 60 Years / Female

Consulting Dr.

Reg. Location : Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

:27-Apr-2024 / 08:10

:27-Apr-2024 / 13:48

Hexokinase

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO

PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

GLUCOSE (SUGAR) FASTING, 102.3 Non-Diabetic: < 100 mg/dl Fluoride Plasma Fasting Impaired Fasting Glucose:

100-125 mg/dl

Collected

Reported

Diabetic: >/= 126 mg/dl

GLUCOSE (SUGAR) PP, Fluoride 106.4 Non-Diabetic: < 140 mg/dl Hexokinase

Plasma PP Impaired Glucose Tolerance:

140-199 mg/dl

Diabetic: >/= 200 mg/dl

Urine Sugar (Fasting) Absent Absent Urine Ketones (Fasting) Absent Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***







Name : MRS.SNEHA SUBHASH DESHPANDE

Age / Gender : 60 Years / Female

Consulting Dr. : -

Reg. Location : Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

: 27-Apr-2024 / 08:10 : 27-Apr-2024 / 12:15

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO KIDNEY FUNCTION TESTS

| <u>PARAMETER</u> | <u>RESULTS</u> | BIOLOGICAL REF RANGE | <u>METHOD</u> |
|-------------------|----------------|---|---------------|
| BLOOD UREA, Serum | 17.3 | 17.1-49.3 mg/dl | Kinetic |
| BUN, Serum | 8.1 | 8-23 mg/dl | Calculated |
| CREATININE, Serum | 0.78 | 0.51-0.95 mg/dl | Enzymatic |
| eGFR, Serum | 87 | (ml/min/1.73sqm) Normal or High: Above 90 Mild decrease: 60-89 Mild to moderate decrease: 45- 59 Moderate to severe decrease:30 -44 | Calculated |

Severe decrease: 15-29 Kidney failure:<15

Collected

Reported

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation w.e.f 16-08-2023

| | - | • | |
|-----------------------|-----|----------------|--------------|
| TOTAL PROTEINS, Serum | 6.7 | 6.4-8.3 g/dL | Biuret |
| ALBUMIN, Serum | 4.4 | 3.5-5.2 g/dL | BCG |
| GLOBULIN, Serum | 2.3 | 2.3-3.5 g/dL | Calculated |
| A/G RATIO, Serum | 1.9 | 1 - 2 | Calculated |
| URIC ACID, Serum | 6.1 | 2.4-5.7 mg/dl | Enzymatic |
| PHOSPHORUS, Serum | 3.8 | 2.7-4.5 mg/dl | Molybdate UV |
| CALCIUM, Serum | 9.4 | 8.8-10.2 mg/dl | N-BAPTA |
| SODIUM, Serum | 140 | 135-148 mmol/l | ISE |
| POTASSIUM, Serum | 4.9 | 3.5-5.3 mmol/l | ISE |
| CHLORIDE, Serum | 103 | 98-107 mmol/l | ISE |

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***









Name : MRS.SNEHA SUBHASH DESHPANDE

Age / Gender : 60 Years / Female

Consulting Dr. : -Collected :27-Apr-2024 / 08:10 Reg. Location : Borivali West (Main Centre)

Use a OR Code Scanner Application To Scan the Code

Authenticity Check

Reported :27-Apr-2024 / 10:39

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO **GLYCOSYLATED HEMOGLOBIN (HbA1c)**

BIOLOGICAL REF RANGE PARAMETER RESULTS METHOD

HPLC Glycosylated Hemoglobin 6.1 Non-Diabetic Level: < 5.7 % (HbA1c), EDTA WB - CC

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Estimated Average Glucose 128.4 mg/dl Calculated

(eAG), EDTA WB - CC

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c. Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***





BMhaskar Dr.KETAKI MHASKAR M.D. (PATH) **Pathologist**

Page 5 of 11



Name : MRS.SNEHA SUBHASH DESHPANDE

Age / Gender : 60 Years / Female

Collected Consulting Dr. :27-Apr-2024 / 08:10 Reported :27-Apr-2024 / 13:48 Reg. Location : Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO URINE EXAMINATION REPORT

| <u>PARAMETER</u> | <u>RESULTS</u> | BIOLOGICAL REF RANGE | <u>METHOD</u> |
|-----------------------------|----------------|-----------------------------|--------------------|
| PHYSICAL EXAMINATION | | | |
| Color | Pale yellow | Pale Yellow | - |
| Reaction (pH) | 6.0 | 4.5 - 8.0 | Chemical Indicator |
| Specific Gravity | 1.005 | 1.001-1.030 | Chemical Indicator |
| Transparency | Clear | Clear | - |
| Volume (ml) | 40 | - | - |
| CHEMICAL EXAMINATION | | | |
| Proteins | Absent | Absent | pH Indicator |
| Glucose | Absent | Absent | GOD-POD |
| Ketones | Absent | Absent | Legals Test |
| Blood | Absent | Absent | Peroxidase |
| Bilirubin | Absent | Absent | Diazonium Salt |
| Urobilinogen | Normal | Normal | Diazonium Salt |
| Nitrite | Absent | Absent | Griess Test |
| MICROSCOPIC EXAMINATION | <u>l</u> | | |
| Leukocytes(Pus cells)/hpf | 1-2 | 0-5/hpf | |
| Red Blood Cells / hpf | Absent | 0-2/hpf | |
| Epithelial Cells / hpf | 2-3 | | |
| Casts | Absent | Absent | |
| Crystals | Absent | Absent | |
| Amorphous debris | Absent | Absent | |
| Bacteria / hpf | 3-4 | Less than 20/hpf | |
| Others | - | | |

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein (1+ = 25 mg/dl , 2+ = 75 mg/dl , 3+ = 150 mg/dl , 4+ = 500 mg/dl)
- Glucose(1+ = 50 mg/dl, 2+ =100 mg/dl, 3+ =300 mg/dl, 4+ =1000 mg/dl)
- Ketone (1+ = 5 mg/dl, 2+ = 15 mg/dl, 3+ = 50 mg/dl, 4+ = 150 mg/dl)

Reference: Pack inert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report **





BMhaskar Dr.KETAKI MHASKAR M.D. (PATH) **Pathologist**



Name : MRS.SNEHA SUBHASH DESHPANDE

Age / Gender : 60 Years / Female

Consulting Dr. : - Collected : 27-Apr-2024 / 08:10

Reg. Location : Borivali West (Main Centre) Reported :27-Apr-2024 / 12:56

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO BLOOD GROUPING & Rh TYPING

PARAMETER RESULTS

ABO GROUP 0

Rh TYPING Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***



Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab Director

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 7 of 11



Name : MRS.SNEHA SUBHASH DESHPANDE

: 60 Years / Female Age / Gender

Consulting Dr. Collected :27-Apr-2024 / 08:10 Reg. Location

Reported :27-Apr-2024 / 12:15 : Borivali West (Main Centre)


MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO LIPID PROFILE

| <u>PARAMETER</u> | <u>RESULTS</u> | BIOLOGICAL REF RANGE | <u>METHOD</u> |
|-------------------------------------|----------------|--|--|
| CHOLESTEROL, Serum | 147.8 | Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl | CHOD-POD |
| TRIGLYCERIDES, Serum | 162.8 | Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl | GPO-POD |
| HDL CHOLESTEROL, Serum | 36.5 | Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl | Homogeneous enzymatic colorimetric assay |
| NON HDL CHOLESTEROL, Serum | 111.3 | Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl | Calculated |
| LDL CHOLESTEROL, Serum | 78.0 | Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl | Calculated |
| VLDL CHOLESTEROL, Serum | 33.3 | < /= 30 mg/dl | Calculated |
| CHOL / HDL CHOL RATIO, Serum | 4.0 | 0-4.5 Ratio | Calculated |
| LDL CHOL / HDL CHOL RATIO, Serum | 2.1 | 0-3.5 Ratio | Calculated |

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***







Authenticity Check

Use a QR Code Scanner Application To Scan the Code



Name : MRS.SNEHA SUBHASH DESHPANDE

Age / Gender : 60 Years / Female

Consulting Dr. : -

Reg. Location: Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

: 27-Apr-2024 / 08:10

R

E

Reported :27-Apr-2024 / 10:32

Collected

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO THYROID FUNCTION TESTS

| <u>PARAMETER</u> | <u>RESULTS</u> | BIOLOGICAL REF RANGE | <u>METHOD</u> |
|---------------------|----------------|---|---------------|
| Free T3, Serum | 4.6 | 3.5-6.5 pmol/L | ECLIA |
| Free T4, Serum | 14.2 | 11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59 | ECLIA |
| sensitiveTSH, Serum | 3.48 | 0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0 | ECLIA |



Name : MRS.SNEHA SUBHASH DESHPANDE

Age / Gender : 60 Years / Female

Consulting Dr. : - Collected : 27-Apr-2024 / 08:10

Reg. Location : Borivali West (Main Centre) Reported :27-Apr-2024 / 10:32

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors
- can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

| TSH | FT4 / T4 | FT3 / T3 | Interpretation | |
|------|----------|----------|--|--|
| High | Normal | Normal | abclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non- proidal illness, TSH Resistance. | |
| High | Low | Low | othyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine se inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism. | |
| Low | High | High | Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole) | |
| Low | Normal | Normal | Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness. | |
| Low | Low | Low | Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism. | |
| High | High | High | Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics. | |

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***





Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code



Name : MRS.SNEHA SUBHASH DESHPANDE

Age / Gender : 60 Years / Female

Consulting Dr. Collected Reported

Reg. Location : Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

:27-Apr-2024 / 08:10 :27-Apr-2024 / 12:15


MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO **LIVER FUNCTION TESTS**

| <u>PARAMETER</u> | <u>RESULTS</u> | BIOLOGICAL REF RANGE | <u>METHOD</u> |
|--------------------------------|----------------|----------------------|------------------|
| BILIRUBIN (TOTAL), Serum | 0.71 | 0.1-1.2 mg/dl | Colorimetric |
| BILIRUBIN (DIRECT), Serum | 0.31 | 0-0.3 mg/dl | Diazo |
| BILIRUBIN (INDIRECT), Serum | 0.40 | 0.1-1.0 mg/dl | Calculated |
| TOTAL PROTEINS, Serum | 6.7 | 6.4-8.3 g/dL | Biuret |
| ALBUMIN, Serum | 4.4 | 3.5-5.2 g/dL | BCG |
| GLOBULIN, Serum | 2.3 | 2.3-3.5 g/dL | Calculated |
| A/G RATIO, Serum | 1.9 | 1 - 2 | Calculated |
| SGOT (AST), Serum | 24.0 | 5-32 U/L | NADH (w/o P-5-P) |
| SGPT (ALT), Serum | 24.5 | 5-33 U/L | NADH (w/o P-5-P) |
| GAMMA GT, Serum | 20.7 | 3-40 U/L | Enzymatic |
| ALKALINE PHOSPHATASE, Serum | 126.1 | 35-105 U/L | Colorimetric |

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***








SUBURBAN DIAGNOSTICS - BORIVALI WEST



Patient Name: SNEHA SUBHASH DESHPANDE Date and Time: 27th Apr 24 8:42 AM

Patient ID: 2411817693



ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

REPORTED BY

The

Dr Nitin Sonavane M.B.B.S.AFLH, D.DIAB, D.CARD Consultant Cardiologist 87714

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.



Name : Mrs SNEHA SUBHASH

DESHPANDE

Age / Sex : 60 Years/Female

Ref. Dr

Reg. Location : Borivali West

Authenticity Check



Use a QR Code Scanner Application To Scan the Code

Reg. Date : 27-Apr-2024

Reported : 27-Apr-2024/09:33

USG BILATERAL SONOMAMMOGRAPHY

Both the breasts reveal normal parenchymal echotexture.

No focal solid or cystic lesion is seen.

No ductal dilatation is seen.

Retroareolar regions are normal.

Bilateral axillae are unremarkable.

IMPRESSION:

No significant abnormality is seen.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further / Follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis. Patient was explained in detail verbally about the USG findings, USG measurements and its limitations. In case of any typographical error in the report, patient is requested to immediately contact the center for rectification within 7 days post which the center will not be responsible for any rectification. Please interpret accordingly.

-----End of Report------

DR.SUDHANSHU SAXENA **Consultant Radiologist** M.B.B.S DMRE (RadioDiagnosis) RegNo .MMC 2016061376.



Name : Mrs SNEHA SUBHASH

DESHPANDE

Age / Sex : 60 Years/Female

Ref. Dr :

Reg. Location: Borivali West

Authenticity Check

R

E



Use a QR Code Scanner Application To Scan the Code

Reg. Date : 27-Apr-2024

Reported : 27-Apr-2024/09:33

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2024042708041339



Authenticity Check << QRCode>>

CID

: 2411817693

Name

: Mrs SNEHA SUBHASH DESHPANDE

Age / Sex

Reg. Location

: 60 Years/Female

Ref. Dr

: : Borivali West Reg. Date

Application To Scan the Code: 27-Apr-2024

Reported

: 27-Apr-2024 / 13:12

Use a OR Code Scanner

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. X-ray is known to have inter-observer variations. Further / follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis. Please interpret accordingly. In case of any typographical error / spelling error in the report, patient is requested to immediately contact the centre within 7 days post which the center will not be responsible for any rectification.

-----End of Report-----

DR.SUDHANSHU SAXENA Consultant Radiologist M.B.B.S DMRE (RadioDiagnosis) RegNo .MMC 2016061376.

Click here to view images << ImageLink>>



Name: Sheha Des pande

Dr. : Shamle kothori

Age / Gender 60 F

Date: 27.4.25

GYNAEC EXAMINATION REPORTS

PERSONAL HISTORY

CHIEF COMPLAINTS:

Nil

MARITAL STATUS

: Horried

MENSTRUAL HISTORY:

At 13 yes of age

(ii) PRESENT MENSTRUAL HISTORY: 24 days 128 days Menopaux 12yrs

(iii) PAST MENSTRUAL HISTORY: 3-4 days 28 days

OBSTETRIC HISTORY: G2 P, L, A,

PAST HISTORY: K

PREVIOUS SURGERIES : W

ALLERGIES:

FAMILY HISTORY: HTW in father

DRUGHISTORY: Tab Allopurind 100mg 1-00, Atorna 10 mg LOP

BOWEL HABITS: Regular.

BLADDER HABITS: Regul

Dr Sharnila.

M.B.B.S. Reg. No. 68040

Dr.MONALI SHAH REG NO .57282 Consultant HOMOEOPATH **DIETITIAN&NUTRITIONST**



Age / Gender Name: Date: Dr.

GYNAEC EXAMINATION REPORTS

GENERAL EXAMINATION

TEMPERATURE : (N

PULSE: 72/min, regular BP:

Per Abdomen : Soft Lo Soles.

Per vaginal

RS: ACCB, No added sounds CVs: S,5 (N) No murmur

Breasts: NAD

RECOMMENDATIONS

ADVISE:

Or Sharming B. Kothari Reg. No. 68040 M.B.B.S.

SubiDibMQNALASHAM Pvt. Ltd. 3018 306 NO 57282/ini Efamones Aboventultant HOMOEOPATH BerDIETITIAN& NUTRITIONST

R E

R

T



| CID NO: 2411817693 | ž. |
|-----------------------------------|------------------|
| PATIENT'S NAME: MRS.SNEHA SUBHASH | AGE/SEX: 60 Y/F |
| DESHPANDE | |
| REF BY: | DATE: 27/04/2024 |

2-D ECHOCARDIOGRAPHY

- 1. RA, LA RV is Normal Size.
- 2. No LV Hypertrophy.
- 3. Normal LV systolic function. LVEF 60 % by bi-plane
- 4. No RWMA at rest.
- 5. Aortic, Pulmonary, Mitral valves normal, Mild TR.
- 6. Great arteries: Aorta: Normal
 - a. No mitral valve prolaps.
- 7. Inter-ventricular septum is intact and normal.
- **8.** Intra Atrial Septum intact.
- 9. Pulmonary vein, IVC, hepatic are normal.
- 10. No LV clot.
- 11. No Pericardial Effusion
- 12. Grade 1 Diastolic disfunction. No Doppler evidence of raised LVEDP.



| PATIENT'S NAME: MRS.SNEHA SUBHASH DESHPANDE | | AGE/SEX: 60 Y/F |
|--|--------|------------------|
| REF BY: | | DATE: 27/04/2024 |
| 1. AO root diameter | 2.9 cm | -1,4 |
| 2. IVSd | 0.9 cm | |

| | | *, | |
|-----|---------------------|----------|----|
| 1. | AO root diameter | 2.9 cm | |
| 2. | IVSd | 0.9 cm | |
| | LVIDd | 4.2 cm | |
| 4. | LVIDs | 1.9 cm | |
| 5. | LVPWd | 0.9 cm | |
| 6. | LA dimension | 3.5 cm | |
| 7. | RA dimension | 3.5 cm | |
| 8. | RV dimension | 2.9 cm | |
| 9. | Pulmonary flow vel: | 0.8 m/s | |
| | Pulmonary Gradient | 3.2 m/s | |
| | Tricuspid flow vel | 2.5 m/s | |
| | Tricuspid Gradient | 26 m/s | |
| 13. | PASP by TR Jet | 36 mm F | Ig |
| | TAPSE | 3.0 cm | |
| 15. | Aortic flow vel | 1.2 m/s | |
| | Aortic Gradient | 6 m/s | |
| 17. | MV:E | 0.7 m/s | |
| | A vel | 0.8 m/s | |
| | IVC | 16 mm | |
| | E/E' | 10 | |
| | | | |

Impression:

Mild TR, Mild PH, PASP by TR Jet 36 mm Hg. Grade 1 Diastolic disfunction.

Disclaimer

Echo may have inter/Intra observer variations in measurements as the study is observer dependent and changes with Pt's hemodynamics. Please co-relate findings with patients clinical status.

*End of Report***

DR. S. NITIN Consultant Cardiologist Reg. No. 87714



Date:-

Name:- Inches

CID: 2411817693 Sex/Age60/F

EYE CHECK UP

Chief complaints:

Systemic Diseases:

Past history:

Unaided Vision:

Aided Vision:

Refraction:

(Right Eye)

| | Sph | Cyl | Axis | Vn | Sph | Cyl | Axis | Vn |
|----------|-----|-----|------|----|-----|-----|------|-----|
| Distance | | | | | | 3 | 6.0 | 1 " |
| Near | | | | | | * | | |

Colour Vision: Normal / Abnormal

Remark:

Suburban-Diagnostics (1) Pvt. Ltd. 301& 302, 3rd Floor, Vini Eleganones Above Tanisa Jweler, L. T. Road, Berivali (West) - Mumbar - 400 000



Name : Mrs SNEHA SUBHASH

DESHPANDE

Age / Sex : 60 Years/Female

Ref. Dr :

Reg. Location: Borivali West

Authenticity Check

R

 \mathbf{E}

P

Use a QR Code Scanner Application To Scan the Code

Reg. Date : 27-Apr-2024

Reported : 27-Apr-2024/09:39

USG WHOLE ABDOMEN

<u>LIVER:</u> Liver is normal in size 14.5 cm, with mild generalized increase in parenchymal echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

GALL BLADDER: Gall bladder is partially distended with few calculi seen largest measuring 1.1 cm and 1.2 cm. No obvious wall thickening is noted.

(Tiny polyps/calculi may be missed due to technical limitations, sub-optimal distension of GB, adjacent gases and inter-machine variability in resolution settings)

PORTAL VEIN: Portal vein is normal. **CBD:** CBD is normal.

PANCREAS: Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification.

KIDNEYS: Right kidney measures 10.6 x 4.1 cm. Left kidney measures 10.2 x 3.3 cm.

Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

URINARY BLADDER: Urinary bladder is distended and normal. Wall thickness is within normal limits.

<u>UTERUS:</u> Uterus is anteverted, normal and measures 4.9 x 2.4 x 3.9 cm. Uterine myometrium shows calcification. Endometrium is normal in thickness and measures 3.1 mm. Cervix appears normal.

OVARIES: Both ovaries are not well visualized post menopausal status.

Bilateral adnexa is clear.

No free fluid or obvious significant lymphadenopathy is seen.



Name : Mrs SNEHA SUBHASH

DESHPANDE

Age / Sex : 60 Years/Female

Ref. Dr :

Reg. Location: Borivali West

Authenticity Check



Use a QR Code Scanner Application To Scan the Code

Reg. Date : 27-Apr-2024

Reported : 27-Apr-2024/09:39

Opinion:

- Grade I fatty infiltration of liver.
- Cholelithiasis without cholecystitis.

For clinical correlation and follow up.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further / Follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis. Patient was explained in detail verbally about the USG findings, USG measurements and its limitations. In case of any typographical error in the report, patient is requested to immediately contact the center for rectification within 7 days post which the center will not be responsible for any rectification. Please interpret accordingly.

-----End of Report-----

DR.SUDHANSHU SAXENA Consultant Radiologist M.B.B.S DMRE (RadioDiagnosis) RegNo .MMC 2016061376.



Name : Mrs SNEHA SUBHASH

DESHPANDE

Age / Sex : 60 Years/Female

Ref. Dr :

Reg. Location: Borivali West

Authenticity Check

R

E



Use a QR Code Scanner Application To Scan the Code

Reg. Date : 27-Apr-2024

Reported : 27-Apr-2024/09:39