Name	MR.UMESH C	ID	MED112068848	
Age & Gender	32Y/MALE	Visit Date	10/02/2024	
Ref Doctor Name	MediWheel			M



#### ABDOMINO-PELVIC ULTRASONOGRAPHY

#### LIVER is normal in size and shows slightly increased echotexture.

No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

**GALL BLADDER** show normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

**PANCREAS** has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

**SPLEEN** show normal shape, size and echopattern. No demonstrable Para-aortic lymphadenopathy.

**KIDNEYS** move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout.

No evidence of calculus or hydronephrosis.

	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	9.4	1.5
Left Kidney	10.1	1.2

**URINARY BLADDER** show normal shape and wall thickness. It has clear contents. No evidence of diverticula.

**PROSTATE** shows normal shape, size and echopattern. No evidence of ascites.

#### **IMPRESSION**:

> GRADE I FATTY CHANGES IN LIVER.

CONSULTANT RADIOLOGISTS

DR. ANITHA ADARSH PR/SV

#### **DR. PRASHANTH**

Name	:	Mr. UMESH C
PID No.	:	MED112068848
SID No.	:	712404670
Age / Sex	:	32 Year(s) / Male
Туре	:	OP
Ref. Dr	:	MediWheel

10/02/2024 10:29 AM
10/02/2024 12:55 PM
10/02/2024 8:36 PM
11/02/2024 1:53 PM

**Observed** 

<u>Value</u>

'B' 'Positive'



**Investigation** 

# **IMMUNOHAEMATOLOGY**

BLOOD GROUPING AND Rh TYPING (EDTA Blood/Agglutination) Remark: Test to be confirmed by gel method

Mohan Kumar Sr.LabTechnician VERIFIED BY



<u>Unit</u>



Biological Reference Interval

APPROVED BY

Name PID No. SID No. Age / Sex Type Ref. Dr	<ul> <li>: Mr. UMESH C</li> <li>: MED112068848</li> <li>: 712404670</li> <li>: 32 Year(s) / Male</li> <li>: OP</li> <li>: MediWheel</li> </ul>	Collection On ÷ 10/0 Report On : 10/0	2/2024 10:29 AM 02/2024 12:55 PM 02/2024 8:36 PM 02/2024 1:53 PM	DIAGNOSTICS
Investiga <u>HAEN</u>	ation IATOLOGY	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
<u>Complet</u>	e Blood Count With - ESR			
Haemogi (EDTA Bl	lobin ood/Spectrophotometry)	17.2	g/dL	13.5 - 18.0
INTERPI blood loss	<b>RETATION:</b> Haemoglobin values and the second secon	vary in Men, Women & Chil e often due to dehvdration, s	ldren. Low haemoglobin moking , high altitudes	n values may be due to nutritional deficiency,
PCV (Pa	ucked Cell Volume) / Haemato	-	%	42 - 52
RBC Co (EDTA Bl	unt ood/Automated Blood cell Counter)	5.35	mill/cu.mm	4.7 - 6.0
	fean Corpuscular Volume) ood/Derived from Impedance)	92.0	fL	78 - 100
	fean Corpuscular Haemoglobit ood/Derived)	n) <b>32.2</b>	pg	27 - 32
concentr	Mean Corpuscular Haemoglol ation) ood/Derived)	pin 35.1	g/dL	32 - 36
RDW-C' (Derived)	V	16.1	%	11.5 - 16.0
RDW-SI (Derived)	D	51.84	fL	39 - 46
	BC Count (TC) ood/Derived from Impedance)	7300	cells/cu.mm	4000 - 11000
Neutroph		55	%	40 - 75
Lympho		37	%	20 - 45

(Blood/Impedance Variation & Flow Cytometry)







APPROVED BY

Name	: Mr. UMESH C			
PID No.	: MED112068848	Register On :	10/02/2024 10:29 AM	$\sim$
SID No.	: 712404670	Collection On :	10/02/2024 12:55 PM	
Age / Sex	: 32 Year(s) / Male	Report On :	10/02/2024 8:36 PM	medall
Туре	: OP	Printed On :	11/02/2024 1:53 PM	DIAGNOSTICS
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Eosinophils (Blood/Impedance Variation & Flow Cytometry)	01	%	01 - 06
Monocytes (Blood/Impedance Variation & Flow Cytometry)	07	%	01 - 10
Basophils (Blood/Impedance Variation & Flow Cytometry)	00	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	4.01	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	2.70	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.07	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.51	10^3 / µl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.00	10^3 / µl	< 0.2
Platelet Count (EDTA Blood/Derived from Impedance)	195	10^3 / µl	150 - 450
MPV (Blood/Derived)	10.3	fL	7.9 - 13.7
PCT	0.20	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood/Automated ESR analyser)	08	mm/hr	< 15







APPROVED BY

Name	: Mr. UMESH C	
PID No.	: MED112068848	
SID No.	: 712404670	
Age / Sex	: 32 Year(s) / Male	
Туре	: OP	
Ref. Dr	: MediWheel	

Register On	:	10/02/2024 10:29 AM
<b>Collection On</b>	:	10/02/2024 12:55 PM
Report On	:	10/02/2024 8:36 PM
Printed On	:	11/02/2024 1:53 PM



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
<b>BIOCHEMISTRY</b>			
Liver Function Test			
Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	0.7	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.2	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.50	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	7.2	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.9	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.30	gm/dL	2.3 - 3.6
A : G Ratio (Serum/Derived)	2.13		1.1 - 2.2
INTERPRETATION: Remark : Electrophoresis is the p	referred method		
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC / Kinetic)	74	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	120	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/PNPP / Kinetic)	73	U/L	53 - 128
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	229	U/L	< 55







APPROVED BY

The results pertain to sample tested.

Name	: Mr. UMESH C		
PID No.	: MED112068848	Register On : 10/02/2024 10:29 AM	$\sim$
SID No.	: 712404670	Collection On : 10/02/2024 12:55 PM	
Age / Sex	: 32 Year(s) / Male	Report On : 10/02/2024 8:36 PM	medall
Туре	: OP	Printed On : 11/02/2024 1:53 PM	DIAGNOSTICS
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Oxidase / Peroxidase method)	141	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	263	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

**INTERPRETATION:** The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö"circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	30	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	58.4	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >=190
VLDL Cholesterol (Serum/Calculated)	52.6	mg/dL	< 30
Non HDL Cholesterol (Serum/ <i>Calculated</i> )	111.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220







APPROVED BY

Name	: Mr. UMESH C		
PID No.	: MED112068848	Register On : 10/02/2024 10:29 AM	$\sim$
SID No.	: 712404670	Collection On : 10/02/2024 12:55 PM	
Age / Sex	: 32 Year(s) / Male	Report On : 10/02/2024 8:36 PM	medall
Туре	: OP	Printed On : 11/02/2024 1:53 PM	DIAGNOSTICS
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	Unit Biological Reference Interval
<b>INTERPRETATION:</b> 1.Non-HDL Cholesterol is no 2.It is the sum of all potentially atherogenic proteins co-primary target for cholesterol lowering therapy.	1	ardiovascular risk marker than LDL Cholesterol. DL and chylomicrons and it is the "new bad cholesterol" and is a
Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	4.7	Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i> )	8.8	Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0

1.9

Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0



LDL/HDL Cholesterol Ratio

(Serum/Calculated)





APPROVED BY

PID No. SID No.	: MED112068848 : 712404670	5	10/02/2024 10:29 AM 10/02/2024 12:55 PM	
				medall
•	: 32 Year(s) / Male	Report On :	10,02,20210.0011	
Туре	: OP	Printed On :	11/02/2024 1:53 PM	
Ref. Dr	: MediWheel			

Investigation	<u>Ubserved</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Glycosylated Haemoglobin (HbA1c)</u>			
HbA1C (Whole Blood/HPLC)	4.6	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

 $\label{eq:interpretation:interpretation:interpretation} \textbf{Interpretation:} If \ Diabetes - \ Good \ control: 6.1 - 7.0 \ \% \ , Fair \ control: 7.1 - 8.0 \ \% \ , Poor \ control >= 8.1 \ \% \ , Control \ Superiority \ Superiori$ 

Estimated Average Glucose 85.32 mg/dl

(Whole Blood)

#### **INTERPRETATION:** Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia,hyperbilirubinemia,Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly,Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.







APPROVED BY

Name	: Mr. UMESH C		
PID No.	: MED112068848	Register On : 10/02/2024 10:29 AM	$\sim$
SID No.	: 712404670	Collection On : 10/02/2024 12:55 PM	
Age / Sex	: 32 Year(s) / Male	Report On : 10/02/2024 8:36 PM	medall
Туре	: OP	Printed On : 11/02/2024 1:53 PM	DIAGNOSTICS
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<b>BIOCHEMISTRY</b>			
BUN / Creatinine Ratio	9.8		
Glucose Fasting (FBS) (Plasma - F/GOD- POD)	79	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

**INTERPRETATION:** Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Urine sugar, Fasting (Urine - F)	Nil		Nil
Glucose Postprandial (PPBS) (Plasma - PP/GOD - POD)	87	mg/dL	70 - 140

#### **INTERPRETATION:**

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Sugar (PP-2 hours) (Urine - PP)	Nil	Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV/derived)	8.9 mg/dL	7.0 - 21
Creatinine	1.1 mg/dL	0.9 - 1.3

#### (Serum/Jaffe Kinetic)

**INTERPRETATION:** Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

Uric Acid	7.3	mg/dL	
(Serum/Uricase/Peroxidase)			







3.5 - 7.2

APPROVED BY

Name PID No. SID No. Age / Sex Type Ref. Dr	<ul> <li>: Mr. UMESH C</li> <li>: MED112068848</li> <li>: 712404670</li> <li>: 32 Year(s) / Male</li> <li>: OP</li> <li>: MediWheel</li> </ul>	Register On: 10/02/2024 10:29 AMCollection On: 10/02/2024 12:55 PMReport On: 10/02/2024 8:36 PMPrinted On: 11/02/2024 1:53 PM	DIAGNOSTICS
<u>Investiga</u>	ation	<u>Observed</u> <u>Unit</u> Value	<u>Biological</u> Reference Interval
<u>THYRO</u> T3 (Triic	J <b>NOASSAY</b> I <u>D PROFILE / TFT</u> odothyronine) - Total	1.48 ng/ml	0.7 - 2.04
(CLIA)) INTERPI Comment Total T3 v		on like pregnancy, drugs, nephrosis etc. In such cas	ses, Free T3 is recommended as it is
(Serum/Ch (CLIA))	coxine) - Total eemiluminescent Immunometric Assay RETATION:	9.69 Microg/dl	4.2 - 12.0

#### Comment :

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone)	3.470	µIU/mL	0.35 - 5.50
(Serum/Chemiluminescent Immunometric Assay			
(CLIA))			
INTERPRETATION:			

Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0 (Indian Thyroid Society Guidelines)

#### Comment :

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI. 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.

3.Values&amplt,0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.







APPROVED BY

Name	: Mr. UMESH C	
PID No.	: MED112068848	Register On : 10/02/2024 10:29 AM
SID No.	: 712404670	Collection On : 10/02/2024 12:55 PM
Age / Sex	: 32 Year(s) / Male	Report On : 10/02/2024 8:36 PM
Туре	: OP	Printed On : 11/02/2024 1:53 PM
Ref. Dr	: MediWheel	



Investigation <u>CLINICAL PATHOLOGY</u>	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
PHYSICAL EXAMINATION			
Colour (Urine/Physical examination)	Pale Yellow		Yellow to Amber
Volume (Urine/Physical examination)	15		ml
Appearance (Urine)	Turbid		
CHEMICAL EXAMINATION			
pH (Urine)	7.0		4.5 - 8.0
Specific Gravity (Urine/Dip Stick ó"Reagent strip method)	1.030		1.002 - 1.035
Protein (Urine/Dip Stick ó"Reagent strip method)	Trace		Negative
Glucose (Urine)	Nil		Nil
Ketone (Urine/Dip Stick ó"Reagent strip method)	Nil		Nil
Leukocytes (Urine)	Negative	leuco/uL	Negative
Nitrite (Urine/Dip Stick ó"Reagent strip method)	Nil		Nil
Bilirubin (Urine)	Negative	mg/dL	Negative
Blood (Urine)	Nil		Nil







APPROVED BY

Name	: Mr. UMESH C		
PID No.	: MED112068848	<b>Register On</b> : 10/02/2024 10:29 A	M M
SID No.	: 712404670	Collection On : 10/02/2024 12:55	
Age / Sex	: 32 Year(s) / Male	Report On : 10/02/2024 8:36 P	M medall
Туре	: OP	Printed On : 11/02/2024 1:53 P	DIAGNOSTICS
Ref. Dr	: MediWheel		

Investigation Urobilinogen (Urine/Dip Stick 6"Reagent strip method)	<u>Observed</u> <u>Value</u> Normal	<u>Unit</u>	Biological Reference Interval Within normal limits
Urine Microscopy Pictures			
RBCs (Urine/ <i>Microscopy</i> )	Nil	/hpf	NIL
Pus Cells (Urine/ <i>Microscopy</i> )	3-4	/hpf	< 5
Epithelial Cells (Urine/ <i>Microscopy</i> )	5-6	/hpf	No ranges
Others (Urine)	Bacteria Present		Nil







APPROVED BY

Name	: Mr. UMESH C
PID No.	: MED112068848
SID No.	: 712404670
Age / Sex	: 32 Year(s) / Male
Туре	: OP
Ref. Dr	: MediWheel

Register On	:	10/02/2024 10:29 AM
<b>Collection On</b>	:	10/02/2024 12:55 PM
Report On	:	10/02/2024 8:36 PM
Printed On	:	11/02/2024 1:53 PM



Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Stool Analysis - ROUTINE			
Colour (Stool)	Brown		Brown
Blood (Stool)	Not present		Not present
Mucus (Stool)	Not present		Not present
Reaction (Stool)	Alkaline		Alkaline
Consistency (Stool)	Semi solid		Semi solid
Ova (Stool)	nil		Nil
Others (Stool)	nil		Nil
Cysts (Stool)	nil		Nil
Trophozoites (Stool)	nil		Nil
RBCs (Stool)	nil	/hpf	Nil
Pus Cells (Stool)	2-4	/hpf	Nil
Macrophages (Stool)	nil		Nil
Epithelial Cells	nil	/hpf	Nil



(Stool)





APPROVED BY

-- End of Report --

Name	MR.UMESH C	ID	MED112068848	
Age & Gender	32Y/MALE	Visit Date	10/02/2024	
Ref Doctor Name	MediWheel			M

# (\*) MEDALL

#### **<u>2 D ECHOCARDIOGRAPHIC STUDY</u>**

# M mode measurement:

AORTA			:	2.8cms
LEFT ATRIUM			:	2.8cms
LEFT VENTRICLE	(DIASTOLE	)	:	4.3cms
(SY	(STOLE)	:	3.3cm	IS
VENTRICULAR SEPTUM	(DIASTOLE)	)	:	0.7cms
(SY	(STOLE)	:	1.0cm	IS
POSTERIOR WALL	(DIASTOLE)	)	:	0.8cms
(SY	STOLE)	:	1.0cm	IS
EDV			:	71ml
ESV			:	27ml
FRACTIONAL SHORTENING			:	35%
EJECTION FRACTION			:	63%
RVID			:	1.5cms

#### **DOPPLER MEASUREMENTS:**

MITRAL VALVE	: E' -	0.87m/s	A' - 0.37m/s	NO MR
AORTIC VALVE	:	0.98m/s		NO AR
TRICUSPID VALVE	: E' -	0.65m/s	A' - 0.35m/s	NO TR
PULMONARY VALVE	:	0.71m/s		NO PR

#### **2D ECHOCARDIOGRAPHY FINDINGS:**

Name	MR.UMESH C	ID	MED112068848	
Age & Gender	32Y/MALE	Visit Date	10/02/2024	
Ref Doctor Name	MediWheel			ME



Left ventricle	: Normal size, Normal systolic function.
No regional wall motion abnormalit	ies.

Left Atrium	: Normal.
Right Ventricle	: Normal.
Right Atrium	: Normal.
Mitral valve	: Normal, No mitral valve prolapse.
Aortic valve	: Normal, Trileaflet.
Tricuspid valve	: Normal.
Tricuspid valve Pulmonary valve	: Normal. : Normal.
-	
Pulmonary valve	: Normal.
Pulmonary valve	: Normal. : Intact.

#### **IMPRESSION**:

- > NORMAL SIZED CARDIAC CHAMBERS.
- > NORMAL LV SYSTOLIC FUNCTION. EF: 63 %.
- > NO REGIONAL WALL MOTION ABNORMALITIES.
- > NORMAL VALVES.
- > NO CLOTS/ PERICARDIAL EFFUSION VEGETATION.



DR. NIKHIL B INTERVENTIONAL CARDIOLOGIST NB/mm



Name	Mr. UMESH C	ID	MED112068848
Age & Gender	32Y/M	Visit Date	Feb 10 2024 10:29AM
Ref Doctor	MediWheel		

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Dr. Anitha Adarsh Consultant Radiologist



Name	Mr. UMESH C	ID	MED112068848
Age & Gender	32Y/M	Visit Date	Feb 10 2024 10:29AM
Ref Doctor	MediWheel		

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Dr. Anitha Adarsh Consultant Radiologist



Name	Mr. UMESH C	ID	MED112068848
Age & Gender	32Y/M	Visit Date	Feb 10 2024 10:29AM
Ref Doctor	MediWheel		

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Dr. Anitha Adarsh Consultant Radiologist



Name	Mr. UMESH C	ID	MED112068848
Age & Gender	32Y/M	Visit Date	Feb 10 2024 10:29AM
Ref Doctor	MediWheel		

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Dr. Anitha Adarsh Consultant Radiologist



Name	Mr. UMESH C	ID	MED112068848
Age & Gender	32Y/M	Visit Date	Feb 10 2024 10:29AM
Ref Doctor	MediWheel		

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Dr. Anitha Adarsh Consultant Radiologist



Name	Mr. UMESH C	ID	MED112068848
Age & Gender	32Y/M	Visit Date	Feb 10 2024 10:29AM
Ref Doctor	MediWheel		

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Dr. Anitha Adarsh Consultant Radiologist