

Name : Mrs. SUDHARANI MADDILA

PID No. : MED120924649

Register On : 26/03/2022 9:22 AM

SID No. : 522212702

Collection On : 26/03/2022 10:53 AM

Age / Sex : 36 Year(s) / Female

Report On : 27/03/2022 10:46 AM

Type : OP

Printed On : 02/04/2022 2:26 PM

Ref. Dr : MediWheel




<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------


HAEMATOLOGY

Complete Blood Count With - ESR

Haemoglobin (EDTA Blood/Spectrophotometry)	12.7	g/dL	12.5 - 16.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood/Derived from Impedance)	38.6	%	37 - 47
RBC Count (EDTA Blood/Impedance Variation)	4.79	mill/cu.mm	4.2 - 5.4
Mean Corpuscular Volume(MCV) (EDTA Blood/Derived from Impedance)	81.0	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood/Derived from Impedance)	26.5	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood/Derived from Impedance)	33.0	g/dL	32 - 36
RDW-CV (Derived from Impedance)	14.8	%	11.5 - 16.0
RDW-SD (Derived from Impedance)	42.4	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood/Impedance Variation)	5900	cells/cu.mm	4000 - 11000
Neutrophils (Blood/Impedance Variation & Flow Cytometry)	52.9	%	40 - 75
Lymphocytes (Blood/Impedance Variation & Flow Cytometry)	35.6	%	20 - 45
Eosinophils (Blood/Impedance Variation & Flow Cytometry)	1.0	%	01 - 06



VERIFIED BY



APPROVED BY

Name : Mrs. SUDHARANI MADDILA

PID No. : MED120924649

Register On : 26/03/2022 9:22 AM

SID No. : 522212702

Collection On : 26/03/2022 10:53 AM

Age / Sex : 36 Year(s) / Female

Report On : 27/03/2022 10:46 AM


Type : OP

Printed On : 02/04/2022 2:26 PM

Ref. Dr : MediWheel




<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Monocytes (Blood/Impedance Variation & Flow Cytometry)	10.2	%	01 - 10
Basophils (Blood/Impedance Variation & Flow Cytometry)	0.3	%	00 - 02
Absolute Neutrophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	3.1	10 ³ / µl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	2.1	10 ³ / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood/Impedance Variation & Flow Cytometry)	0.10	10 ³ / µl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.6	10 ³ / µl	< 1.0
Absolute Basophil count (EDTA Blood/Impedance Variation & Flow Cytometry)	0.0	10 ³ / µl	< 0.2
Platelet Count (EDTA Blood/Impedance Variation)	342	10 ³ / µl	150 - 450
MPV (Blood/Derived from Impedance)	7.7	fL	8.0 - 13.3
PCT (Automated Blood cell Counter)	0.264	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood/Modified Westergren)	44	mm/hr	< 20



Dr. Arjun C.P
MBBS, MD Pathology
Reg No: KMC 89655

VERIFIED BY



DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Mrs. SUDHARANI MADDILA

PID No. : MED120924649

Register On : 26/03/2022 9:22 AM

SID No. : 522212702

Collection On : 26/03/2022 10:53 AM

Age / Sex : 36 Year(s) / Female

Report On : 27/03/2022 10:46 AM

Type : OP

Printed On : 02/04/2022 2:26 PM

Ref. Dr : MediWheel




<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

BIOCHEMISTRY


Liver Function Test

Bilirubin(Total) (Serum/Diazotized Sulfanilic Acid)	0.5	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.2	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.3	mg/dL	0.1 - 1.0
Total Protein (Serum/Biuret)	8.1	gm/dL	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.6	gm/dL	3.5 - 5.2
Globulin (Serum/Derived)	3.5	gm/dL	2.3 - 3.6
A : G Ratio (Serum/Derived)	1.1		1.1 - 2.2
SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC Kinetic)	20	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC / Kinetic)	20	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/IFCC Kinetic)	85	U/L	42 - 98
GGT(Gamma Glutamyl Transpeptidase) (Serum/SZASZ standardised IFCC)	22	U/L	< 38



Dr. Arjun C.P
MBBS, MD Pathology
Reg No: KMC 89655

VERIFIED BY



DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Mrs. SUDHARANI MADDILA

PID No. : MED120924649

Register On : 26/03/2022 9:22 AM

SID No. : 522212702

Collection On : 26/03/2022 10:53 AM

Age / Sex : 36 Year(s) / Female

Report On : 27/03/2022 10:46 AM

Type : OP

Printed On : 02/04/2022 2:26 PM


Ref. Dr : MediWheel




<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/Cholesterol oxidase/Peroxidase)	208	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/Glycerol phosphate oxidase / peroxidase)	159	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the "usual" circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	47	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50
LDL Cholesterol (Serum/Calculated)	129.2	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	31.8	mg/dL	< 30
Non HDL Cholesterol (Serum/Calculated)	161.0	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



VERIFIED BY



APPROVED BY

Name : Mrs. SUDHARANI MADDILA

PID No. : MED120924649

Register On : 26/03/2022 9:22 AM

SID No. : 522212702

Collection On : 26/03/2022 10:53 AM

Age / Sex : 36 Year(s) / Female

Report On : 27/03/2022 10:46 AM

Type : OP

Printed On : 02/04/2022 2:26 PM

Ref. Dr : MediWheel



Investigation

**Observed
Value**

Unit


**Biological
Reference Interval**

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol.
2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.


Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	4.4	Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
---	-----	--

Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	3.4	Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
--	-----	--

LDL/HDL Cholesterol Ratio (Serum/Calculated)	2.7	Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0
---	-----	---



VERIFIED BY



APPROVED BY

Name : Mrs. SUDHARANI MADDILA

PID No. : MED120924649

Register On : 26/03/2022 9:22 AM

SID No. : 522212702

Collection On : 26/03/2022 10:53 AM

Age / Sex : 36 Year(s) / Female

Report On : 27/03/2022 10:46 AM

Type : OP

Printed On : 02/04/2022 2:26 PM

Ref. Dr : MediWheel



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>Glycosylated Haemoglobin (HbA1c)</u>			
HbA1C (Whole Blood/HPLC)	6.0	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: \geq 6.5

INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 % , Fair control : 7.1 - 8.0 % , Poor control \geq 8.1 %


Estimated Average Glucose 125.5 mg/dL
(Whole Blood)

INTERPRETATION: Comments


HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycaemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency, hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.



VERIFIED BY



APPROVED BY

Name : Mrs. SUDHARANI MADDILA

PID No. : MED120924649

Register On : 26/03/2022 9:22 AM

SID No. : 522212702

Collection On : 26/03/2022 10:53 AM

Age / Sex : 36 Year(s) / Female

Report On : 27/03/2022 10:46 AM

Type : OP

Printed On : 02/04/2022 2:26 PM

Ref. Dr : MediWheel



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total (Serum/CMIA)	1.05	ng/mL	0.7 - 2.04
---	------	-------	------------

INTERPRETATION:

Comment :

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Thyroxine) - Total (Serum/CMIA)	7.53	µg/dL	4.2 - 12.0
--	------	-------	------------

INTERPRETATION:

Comment :

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) (Serum/Chemiluminescent Microparticle Immunoassay(CMIA))	2.23	µIU/mL	0.35 - 5.50
--	------	--------	-------------

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5

2 nd trimester 0.2-3.0

3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment :

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.

3.Values&lt;0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

Name : Mrs. SUDHARANI MADDILA

PID No. : MED120924649

Register On : 26/03/2022 9:22 AM

SID No. : 522212702

Collection On : 26/03/2022 10:53 AM

Age / Sex : 36 Year(s) / Female

Report On : 27/03/2022 10:46 AM

Type : OP

Printed On : 02/04/2022 2:26 PM

Ref. Dr : MediWheel



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
----------------------	-----------------------	-------------	--------------------------------------

CLINICAL PATHOLOGY

PHYSICAL EXAMINATION


Colour (Urine)	Pale Yellow		
Appearance (Urine)	Clear		Clear
Volume (Urine)	20	mL	

CHEMICAL EXAMINATION(Automated-Urineanalyser)

pH (Urine/AUTOMATED URINANALYSER)	6.0		4.5 - 8.0
Specific Gravity (Urine)	1.020		1.002 - 1.035
Ketones (Urine)	Negative		Negative
Urobilinogen (Urine/AUTOMATED URINANALYSER)	0.2		0.2 - 1.0
Blood (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Nitrite (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Bilirubin (Urine/AUTOMATED URINANALYSER)	Negative		Negative
Protein (Urine)	Negative		Negative



Dr RAVIKUMAR R
MBBS, MD BIOCHEMISTRY
CONSULTANT BIOCHEMIST
Reg No : 78771
VERIFIED BY



DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

Name : Mrs. SUDHARANI MADDILA

PID No. : MED120924649

Register On : 26/03/2022 9:22 AM

SID No. : 522212702

Collection On : 26/03/2022 10:53 AM

Age / Sex : 36 Year(s) / Female

Report On : 27/03/2022 10:46 AM

Type : OP


Printed On : 02/04/2022 2:26 PM

Ref. Dr : MediWheel



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
Glucose (Urine)	Negative		Negative
Leukocytes (Urine)	Negative	leuco/uL	Negative
<u>MICROSCOPY(URINE DEPOSITS)</u>			
Pus Cells (Urine/Flow cytometry)	3-4	/hpf	3-5
Epithelial Cells (Urine)	2-4	/hpf	1-2
RBCs (Urine/Flow cytometry)	Nil	/hpf	NIL
Others (Urine)	Nil		Nil


Dr RAVIKUMAR R
MBBS, MD BIOCHEMISTRY
CONSULTANT BIOCHEMIST
Reg No : 78771
VERIFIED BY


DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902
APPROVED BY

Name : Mrs. SUDHARANI MADDILA

PID No. : MED120924649

Register On : 26/03/2022 9:22 AM

SID No. : 522212702

Collection On : 26/03/2022 10:53 AM

Age / Sex : 36 Year(s) / Female

Report On : 27/03/2022 10:46 AM

Type : OP

Printed On : 02/04/2022 2:26 PM

Ref. Dr : MediWheel



Investigation

Observed
Value

Unit

Biological
Reference Interval

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING

'B' 'Positive'

(EDTA Blood/Agglutination)

INTERPRETATION:Note: Slide method is screening method. Kindly confirm with Tube method for transfusion.

Dr. Arjun C.P
MBBS, MD Pathology
Reg No: KMC 89655

VERIFIED BY

DR SHAMIM JAVED
MD PATHOLOGY
KMC 88902

APPROVED BY

Name : Mrs. SUDHARANI MADDILA

PID No. : MED120924649

Register On : 26/03/2022 9:22 AM

SID No. : 522212702

Collection On : 26/03/2022 10:53 AM

Age / Sex : 36 Year(s) / Female

Report On : 27/03/2022 10:46 AM

Type : OP

Printed On : 02/04/2022 2:26 PM

Ref. Dr : MediWheel



<u>Investigation</u>	<u>Observed Value</u>	<u>Unit</u>	<u>Biological Reference Interval</u>
<u>BIOCHEMISTRY</u>			
BUN / Creatinine Ratio	11.7		6 - 22
Glucose Fasting (FBS) (Plasma - F/GOD - POD)	87	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose Fasting - Urine (Urine - F)	Negative		Negative
--	----------	--	----------

Glucose Postprandial (PPBS) (Plasma - PP/GOD - POD)	96	mg/dL	70 - 140
--	----	-------	----------

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti-diabetic medication during treatment for Diabetes.


Glucose Postprandial - Urine (Urine - PP)	Negative		Negative
--	----------	--	----------

Blood Urea Nitrogen (BUN) (Serum/Urease-GLDH)	7	mg/dL	7.0 - 21
--	---	-------	----------


Creatinine (Serum/Jaffe Kinetic)	0.6	mg/dL	0.6 - 1.1
-------------------------------------	-----	-------	-----------

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin, cefazolin, ACE inhibitors, angiotensin II receptor antagonists, N-acetylcysteine, chemotherapeutic agent such as flucytosine etc.

Uric Acid (Serum/Uricase/Peroxidase)	3.9	mg/dL	2.6 - 6.0
---	-----	-------	-----------



VERIFIED BY



APPROVED BY

-- End of Report --

Name	SUDHARANI MADDILA	ID	MED120924649
Age & Gender	36/FeMale	Visit Date	26-03-2022 00:00:00
Ref Doctor Name	MediWheel		

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER show normal shape and has clear contents. Wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN show normal shape, size and echopattern.

No demonstrable Para-aortic lymphadenopathy.

KIDNEYS

Right kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

Left kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

	Bipolar length (cm)	Parenchymal thickness (cm)
Right Kidney	10.2	1.7
Left Kidney	10.0	1.9

URINARY BLADDER show normal shape and wall thickness. It has clear contents. No evidence of diverticula.

UTERUS is anteverted and has normal shape and size. It has uniform myometrial echopattern. Endometrial echo is of normal thickness - 4.5 mm.

Uterus measures LS: 6.1 cm AP: 3.1 cm TS: 4.8 cm.

OVARIES are normal in size, shape and echotexture

Right ovary measures 2.9 x 1.8 cms. Left ovary measures 3.0 x 2.1 cms.

POD & adnexa are free.

No evidence of ascites.

IMPRESSION:

- **No significant abnormality detected.**

Name	SUDHARANI MADDILA	ID	MED120924649
Age & Gender	36/FeMale	Visit Date	26-03-2022 00:00:00
Ref Doctor Name	MediWheel		

DR. H.K. ANAND DR. C.R RAMACHANDRA DR. LOHITH H.P DR. VARSHA KALE
CONSULTANT RADIOLOGISTS

Lh/Ss

Name	SUDHARANI MADDILA	ID	MED120924649
Age & Gender	36/FeMale	Visit Date	26-03-2022 00:00:00
Ref Doctor Name	MediWheel		

2D ECHOCARDIOGRAPHIC STUDY

M-mode measurement:

AORTA : 2.43 cms.
 LEFT ATRIUM : 2.66 cms.
 AVS : 1.44 cms.
LEFT VENTRICLE
 (DIASTOLE) : 3.32 cms.
 (SYSTOLE) : 2.20 cms.
VENTRICULAR SEPTUM :
 (DIASTOLE) : 0.93 cms.
 (SYSTOLE) : 1.23 cms.
POSTERIOR WALL :
 (DIASTOLE) : 1.00 cms.
 (SYSTOLE) : 1.23 cms.
 EDV : 44 ml.
 ESV : 16 ml.
 FRACTIONAL SHORTENING : 30 %
 EJECTION FRACTION : 60 %
 EPSS : --- cms.
 RVID : 1.80 cms.

DOPPLER MEASUREMENTS:

MITRAL VALVE: E - 0.8 m/s A - 0.7 m/s NO MR.
 AORTIC VALVE: 1.1 m/s NO AR.
 TRICUSPID VALVE: E - 0.4 m/s A - 0.3 m/s NO TR.
 PULMONARY VALVE: 0.8 m/s NO PR.

Name	SUDHARANI MADDILA	ID	MED120924649
Age & Gender	36/FeMale	Visit Date	26-03-2022 00:00:00
Ref Doctor Name	MediWheel		

2D ECHOCARDIOGRAPHY FINDINGS:

Left Ventricle : Normal size, Normal systolic function.
: No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral Valve : Normal. No mitral valve prolapsed.

Aortic Valve : Normal. Trileaflet.

Tricuspid Valve : Normal.

Pulmonary Valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

IMPRESSION:

- **NORMAL SIZED CARDIAC CHAMBERS.**
- **NORMAL LV SYSTOLIC FUNCTION. EF: 60 %.**
- **NO REGIONAL WALL MOTION ABNORMALITIES.**
- **NORMAL VALVES.**
- **NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.**

Name	SUDHARANI MADDILA	ID	MED120924649
Age & Gender	36/FeMale	Visit Date	26-03-2022 00:00:00
Ref Doctor Name	MediWheel		

DR. ANAND KUMAR M MD DM
CONSULTANT INTERVENTIONAL CARDIOLOGIST

Name	SUDHARANI MADDILA	Customer ID	MED120924649
Age & Gender	36Y/F	Visit Date	Mar 26 2022 9:21AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

IMPRESSION:

- **No significant abnormality detected.**

DR. H.K. ANAND

DR. C.R. RAMACHANDRA

DR. VARSHA KALE


DR. LOHITH H.P

CONSULTANT RADIOLOGISTS

Name	SUDHARANI MADDILA	ID	MED120924649
Age & Gender	36/FeMale	Visit Date	26-03-2022 00:00:00
Ref Doctor Name	MediWheel		

TEST COMPLETED