





CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL LTD
Gate no 2, Residency Area, OPP. ST. Raphaels School,
INDORE, 452001
Madhya Pradesh, India
Tel: 0731 2490008

PATIENT NAME	: SHIVANI NARENDRA	PATIENT ID : SHIVF0110957
ACCESSION NO :	0290WC002102 AGE : 27 Years SEX : Female	ABHA NO :
DRAWN :	RECEIVED : 11/03/2023 08:36	REPORTED : 13/03/2023 15:06
REFERRING DOCT	OR: DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL)	CLIENT PATIENT ID :

 Test Report Status
 Final
 Results
 Biological Reference Interval
 Units

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

BLOOD COUNTS,EDTA WHOLE BLOOD				
HEMOGLOBIN (HB)	14.4		12.0 - 15.0	g/dL
METHOD : SPECTROPHOTOMETRY				
RED BLOOD CELL (RBC) COUNT	4.85	High	3.8 - 4.8	mil/µL
METHOD : ELECTRICAL IMPEDANCE				
WHITE BLOOD CELL (WBC) COUNT	4.60		4.0 - 10.0	thou/µL
METHOD : ELECTRICAL IMPEDANCE				
PLATELET COUNT	203		150 - 410	thou/µL
METHOD : ELECTRICAL IMPEDANCE				
RBC AND PLATELET INDICES				
HEMATOCRIT (PCV)	42.7		36 - 46	%
METHOD : CALCULATED				
MEAN CORPUSCULAR VOLUME (MCV)	88.0		83 - 101	fL
METHOD : CALCULATED				
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	29.7		27.0 - 32.0	pg
METHOD : CALCULATED				
MEAN CORPUSCULAR HEMOGLOBIN	33.7		31.5 - 34.5	g/dL
CONCENTRATION (MCHC) METHOD : CALCULATED				
RED CELL DISTRIBUTION WIDTH (RDW)	13.7		11.6 - 14.0	%
METHOD : CALCULATED				
MENTZER INDEX	18.1			
MEAN PLATELET VOLUME (MPV)	10.7		6.8 - 10.9	fL
METHOD : CALCULATED				
WBC DIFFERENTIAL COUNT				
NEUTROPHILS	52		40 - 80	%
METHOD : IMPEDANCE / MICROSCOPY				
LYMPHOCYTES	40		20 - 40	%
METHOD : IMPEDANCE / MICROSCOPY				
MONOCYTES	06		2 - 10	%
METHOD : IMPEDANCE / MICROSCOPY				
EOSINOPHILS	02		1 - 6	%
METHOD : IMPEDANCE / MICROSCOPY				
BASOPHILS	00		0 - 2	%
METHOD : IMPEDANCE / MICROSCOPY				
ABSOLUTE NEUTROPHIL COUNT	2.39		2.0 - 7.0	thou/µL











CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL LTD
Gate no 2, Residency Area, OPP. ST. Raphaels School,
INDORE, 452001
Madhya Pradesh, India
Tel: 0731 2490008

8800465156				
PATIENT NAME : SHIVANI NA	RENDRA		PATIENT ID : SHI	VF0110957
ACCESSION NO : 0290WC00210	AGE : 27 Years SEX : Female		ABHA NO :	
DRAWN :	RECEIVED : 11/03/2023 08:36		REPORTED : 13/03/2023 15:	06
REFERRING DOCTOR : DR. ACROF	EMI HEALTHCARE LTD (MEDIWHEEL)		CLIENT PATIENT ID:	
Test Report Status <u>Final</u>	Results		Biological Reference Interv	val Units
METHOD : CALCULATED				
ABSOLUTE LYMPHOCYTE COUNT	1.84		1.0 - 3.0	thou/µL
METHOD : CALCULATED	0.00			
ABSOLUTE MONOCYTE COUNT	0.28		0.2 - 1.0	thou/µL
METHOD : CALCULATED	2.22			
ABSOLUTE EOSINOPHIL COUNT	0.09		0.02 - 0.50	thou/µL
METHOD : CALCULATED				
ERYTHROCYTE SEDIMENTATIO BLOOD	N RATE (ESR), WHOLE			
E.S.R	32	High	0 - 20	mm at 1 hr
METHOD : MODIFIED WESTERGREN	-	_		
GLUCOSE FASTING, FLUORIDE	PLASMA			
FBS (FASTING BLOOD SUGAR)	90		74 - 99	mg/dL
METHOD : HEXOKINASE	20			ing, ac
GLYCOSYLATED HEMOGLOBIN	(HBA1C), EDTA WHOLE			
BLOOD	(
HBA1C	5.3		Non-diabetic: < 5.7 Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5 Therapeutic goals: < 7.0 Action suggested : > 8.0 (ADA Guideline 2021)	%
METHOD : HPLC TECHNOLOGY				<i>,</i>
ESTIMATED AVERAGE GLUCOSE(E	AG) 105.4		< 116.0	mg/dL
LIPID PROFILE, SERUM				
CHOLESTEROL, TOTAL	168		Desirable: <200 BorderlineHigh : 200-239 High : > or = 240	mg/dL
METHOD : OXIDASE, ESTERASE, PEROXIDA				
TRIGLYCERIDES METHOD : ENZYMATIC ASSAY	100		Desirable: < 150 Borderline High: 150 - 199 High: 200 - 499 Very High : > or = 500	mg/dL
HDL CHOLESTEROL	38	Low	< 40 Low	mg/dL
	50	_0.0	> or = 60 High	ilig/ uL
METHOD : DIRECT- NON IMMUNOLOGICAL			-	
CHOLESTEROL LDL	110	High	Adult levels: Optimal < 100 Near optimal/above optimal: 129 Borderline high : 130-159 High : 160-189	mg/dL 100-





High : 160-189 Very high : = 190







LDL/HDL RATIO

CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL LTD
Gate no 2, Residency Area, OPP. ST. Raphaels School,
INDORE, 452001
Madhya Pradesh, India
Tel : 0731 2490008

0.5 - 3.0 Desirable/Low Risk

>6.0 High Risk

3.1 - 6.0 Borderline/Moderate Risk

PATIENT NAME : SHIVANI NARENDR	RA	PATIENT ID : SHIVF0110957
ACCESSION NO : 0290WC002102 AG	GE: 27 Years SEX: Female	ABHA NO :
DRAWN :	RECEIVED : 11/03/2023 08:36	REPORTED : 13/03/2023 15:06
REFERRING DOCTOR : DR. ACROFEMI HE	ALTHCARE LTD (MEDIWHEEL)	CLIENT PATIENT ID :
Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
NON HDL CHOLESTEROL	130	Desirable: Less than 130 mg/dL Above Desirable: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very high: > or = 220
METHOD : CALCULATED VERY LOW DENSITY LIPOPROTEIN METHOD : CALCULATED	20.0	mg/dL
CHOL/HDL RATIO	4.4	

2.9











CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL LTD
Gate no 2, Residency Area, OPP. ST. Raphaels School,
INDORE, 452001
Madhya Pradesh, India
Tel : 0731 2490008

Test Report Status Fina	al Results	Biological Reference Interval Units
REFERRING DOCTOR : DR. AG	CROFEMI HEALTHCARE LTD (MEDIWHEEL	.) CLIENT PATIENT ID :
DRAWN :	RECEIVED : 11/03/2023 08:36	REPORTED : 13/03/2023 15:06
ACCESSION NO : 0290WC0	02102 AGE : 27 Years SEX : Fema	IE ABHA NO :
PATIENT NAME : SHIVAN	I NARENDRA	PATIENT ID : SHIVF0110957

Interpretation(s)

1) Cholesterol levels help assess the patient risk status and to follow the progress of patient under treatment to lower serum cholesterol concentrations.

2) Serum Triglyceride (TG) are a type of fat and a major source of energy for the body. Both quantity and composition of the diet impact on plasma triglyceride concentrations. Elevations in TG levels are the result of overproduction and impaired clearance. High TG are associated with increased risk for CAD (Coronary artery disease) in patients with other risk factors, such as low HDL-C, some patient groups with elevated apolipoprotein B concentrations, and patients with forms of LDL that may be particularly atherogenic.

3)HDL-C plays a crucial role in the initial step of reverse cholesterol transport, this considered to be the primary atheroprotective function of HDL

4) LDL -C plays a key role in causing and influencing the progression of atherosclerosis and, in particular, coronary sclerosis. The majority of cholesterol stored in atherosclerotic plaques originates from LDL, thus LDL-C value is the most powerful clinical predictor.

5)Non HDL cholesterol: Non-HDL-C measures the cholesterol content of all atherogenic lipoproteins, including LDL hence it is a better marker of risk in both primary and secondary prevention studies. Non-HDL-C also covers, to some extent, the excess ASCVD risk imparted by the sdLDL, which is significantly more atherogenic than the normal large buoyant particles, an elevated non-HDL-C indirectly suggests greater proportion of the small, dense variety of LDL particles

Serum lipid profile is measured for cardiovascular risk prediction.Lipid Association of India recommends LDL-C as primary target and Non HDL-C as co-primary treatment target.

Risk Stratification for ASCVD (Atherosclerotic cardiovascular disease) by Lipid Association of India

Risk Category	Risk Category		
Extreme risk group	A.CAD with > 1 feature of high risk group		
	B. CAD with > 1 feature of Very high risk	group or recurrent ACS (within 1 year) despite LDL-C	
	< or $=$ 50 mg/dl or polyvascular disease		
Very High Risk	1. Established ASCVD 2. Diabetes with 2	major risk factors or evidence of end organ damage 3.	
	Familial Homozygous Hypercholesterolemi	ia	
High Risk	1. Three major ASCVD risk factors. 2. Di	abetes with 1 major risk factor or no evidence of end	
	organ damage. 3. CKD stage 3B or 4. 4. LDL >190 mg/dl 5. Extreme of a single risk factor. 6.		
	Coronary Artery Calcium - CAC >300 AU. 7. Lipoprotein a >/= 50mg/dl 8. Non stenotic carotid		
	plaque		
Moderate Risk	2 major ASCVD risk factors		
Low Risk	0-1 major ASCVD risk factors		
Major ASCVD (Ath	Major ASCVD (Atherosclerotic cardiovascular disease) Risk Factors		
1. Age $>$ or $=$ 45 year	r = 45 years in males and > or = 55 years in females 3. Current Cigarette smoking or tobacco use		
2. Family history of p	2. Family history of premature ASCVD 4. High blood pressure		
5. Low HDL			


Newer treatment goals and statin initiation thresholds based on the risk categories proposed by LAI in 2020.

Risk Group	Treatment Goals		Consider Drug Therapy	
	LDL-C (mg/dl)	Non-HDL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)
Extreme Risk Group	<50 (Optional goal	< 80 (Optional goal	>OR = 50	>OR = 80
Category A	< OR = 30)	< OR = 60)		











CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRLLID
Gate no 2, Residency Area, OPP. ST. Raphaels School,
INDORE, 452001
Madhya Pradesh, India
Tel : 0731 2490008

PATIENT NAME : SHIVANI NARE	NDRA	PATIENT ID : SHIVF0110957
ACCESSION NO : 0290WC002102	AGE : 27 Years SEX : Female	ABHA NO :
DRAWN :	RECEIVED : 11/03/2023 08:36	REPORTED : 13/03/2023 15:06
REFERRING DOCTOR : DR. ACROFEM	I HEALTHCARE LTD (MEDIWHEEL)	CLIENT PATIENT ID:
(

Test Report Status Final Results Biological Reference In	terval Units
--	--------------

Extreme Risk Group Category B	<or 30<="" =="" th=""><th><or 60<="" =="" th=""><th>> 30</th><th>>60</th></or></th></or>	<or 60<="" =="" th=""><th>> 30</th><th>>60</th></or>	> 30	>60
Very High Risk	<50	<80	>OR= 50	>OR= 80
High Risk	<70	<100	>OR= 70	>OR=100
Moderate Risk	<100	<130	>OR=100	>OR=130
Low Risk	<100	<130	>OR=130*	>OR=160

*After an adequate non-pharmacological intervention for at least 3 months.

References: Management of Dyslipidaemia for the Prevention of Stroke: Clinical Practice Recommendations from the Lipid Association of India. Current Vascular Pharmacology, 2022, 20, 134-155.

LIVER FUNCTION PROFILE, SERUM

BILIRUBIN, TOTAL	0.31	0.0 - 1.2	mg/dL
METHOD : JENDRASSIK AND GROFF			
BILIRUBIN, DIRECT	0.13	0.0 - 0.2	mg/dL
METHOD : DIAZOTIZATION			
BILIRUBIN, INDIRECT	0.18	0.00 - 1.00	mg/dL
METHOD : CALCULATED			
TOTAL PROTEIN	7.8	6.4 - 8.3	g/dL
METHOD : BIURET			
ALBUMIN	4.7	3.50 - 5.20	g/dL
METHOD : BROMOCRESOL GREEN			
GLOBULIN	3.1	2.0 - 4.1	g/dL
METHOD : CALCULATED			
ALBUMIN/GLOBULIN RATIO	1.5	1.0 - 2.0	RATIO
METHOD : CALCULATED			
ASPARTATE AMINOTRANSFERASE (AST/SGOT)	17	UPTO 32	U/L
METHOD : UV WITH P5P			
ALANINE AMINOTRANSFERASE (ALT/SGPT)	12	UPTO 34	U/L
METHOD : UV WITH P5P			
ALKALINE PHOSPHATASE	63	35 - 104	U/L
METHOD : PNPP			
GAMMA GLUTAMYL TRANSFERASE (GGT)	19	5 - 36	U/L
METHOD : G-GLUTAMYL-CARBOXY-NITROANILIDE			
LACTATE DEHYDROGENASE	236	High 135 - 214	U/L
METHOD : ENZYMATIC LACTATE - PYRUVATE(IFCC)			
BLOOD UREA NITROGEN (BUN), SERUM			
BLOOD UREA NITROGEN	9	6 - 20	mg/dL
METHOD : UREASE KINETIC			











CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA DELHI INDIA 8800465156

SRL LTD
Gate no 2, Residency Area, OPP. ST. Raphaels School,
INDORE, 452001
Madhya Pradesh, India
Tel: 0731 2490008

PATIENT NAME : SHIVANI NARENDRA	PATIENT ID : SHIVF0110957
ACCESSION NO : 0290WC002102 AGE : 27 Years SEX : Female	ABHA NO :
DRAWN : RECEIVED : 11/03/2023 08:36	REPORTED : 13/03/2023 15:06
REFERRING DOCTOR : DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL)	CLIENT PATIENT ID:

REFERRING DOCTOR : DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL)

Test Report Status <u>Final</u>	Results		Biological Reference Interval Units	
CREATININE	0.56		0.50 - 0.90	mg/dL
METHOD : ALKALINE PICRATE KINETIC JAFFES				
BUN/CREAT RATIO				
BUN/CREAT RATIO	16.07	High	5.0 - 15.0	
METHOD : CALCULATED				
URIC ACID, SERUM				
URIC ACID	4.5		2.6 - 6.0	mg/dL
METHOD : URICASE/CATALASE UV				
TOTAL PROTEIN, SERUM				
TOTAL PROTEIN	7.8		6.4 - 8.3	g/dL
METHOD : BIURET				
ALBUMIN, SERUM				
ALBUMIN	4.7		3.5 - 5.2	g/dL
METHOD : BROMOCRESOL GREEN				
GLOBULIN				
GLOBULIN	3.1		2.0 - 4.1	g/dL
ELECTROLYTES (NA/K/CL), SERUM				
SODIUM, SERUM	141.6		136.0 - 146.0	mmol/L
METHOD : DIRECT ION SELECTIVE ELECTRODE				
POTASSIUM, SERUM	4.96		3.50 - 5.10	mmol/L
METHOD : DIRECT ION SELECTIVE ELECTRODE				
CHLORIDE, SERUM	103.2		98.0 - 106.0	mmol/L
METHOD : DIRECT ION SELECTIVE ELECTRODE				











CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA DELHI INDIA 8800465156

<u>Final</u>

SRELID
Gate no 2, Residency Area, OPP. ST. Raphaels School,
INDORE, 452001
Madhya Pradesh, India
Tel : 0731 2490008

Biological Reference Interval Units

PATIENT NAME : SHIVANI NAREND	DRA	PATIENT ID : SHIVF0110957
ACCESSION NO : 0290WC002102	AGE : 27 Years SEX : Female	ABHA NO :
DRAWN :	RECEIVED : 11/03/2023 08:36	REPORTED : 13/03/2023 15:06
REFERRING DOCTOR : DR. ACROFEMI H	HEALTHCARE LTD (MEDIWHEEL)	CLIENT PATIENT ID :

Results

Interpretation(s)

Test Report Status

Sodium	Potassium	Chloride
Decreased in:CCF, cirrhosis, vomiting, diarrhea, excessive sweating, salt-losing nephropathy, adrenal insufficiency, nephrotic syndrome, water intoxication, SIADH. Drugs: thiazides, diuretics, ACE inhibitors, chlorpropamide, carbamazepine, anti depressants (SSRI), antipsychotics.	Decreased in: Low potassium intake,prolonged vomiting or diarrhea, RTA types I and II, hyperaldosteronism, Cushing's syndrome,osmotic diuresis (e.g., hyperglycemia),alkalosis, familial periodic paralysis,trauma (transient).Drugs: Adrenergic agents, diuretics.	Decreased in: Vomiting, diarrhea, renal failure combined with salt deprivation, over-treatment with diuretics, chronic respiratory acidosis, diabetic ketoacidosis, excessive sweating, SIADH, salt-losing nephropathy, porphyria, expansion of extracellular fluid volume, adrenalinsufficiency, hyperaldosteronism, metabolic alkalosis. Drugs: chronic laxative,corticosteroids, diuretics.
Increased in: Dehydration (excessivesweating, severe vomiting or diarrhea),diabetes mellitus, diabetesinsipidus, hyperaldosteronism, inadequate water intake. Drugs: steroids, licorice,oral contraceptives.	Increased in: Massive hemolysis, severe tissue damage, rhabdomyolysis, acidosis, dehydration,renal failure, Addison' s disease, RTA type IV, hyperkalemic familial periodic paralysis. Drugs: potassium salts, potassium- sparing diuretics,NSAIDs, beta-blockers, ACE inhibitors, high- dose trimethoprim-sulfamethoxazole.	Increased in: Renal failure, nephrotic syndrome, RTA, dehydration, overtreatment with saline, hyperparathyroidism, diabetes insipidus, metabolic acidosis from diarrhea (Loss of HCO3-), respiratory alkalosis, hyperadrenocorticism. Drugs: acetazolamide, androgens, hydrochlorothiazide, salicylates.
Interferences: Severe lipemia or hyperproteinemi, if sodium analysis involves a dilution step can cause spurious results. The serum sodium falls about 1.6 mEq/L for each 100 mg/dL increase in blood glucose.	Interferences: Hemolysis of sample, delayed separation of serum, prolonged fist clenching during blood drawing, and prolonged tourniquet placement. Very high WBC/PLT counts may cause spurious. Plasma potassium levels are normal.	Interferences:Test is helpful in assessing normal and increased anion gap metabolic acidosis and in distinguishing hypercalcemia due to hyperparathyroidism (high serum chloride) from that due to malignancy (Normal serum chloride)

PHYSICAL EXAMINATION, URINE

COLOR	PALE YELLOW	
APPEARANCE	CLEAR	
CHEMICAL EXAMINATION, URINE		
PH	5.5	4.7 - 7.5
SPECIFIC GRAVITY	<=1.005	1.003 - 1.035
PROTEIN	NOT DETECTED	NOT DETECTED
GLUCOSE	NOT DETECTED	NOT DETECTED
KETONES	NOT DETECTED	NOT DETECTED
BLOOD	NOT DETECTED	NOT DETECTED
BILIRUBIN	NOT DETECTED	NOT DETECTED
UROBILINOGEN	NORMAL	NORMAL
NITRITE	NOT DETECTED	NOT DETECTED
LEUKOCYTE ESTERASE	NOT DETECTED	NOT DETECTED
MICROSCOPIC EXAMINATION, URINE		
RED BLOOD CELLS	NOT DETECTED	NOT DETECTED

/HPF











CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL LTD
Gate no 2, Residency Area, OPP. ST. Raphaels School,
INDORE, 452001
Madhya Pradesh, India
Tel : 0731 2490008

NOT DETECTED

NOT DETECTED

Please note that all the urinary findings are confirmed manually as well.

PATIENT NAME : SHIVANI NAR	PATIENT ID : SHIVF0110957		
ACCESSION NO : 0290WC002102	2 AGE : 27 Years SEX : Female	ABHA NO :	
DRAWN :	RECEIVED : 11/03/2023 08:36	REPORTED : 13/03/2023 15:06	
REFERRING DOCTOR : DR. ACROFE	CLIENT PATIENT ID:		
Test Report Status <u>Final</u>	Results	Biological Reference Interval Units	
Test Report Status <u>Final</u>	Results	Biological Reference Interval Units	
Test Report Status Final PUS CELL (WBC'S)	Results 2-3	Biological Reference Interval Units 0-5 /HPF	

NOT DETECTED

NOT DETECTED

NOT DETECTED

PUS CELL (WBC'S)	
EPITHELIAL CELLS	
CASTS	
CRYSTALS	
BACTERIA	
YEAST	
REMARKS	

Interpretation(s)

The following table describes the probable conditions, in which the analytes are present in urine

Presence of	Conditions
Proteins	Inflammation or immune illnesses
Pus (White Blood Cells)	Urinary tract infection, urinary tract or kidney stone, tumors or any kind of kidney impairment
Glucose	Diabetes or kidney disease
Ketones	Diabetic ketoacidosis (DKA), starvation or thirst
Urobilinogen	Liver disease such as hepatitis or cirrhosis
Blood	Renal or genital disorders/trauma
Bilirubin	Liver disease
Erythrocytes	Urological diseases (e.g. kidney and bladder cancer, urolithiasis), urinary tract infection and glomerular diseases
Leukocytes	Urinary tract infection, glomerulonephritis, interstitial nephritis either acute or chronic, polycystic kidney disease, urolithiasis, contamination by genital secretions
Epithelial cells	Urolithiasis, bladder carcinoma or hydronephrosis, ureteric stents or bladder catheters for prolonged periods of time
Granular Casts	Low intratubular pH, high urine osmolality and sodium concentration,
	interaction with Bence-Jones protein
Hyaline casts	Physical stress, fever, dehydration, acute congestive heart failure, renal diseases
Calcium oxalate	Metabolic stone disease, primary or secondary hyperoxaluria, intravenous infusion of large doses of vitamin C, the use of vasodilator naftidrofuryl oxalate or the gastrointestinal lipase inhibitor orlistat, ingestion of ethylene glycol or of star fruit (Averrhoa carambola) or its juice
Uric acid	arthritis
Bacteria	Urinary infectionwhen present in significant numbers & with pus cells.
Trichomonas vaginalis	Vaginitis, cervicitis or salpingitis

THYROID PANEL, SERUM











CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 9800465156 8800465156

SRL LTD
Gate no 2, Residency Area, OPP. ST. Raphaels School,
INDORE, 452001
Madhya Pradesh, India
Tel: 0731 2490008

PATIENT NAME : SHIVANI NARENDRA PATIENT ID : SHIVF0110				
ACCESSION NO : 0290WC002102	AGE : 27 Years SEX : Female	ABHA NO :		
DRAWN :	RECEIVED : 11/03/2023 08:36	REPORTED : 13/03/2023 15:06		
REFERRING DOCTOR : DR. ACROFE	1I HEALTHCARE LTD (MEDIWHEEL)	CLIENT PATIENT ID:		
	_			

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units	
ТЗ	147.50	Non-Pregnant Women 80.0 - 200.0 Pregnant Women 1st Trimester:105.0 - 230.0 2nd Trimester:129.0 - 262.0 3rd Trimester:135.0 - 262.0	ng/dL
METHOD : CHEMILUMINESCENCE TECHNOLOGY T4 METHOD : CHEMILUMINESCENCE TECHNOLOGY	10.73	Non-Pregnant Women 5.10 - 14.10 Pregnant Women 1st Trimester: 7.33 - 14.80 2nd Trimester: 7.93 - 16.10 3rd Trimester: 6.95 - 15.70	µg/dL
TSH (ULTRASENSITIVE)	2.890	Non Pregnant Women 0.27 - 4.20 Pregnant Women 1st Trimester: 0.33 - 4.59 2nd Trimester: 0.35 - 4.10 3rd Trimester: 0.21 - 3.15	µIU/mL
METHOD : CHEMILUMINESCENCE TECHNOLOGY			

SCENCE TECHNOLOG CF LUM











CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL LTD
Gate no 2, Residency Area, OPP. ST. Raphaels School,
NDORE, 452001
Madhya Pradesh, India
Tel: 0731 2490008

Test Report Statu	ıs <u>Final</u>	R	esults	Biological	Reference	Interval Units
REFERRING DOCTO	R: DR. ACROFEMI	HEALTHCARE LTD (MEDIWHEEL)	CLIEM	IT PATIENT ID	:
DRAWN :		RECEIVED : 11/03	3/2023 08:36	REPORTED :	13/03/20	23 15:06
ACCESSION NO : C	0290WC002102	AGE: 27 Years	SEX : Female	ABHA NO :		
PATIENT NAME :	SHIVANI NAREN	P	ATIENT ID:	SHIVF0110957		

Interpretation(s)

Triiodothyronine T3, Thyroxine T4, and Thyroid Stimulating Hormone TSH are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low. Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3.Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism.Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3)
					Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid
					hormone replacement therapy (3) In cases of Autoimmune/Hashimoto
					thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical
					inflammation, drugs like amphetamines, Iodine containing drug and
					dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre
					(3)Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid
					hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4
					replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism
6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent
					treatment for Hyperthyroidism
8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies

REF: 1. TIETZ Fundamentals of Clinical chemistry 2.Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011. **NOTE: It is advisable to detect Free T3,FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.**TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

»»	BOTH THE LUNG FIELDS ARE
XRAY-CHEST	
METHOD : TUBE AGGLUTINATION	
RH TYPE	POSITIVE
METHOD : TUBE AGGLUTINATION	
ABO GROUP	TYPE A

Page 10 Of 18



BOTH THE LUNG FIELDS ARE CLEAR







CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA DELHI INDIA 8800465156

SRL LTD
Gate no 2, Residency Area, OPP. ST. Raphaels School,
INDORE, 452001
Madhya Pradesh, India
Tel: 0731 2490008

30.0 and Above: Obese

PATIENT NAME	: SHIVANI NAREN	PATIENT ID : SHIVF0110957			
ACCESSION NO :	0290WC002102	AGE : 27 Years SEX : Female	ABHA NO :		
DRAWN :		RECEIVED : 11/03/2023 08:36	REPORTED : 13/03/2023 15:06		
REFERRING DOCTOR : DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL) CLIENT PATIENT ID :					

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
»»	BOTH THE COSTOPH	RENIC AND CARIOPHRENIC ANGELS ARE CLEAR
»»	BOTH THE HILA ARE	NORMAL
»»	CARDIAC AND AORT	IC SHADOWS APPEAR NORMAL
»»	BOTH THE DOMES O	F THE DIAPHRAM ARE NORMAL
»»	VISUALIZED BONY T	HORAX IS NORMAL
IMPRESSION	NO ABNORMALITY D	ETECTED
	Dr G S Saluja MBBS (Consultant Radiolog	
TMT OR ECHO		
TMT OR ECHO	REFUSED BY CANDIE	DATE
ECG		
ECG	WITHIN NORMAL LIN	1ITS
MEDICAL HISTORY		
RELEVANT PRESENT HISTORY	NOT SIGNIFICANT	
RELEVANT PAST HISTORY	NOT SIGNIFICANT	
RELEVANT PERSONAL HISTORY	NOT SIGNIFICANT	
RELEVANT FAMILY HISTORY	NOT SIGNIFICANT	
OCCUPATIONAL HISTORY	NOT SIGNIFICANT	
HISTORY OF MEDICATIONS	NOT SIGNIFICANT	
ANTHROPOMETRIC DATA & BMI		
HEIGHT IN METERS	1.58	mts
WEIGHT IN KGS.	49	Kgs
BMI	20	BMI & Weight Status as follows: kg/sqmts Below 18.5: Underweight 18.5 - 24.9: Normal 25.0 - 29.9: Overweight

GENERAL EXAMINATION

MENTAL / EMOTIONAL STATE	NORMAL
PHYSICAL ATTITUDE	NORMAL
GENERAL APPEARANCE / NUTRITIONAL STATUS	HEALTHY
BUILT / SKELETAL FRAMEWORK	AVERAGE
FACIAL APPEARANCE	NORMAL
SKIN	NORMAL
UPPER LIMB	NORMAL
LOWER LIMB	NORMAL











CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA

SRL LTD
Gate no 2, Residency Area, OPP. ST. Raphaels School,
INDORE, 452001
Madhya Pradesh, India
Tel : 0731 2490008

DELHI INDIA 8800465156	lel : 0731 2490008		
PATIENT NAME : SHIVANI NARENDRA		PATIENT ID : SHIVF0110957	
ACCESSION NO : 0290WC002102 AGE : 2	7 Years SEX : Female	ABHA NO :	
DRAWN : RECEIVE	D: 11/03/2023 08:36	REPORTED : 13/03/2023 15:06	
REFERRING DOCTOR : DR. ACROFEMI HEALTHC	ARE LTD (MEDIWHEEL)	CLIENT PATIENT ID:	
Test Report Status <u>Final</u>	Results	Biological Reference Interval Units	
NECK	NORMAL		
NECK LYMPHATICS / SALIVARY GLANDS	NOT ENLARGED OR TEN	NDER	
THYROID GLAND	NOT ENLARGED		
CAROTID PULSATION	NORMAL		
TEMPERATURE	AFEBRILE		
PULSE	66/MIN REGULAR, ALL BRUIT HEARD	PERIPHERAL PULSES WELL FELT, NO CAROTID	
RESPIRATORY RATE	NORMAL		
CARDIOVASCULAR SYSTEM			
BP	104/70	mm/Hg	
PERICARDIUM	NORMAL		
APEX BEAT	NORMAL		
HEART SOUNDS	NORMAL		
MURMURS	ABSENT		
RESPIRATORY SYSTEM			
SIZE AND SHAPE OF CHEST	NORMAL		
MOVEMENTS OF CHEST	SYMMETRICAL		
BREATH SOUNDS INTENSITY	NORMAL		
BREATH SOUNDS QUALITY	VESICULAR (NORMAL)		
ADDED SOUNDS	ABSENT		
PER ABDOMEN			
APPEARANCE	NORMAL		
VENOUS PROMINENCE	ABSENT		
LIVER	NOT PALPABLE		

NOT PALPABLE ABSENT

CENTRAL NERVOUS SYSTEM

CENTRAL NERVOUS SYSTEM	
HIGHER FUNCTIONS	NORMAL
CRANIAL NERVES	NORMAL
CEREBELLAR FUNCTIONS	NORMAL
SENSORY SYSTEM	NORMAL
MOTOR SYSTEM	NORMAL
REFLEXES	NORMAL
MUSCULOSKELETAL SYSTEM	
SPINE	NORMAL

SPLEEN

HERNIA











CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRLLID
Gate no 2, Residency Area, OPP. ST. Raphaels School,
INDORE, 452001
Madhya Pradesh, India
Tel : 0731 2490008

PATIENT NAME : SHIVANI NARENDRA		PATIENT ID : SHIVF0110957
ACCESSION NO :	0290WC002102 AGE : 27 Years SEX : Female	ABHA NO :
DRAWN :	RECEIVED : 11/03/2023 08:36	REPORTED : 13/03/2023 15:06
REFERRING DOCT	OR: DR. ACROFEMI HEALTHCARE LTD (MEDIWHEEL)	CLIENT PATIENT ID:

	NORMAL
JOINTS	NORMAL
BASIC EYE EXAMINATION	
CONJUNCTIVA	NORMAL
EYELIDS	NORMAL
EYE MOVEMENTS	NORMAL
CORNEA	NORMAL
DISTANT VISION RIGHT EYE WITH GLASSES	6/6 WITH GLASSES NORMAL
DISTANT VISION LEFT EYE WITH GLASSES	6/6 WITH GLASSES NORMAL
NEAR VISION RIGHT EYE WITH GLASSES	N6 WITHIN NORMAL LIMIT
NEAR VISION LEFT EYE WITH GLASSES	N6 WITHIN NORMAL LIMIT
COLOUR VISION	NORMAL
BASIC ENT EXAMINATION	
EXTERNAL EAR CANAL	NORMAL
TYMPANIC MEMBRANE	NORMAL
NOSE	NO ABNORMALITY DETECTED
SINUSES	NORMAL
THROAT	NO ABNORMALITY DETECTED
TONSILS	NOT ENLARGED
SUMMARY	
RELEVANT HISTORY	NOT SIGNIFICANT
RELEVANT GP EXAMINATION FINDINGS	NOT SIGNIFICANT
REMARKS / RECOMMENDATIONS	NONE
FITNESS STATUS	
FITNESS STATUS	FIT (WITH MEDICAL ADVICE) (AS PER REQUESTED PANEL OF TESTS)











CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL LTD
Gate no 2, Residency Area, OPP. ST. Raphaels School,
INDORE, 452001
Madhya Pradesh, India
Tel : 0731 2490008

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
REFERRING DOCTOR : DR. ACROFE	MI HEALTHCARE LTD (MEDIWHEEL)	CLIENT PATIENT ID:
DRAWN :	RECEIVED : 11/03/2023 08:36	REPORTED : 13/03/2023 15:06
ACCESSION NO : 0290WC00210	2 AGE : 27 Years SEX : Female	ABHA NO :
PATIENT NAME : SHIVANI NARENDRA PATIENT ID : SHIVF0110957		

Comments

PAP CANCELED H/O BLEEDING AT PRESENT.

CLINICAL FINDINGS:-

SLIGHTLY DYSLIPIDEMIA.

RAISED LACTATE DEHYDROGENASE.

FITNESS STATUS :-

FITNESS STATUS : FIT (WITH MEDICAL ADVICE) (AS PER REQUESTED PANEL OF TESTS)

ADVICE :- LOW FAT WITH HIGH FIBER DIET AND REGULAR PHYSICAL EXERCISE FOR SLIGHTLY DYSLIPIDEMIA.

NEED PHYSICIAN CONSULTATION FOR LIFE STYLE MODIFICATION.

Interpretation(s)

BLOOD COUNTS,EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology. RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13)

from Beta thalassaemia trait (<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for

diagnosing a case of beta thalassaemia trait. WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive

patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease. (Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients A.-P. Yang, et al. International Immunopharmacology 84 (2020) 106504

This ratio element is a calculated parameter and out of NABL scope. ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD-**TEST DESCRIPTION** :-

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall

(sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change. **TEST INTERPRETATION**

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging.

Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis). In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum.

Decreased in: Polycythermia vera, Sickle cell anemia

LIMITATIONS

False elevated ESR : Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia False Decreased : Poikilocytosis,(SickleCells,spherocytes),Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine,

salicylates) REFERENCE .

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition.











CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL LTD
Gate no 2, Residency Area, OPP. ST. Raphaels School,
INDORE, 452001
Madhya Pradesh, India
Tel: 0731 2490008

Test Report Status Final	Results	Biological Reference Interval Units
REFERRING DOCTOR : DR. ACROFE	MI HEALTHCARE LTD (MEDIWHEEL)	CLIENT PATIENT ID:
DRAWN :	RECEIVED : 11/03/2023 08:36	REPORTED : 13/03/2023 15:06
ACCESSION NO : 0290WC002102	AGE : 27 Years SEX : Female	ABHA NO :
PATIENT NAME : SHIVANI NAR	ENDRA	PATIENT ID : SHIVF0110957

GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the urine.

Increased in:Diabetes mellitus, Cushing's syndrome (10 – 15%), chronic pancreatitis (30%). Drugs:corticosteroids,phenytoin, estrogen, thiazides Decreased in :Pancreatic islet cell disease with increased insulin,insulinoma,adrenocortical insufficiency,hypopituitarism,diffuse liver disease,

malignancy(adrenocortical,stomach,fibrosarcoma),infant of a diabetic mother,enzyme deficiency diseases(e.g.galactosemia),Drugs-insulin,ethanol,propranolol

sulfonylureas,tolbutamide,and other oral hypoglycemic agents. NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within

individuals. Thus, glycosylated hemoglobin(HbA1c) levels are favored to monitor glycemic control. High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed,Alimentary Hypoglycemia,Increased insulin response & sensitivity etc GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-**Used For**:

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.

2. Diagnosing diabetes.

3. Identifying patients at increased risk for diabetes (prediabetes). The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.
 eAG gives an evaluation of blood glucose levels for the last couple of months.
 eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c - 46.7

HbA1c Estimation can get affected due to :

1. Shortened Erythrocyte survival : Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.

 Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin.
 Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results.

4. Interference of hemoglobinopathies in HbA1c estimation is seen in

a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c. b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.) c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy LIVER FUNCTION PROFILE, SERUM-

Bilirubin is a vellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. **Elevated levels** results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health.AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen

GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.

Total Protein also known as total protein, is a biochemical test for measuring the total amount of protein in serum.Protein in the plasma is made up of albumin and globulin.Higher-than-normal levels may be due to:Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.Lower-than-normal levels may be due to: Agammaglobulinemia,Bleeding (hemorrhage),Burns,Glomerulonephritis,Liver disease, Malabsorption,Malnutrition,Nephrotic

syndrome, Protein-losing enteropathy etc. Albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by:Liver disease like cirrhosis of the liver, nephrotic syndrome,protein-losing enteropathy,Burns,hemodilution,increased vascular permeability or decreased lymphatic clearance,malnutrition and wasting etc BLOOD UREA NITROGEN (BUN), SERUM-**Causes of Increased** levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol,

Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism) Causes of decreased level include Liver disease, SIADH.

CREATININE, SERUM-Higher than normal level may be due to:

• Blockage in the urinary tract, Kidney problems, such as kidney damage or failure, infection, or reduced blood flow, Loss of body fluid (dehydration), Muscle problems, such











CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL LTD
Gate no 2, Residency Area, OPP. ST. Raphaels School,
INDORE, 452001
Madhya Pradesh, India
Tel : 0731 2490008

Test Report Status Final	Results	Biological Reference Interval Units
REFERRING DOCTOR : DR. ACR	OFEMI HEALTHCARE LTD (MEDIWHEEL)	CLIENT PATIENT ID :
DRAWN :	RECEIVED : 11/03/2023 08:36	REPORTED : 13/03/2023 15:06
ACCESSION NO : 0290WC002	AGE : 27 Years SEX : Female	ABHA NO :
PATIENT NAME : SHIVANI	NARENDRA	PATIENT ID : SHIVF0110957

as breakdown of muscle fibers, Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia) Lower than normal level may be due to:

Myasthenia Gravis, Muscuophy

URIC ACID, SERUM-Causes of Increased levels:-Dietary(High Protein Intake, Prolonged Fasting, Rapid weight loss), Gout, Lesch nyhan syndrome, Type 2 DM, Metabolic syndrome Causes of decreased levels-Low Zinc intake, OCP, Multiple Sclerosis

TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum.Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma,Waldenstroms disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage),Burns,Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc. ALBUMIN, SERUM-

Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance,malnutrition and wasting etc.

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same.

The test is performed by both forward as well as reverse grouping methods.

MEDICAL

THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOLABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.

FITNESS STATUS-Conclusion on an individual's Fitness, which is commented upon mainly for Pre employment cases, is based on multi factorial findings and does not depend on any one single parameter. The final Fitness assigned to a candidate will depend on the Physician's findings and overall judgement on a case to case basis, details of the candidate's past and personal history as well as the comprehensiveness of the diagnostic panel which has been requested for . These are then further correlated with details of the job under consideration to eventually fit the right man to the right job.

Basis the above, SRL classifies a candidate's Fitness Status into one of the following categories: • Fit (As per requested panel of tests) – SRL Limited gives the individual a clean chit to join the organization, on the basis of the General Physical Examination and the specific test panel requested for.

• Fit (with medical advice) (As per requested panel of tests) - This indicates that although the candidate can be declared as FIT to join the job, minimal problems have been detected during the Pre- employment examination. Examples of conditions which could fall in this category could be cases of mild reversible medical abnormalities such as height weight disproportions, borderline raised Blood Pressure readings, mildly raised Blood sugar and Blood Lipid levels, Hematuria, etc. Most of these relate to sedentary lifestyles and come under the broad category of life style disorders. The idea is to caution an individual to bring about certain lifestyle changes as well as seek a Physician consultation and counseling in order to bring back to normal the mildly deranged parameters. For all purposes the individual is FIT to join the job.

• Fitness on Hold (Temporary Unfit) (As per requested panel of tests) - Candidate's reports are kept on hold when either the diagnostic tests or the physical findings reveal the presence of a medical condition which warrants further tests, counseling and/or specialist opinion, on the basis of which a candidate can either be placed into Fit, Fit (With Medical Advice), or Unfit category. Conditions which may fall into this category could be high blood pressure, abnormal ECG, heart murmurs, abnormal vision, grossly Unfit (As per requested panel of tests) - An unfit report by SRL Limited clearly indicates that the individual is not suitable for the respective job profile e.g. total color

blindness in color related jobs.











CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRL LTD	
Gate no 2, Residency Area, OPP. ST. Raphaels Sch	iool,
INDORE, 452001	
Madhya Pradesh, India	
Tel : 0731 2490008	

PATIENT NAME : SI	HIVANI NAREN	DRA		PA	TIENT ID:	SHIVF0110957
ACCESSION NO : 029	90WC002102	AGE: 27 Years	SEX : Female	ABHA NO :		
DRAWN :		RECEIVED : 11/03,	/2023 08:36	REPORTED :	13/03/202	3 15:06
REFERRING DOCTOR :	DR. ACROFEMI	HEALTHCARE LTD (MEDIWHEEL)	CLIEN	T PATIENT ID	:

Test Report Status Final

Results

Units

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

ULTRASOUND ABDOMEN

ULTRASOUND ABDOMEN

•••

Comments

U.S.G OF WHOLE ABDOMEN

Liver is normal in size, shape with with smooth outline. Parenchymal echotexture is homogeneous. Intra & Extra hepatic biliary radicals are normal. Portal vein and C.B.D are normal in caliber.

Gall Bladder is normal, thin walled & its lumen is echo free.

Spleen is normal in size, shape & echotexture.

Pancreas is normal in size, shape & echotexture.

Both Kidneys are normal in size, shape and echotexture. Central pelvicalyceal system is normal. Corticomedullary differentiation is maintained.

IVC and AO is normal in caliber.No lymphadenopathy.

Urinary Bladder is normal thin walled, there is no calculus.

Uterus is anteverted and normal in size. Myometrial echotexture is homogeneous Endometrial echo(4mm) reflection is normal. Cervix and endocervical canal appears normal.

Right Ovary is normal in size, shape and echotexture.

Left Ovary enlarged in size, due to anechoic area 6.4 x 4.2 cm. - Cyst.

IMPRESSION- Left ovarian simple cyst.

Dr G S Saluja MBBS, DMRD (Consultant Radiologist)

End Of Report Please visit www.srlworld.com for related Test Information for this accession

Dr.Arpita Pasari, MD Consultant Pathologist









CLIENT'S NAME AND ADDRESS : ACROFEMI HEALTHCARE LTD (MEDIWHEEL) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

SRLLID
Gate no 2, Residency Area, OPP. ST. Raphaels School,
INDORE, 452001
Madhya Pradesh, India
Tel: 0731 2490008

PATIENT NAME	: SHIVANI NAREI	NDRA		F	ATIENT ID:	SHIVF0110957
ACCESSION NO :	0290WC002102	AGE: 27 Years	SEX : Female	ABHA NO :		
DRAWN :		RECEIVED : 11/03	3/2023 08:36	REPORTED :	13/03/20	23 15:06
REFERRING DOCT	OR: DR. ACROFEM	I HEALTHCARE LTD (MEDIWHEEL)	CLIE	NT PATIENT ID	:
Test Report Sta	tus <u>Final</u>	R	lesults			Units

CONDITIONS OF LABORAT	ORY TESTING & REPORTING
 It is presumed that the test sample belongs to the patient named or identified in the test requisition form. All tests are performed and reported as per the turnaround time stated in the SRL Directory of Services. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event. A requested test might not be performed if: Specimen received is insufficient or inappropriate Specimen quality is unsatisfactory Incorrect specimen type Discrepancy between identification on specimen container label and test requisition form 	 SRL confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis. Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification. Test results cannot be used for Medico legal purposes. In case of queries please call customer care (91115 91115) within 48 hours of the report.
	SRL Limited
	Fortis Hospital, Sector 62, Phase VIII, Mohali 160062



