
SUBURBAN DIAGNOSTICS - ANDHERI WEST



Patient Name: SUNIL KUMAR JHA

Patient ID: 2208105890

Date and Time: 22nd Mar 22 11:48 AM



Age 50 1 21 years months days

Gender Male

Heart Rate 74bpm

Patient Vitals

BP: NA
Weight: NA
Height: NA
Pulse: NA
Spo2: NA
Resp: NA
Others:

Measurements

QSRD: 90ms
QT: 376ms
QTc: 417ms
PR: 142ms

P-R-T: 50° -14° 32°

Sinus Rhythm, LAD, LAHB , with Sinus Arrhythmia. Please correlate clinically.

REPORTED BY

DR RAVI CHAVAN MD, D.CARD, D. DIABETES Cardiologist & Diabetologist

2004/06/2468

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.



Name : MR.SUNIL KUMAR JHA

:50 Years / Male Age / Gender

Consulting Dr. Collected Reported

Reg. Location : Andheri West (Main Centre)



Use a OR Code Scanner Application To Scan the Code

:22-Mar-2022 / 09:26 :22-Mar-2022 / 13:17

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

CBC (Complete Blood Count), Blood			
<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	14.7	13.0-17.0 g/dL	Spectrophotometric
RBC	4.91	4.5-5.5 mil/cmm	Elect. Impedance
PCV	43.9	40-50 %	Measured
MCV	89.5	80-100 fl	Calculated
MCH	29.9	27-32 pg	Calculated
MCHC	33.4	31.5-34.5 g/dL	Calculated
RDW	15.3	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	6200	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND ABSO	LUTE COUNTS		
Lymphocytes	28.7	20-40 %	
Absolute Lymphocytes	1779.4	1000-3000 /cmm	Calculated
Monocytes	8.1	2-10 %	
Absolute Monocytes	502.2	200-1000 /cmm	Calculated
Neutrophils	52.7	40-80 %	
Absolute Neutrophils	3267.4	2000-7000 /cmm	Calculated
Eosinophils	10.2	1-6 %	
Absolute Eosinophils	632.4	20-500 /cmm	Calculated
Basophils	0.3	0.1-2 %	
Absolute Basophils	18.6	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	152000	150000-400000 /cmm	Elect. Impedance
MPV	12.2	6-11 fl	Calculated
PDW	30.5	11-18 %	Calculated

RBC MORPHOLOGY

Hypochromia	-
Microcytosis	-

Page 1 of 12

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053



Name : MR.SUNIL KUMAR JHA

:50 Years / Male Age / Gender

Consulting Dr. Collected : 22-Mar-2022 / 09:26 : Andheri West (Main Centre) Reg. Location

Reported :22-Mar-2022 / 11:30

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Macrocytosis

Anisocytosis

Poikilocytosis

Polychromasia

Target Cells

Basophilic Stippling

Normoblasts

Others Normocytic, Normochromic

WBC MORPHOLOGY

PLATELET MORPHOLOGY Megaplatelets seen on smear

COMMENT Eosinophilia

Result rechecked.

Kindly correlate clinically.

Specimen: EDTA Whole Blood

ESR, EDTA WB 2-15 mm at 1 hr. Westergren

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







Dr. AMAR DASGUPTA, MD, PhD **Consultant Hematopathologist Director - Medical Services**

Dr.MILLU JAIN M.D.(PATH) **Pathologist**

Page 2 of 12

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MR.SUNIL KUMAR JHA

:50 Years / Male Age / Gender

Consulting Dr.

Reg. Location : Andheri West (Main Centre)



Use a OR Code Scanner Application To Scan the Code

Collected

: 22-Mar-2022 / 12:58

:22-Mar-2022 / 16:31

Hexokinase

Hexokinase

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

GLUCOSE (SUGAR) FASTING. 94.4 Non-Diabetic: < 100 mg/dl Fluoride Plasma Impaired Fasting Glucose:

100-125 mg/dl

Diabetic: >/= 126 mg/dl

Reported

GLUCOSE (SUGAR) PP, Fluoride 64.5 Non-Diabetic: < 140 mg/dl Plasma PP/R

Impaired Glucose Tolerance:

140-199 mg/dl

Diabetic: >/= 200 mg/dl

Urine Sugar (Fasting) Absent Absent Urine Ketones (Fasting) Absent **Absent**

Urine Sugar (PP) Absent Absent Urine Ketones (PP) Absent Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







Anoto **Dr.ANUPA DIXIT** M.D.(PATH) **Consultant Pathologist & Lab** Director

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MR.SUNIL KUMAR JHA

Age / Gender :50 Years / Male

Consulting Dr. Collected : 22-Mar-2022 / 09:26

Reported :22-Mar-2022 / 13:06 Reg. Location : Andheri West (Main Centre)

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **GLYCOSYLATED HEMOGLOBIN (HbA1c)**

BIOLOGICAL REF RANGE PARAMETER RESULTS METHOD Glycosylated Hemoglobin **HPLC** 5.5 Non-Diabetic Level: < 5.7 % (HbA1c), EDTA WB - CC Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Estimated Average Glucose 111.2 mg/dl Calculated

(eAG), EDTA WB - CC

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







Dr.ANUPA DIXIT M.D.(PATH) **Consultant Pathologist & Lab** Director

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 4 of 12



Name : MR.SUNIL KUMAR JHA

Age / Gender : 50 Years / Male

Consulting Dr. : - Collected : 22-Mar-2022 / 09:26

Reg. Location : Andheri West (Main Centre) Reported :22-Mar-2022 / 11:57

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO PROSTATE SPECIFIC ANTIGEN (PSA)

BIOLOGICAL REF RANGE

TOTAL PSA, Serum 2.47 0.03-3.5 ng/ml ECLIA

Clinical Significance:

PARAMETER

• PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.

RESULTS

- · Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.
- Prostate cancer screening 4.The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH
 than in patients with prostate cancer. 5.Calculation of % free PSA (ie. FPSA/TPSA x 100), has been suggested as way of improving the
 differentiation of BPH and Prostate cancer.

Interpretation

Increased In- Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter, Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta, Acute renal failure, Acute myocardial infarction.

Decreased In- Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artifactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5-α reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

Reflex Tests: % FREE PSA, USG Prostate

Limitations:

tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then the tPSA values obtained upon changing over to the new procedure must be confirmed by parallelmeasurements with both methods. Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization, ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.

Reference:

- Wallach's Interpretation of diagnostic tests, 10th Edition
- Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab
Director

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

METHOD

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 5 of 12



Name : MR.SUNIL KUMAR JHA

:50 Years / Male Age / Gender

Consulting Dr. Collected : 22-Mar-2022 / 09:26

: Andheri West (Main Centre) Reported Reg. Location

Authenticity Check

Use a OR Code Scanner Application To Scan the Code

:22-Mar-2022 / 17:57

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **EXAMINATION OF FAECES**

RESULTS BIOLOGICAL REF RANGE PARAMETER

PHYSICAL EXAMINATION

Colour Brown Brown Form and Consistency Semi Solid Semi Solid Mucus Absent Absent Blood Absent Absent

CHEMICAL EXAMINATION

Reaction (pH) Acidic (6.5)

Occult Blood Absent Absent

MICROSCOPIC EXAMINATION

Protozoa Absent Absent Flagellates **Absent** Absent Ciliates Absent Absent **Parasites** Absent Absent Macrophages Absent Absent Mucus Strands Absent Absent Fat Globules Absent Absent RBC/hpf Absent Absent WBC/hpf Absent Absent Yeast Cells Absent **Absent Undigested Particles** Present ++ Concentration Method (for ova) No ova detected Absent Reducing Substances Absent







Dr.SHASHIKANT DIGHADE M.D. (PATH) **Pathologist**

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 6 of 12

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***



Name : MR.SUNIL KUMAR JHA

:50 Years / Male Age / Gender

Consulting Dr. Collected : 22-Mar-2022 / 09:26

Reported :22-Mar-2022 / 13:19 Reg. Location : Andheri West (Main Centre)



Use a OR Code Scanner Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO URINE EXAMINATION REPORT

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	7.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.015	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	50	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hnf	Absent	0-2/hpf	

Red Blood Cells / hpf Absent 0-2/hpf

Epithelial Cells / hpf 0-1

Casts Absent Absent Crystals **Absent Absent** Amorphous debris Absent Absent

Bacteria / hpf 3-4 Less than 20/hpf

Others







M. Jain **Dr.MILLU JAIN** M.D.(PATH) **Pathologist**

Page 7 of 12

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report **



Name : MR.SUNIL KUMAR JHA

Age / Gender :50 Years / Male

Consulting Dr. Collected

Reported :22-Mar-2022 / 12:51 Reg. Location : Andheri West (Main Centre)



Authenticity Check

Use a OR Code Scanner Application To Scan the Code

: 22-Mar-2022 / 09:26

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **BLOOD GROUPING & Rh TYPING**

RESULTS PARAMETER

ABO GROUP 0

Rh TYPING **POSITIVE**

NOTE: Test performed by automated column agglutination technology (CAT) which is more sensitive than conventional methods.

Note: This sample is not tested for Bombay blood group.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report **







Dr.MILLU JAIN M.D.(PATH) **Pathologist**

Page 8 of 12

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MR.SUNIL KUMAR JHA

:50 Years / Male Age / Gender

Consulting Dr.

Reg. Location : Andheri West (Main Centre)



Use a OR Code Scanner Application To Scan the Code

Collected

Reported

:22-Mar-2022 / 09:26 :22-Mar-2022 / 13:06

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	156.4	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	Enzymatic
TRIGLYCERIDES, Serum	70.9	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic
HDL CHOLESTEROL, Serum	50.0	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Enzymatic
NON HDL CHOLESTEROL, Serum	106.4	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/d High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated l
LDL CHOLESTEROL, Serum	92.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	14.4	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.1	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	1.8	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West *** End Of Report ***







Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



Name : MR.SUNIL KUMAR JHA

Age / Gender : 50 Years / Male

Consulting Dr. : -

Reg. Location : Andheri West (Main Centre)



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

: 22-Mar-2022 / 09:26

Reported :22-Mar-2022 / 11:57

Collected

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO KIDNEY FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
BLOOD UREA, Serum	17.4	12.8-42.8 mg/dl	Kinetic
BUN, Serum	8.1	6-20 mg/dl	Calculated
CREATININE, Serum	0.83	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	104	>60 ml/min/1.73sqm	Calculated
TOTAL PROTEINS, Serum	7.2	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.4	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.8	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.6	1 - 2	Calculated
URIC ACID, Serum	6.2	3.5-7.2 mg/dl	Enzymatic
PHOSPHORUS, Serum	2.7	2.7-4.5 mg/dl	Molybdate UV
CALCIUM, Serum	8.7	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	140	135-148 mmol/l	ISE
POTASSIUM, Serum	4.3	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	106	98-107 mmol/l	ISE

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab
Director

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 10 of 12



Name : MR.SUNIL KUMAR JHA

Age / Gender : 50 Years / Male

Consulting Dr. : - Collected : 22-Mar-2022 / 09:26

Reg. Location : Andheri West (Main Centre) Reported :22-Mar-2022 / 11:57

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

7-Mar-2022 / 09·26

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	5.3	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	16.8	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	1.60	0.35-5.5 microIU/ml	ECLIA

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between 5.5 to 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3/T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations: Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab
Director

ADDRESS: 2" Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 11 of 12



Name : MR.SUNIL KUMAR JHA

Age / Gender : 50 Years / Male

Consulting Dr. :-

Reg. Location: Andheri West (Main Centre)



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

: 22-Mar-2022 / 09:26

Reported :22-Mar-2022 / 11:57

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIVER FUNCTION TESTS

<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	0.50	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.20	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.30	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.2	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.4	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.8	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.6	1 - 2	Calculated
SGOT (AST), Serum	19.1	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	20.9	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	13.6	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	106.1	40-130 U/L	Colorimetric

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD CPL, Andheri West
*** End Of Report ***







Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab
Director

ADDRESS: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343

For Feedback - customerservice@suburbandiagnostics.com | www.suburbandiagnostics.com

Page 12 of 12



: 2208105890

CID#

E

SID# : 177802620237

Dr.NIKHIL DEV

Name : MR.SUNIL KUMAR JHA Registered : 22-Mar-2022 / 09:15

Age / Gender : 50 Years/Male Collected : 22-Mar-2022 / 09:15

Consulting Dr. : - Reported : 22-Mar-2022 / 13:29

Reg.Location : Andheri West (Main Centre) Printed : 22-Mar-2022 / 13:42

USG WHOLE ABDOMEN (SCREENING-Only Corporates)

LIVER: Liver is normal in size (13.0cm. cranio-caudal), shape and echotexture. There is no intrahepatic biliary radical dilatation. **A 14 x 10mm sized simple cyst is seen in the left lobe of the liver.**

GALL BLADDER: Gall bladder is distended and appears normal. Wall thickness is within normal limits. There is no evidence of any calculus.

PORTAL VEIN: Portal vein is normal. **CBD:** CBD is normal.

<u>PANCREAS</u>: Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification. Pancreatic duct is not dilated.

KIDNEYS: Right kidney measures 9.6 x 4.5cm. Left kidney measures 10.1 x 5.2cm.

Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size (10.9cm), shape and echotexture. No focal lesion is seen.

URINARY BLADDER: Urinary bladder is distended and normal. Wall thickness is within normal limits. Prevoid volume measures 597cc. Postvoid volume measures 26cc.

PROSTATE: Prostate measures 3.8 x 3.7 x 3.4cm. and prostatic weight is 25.7g. Median lobe does not show significant hypertrophy.

No free fluid or significant lymphadenopathy is seen.

IMPRESSION:

Simple hepatic cyst as described above.

*** End Of Report ***

CENTRAL PROCESSING LAB: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



R

CID# : **2208105890** SID# : 177802620237

Name : MR.SUNIL KUMAR JHA Registered : 22-Mar-2022 / 09:15

Age / Gender : 50 Years/Male Collected : 22-Mar-2022 / 09:15

Consulting Dr. : - Reported : 22-Mar-2022 / 13:29

Reg.Location : Andheri West (Main Centre) Printed : 22-Mar-2022 / 13:42

M.D.

CENTRAL PROCESSING LAB: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343



CID# SID# : 2208105890 : 177802620237

: MR.SUNIL KUMAR JHA Registered : 22-Mar-2022 / 09:15 Name

Age / Gender : 50 Years/Male Collected : 22-Mar-2022 / 09:15

Consulting Dr. : -Reported : 22-Mar-2022 / 15:28

Reg.Location Printed : 22-Mar-2022 / 15:39 : Andheri West (Main Centre)

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

No hilar abnormality is seen.

The cardiac size and shape are within normal limits.

The aorta shows normal radiological features.

The trachea is central.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

*** End Of Report ***

Dr.R K BHANDARI M.D., D.M.R.E

CONSULTANT RADIOLOGIST

CENTRAL PROCESSING LAB: 2nd Floor, Aston, Sundervan Complex, Above Mercedes Showroom, Andheri West - 400053

HEALTHLINE - MUMBAI: 022-6170-0000 | OTHER CITIES: 1800-266-4343