: 2307100614 Reg. No Name : Laxmi Sunkhria Age/Sex : 33 Years / Female

Ref. By

Client : MEDIWHEEL WELLNESS Reg. Date : 08-Jul-2023

Collected On : 08-Jul-2023 09:11 Approved On : 08-Jul-2023 10:16

**Printed On** : 09-Jul-2023 13:51

<u>esult</u>	<u>Unit</u>	Reference Interva

<u>Parameter</u>	Result	<u>Unit</u>	Reference Interval		
COMPLETE BLOOD COUNT (CBC)					
	SPECIMEN	EDTA BLOOD			
Hemoglobin	13.5	g/dL	12.0 - 15.0		
RBC Count	4.69	million/cmm	3.8 - 4.8		
Hematrocrit (PCV)	40.8	%	40 - 54		
MCH	28.8	Pg	27 - 32		
MCV	87.0	fL	83 - 101		
MCHC	33.1	%	31.5 - 34.5		
RDW	12.9	%	11.5 - 14.5		
WBC Count	5970	/cmm	4000 - 11000		
<b>DIFFERENTIAL WBC COUNT (Flow</b>	cytometry)				
Neutrophils (%)	60	%	38 - 70		
Lymphocytes (%)	33	%	20 - 40		
Monocytes (%)	04	%	2 - 8		
Eosinophils (%)	03	%	0 - 6		
Basophils (%)	0	%	0 - 2		
Neutrophils	3582	/cmm			
Lymphocytes	1970	/cmm			
Monocytes	239	/cmm			
Eosinophils	179	/cmm			
Basophils	0	/cmm			
Platelet Count (Flow cytometry)	341000	/cmm	150000 - 450000		
MPV	8.1	fL	7.5 - 11.5		
ERYTHROCYTE SEDIMENTATION RATE					
ESR (After 1 hour)	19	mm/hr	0 - 21		
Modified Westergren Method					

----- End Of Report -----

MD Pathologist



: 2307100614 Reg. No Name : Laxmi Sunkhria Age/Sex 33 Years / Female

**Approved On** 

Reg. Date

**Collected On** 

: 08-Jul-2023 09:11 : 08-Jul-2023 19:57

: 08-Jul-2023

Ref. By

**Parameter** 

Client

: MEDIWHEEL WELLNESS

**Printed On** : 09-Jul-2023 13:51

Reference Interval

## <u>Unit</u>

#### **PLASMA GLUCOSE**

Fasting Blood Sugar (FBS) 90.0 mg/dL 70 - 110

Result

Hexokinase Method

110.0 70 - 140 Post Prandial Blood Sugar (PPBS) mg/dL

Hexokinase Method

Criteria for the diagnosis of diabetes1. HbA1c >/= 6.5 \*

2. Fasting plasma glucose >126 gm/dL. Fasting is defined as no caloric intake at least for 8 hrs.

----- End Of Report -----

<sup>3.</sup> Two hour plasma glucose >/= 200mg/dL during an oral glucose tolerence test by using a glucose load containing equivalent of 75 gm anhydrous glucose dissolved in water.

<sup>4.</sup> In a patient with classic symptoms of hyperglycemia or hyperglycemic crisis, a random plasma glucose >/= 200 mg/dL.

<sup>\*</sup>In the absence of unequivocal hyperglycemia, criteria 1-3 should be confirmed by repeat testing.

American diabetes association. Standards of medical care in diabetes 2011. Diabetes care 2011;34;S11.

# 

### **TEST REPORT**

: 2307100614 Reg. No Name : Laxmi Sunkhria Age/Sex : 33 Years / Female

Collected On : 08-Jul-2023 09:11 **Approved On** : 08-Jul-2023 10:44

Ref. By

Reg. Date

**Printed On** : 09-Jul-2023 13:51

: 08-Jul-2023

: MEDIWHEEL WELLNESS Client

Result	<u>Unit</u>	Reference Interval	
KIDNEY FL	JNCTION TEST		
19.4	mg/dL	10 - 50	
0.61	mg/dL	0.5 - 1.2	
4.8	mg/dL	2.5 - 7.0	
-	19.4 0.61	HIDNEY FUNCTION TEST  19.4 mg/dL  0.61 mg/dL	KIDNEY FUNCTION TEST         19.4       mg/dL       10 - 50         0.61       mg/dL       0.5 - 1.2

----- End Of Report -----



Reg. No : 2307100614
Name : Laxmi Sunkhria
Age/Sex : 33 Years / Female

**Collected On** : 08-Jul-2023 09:11 **Approved On** : 08-Jul-2023 10:44

Reg. Date

Ref. By

**Printed On** : 09-Jul-2023 13:51

: 08-Jul-2023

Client : MEDIWHEEL WELLNESS

<u>Parameter</u>	Result	<u>Unit</u>	Reference Interval	
LIVER FUNCTION TEST WITH GGT				
Total Bilirubin	0.72	mg/dL	0.20 - 1.0	
Colorimetric diazo method				
Conjugated Bilirubin	0.25	mg/dL	0.0 - 0.3	
Sulph acid dpl/caff-benz				
Unconjugated Bilirubin	0.47	mg/dL	0.0 - 1.1	
Sulph acid dpl/caff-benz				
SGOT	18.6	U/L	0 - 31	
(Enzymatic)				
SGPT	20.6	U/L	0 - 31	
(Enzymatic)				
GGT	26.3	U/L	7 - 32	
(Enzymatic colorimetric)				
Alakaline Phosphatase	94.0	U/L	42 - 141	
(Colorimetric standardized method)				
Protien with ratio				
Total Protein	6.0	g/dL	6.5 - 8.7	
(Colorimetric standardized method)				
Albumin	4.3	mg/dL	3.5 - 4.94	
(Colorimetric standardized method)				
Globulin	1.70	g/dL	2.3 - 3.5	
Calculated				
A/G Ratio	2.53		0.8 - 2.0	
Calculated				

----- End Of Report -----

DR PS RAO MD Pathologist



Reg. No : 2307100614 Name : Laxmi Sunkhria Age/Sex : 33 Years / Female

Collected On : 08-Jul-2023 09:11 Approved On : 08-Jul-2023 10:44

: 08-Jul-2023

Reg. Date

Ref. By Client

: MEDIWHEEL WELLNESS

Printed On : 09-Jul-2023 13:51

<u>Parameter</u>	Result	<u>Unit</u>	Reference Interval			
	LIPID PROFILE					
Cholesterol (Enzymatic colorimetric)	175.0	mg/dL	Desirable : < 200.0 Borderline High : 200-239 High : > 240.0			
Triglyceride (Enzymatic colorimetric)	85.9	mg/dL	Normal : < 150.0 Borderline : 150-199 High : 200-499 Very High : > 500.0			
VLDL	17.18	mg/dL	15 - 35			
Calculated						
LDL CHOLESTEROL	115.02	mg/dL	Optimal: < 100.0 Near / above optimal: 100-129 Borderline High: 130-159 High: 160-189 Very High: >190.0			
HDL Cholesterol Homogeneous enzymatic colorimetr	42.8 ic	mg/dL	30 - 85			
Cholesterol /HDL Ratio Calculated	4.09		0 - 5.0			
LDL / HDL RATIO Calculated	2.69		0 - 3.5			

MD Pathologist



2307100614 Reg. No Name Laxmi Sunkhria Age/Sex 33 Years / Female

Collected On : 08-Jul-2023 09:11 Approved On : 08-Jul-2023 10:44

: 08-Jul-2023

: 09-Jul-2023 13:51

Ref. By

**Parameter** 

Client MEDIWHEEL WELLNESS

**Printed On** 

Reg. Date

<u>Unit</u> Reference Interval NEW ATP III GUIDELINES (MAY 2001), MODIFICATION OF NCEP<?xml:namespace prefix = "o" ns = "urn:schemas-

microsoft-com:office:office" />

LDL CHOLESTEROL **CHOLESTEROL HDL CHOLESTEROL TRIGLYCERIDES** Optimal<100

Desirable<200 Low<40 Normal<150 Near Optimal 100-129 Border Line 200-239 High >60 Border High 150-199 Borderline 130-159 High >240 High 200-499

High 160-189

- LDL Cholesterol level is primary goal for treatment and varies with risk category and assesment
- For LDL Cholesterol level Please consider direct LDL value

Risk assessment from HDL and Triglyceride has been revised. Also LDL goals have changed.

- Detail test interpreation available from the lab
- All tests are done according to NCEP guidelines and with FDA approved kits.

Result

LDL Cholesterol level is primary goal for treatment and varies with risk category and assesment

# For test performed on specimens received or collected from non-KSHIPRA locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender.

KSHIPRA will be responsible Only for the analytical part of test carried out. All other responsibility will be of referring Laboratory.

. All other responsibility will be of referring Laboratory.

----- End Of Report -----

This is an electronically authenticated report.

Page 6 of 11



: 2307100614 Reg. No Name : Laxmi Sunkhria Age/Sex : 33 Years / Female

Collected On : 08-Jul-2023 09:11 Approved On : 08-Jul-2023 10:47

Reg. Date

Ref. By

Client

: MEDIWHEEL WELLNESS

Printed On : 09-Jul-2023 13:51

: 08-Jul-2023

<u>Parameter</u>	Result	<u>Unit</u>	Reference Interval		
	THYROID FUNCTION TEST				
T3 (Triiodothyronine)	0.91	ng/mL	0.87 - 1.78		
Chemiluminescence					
T4 (Thyroxine)	6.68	μg/dL	5.89 - 14.9		
Chemiluminescence					
TSH ( ultra sensitive )	4.126	μIU/ml	0.34 - 5.6		
Chemiluminescence					

SUMMARY The hypophyseal release of TSH (thyrotropic hormone) is the central regulating mechanism for the biological action of thyroid hormones. TSH is a very sensitive and specific parameter for assessing thyroid function and is particularly suitable for early detection or exclusion of disorders in the central regulating circuit between the hypothalamus, pituitary and thyroid. LIMITATION Presence of autoantibodies may cause unexpected high value of TSH

----- End Of Report -----

MD Pathologist

This is an electronically authenticated report.

## 

#### **TEST REPORT**

: 2307100614 Reg. No Name : Laxmi Sunkhria Age/Sex 33 Years / Female Reg. Date : 08-Jul-2023 **Collected On** : 08-Jul-2023 09:11

: 08-Jul-2023 10:44 **Approved On Printed On** : 09-Jul-2023 13:51

Ref. By

: MEDIWHEEL WELLNESS

Client

**Parameter** Result Unit Reference Interval

#### **HEMOGLOBIN A1 C ESTIMATION**

Specimen: Blood EDTA

Hb A1C Boronate Affinity with Fluorescent Quenching % of Total Hb

Poor Control: > 7.0 % Good Control: 6.2-7.0 % Non-diabetic Level: 4.3-6.2 %

Mean Blood Glucose Calculated

134.52

5.95

mg/dL

**Degree of Glucose Control Normal Range:** 

Poor Control >7.0% \*

Good Control 6.0 - 7.0 %\*\*Non-diabetic level < 6.0 %

- \* High risk of developing long term complication such as retinopathy, nephropathy, neuropathy, cardiopathy, etc.
- \* Some danger of hypoglycemic reaction in Type I diabetics.
- \* Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1c levels in this area.

#### **EXPLANATION:-**

Total haemoglobin A1 c is continuously symthesised in the red blood cell throught its 120 days life span. The concentration of HBA1c in the cell reflects the average blood glucose concentration it encounters.

\*The level of HBA1c increases proportionately in patients with uncontrolled diabetes. It reflects the average blood glucose oncentration over an extended time period and remains unaffected by short-term fluctuations in blood glucose levels.

\*The measurement of HbA1c can serve as a convenient test for evaluating the adequacy of diabetic control and in preventing various diabetic complications. Because the average half life of a red blood cell is sixty days. HbA1c has been accepted as a measurnment which eflects the mean daily blood glucose concentration, better than fasting blood glucose determination, and the degree of carbohydrate imbalance over the preceding two months.

\*It may also provide a better index of control of the diabetic patient without resorting to glucose loading procedures.

#### **HbA1c** assay Interferences:

\*Errneous values might be obtained from samples with abnormally elevated quantities of other Haemoglobins as a result of either their simultaneous elution with HbA1c(HbF) or differences in their glycation from that of HbA(HbS)

----- End Of Report -----

Page 8 of 11

This is an electronically authenticated report.

Test done from collected sample

DR PS RAO Approved by: MD Pathologist

Reg. No : 2307100614 Name : Laxmi Sunkhria Age/Sex : 33 Years / Female

**Collected On** : 08-Jul-2023 09:11 Approved On : 08-Jul-2023 10:17

Reg. Date

Ref. By

**Parameter** 

**Printed On** : 09-Jul-2023 13:51

: 08-Jul-2023

Client : MEDIWHEEL WELLNESS

> Result <u>Unit</u> Reference Interval

#### URINE ROUTINE EXAMINATION

**PHYSICAL EXAMINATION** 

Quantity 20 cc

Pale Yellow Colour Slight Turbid **Appearance** 

CHEMICAL EXAMINATION (BY REFLECTANCE PHOTOMETRIC METHOD)

рΗ 6.0 5.0 - 8.01.005 1.002 - 1.03 Sp. Gravity

Nil Protein Nil Glucose Ketone Bodies Nil Urine Bile salt and Bile Pigment Nil Urine Bilirubin Nil Nitrite Nil

Leucocytes Present (+)

Blood Nil

#### MICROSCOPIC EXAMINATION (MANUAL BY MCIROSCOPY)

Leucocytes (Pus Cells) 10 - 15/hpf

Erythrocytes (Red Cells) Nil **Epithelial Cells** 1-2/hpf **Amorphous Material** Nil Casts Nil Nil Crystals

**Bacteria** Nil Monilia Nil

----- End Of Report -----

This is an electronically authenticated report.

DR PS RAO Approved by: MD Pathologist

Reg. No : 2307100614
Name : Laxmi Sunkhria
Age/Sex : 33 Years / Female

**Collected On** : 08-Jul-2023 09:11 **Approved On** : 08-Jul-2023 19:57

: 08-Jul-2023

Reg. Date

Reference Interval

Ref. By

<u>Parameter</u>

Client : MEDIWHEEL WELLNESS

**Printed On** : 09-Jul-2023 13:51

## STOOL EXAMINATION

<u>Unit</u>

Colour Brown
Consistency Semi Solid

Result

**CHEMICAL EXAMINATION** 

Occult Blood Negative

Peroxidase Reaction with o-

Dianisidine

Reaction Acidic

pH Strip Method

Reducing Substance Absent

Benedict's Method

#### **MICROSCOPIC EXAMINATION**

Mucus Nil

Pus Cells 1 - 2/hpf

Red Cells Nil **Epithelial Cells** Nil Vegetable Cells Nil **Trophozoites** Nil Cysts Nil Ova Nil **Neutral Fat** Nil Nil Monilia

Note: Stool occult blood test is highly sensitive to peroxidase like activity of free hemoglobin.

**False negative**: False negative occult blood test may be observed in case of excess (>250mg/day) Vitamin C intake and in case of occassinal unruptured RBCs.

**False positive:** False positive occult blood test may be observed in stool samples containing vegetable peroxidase (turnips, horseradish, cauliflower, brocoli, cantaloupe, parsnips) and myoglobin from food (meat diet) intake.

----- End Of Report -----

Page 10 of 11

Oh

Approved by:

ed by: DR PS RAO MD Pathologist

		TEST REPORT		
Reg. No	: 2307100614		Reg. Date	: 08-Jul-2023
Name	: Laxmi Sunkhria		Collected On	: 08-Jul-2023 09:11
Age/Sex	: 33 Years / Female		Approved On	: 08-Jul-2023 11:04
Ref. By	:		Printed On	: 09-Jul-2023 13:51
Client	: MEDIWHEEL WELLNESS			
Paramete	<u>er</u>	Result		
	Specimen	BLOOD GROUP & RH EDTA and Serum; Method: Haemaggl	utination	
ABO		'B'		
Rh (D)		Positive		
·	-	End Of Report		