

Accuracy

Precision

Regd. No.: 1834

EALTHCARE SERVI

(A Unit of Zena Enterprises)

Patient Name: MR. SUDEEP KAR

Age / Gender: 36 years / Male

Patient ID: 20624

Referral: MEDI WHEEL

Collection Time: 29/03/2024, 10:38 AM

Reporting Time: 29/03/2024, 04:25 PM

Sample ID:

Test Description	Value(s)	Reference Range	Unit
------------------	----------	-----------------	------

Thyroid Profile (T3, T4, TSH)

1.58 0.87 - 2.73ng/dL T3-Total

Method: CLIA 8.67 6.09 - 12.23 ug/dL T4-Total

Method : CLIA uIU/mL 0.45 - 4.502.45 TSH-Ultrasensitive

Method: CLIA

Interpretation

TSH	Т3	T4	Suggested Interpretation for the Thyroid Function Tests Pattern
Raised	Within range	Within range	Raised Within Range Within Range .Isolated High TSHespecially in the range of 4.7 to 15 m1U/m1 is commonly associated with Physiological & Biological TSH Variability. Subclinical Autoimmune Hypothyroidism.Intermittent 14 therapy for hypothyroidism .Recovery phase after Non-Thyroidal illness"
Raised	Decreased	Decreased	Chronic Autoimmune Thyroiditis Post thyroidectomy, Post radioiodine Hypothyroid phase of transient thyroiditis"
Raised or within range	Raised	Raised or within range	Interfering antibodies to thyroid hormones (anti-TPO antibodies)Intermittent 14 therapy or T4 overdose *Drug interference- Amiodarone, Heparin,Beta blockers,steroids, anti-epileptics.
Decreased	Raised or within range	Raised or within range	Isolated Low TSH -especially in the range of 0.1 to 0.4 often seen in elderly & Range Range associated with Non-Thyroidal illness .Subclinical Hyperthyroidism .Thyroxine ingestion'
Decreased	Decreased	Decreased	Central Hypothyroidism .Non-Thyroidal illness .Recent treatment for Hyperthyroidism (TSH remains suppressed)"
Decreased	Raised	Raised	Primary Hyperthyroidism (Graves' disease).Multinodular goitre, Toxic nodule *Transient thyroiditis:Postpartum, Silent (lymphocytic), Postviral (granulomatous, subacute, DeQuervain's),Gestational thyrotoxicosis with hyperemesis gravidarum"
Decreased Within Rang	Raised	Within range	T3 toxicosis *Non-Thyroidal illness
Within range	Decreased	Within range	Isolated Low T3-often seen in elderly & associated Non-Thyroidal illness In elderly the drop in 13 level can be upto 25%.

END OF REPORT

Lab technician

Dr.Kundan Kumar Sahoo CONSULTANT PATHOLOGIST / MICROBIOLOGIST

Regd. No.: 1834

EALTHCARE SERVICES

(A Unit of Zena Enterprises)

Patient Name: MR. SUDEEP KAR

Age / Gender: 36 years / Male

Patient ID: 20624

Referral: MEDI WHEEL

Collection Time: 29/03/2024, 10:38 AM

Reporting Time: 29/03/2024, 04:30 PM

Sample ID:

Test Description	Value(s)	Reference Range	Unit
	Lipid P	rofile	
Cholesterol-Total Method: Spectrophotometry	224.25	Desirable level < 200 Borderline High 200-239 High >or = 240	mg/dL
Triglycerides Method: Serum, Enzymatic, endpoint	245.78	Normal: < 150 Borderline High: 150-199 High: 200-499 Very High: >= 500	mg/dL
HDL Cholesterol Method: Serum, Direct measure-PEG	56.06	Normal: > 40 Major Risk for Heart: < 40	mg/dL
LDL Cholesterol Method: Enzymatic selective protection	119.03	Optimal < 100 Near / Above Optimal 100-129 Borderline High 130-159 High 160-189 Very High >or = 190	mg/dL
VLDL Cholesterol Method : Serum, Enzymatic	49.16	6 - 38	mg/dL
CHOL/HDL Ratio Method : Serum, Enzymatic	4.00	3.5 - 5.0	
LDL/HDL Ratio Method: Serum, Enzymatic Note:	2.12	2.5 - 3.5	
8-10 hours fasting sample is required.			

END OF REPORT

Lab technician

Dr.Kundan Kumar Sahoo CONSULTANT PATHOLOGIST / MICROBIOLOGIST

Regd. No.: 1834

EALTHCARE SERVI

(A Unit of Zena Enterprises)

Patient Name: MR. SUDEEP KAR

Age / Gender: 36 years / Male

Patient ID: 20624

Referral: MEDI WHEEL

Collection Time: 29/03/2024, 10:38 AM

Reporting Time: 29/03/2024, 04:28 PM

Sample ID:

			23596
Test Description	Value(s)	Reference Range	Unit
	LFT, Liver Fu	nction Test	
Bilirubin - Total	0.66	0.00 - 1.00	mg/dL
Method: Serum, Jendrassik Grof			o,
Bilirubin - Direct	0.18	0.00 - 0.20	mg/dL
Method : Serum, Diazotization			
Bilirubin - Indirect	0.48	0.10 - 0.80	mg/dL
Method : Serum, Calculated			6/
SGOT	19.65	8 - 33	U/L
Method : Serum, UV with P5P, IFCC 37 degree			0/2
SGPT	28.12	3 - 35	U/L
Method: Serum, UV with P5P, IFCC 37 degree			0/1
GGT-Gamma Glutamyl Transpeptidae	8.47	< 55	U/L
Method : Serum, G-glutamyl-carboxy-nitoanilide			0/15
Alkaline Phosphatase	76.21	53-128	· U/L
Method: PNPP-AMP Buffer/Kinetic			0/1
Total Protein	7.11	6.60 - 8.70	g/dL
Method : Serum, Biuret, reagent blank end point		31.0	g/uD
Albumin	4.17	3.50 - 5.30	g/dL
Method : Serum, Bromocresol green			8/ 412
Globulin	2.94	2.00-3.50	g/dL
Method : Serum, EIA			g/ dL
A/G Ratio	1.42	1.2 - 2.2	
Method : Serum, EIA	-	a see Ali Ed	

END OF REPORT

Lab technician

Dr.Kundan Kumar Sahoo CONSULTANT PATHOLOGIST / MICROBIOLOGIST



Accuracy

Precision

Regd. No.: 1834

HEALTHCARE SERVI

(A Unit of Zena Enterprises)

Patient Name: MR. SUDEEP KAR

Age / Gender: 36 years / Male

Patient ID: 20624

Referral: MEDI WHEEL

Collection Time: 29/03/2024, 10:38 AM

Reporting Time: 29/03/2024, 04:26 PM

Sample ID:

Test Description

Value(s)

Reference Range

Unit

Urine(R/M) Routine Examination of Urine

General	Examination
---------	-------------

Colour	PALE YELLOW	Pale Yellow
Transparency (Appearance)	CLEAR	Clear
Deposit	Absent	Absent
Reaction (pH)	Acidic 6.0	4.5 - 7.0
Specific gravity	1.015	1.005 - 1.030
Chemical Examination		
Urine Protein (Albumin)	Absent	Absent
Urine Glucose (Sugar)	Absent	Absent

Microscopic Examination		
Red blood cells	Absent	0-4
Pus cells (WBCs)	2 - 4 /HPF	0-9
Epithelial cells	1 - 2 /HPF	0-4
Crystals	Absent	Absent
Cast	Absent	Absent
Bacteria	Absent	Absent

/hpf

/hpf /hpf

END OF REPORT

Lab technician

Dr.Kundan Kumar Sahoo CONSULTANT PATHOLOGIST /

MICROBIOLOGIST



Regd. No.: 1834

ENA HEALTHCARE SERVICES

(A Unit of Zena Enterprises)

Patient Name: MR. SUDEEP KAR

Age / Gender: 36 years / Male

Patient ID: 20624

Referral: MEDI WHEEL

Collection Time: 29/03/2024, 10:38 AM

Reporting Time: 29/03/2024, 04:30 PM

Sample ID:

Test Description	Value(s)	Reference Range	Unit

HbA1C, Glycosylated Hemoglobin

HbA1c (GLYCOSYLATED HEMOGLOBIN),

5.28

BLOOD

Method: (HPLC, NGSP certified)

Estimated Average Glucose:

104.84

mg/dL

Interpretation

As per American Diabetes Association (AD	A)
Reference Group	HbA1c in %
Non diabetic adults >=18 years	<5.7
At risk (Prediabetes)	5.7 - 6.4
Diagnosing Diabetes	>= 6.5
Therapeutic goals for glycemic control	Age > 19 years Goal of therapy: < 7.0 Action suggested: > 8.0 Age < 19 years Goal of therapy: < 7.5

Note:

- 1. Since HbA1c reflects long term fluctuations in the blood glucose concentration, a diabetic patient who is recently under good control may still have a high concentration of HbA1c. Converse is true for a diabetic previously under good control but now poorly controlled .
- 2. Target goals of < 7.0 % may be beneficial in patients with short duration of diabetes, long life expectancy and no significant cardiovascular disease. In patients with significant complications of diabetes, limited life expectancy or extensive co-morbid conditions, targeting a goal of < 7.0 % may not be appropriate.

Comments

HbA1c provides an index of average blood glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

ADA criteria for correlation between HbA1c & Mean plasma glucose levels.

HbA1c(%)	Mean Plasma Glucose (mg/dL)
6	126
7	154
8	183
9	212



Accuracy

Precision

Regd. No.: 1834

EALTHCARE SERV

(A Unit of Zena Enterprises)

Patient Name: MR. SUDEEP KAR

Age / Gender: 36 years / Male

Patient ID: 20624

Referral: MEDI WHEEL

Collection Time: 29/03/2024, 10:38 AM

Reporting Time: 29/03/2024, 04:30 PM

Sample ID:

				23596
Test De	escription	Value(s)	Reference Range	Unit
10	240			
11	269			
12	298			
		Glucose, Fa	sting (FBS)	
Glucose Method	fasting : Fluoride Plasma-F, Hexokinase	103.21	75 - 115	mg/dL
		Glucose, Post	Prandial (PP)	
	lucose-Post Prandial : Hexokinase	121.35	70 - 140	mg/dL
		Creati	nine	
Creatinii Method	ne : Serum, Jaffe	0.86	0.60 - 1.30	mg/dL
		Uric acid	, Serum	
Uric Acid	d : Uricase, Colorimetric	5.11	3.4 - 7.0	mg/dL
		BUN, S	erum	
	ood Urea Nitroge Serum, Urease	11	10 - 50	mg/dL

END OF REPORT

Lab technician

Dr.Kundan Kumar Sahoo CONSULTANT PATHOLOGIST / MICROBIOLOGIST



Accuracy

Precision

Regd. No.: 1834

A HEALTHCARE SERVIC

(A Unit of Zena Enterprises)

Patient Name: MR. SUDEEP KAR

Age / Gender: 36 years / Male

Patient ID: 20624

Referral: MEDI WHEEL

Collection Time: 29/03/2024, 10:38 AM

Reporting Time: 29/03/2024, 04:30 PM

Sample ID:

Test Description

Value(s)

Reference Range

Unit

Blood Group ABO & Rh Typing, Blood

Blood Group (ABO typing)

Method: Manual-Hemagglutination RhD Factor (Rh Typing)

Method: Manual hemagglutination

"AB"

Positive

ESR, Erythrocyte Sedimentation Rate

ESR - Erythrocyte Sedimentation Rate

Method: EDTA Whole Blood, Manual Westergren

13

0 - 15

mm/hr

Interpretation:

- It indicates presence and intensity of an inflammatory process. It does not diagnose a specific disease. Changes in the ESR are more significant than the abnormal results of a single test.
- · It is a prognostic test and used to monitor the course or response to treatment of diseases like tuberculosis, bacterial endocarditis, acute rheumatic fever, rheumatoid arthritis, SLE, Hodgkins disease, temporal arteritis and polymyalgia rheumatica.
- It is also increased in pregnancy, multiple myeloma, menstruation, and hypothyroidism.

END OF REPORT

Lab technician

Dr. Kundan Kumar Sahoo CONSULTANT PATHOLOGIST /

MICROBIOLOGIST

A HEALTHCARE SERVIC

(A Unit of Zena Enterprises)

NAME:-SUDEEP KAR

REFERRAL:-MEDI-WHEEL

AGE:-36YRS

DATE: -29.03.2024

Patient ID:-05

SEX :-MALE

CHEST X-RAY PA VEIW SHOWS.

- Both side lung fields are clear.
- Trachea within normal limit.
- Both costophrenic cardiophrenic angle are clear.
- Cardiac shadow within normal limit.
- Media stinum in position

IMPRESSION:-NORMAL STUDY.



Dr.Bhagaban Pradhan M.D.(Radio diagnosis)

ConsultantRadiologist



Accuracy

Precision

Regd. No.: 1834

EALTHCARE SERVICES

(A Unit of Zena Enterprises)

Patient Name: MR. SUDEEP KAR

Age / Gender: 36 years / Male

Patient ID: 20624

Referral: MEDI WHEEL

Collection Time: 29/03/2024, 10:38 AM

Reporting Time: 29/03/2024, 04:24 PM

Sample ID:

Test Description	Value(s)	Reference Range	Unit
	Complete Bl	ood Count	
Hemoglobin (Hb)	14.2	13.5 - 18.0	gm/dL
Erythrocyte (RBC) Count	5.25	4.7 - 6.0	mil/cu.mm
Packed Cell Volume (PCV)	45.0	42 - 52	%
Mean Cell Volume (MCV)	85.71	78 - 100	${ m fL}$
Mean Cell Haemoglobin (MCH)	27.05	27 - 31	pg
Mean Corpuscular Hb Concn. (MCHC)	31.56	32 - 36	g/dL
Red Cell Distribution Width (RDW)	12.8	11.5 - 14.0	%
Total Leucocytes (WBC) Count	9400	4000-10000	cell/cu.mm
Neutrophils	75	40 - 80	%
Lymphocytes	22	20 - 40	%
Monocytes	02	2 - 10	%
Eosinophils	01	1 - 6	%
Basophils	00	1-2	%
Platelet Count	257	150 - 450	10^3/ul
Mean Platelet Volume (MPV)	11.2	7.2 - 11.7	fL
PCT	0.29	0.2 - 0.5	%
PDW	18.7	9.0 - 17.0	%

END OF REPORT

Lab technician

Mall

Dr.Kundan Kumar Sahoo CONSULTANT PATHOLOGIST / MICROBIOLOGIST