

# PHYSICAL EXAMINATION REPORT

R

E

R

Maleculer Pallocian	Jishnu Pesau Sex/Age M(52
Patient Name	1/3/10/01
Date –	25/3/23 Location House,
History and Comp	plaints
	Clo-Hypothyroiduism.
EXAMINATION F	
Height (cms):	65 Temp (0c): Patche
Weight (kg):	73.2 Skin: Eczevators Patche
Blood Pressure	30/80 Nails:
Pulse	Lymph Node:
Systems:	PAREAS OF SPECIAL EXPERTISE
Cardiovascular:	
Respiratory:	l nn
Genitourinary:	PH).
GI System:	
CNS:	
Impression:	CBC-Fosivophilia. JHPL.
	1 A/Gefatio, TSH-(5.7)
	022-6170-0000
	WH.



reatment of Fosinophilia Advice: Regular Exercise. Low Fat, low sugar Diet Thyroid Profile after 6 Hypertension: 1) IHD 2) Arrhythmia 3) **Diabetes Mellitus** 4) **Tuberculosis** 5) Asthama 6) 7) **Pulmonary Disease** Siuce. 5 ps 8) Thyroid/ Endocrine disorders 9) Nervous disorders GI system 10) 11) Genital urinary disorder Rheumatic joint diseases or symptoms 12) Blood disease or disorder 13) 14) Cancer/lump growth/cyst 15) Congenital disease 16) Surgeries 17) Musculoskeletal System PERSONAL HISTORY: 1) Alcohol 2) **Smoking** 3) Diet 4) Medication Dr. Manasee Kulkarni M.B.B.S 2864/06/3439

R

E

R



: 2308421786

Name

: MR. DESAI VISHNU KASHIRAM

Age / Gender

: 51 Years / Male

Consulting Dr. Reg. Location

٠.

: G B Road, Thane West (Main Centre)

Authenticity Check

R

E

0

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 25-Mar-2023 / 09:55 : 25-Mar-2023 / 12:30

# MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT

	CBC (Complete B	Blood Count), Blood	
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
RBC PARAMETERS			METHOD
Haemoglobin RBC PCV MCV MCH MCHC RDW WBC PARAMETERS WBC Total Count	14.7 4.85 44.8 92.4 30.3 32.8 14.0	13.0-17.0 g/dL 4.5-5.5 mil/cmm 40-50 % 80-100 fl 27-32 pg 31.5-34.5 g/dL 11.6-14.0 %	Spectrophotometric Elect. Impedance Measured Calculated Calculated Calculated Calculated Calculated
WBC DIFFERENTIAL AND A Lymphocytes			
Absolute Lymphocytes	31.3 2062.7	20-40 % 1000-3000 /cmm	
Monocytes	5.7	2-10 %	Calculated
Absolute Monocytes Neutrophils	375.6 48.9	200-1000 /cmm 40-80 %	Calculated
Absolute Neutrophils Eosinophils	3222.5 14.1	2000-7000 /cmm	Calculated
Absolute Eosinophils Basophils	929.2	1-6 % 20-500 /cmm 0.1-2 %	Calculated
Absolute Basophils	0.0	20-100 /cmm	Calculated
Immature Leukocytes			

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATE	ET	<b>PARAMETERS</b>	
-------	----	-------------------	--

Platelet Count	244000	150000-400000 /cmm	Elect. Impedance
MPV	8.6	6-11 fl	Calculated
PDW	10.8	11-18 %	Calculated
RBC MORPHOLOGY		/	Carcatated

Page 1 of 14



: 2308421786

Name

: MR. DESAI VISHNU KASHIRAM

Age / Gender

: 51 Years / Male

Consulting Dr.

: -

Reg. Location

: G B Road, Thane West (Main Centre)

Collected

Reported

Use a QR Code Scanner Application To Scan the Code

Authenticity Check

: 25-Mar-2023 / 09:55 :25-Mar-2023 / 12:16

R

E

0

R

Hypochromia

Microcytosis

Macrocytosis

Anisocytosis

Poikilocytosis

Polychromasia

**Target Cells** 

Basophilic Stippling

Normoblasts

Others

Normocytic, Normochromic

WBC MORPHOLOGY

PLATELET MORPHOLOGY

COMMENT

Eosinophilia

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR

5

2-20 mm at 1 hr.

Sedimentation

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West \*\*\* End Of Report \*\*\*







Daniet Taan

Dr.AMIT TAORI M.D (Path) Pathologist

Page 2 of 14



: 2308421786

Name

: MR. DESAI VISHNU KASHIRAM

Age / Gender

: 51 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 25-Mar-2023 / 09:55 :25-Mar-2023 / 14:32

## MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT

PARAMETER

**RESULTS** 

**BIOLOGICAL REF RANGE** 

**METHOD** 

GLUCOSE (SUGAR) FASTING.

Fluoride Plasma

89.9

Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose:

Hexokinase

R

E P

0

100-125 mg/dl

Diabetic: >/= 126 mg/dl

GLUCOSE (SUGAR) PP, Fluoride 134.0

Plasma PP/R

Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance:

Hexokinase

140-199 mg/dl

Diabetic: >/= 200 mg/dl

Urine Sugar (Fasting)

Absent

Absent

Urine Ketones (Fasting)

Absent


Absent

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West \*\*\* End Of Report \*\*\*









Dr.AMIT TAORI M.D (Path) Pathologist

Page 3 of 14



: 2308421786

Name

: MR. DESAI VISHNU KASHIRAM

Age / Gender

: 51 Years / Male

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 25-Mar-2023 / 09:55 :25-Mar-2023 / 13:37 R

E

P

0

т

## MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT **KIDNEY FUNCTION TESTS**

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BLOOD UREA, Serum	15.1	12.8-42.8 mg/dl	Urease & GLDH
BUN, Serum	7.1	6-20 mg/dl	Calculated
CREATININE, Serum	0.72	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	122	>60 ml/min/1.73sqm	Calculated
Note: eGFR estimation is calcu	lated using MDRD (Modification	on of diet in renal disease study group) equ	ation


TOTAL PROTEINS, Serum	6.7	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.6	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.1	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	2.2	1 - 2	Calculated
URIC ACID, Serum	4.2	3.5-7.2 mg/dl	Uricase
PHOSPHORUS, Serum	3.1	2.7-4.5 mg/dl	Ammonium molybdate
CALCIUM, Serum	9.2	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	141	135-148 mmol/l	ISE
POTASSIUM, Serum	3.8	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	102	98-107 mmol/l	ISE

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West \*\*\* End Of Report \*\*\*









Dr.AMIT TAORI M.D (Path) Pathologist

Page 4 of 14



: 2308421786

Name

: MR. DESAI VISHNU KASHIRAM

Age / Gender

:51 Years / Male

Consulting Dr.

1 .

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

: 25-Mar-2023 / 09:55 Reported :25-Mar-2023 / 12:38

## MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER **RESULTS BIOLOGICAL REF RANGE METHOD** Glycosylated Hemoglobin HPLC

(HbA1c), EDTA WB - CC

5.5

Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Estimated Average Glucose (eAG), EDTA WB - CC

111.1

mg/dl

Calculated

R

E

0

#### Intended use:

In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year

In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly

For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

#### Clinical Significance:

HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.

The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

#### Test Interpretation:

The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.

HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.

To monitor compliance and long term blood glucose level control in patients with diabetes.

Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

#### Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West \*\*\* End Of Report \*\*



Donit Toom

Dr.AMIT TAORI M.D (Path) Pathologist

Page 5 of 14



: 2308421786

Name

: MR. DESAI VISHNU KASHIRAM

Age / Gender

: 51 Years / Male

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanne Application To Scan the Code

Collected Reported

: 25-Mar-2023 / 09:55 :25-Mar-2023 / 15:26

## MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT PROSTATE SPECIFIC ANTIGEN (PSA)

PARAMETER

RESULTS

BIOLOGICAL REF RANGE METHOD

R

E

O

TOTAL PSA, Serum

1.338

<4.0 ng/ml

CLIA

Clinical Significance:

- PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.
- Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.
- Prostate cancer screening 4. The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH than in patients with prostate cancer. 5. Calculation of % free PSA (ie. FPSA/TPSA x 100 ), has been suggested as way of improving the differentiation of BPH and Prostate cancer.

Increased In- Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta ,Acute renal failure, Acute myocardial

Decreased In- Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artifactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5-α reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

Reflex Tests: % FREE PSA , USG Prostate

#### Limitations:

tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then the tPSA values obtained upon changing over to the new procedure must be confirmed by parallelmeasurements with both methods. Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization, ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.

Patients who have been regularly exposed to animals or have received immunotherapy or diagnostic procedures utilizing immunoglobulins or immunoglobulin fragments may produce antibodies, e.g. HAMA, that interferes with immunoassays.

- PSA results should be interpreted in light of the total clinical presentation of the patient, including: symptoms, clinical history, data from additional tests, and other appropriate information.
- Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of prostate cancer.

#### Reference:

- Wallach's Interpretation of diagnostic tests
- Total PSA Pack insert







Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Page 6 of 14



: 2308421786

Name

: MR. DESAI VISHNU KASHIRAM

Age / Gender

: 51 Years / Male

Consulting Dr.

. .

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

R

E

0

R

T

Use a QR Code Scanner Application To Scan the Code

Collected Reported

:25-Mar-2023 / 09:55 :25-Mar-2023 / 15:26

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
\*\*\* End Of Report \*\*\*

Page 7 of 14



: 2308421786

Name

: MR. DESAI VISHNU KASHIRAM

Age / Gender

: 51 Years / Male

Consulting Dr. Reg. Location

. .

: G B Road, Thane West (Main Centre)

Use a QR Code Scanner Application To Scan the Code

Authenticity Check

Collected Reported : 25-Mar-2023 / 09:55 : 25-Mar-2023 / 11:19 R

E

0

# MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT EXAMINATION OF FAECES


PARAMETER	RESULTS	BIOLOGICAL REF RANGE
PHYSICAL EXAMINATION		
Colour	Brown	Brown
Form and Consistency	Semi Solid	Semi Solid
Mucus	Absent	Absent
Blood	Absent	Absent
CHEMICAL EXAMINATION		210037
Reaction (pH)	Acidic (6.5)	
Occult Blood	Absent	Absent
MICROSCOPIC EXAMINATION	200000000000000000000000000000000000000	ADJUIT.
Protozoa	Absent	Absent
Flagellates	Absent	Absent
Ciliates	Absent	Absent
Parasites	Absent	Absent
Macrophages	Absent	Absent
Mucus Strands	Absent	Absent
Fat Globules	Absent	Absent
RBC/hpf	Absent	Absent
WBC/hpf	Absent	Absent
Yeast Cells	Absent	Absent
Undigested Particles	Present +	
Concentration Method (for ova)	No ova detected	Absent

<sup>\*</sup>Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
\*\*\* End Of Report \*\*\*









Dr.AMIT TAORI M.D ( Path ) Pathologist

170-0000

Page 8 of 14



: 2308421786

Name

: MR. DESAI VISHNU KASHIRAM

Age / Gender

: 51 Years / Male

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

Collected

: 25-Mar-2023 / 09:55

Use a QR Code Scanner Application To Scan the Code

Authenticity Check

:25-Mar-2023 / 12:00

R

E

0

T

# Reported MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
PHYSICAL EXAMINATION			
Color Reaction (pH)	Pale yellow Acidic (6.0)	Pale Yellow 4.5 - 8.0	- Chaminal Indian
Specific Gravity Transparency	1.020 Slight hazy	1.010-1.030 Clear	Chemical Indicator Chemical Indicator
Volume (ml)  CHEMICAL EXAMINATION	40	-	
Proteins Glucose	Absent	Absent	pH Indicator
Ketones Blood	Absent Absent	Absent Absent	GOD-POD Legals Test
Bilirubin	Absent Absent	Absent Absent	Peroxidase Diazonium Salt
Urobilinogen Nitrite	Normal Absent	Normal Absent	Diazonium Salt Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf Red Blood Cells / hpf	4-5 Absent	0-5/hpf 0-2/hpf	
Epithelial Cells / hpf	2-3		
Casts Crystals	Absent Absent	Absent -	
Amorphous debris Bacteria / hpf	Absent 3-4	Absent Less than 20/hpf	
I-L-		Leas chair zornpi	

URINE EXAMINATION REPORT

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein:(1+ -25 mg/dl, 2+ -75 mg/dl, 3+ 150 mg/dl, 4+ 500 mg/dl)
- Glucose: (1+ 50 mg/dl, 2+ -100 mg/dl, 3+ -300 mg/dl, 4+ -1000 mg/dl)
- Ketone: (1+ -5 mg/dl, 2+ -15 mg/dl, 3+ 50 mg/dl, 4+ 150 mg/dl)

Reference: Pack insert

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West \*\*\* End Of Report \*\*\*







Daniel Taam

Dr.AMIT TAORI M.D (Path) Patnologist

Page 9 of 14



: 2308421786

Name

: MR. DESAI VISHNU KASHIRAM

Age / Gender

: 51 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

Authenticity Check

R

E

0

Use a QR Code Scanne Application To Scan the Code

Collected

: 25-Mar-2023 / 09:55 Reported :25-Mar-2023 / 13:11

## MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT **BLOOD GROUPING & Rh TYPING**

PARAMETER

RESULTS

**ABO GROUP** 

A

Rh TYPING

Positive

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

### Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

#### Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012, F.A. Davis company. Philadelphia

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West \*\*\* End Of Report \*\*\*







Amit Jaan

Dr.AMIT TAORI M.D (Path) Pathologist

Page 10 of 14



: 2308421786

Name

: MR. DESAI VISHNU KASHIRAM

Age / Gender

: 51 Years / Male

Consulting Dr.

. .

Reg. Location :

: G B Road, Thane West (Main Centre)

Authenticity Check

R

E

0

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 25-Mar-2023 / 09:55 : 25-Mar-2023 / 13:37


# MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	150.1	Desirable: <200 mg/dl Borderline High: 200-239mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	86.6	High: >/=240 mg/dl Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	32.6	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	117.5	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	101.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	16.5		Calculated
CHOL / HDL CHOL RATIO, Serum	4.6		Calculated
LDL CHOL / HDL CHOL RATIO, Serum	3.1	0-3.5 Ratio	Calculated

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
\*\*\* End Of Report \*\*\*







Dr.AMIT TAORI M.D ( Path ) Pathologist

Page 11 of 14



: 2308421786

Name

: MR. DESAI VISHNU KASHIRAM

Age / Gender

: 51 Years / Male

Consulting Dr.

Reg. Location

: G B Road, Thane West (Main Centre)

**Authenticity Check** 

R

E

0

R

Use a QR Code Scanner Application To Scan the Code

Collected

: 25-Mar-2023 / 09:55 Reported :25-Mar-2023 / 13:04

## MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT THYROID FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Free T3, Serum	4.5	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	16.7	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	5.7	0.35-5.5 microIU/ml	ECLIA

Kindly correlate clinically.

Page 12 of 14



: 2308421786

Name

: MR. DESAI VISHNU KASHIRAM

Age / Gender

: 51 Years / Male

Consulting Dr. Reg. Location

: G B Road, Thane West (Main Centre)

**Authenticity Check** 

R

E

Use a QR Code Scanner Application To Scan the Code

:25-Mar-2023 / 09:55

Collected

Reported

:25-Mar-2023 / 13:04

#### Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

#### Clinical Significance:

1)TSH Values between high abnormal upto 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological

can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4/T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti- epileptics.

Diurnal Variation: TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation: 19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

#### Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.

2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results this assay is designed to minimize interference from heterophilic antibodies.

1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)

2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357

3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition

4. Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West \*\* End Of Report \*\*\*







Pathologist

Page 13 of 14



: 2308421786

Name

: MR. DESAI VISHNU KASHIRAM

Age / Gender

:51 Years / Male

Consulting Dr. Reg. Location

. .

: G B Road, Thane West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected Reported

: 25-Mar-2023 / 09:55 : 25-Mar-2023 / 13:37 R

E

0


# MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT LIVER FUNCTION TESTS

RESULTS	BIOLOGICAL REF RANGE	METHOD
0.77	0.1-1.2 mg/dl	Diazo
0.28	0-0.3 mg/dl	Diazo
0.49	0.1-1.0 mg/dl	Calculated
6.7	6.4-8.3 g/dL	Biuret
4.6	3.5-5.2 g/dL	BCG
2.1	2.3-3.5 g/dL	Calculated
2.2	1 - 2	Calculated
20.9	5-40 U/L	IFCC without pyridoxal phosphate activation
19.1	5-45 U/L	IFCC without pyridoxal phosphate activation
13.3	3-60 U/L	IFCC
58.8	40-130 U/L	PNPP
	RESULTS  0.77  0.28  0.49  6.7  4.6  2.1  2.2  20.9	0.77

\*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
\*\*\* End Of Report \*\*\*







M.D (Path)
Pathologist

Page 14 of 14



E P

R

Date: 2 1/3/23

CID:

Vishor Desar Sex/Age: 19-52

EYE CHECK UP

Chief complaints:

Systemic Diseases:

Past history:

Unaided Vision:

Busy 426/12 x11/00 N/2 3296 XIJOU HG

Aided Vision:

Refraction:

(Right Eye)

(Left Eye)

	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance								
Vear						194		

Colour Vision: Normal / Abpormal

Remark: Cesc au spelles

MR. PRAKASH KUDVA SR. OPTOMETRIST



: 2308421786

Name

: Mr DESAI VISHNU KASHIRAM

Age / Sex

: 51 Years/Male

Ref. Dr

Reg. Location

: G B Road, Thane West Main Centre

Reg. Date

Reported

Application To Scan the Code : 25-Mar-2023

Authenticity Check

: 25-Mar-2023 / 12:46

Use a OR Code Scanner

R

E

0

R

## X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

## **IMPRESSION:**

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-- End of Report---

Dr Gauri Varma **Consultant Radiologist** MBBS / DMRE

MMC- 2007/12/4113

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023032509345762



### **2D ECHOCARDIOGRAPHY**

## M - MODE FINDINGS:

LVIDD	42	mm
LVIDS	28	mm
LVEF	60	%
IVS	11	mm
PW	7	mm
AO	16	mm
LA	27	mm

### 2D ECHO:

- All cardiac chambers are normal in size
- Left ventricular contractility: Normal
- Regional wall motion abnormality: Absent.
- Systolic thickening: Normal. LVEF = 60%
- tricuspid, aortic, pulmonary valves are: Normal.
- Great arteries: Aorta and pulmonary artery are: Normal.
- Inter artrial and inter ventricular septum are intact.
- Pulmonary veins, IVC, hepatic veins are normal.
- No pericardial effusion. No intracardiac clots or vegetation.

02226170 0000

R

E

R



## PATIENT NAME: MR. VISHNU DESAI

## COLOR DOPPLER:

- Mitral valve doppler E- 1.1 m/s, A 0.7 m/s.
- Mild TR.
- No aortic / mitral regurgition. Aortic velocity 1.6 m/s, PG 10.9 mmHg
- No significant gradient across aortic valve.
- No diastolic dysfunction.

## **IMPRESSION:**

- MILD CONCENTRIC HYPERTROPHY OF LV
- NO REGIONAL WALL MOTION ABNORMALITY AT REST.
- NORMAL LV SYSTOLIC FUNCTION.

----- END OF THE REPORT-----

DR.YOGESH KHARCHE
DNB(MEDICINE) DNB (CARD

DNB(MEDICINE) DNB (CARDIOLOGY)
CONSULTANAT INTERVENTIONAL CARDIOLOGIST.

022-6170-0000

R

E

P

0

R



Reg. No. : 2308421786	Sex : MALE	0
Name :MR.VISHNU DESAI	Age: 51 YRS	R
Ref. By :	Date: 25.03.2023	T

R

## USG ABDOMEN AND PELVIS

**LIVER:** Liver appears normal in size and echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

**GALL BLADDER:** Gall bladder is distended and appears normal. Wall thickness is within normal limits. There is no evidence of any calculus.

PORTAL VEIN: Portal vein is normal. CBD: CBD is normal.

<u>PANCREAS:</u> Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification. Pancreatic duct is not dilated.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

**URINARY BLADDER:** Urinary bladder is distended and normal. Wall thickness is within normal limits.

**PROSTATE:** Prostate is normal in size and echotexture and measures  $2.8 \times 3.6 \times 3.8 \text{ cm}$  in dimension and 20.9 cc in volume. No evidence of any focal lesion. Median lobe does not show significant hypertrophy.

No free fluid or significant lymphadenopathy is seen.

**IMPRESSION:** USG ABDOMEN IS WITHIN NORMAL LIMITS.

Note:Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further/follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis.

DR.DEVENDRA PATIL
MD (RADIO DIAGNOSIS)
(CONSULTANT RADIOLOGIST)

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2<sup>-d</sup> Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053.

CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbai - 400086.

PRECISE TESTING . HEALTHIER LIVING JBURBAN 💨 DIAGNOSTICS

SUBURBAN DIAGNOSTICS - G B ROAD, THANE WEST

DESAI VISHNU KASHIRAM 2308421786 Patient Name: Patient ID:

Date and Time: 25th Mar 23 1:19 PM

51 4 13 years months days Age

Gender Male

Heart Rate 60bpm

Patient Vitals

V4

V1

aVR

130/80 mmHg 73 kg Weight: BP:

168 cm Height: Pulse:

NA NA Spo2:

NA

75

72

aVL

H

Resp:

Others:

Measurements

90ms QRSD:

91

13

aVF

H

426ms OT:

426ms OTc:

60°-16° 12° 170ms P-R-T:

Copyright 2014-2023 Trigog Health, All Rights Reserved.

REPORTED BY

DR SHAILAJA PILLAJ MBBS, MD Physican MD Physican 49972

Disclaimer 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, physician, 2) Patient vitals are as entered by the clinician and not derived from the ECG.

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

Mm/s 10.0 mm/mV

25.0