

Name : Mrs. PRATHIMA TEKUMUDI

PID No. : MED111553659

Register On : 27/03/2023 9:17 AM

SID No. : 80026913

Collection On : 27/03/2023 9:39 AM

Age / Sex : 37 Year(s) / Female

Report On : 27/03/2023 2:30 PM

Type : OP

Printed On : 01/04/2023 12:19 PM

Ref. Dr : MediWheel



| <u>Investigation</u> | <u>Observed Value</u> | <u>Unit</u> | <u>Biological Reference Interval</u> |
|---|-----------------------|-------------|--------------------------------------|
| BLOOD GROUPING AND Rh TYPING (Blood/Agglutination) | 'O' 'Positive' | | |
| <u>Complete Blood Count With - ESR</u> | | | |
| Haemoglobin (Blood/Spectrophotometry) | 12.5 | g/dL | 12.5 - 16.0 |
| Packed Cell Volume(PCV)/Haematocrit (Blood/Numeric Integration of MCV) | 38.9 | % | 37 - 47 |
| RBC Count (Blood/Electrical Impedance) | 4.74 | mill/cu.mm | 4.2 - 5.4 |
| Mean Corpuscular Volume(MCV) (Blood/Calculated) | 82.1 | fL | 78 - 100 |
| Mean Corpuscular Haemoglobin(MCH) (Blood/Calculated) | 26.5 | pg | 27 - 32 |
| Mean Corpuscular Haemoglobin concentration(MCHC) (Blood/Calculated) | 32.2 | g/dL | 32 - 36 |
| RDW-CV (Calculated) | 16.9 | % | 11.5 - 16.0 |
| RDW-SD (Calculated) | 48.56 | fL | 39 - 46 |
| Total Leukocyte Count (TC) (Blood/Electrical Impedance) | 11470 | cells/cu.mm | 4000 - 11000 |
| Neutrophils (Blood/Impedance and absorbance) | 66.84 | % | 40 - 75 |
| Lymphocytes (Blood/Impedance and absorbance) | 24.77 | % | 20 - 45 |
| Eosinophils (Blood/Impedance and absorbance) | 1.86 | % | 01 - 06 |



VERIFIED BY



APPROVED BY

The results pertain to sample tested.

Page 1 of 8

Lab Address: MEDALL HEALTH CARE PVT LTD,#17-11-3/4,DR.GKS MANSION,OFFICIAL COLONY,MAHARANI PETA, VIZAG 530002,.

Name : Mrs. PRATHIMA TEKUMUDI

PID No. : MED111553659

Register On : 27/03/2023 9:17 AM

SID No. : 80026913

Collection On : 27/03/2023 9:39 AM

Age / Sex : 37 Year(s) / Female

Report On : 27/03/2023 2:30 PM

Type : OP

Printed On : 01/04/2023 12:19 PM

Ref. Dr : MediWheel



| <u>Investigation</u> | <u>Observed Value</u> | <u>Unit</u> | <u>Biological Reference Interval</u> |
|---|-----------------------|---------------------------|--|
| Monocytes (Blood/Impedance and absorbance) | 6.14 | % | 01 - 10 |
| Basophils (Blood/Impedance and absorbance) | 0.39 | % | 00 - 02 |
| INTERPRETATION: Tests done on Automated Five Part cell counter. All abnormal results are reviewed and confirmed microscopically. | | | |
| Absolute Neutrophil count (Blood/Impedance and absorbance) | 7.67 | 10 ³ / μ l | 1.5 - 6.6 |
| Absolute Lymphocyte Count (Blood/Impedance) | 2.84 | 10 ³ / μ l | 1.5 - 3.5 |
| Absolute Eosinophil Count (AEC) (Blood/Impedance) | 0.21 | 10 ³ / μ l | 0.04 - 0.44 |
| Absolute Monocyte Count (Blood/Impedance) | 0.70 | 10 ³ / μ l | < 1.0 |
| Absolute Basophil count (Blood/Impedance) | 0.04 | 10 ³ / μ l | < 0.2 |
| Platelet Count (Blood/Impedance) | 3.87 | lakh/cu.mm | 1.4 - 4.5 |
| INTERPRETATION: Platelet count less than 1.5 lakhs will be confirmed microscopically. | | | |
| MPV (Blood/Derived from Impedance) | 8.01 | fL | 8.0 - 13.3 |
| PCT (Calculated) | 0.31 | % | 0.18 - 0.28 |
| ESR (Erythrocyte Sedimentation Rate) (Blood/Automated ESR analyser) | 18 | mm/hr | < 20 |
| BUN / Creatinine Ratio | 10.2 | | |
| Glucose Fasting (FBS) (Plasma - F/Glucose oxidase/Peroxidase) | 105 | mg/dL | Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126 |


CHINTHA SHIVAJI
Lab Manager

VERIFIED BY




Dr K. NEEHARIKA
MD PATHOLOGY
Reg No : 96545

APPROVED BY

The results pertain to sample tested.

Page 2 of 8

Lab Address: MEDALL HEALTH CARE PVT LTD, #17-11-3/4, DR.GKS MANSION, OFFICIAL COLONY, MAHARANI PETA, VIZAG 530002,.

Name : Mrs. PRATHIMA TEKUMUDI

PID No. : MED111553659

Register On : 27/03/2023 9:17 AM

SID No. : 80026913

Collection On : 27/03/2023 9:39 AM

Age / Sex : 37 Year(s) / Female

Report On : 27/03/2023 2:30 PM

Type : OP

Printed On : 01/04/2023 12:19 PM

Ref. Dr : MediWheel



| <u>Investigation</u> | <u>Observed Value</u> | <u>Unit</u> | <u>Biological Reference Interval</u> |
|----------------------|-----------------------|-------------|--------------------------------------|
|----------------------|-----------------------|-------------|--------------------------------------|

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

| | | | |
|---|----------|--|----------|
| Glucose, Fasting (Urine) (Urine - F) | Negative | | Negative |
|---|----------|--|----------|

| | | | |
|--|-----|-------|----------|
| Glucose Postprandial (PPBS) (Plasma - PP/GOD - POD) | 115 | mg/dL | 70 - 140 |
|--|-----|-------|----------|

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

| | | | |
|---|----------|--|----------|
| Urine Glucose(PP-2 hours) (Urine - PP) | Negative | | Negative |
|---|----------|--|----------|

| | | | |
|---|------|-------|----------|
| Blood Urea Nitrogen (BUN) (Serum/Calculated) | 10.2 | mg/dL | 7.0 - 21 |
|---|------|-------|----------|

| | | | |
|--|---|-------|-----------|
| Creatinine (Serum/Jaffe ~ Alkaline Picrate) | 1 | mg/dL | 0.6 - 1.1 |
|--|---|-------|-----------|

| | | | |
|---|-----|-------|-----------|
| Uric Acid (Serum/Uricase/Peroxidase) | 4.8 | mg/dL | 2.6 - 6.0 |
|---|-----|-------|-----------|

Liver Function Test


| | | | |
|---|-----|-------|-----------|
| Bilirubin(Total) (Serum/Diazotized Sulphanilic acid) | 0.5 | mg/dL | 0.1 - 1.2 |
|---|-----|-------|-----------|

| | | | |
|---|-----|-------|-----------|
| Bilirubin(Direct) (Serum/Diazotized Sulphanilic acid) | 0.2 | mg/dL | 0.0 - 0.3 |
|---|-----|-------|-----------|

| | | | |
|---|------|-------|-----------|
| Bilirubin(Indirect) (Serum/Calculated) | 0.30 | mg/dL | 0.1 - 1.0 |
|---|------|-------|-----------|

| | | | |
|--|----|-----|--------|
| SGOT/AST (Aspartate Aminotransferase) (Serum/IFCC without P-5-P) | 14 | U/L | 5 - 40 |
|--|----|-----|--------|

| | | | |
|---|----|-----|--------|
| SGPT/ALT (Alanine Aminotransferase) (Serum/IFCC without P-5-P) | 15 | U/L | 5 - 41 |
|---|----|-----|--------|



VERIFIED BY



APPROVED BY

The results pertain to sample tested.

Page 3 of 8

Lab Address: MEDALL HEALTH CARE PVT LTD,#17-11-3/4,DR.GKS MANSION,OFFICIAL COLONY,MAHARANI PETA, VIZAG 530002,.

Name : Mrs. PRATHIMA TEKUMUDI

PID No. : MED111553659

Register On : 27/03/2023 9:17 AM

SID No. : 80026913

Collection On : 27/03/2023 9:39 AM

Age / Sex : 37 Year(s) / Female

Report On : 27/03/2023 2:30 PM

Type : OP

Printed On : 01/04/2023 12:19 PM

Ref. Dr : MediWheel



| <u>Investigation</u> | <u>Observed Value</u> | <u>Unit</u> | <u>Biological Reference Interval</u> |
|---|-----------------------|-------------|--------------------------------------|
| Alkaline Phosphatase (SAP) (Serum/IFCC AMP Buffer) | 105 | U/L | 42 - 98 |
| Total Protein (Serum/Biuret) | 7.5 | gm/dl | 6.0 - 8.0 |
| Albumin (Serum/Bromocresol green) | 4.2 | gm/dl | 3.5 - 5.2 |
| Globulin (Serum/Calculated) | 3.30 | gm/dL | 2.3 - 3.6 |
| A : G RATIO (Serum/Calculated) | 1.27 | | 1.1 - 2.2 |

INTERPRETATION:Enclosure : Graph

GGT(Gamma Glutamyl Transpeptidase)
(Serum/IFCC / Kinetic)

24

U/L

< 38

Lipid Profile

Cholesterol Total

191

mg/dL

Optimal: < 200
Borderline: 200 - 239
High Risk: >= 240

(Serum/Cholesterol oxidase/Peroxidase)

Triglycerides


102

mg/dL

Optimal: < 150
Borderline: 150 - 199
High: 200 - 499
Very High: >=500

(Serum/Glycerol-phosphate oxidase/Peroxidase)

INTERPRETATION:The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual_ circulating level of triglycerides during most part of the day.



VERIFIED BY



APPROVED BY

Name : Mrs. PRATHIMA TEKUMUDI

PID No. : MED111553659

Register On : 27/03/2023 9:17 AM

SID No. : 80026913

Collection On : 27/03/2023 9:39 AM

Age / Sex : 37 Year(s) / Female

Report On : 27/03/2023 2:30 PM

Type : OP

Printed On : 01/04/2023 12:19 PM

Ref. Dr : MediWheel




| <u>Investigation</u> | <u>Observed Value</u> | <u>Unit</u> | <u>Biological Reference Interval</u> |
|---|-----------------------|-------------|---|
| HDL Cholesterol (Serum/Immunoinhibition) | 62 | mg/dL | Optimal(Negative Risk Factor): >= 60 Borderline: 50 - 59 High Risk: < 50 |
| LDL Cholesterol (Serum/Calculated) | 108.6 | mg/dL | Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >=190 |
| VLDL Cholesterol (Serum/Calculated) | 20.4 | mg/dL | < 30 |
| Non HDL Cholesterol (Serum/Calculated) | 129.0 | mg/dL | Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >=220 |

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol.
2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

| | | |
|---|-----|--|
| Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated) | 3.1 | Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0 |
|---|-----|--|

| | | |
|--|-----|--|
| Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated) | 1.6 | Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0 |
|--|-----|--|


CHINTHA SHIVAJI
Lab Manager

VERIFIED BY




Dr K. NEEHARIKA
MD PATHOLOGY
Reg No : 96545

APPROVED BY

The results pertain to sample tested.

Page 5 of 8

Lab Address: MEDALL HEALTH CARE PVT LTD,#17-11-3/4,DR.GKS MANSION,OFFICIAL COLONY,MAHARANI PETA, VIZAG 530002,.

Name : Mrs. PRATHIMA TEKUMUDI

PID No. : MED111553659

Register On : 27/03/2023 9:17 AM

SID No. : 80026913

Collection On : 27/03/2023 9:39 AM

Age / Sex : 37 Year(s) / Female

Report On : 27/03/2023 2:30 PM

Type : OP

Printed On : 01/04/2023 12:19 PM

Ref. Dr : MediWheel



| <u>Investigation</u> | <u>Observed Value</u> | <u>Unit</u> | <u>Biological Reference Interval</u> |
|---|-----------------------|-------------|---|
| LDL/HDL Cholesterol Ratio (Serum/Calculated) | 1.8 | | Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0 |

Glycosylated Haemoglobin (HbA1c)

| | | | |
|--|-----|---|---|
| HbA1C (Whole Blood/HPLC-Ion exchange) | 6.3 | % | Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5 |
|--|-----|---|---|

INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 % , Fair control : 7.1 - 8.0 % , Poor control >= 8.1 %

| | | | |
|-------------------------------------|--------|-------|--|
| Mean Blood Glucose (Whole Blood) | 134.11 | mg/dl | |
|-------------------------------------|--------|-------|--|

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency, hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.

THYROID PROFILE / TFT


| | | | |
|---|------|-------|------------|
| T3 (Triiodothyronine) - Total (Serum/Chemiluminescent Immunometric Assay (CLIA)) | 1.55 | ng/ml | 0.7 - 2.04 |
|---|------|-------|------------|

INTERPRETATION:

Comment :

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

| | | | |
|--|------|-------|------------|
| T4 (Thyroxine) - Total (Serum/Chemiluminescent Immunometric Assay (CLIA)) | 9.93 | µg/dl | 4.2 - 12.0 |
|--|------|-------|------------|



VERIFIED BY



APPROVED BY

Name : Mrs. PRATHIMA TEKUMUDI

PID No. : MED111553659

Register On : 27/03/2023 9:17 AM

SID No. : 80026913

Collection On : 27/03/2023 9:39 AM

Age / Sex : 37 Year(s) / Female

Report On : 27/03/2023 2:30 PM

Type : OP

Printed On : 01/04/2023 12:19 PM

Ref. Dr : MediWheel



| <u>Investigation</u> | <u>Observed Value</u> | <u>Unit</u> | <u>Biological Reference Interval</u> |
|----------------------|-----------------------|-------------|--------------------------------------|
|----------------------|-----------------------|-------------|--------------------------------------|

INTERPRETATION:

Comment :

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone)
(Serum/Chemiluminescence)

3.92 μ IU/mL

0.35 - 5.50

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5

2 nd trimester 0.2-3.0

3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment :

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.

3.Values \leq 0.03 μ IU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

Urine Analysis - Routine

Others

Nil

(Urine/Microscopy)

INTERPRETATION:Note: Done with Automated Urine Analyser & microscopy

Physical Examination(Urine Routine)

Colour

Cloudy

Yellow to Amber

(Urine/Physical examination)

Appearance

Hazy

Clear

(Urine/Physical examination)


Chemical Examination(Urine Routine)

Protein

Negative

Negative

(Urine/Dipstick-Error of indicator/
Sulphosalicylic acid method)



VERIFIED BY



APPROVED BY

The results pertain to sample tested.

Page 7 of 8

Lab Address: MEDALL HEALTH CARE PVT LTD,#17-11-3/4,DR.GKS MANSION,OFFICIAL COLONY,MAHARANI PETA, VIZAG 530002,.

Name : Mrs. PRATHIMA TEKUMUDI

PID No. : MED111553659

Register On : 27/03/2023 9:17 AM

SID No. : 80026913

Collection On : 27/03/2023 9:39 AM

Age / Sex : 37 Year(s) / Female

Report On : 27/03/2023 2:30 PM

Type : OP

Printed On : 01/04/2023 12:19 PM

Ref. Dr : MediWheel



| <u>Investigation</u> | <u>Observed Value</u> | <u>Unit</u> | <u>Biological Reference Interval</u> |
|---|----------------------------|-------------|--------------------------------------|
| Glucose (Urine/Dip Stick Method / Glucose Oxidase - Peroxidase / Benedict's semi quantitative method.) | Negative | | Negative |
| <u>Microscopic Examination(Urine Routine)</u> | | | |
| Pus Cells (Urine/Microscopy exam of urine sediment) | 4-6 | /hpf | 0 - 5 |
| Epithelial Cells (Urine/Microscopy exam of urine sediment) | Plenty of epithelial Cells | /hpf | NIL |
| RBCs (Urine/Microscopy exam of urine sediment) | 2-4 | /hpf | 0 - 5 |



VERIFIED BY



APPROVED BY

-- End of Report --

| | | | |
|--------------|-------------------|------------|--------------------|
| Name | PRATHIMA TEKUMUDI | ID | MED111553659 |
| Age & Gender | 37Y/F | Visit Date | Mar 27 2023 9:17AM |
| Ref Doctor | MediWheel | | |

ULTRASOUND WHOLE ABDOMEN


- Liver** : **Normal in size (14.6 cm) shows diffuse increase in echotexture.**
There is no evidence of IHBR / EHBR dilatation seen.
No focal space occupying lesions seen.
CBD is normal. PV normal.
- Gall Bladder : Normal in volume and wall thickness.
 No e/o intraluminal calculi seen.
- Pancreas : Head, body and tail are identified with normal echopattern and smooth outlines.
- Spleen : Measured 10.0 cm, in size with normal echotexture.
- Right kidney : Measured 9.0 x 4.0 cm in size.
- Left kidney : Measured 8.7 x 4.3 cm in size.
 Both kidneys are normal in size, position, with well preserved cortico medullary differentiation and normal pelvicalyceal anatomy.
 No e/o calculi / space occupying lesion seen.
 No e/o suprarenal / retroperitoneal masses noted.
- Urinary bladder : Normal in volume and wall thickness.
 No e/o intraluminal calculi / masses seen.
- Uterus : Measured 7.3 x 4.8 x 5.4 cm in size with normal myometrial and endometrial echotexture.
 Endometrial echo measured 6 mm.
- Right ovary : Measured 2.2 x 1.6 cm in size.
 Left ovary : Measured 2.4 x 1.6 cm in size.
 Both ovaries are normal in size and appearance.
- No e/o ascites / pleural effusion seen.
 No e/o detectable bowel pathology seen.

IMPRESSION :

- **Grade II hepatosteatorsis – To correlate with LFT.**

| | | | |
|--------------|-------------------|------------|--------------------|
| Name | PRATHIMA TEKUMUDI | ID | MED111553659 |
| Age & Gender | 37Y/F | Visit Date | Mar 27 2023 9:17AM |
| Ref Doctor | MediWheel | | |

- For clinical correlation.



Dr. Jahnavi Barla, MD (RD)

Consultant Radiologist