Name PID No. SID No. Age / Sex Type Ref. Dr <u>Investig</u>	: Mr. SHANTHA KUMAR B V : MED122512549 : 522404443 : 32 Year(s) / Male : OP : MediWheel ation	Collection On : 16 Report On : 16 Printed On : 23 Observed	03/2024 8:58 AM /03/2024 10:28 AM /03/2024 3:30 PM /03/2024 3:53 PM <u>Unit</u>	DIAGNOSTICS
TYPINC (EDTA BI	GROUPING AND Rh Glood/Agglutination) RETATION: Note: Slide method is s	<u>Value</u> 'O' 'Positive' screening method. Kindl	y confirm with Tube met	Reference Interval
	te Blood Count With - ESR		-	
Haemog (EDTA Bl	(lobin lood'Spectrophotometry)	14.3	g/dL	13.5 - 18.0
Packed ((EDTA Bl	Cell Volume(PCV)/Haematocrit	42.4	%	42 - 52
RBC Co (EDTA BI		4.78	mill/cu.mm	4.7 - 6.0
Mean Co (EDTA Bl	orpuscular Volume(MCV) lood)	88.5	fL	78 - 100
Mean Co (EDTA Bl	orpuscular Haemoglobin(MCH) lood)	30.0	pg	27 - 32
	orpuscular Haemoglobin ration(MCHC)	33.9	g/dL	32 - 36
RDW-C		13.3	%	11.5 - 16.0
RDW-S	D	42.0	fL	39 - 46
Total Le (EDTA Bl	eukocyte Count (TC)	9800	cells/cu.mm	4000 - 11000
Neutrop (Blood)	hils	65.9	%	40 - 75
Lympho (Blood)	ocytes	24.3	%	20 - 45
Eosinop (Blood)	hils	0.9	%	01 - 06
Monocy (Blood)	tes	8.2	%	01 - 10





The results pertain to sample tested.

Page 1 of 10

SID No. : Age / Sex : Type :	Mr. SHANTHA KUMAR B V MED122512549 522404443 32 Year(s) / Male OP MediWheel	Collection On : Report On :	16/03/2024 8:58 AM 16/03/2024 10:28 AM 16/03/2024 3:30 PM 23/03/2024 3:53 PM	C DIAGNOSTICS
<u>Investigati</u>	ion	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
Basophils (Blood)		0.7	%	00 - 02
INTERPRE	ETATION: Tests done on Automa	ted Five Part cell cou	inter. All abnormal results a	are reviewed and confirmed microscopically.
Absolute N (EDTA Blood	Neutrophil count d)	6.5	10^3 / µl	1.5 - 6.6
Absolute L (EDTA Bloo	Lymphocyte Count	2.4	10^3 / µl	1.5 - 3.5
Absolute E (EDTA Blood	Eosinophil Count (AEC) d)	0.1	10^3 / µl	0.04 - 0.44
Absolute N (EDTA Blood	Monocyte Count d)	0.8	10^3 / µl	< 1.0
Absolute E (EDTA Bloo	Basophil count d)	0.1	10^3 / µl	< 0.2
Platelet Co (EDTA Bloo		281	10^3 / µl	150 - 450
MPV (Blood)		9.3	fL	7.9 - 13.7
PCT (Automated E	Blood cell Counter)	0.260	%	0.18 - 0.28
	hrocyte Sedimentation Rate)	17	mm/hr	< 15
Glucose Fa (Plasma - F/C	asting (FBS) GOD-PAP)	103.30	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine) (Urine - F/GOD - POD)	Negative		Negative
Glucose Postprandial (PPBS) (Plasma - PP/GOD-PAP)	88.36	mg/dL	70 - 140



Dr Anusha.K.S Sr.Consultant Pathologist Reg No : 100674 **APPROVED BY**

The results pertain to sample tested.

Page 2 of 10

Name	: Mr. SHANTHA KUMAR B V			
PID No.	: MED122512549	Register On : 16	6/03/2024 8:58 AM	\sim
SID No.	: 522404443	Collection On : 1	6/03/2024 10:28 AM	
Age / Sex	: 32 Year(s) / Male	Report On : 1	6/03/2024 3:30 PM	medall
Туре	: OP	Printed On : 2	3/03/2024 3:53 PM	DIAGNOSTICS
Ref. Dr	: MediWheel			
<u>Investiga</u>	<u>ation</u>	<u>Observed</u> <u>Value</u>	Unit	<u>Biological</u> Reference Interval
Factors suc Fasting blo		Postprandial glucose, l	because of physiological sur	drugs can influence blood glucose level. ge in Postprandial Insulin secretion, Insulin on during treatment for Diabetes.
	rea Nitrogen (BUN) ease UV / derived)	6.8	mg/dL	7.0 - 21
Creatinin (Serum/Mo	e dified Jaffe)	0.76	mg/dL	0.9 - 1.3
ingestion c	of cooked meat, consuming Protein/	Creatine supplements, I	Diabetic Ketoacidosis, prolo	ere dehydration, Pre-eclampsia, increased nged fasting, renal dysfunction and drugs chemotherapeutic agent such as flucytosine
Uric Acio (Serum/Enz		4.90	mg/dL	3.5 - 7.2
	nction Test			
Bilirubin (Serum/DC	(Total) A with ATCS)	0.78	mg/dL	0.1 - 1.2
Bilirubin (Serum/Dia	(Direct) azotized Sulfanilic Acid)	0.24	mg/dL	0.0 - 0.3
Bilirubin (Serum/Det	(Indirect)	0.54	mg/dL	0.1 - 1.0
Aminotra	ST (Aspartate ansferase) <i>dified IFCC)</i>	30.59	U/L	5 - 40
	LT (Alanine Aminotransferase) dified IFCC)	15.75	U/L	5 - 41
	mma Glutamyl Transpeptidase) CC / Kinetic)) 13.91	U/L	< 55
	Phosphatase (SAP) dified IFCC)	109.0	U/L	53 - 128
Total Pro (Serum/ <i>Biu</i>		7.40	gm/dl	6.0 - 8.0





The results pertain to sample tested.

Page 3 of 10

Name	: Mr. SHANTHA KUMAR B V			
PID No.	: MED122512549	Register On	: 16/03/2024 8:58 AM	\sim
SID No.	: 522404443	Collection On	: 16/03/2024 10:28 AM	
Age / Sex	: 32 Year(s) / Male	Report On	: 16/03/2024 3:30 PM	medall
Туре	: OP	Printed On	: 23/03/2024 3:53 PM	DIAGNOSTICS
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Albumin (Serum/Bromocresol green)	4.32	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	3.08	gm/dL	2.3 - 3.6
A : G RATIO (Serum/ <i>Derived</i>)	1.40		1.1 - 2.2
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	159.32	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	70.16	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual_ circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	32.62	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/ <i>Calculated</i>)	112.7	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >=190
VLDL Cholesterol (Serum/Calculated)	14	mg/dL	< 30





The results pertain to sample tested.

Page 4 of 10

Name	: Mr. SHANTHA KUMAR B V				
PID No.	: MED122512549	Register On	:	16/03/2024 8:58 AM	\sim
SID No.	: 522404443	Collection On	:	16/03/2024 10:28 AM	
Age / Sex	: 32 Year(s) / Male	Report On	:	16/03/2024 3:30 PM	medall
Туре	: OP	Printed On	:	23/03/2024 3:53 PM	DIAGNOSTICS
Ref. Dr	: MediWheel				
<u>Investiga</u>	ation	<u>Observe</u> <u>Value</u>	<u>d</u>	<u>Unit</u>	Biological Reference Interval
Non HD (Serum/Ca	L Cholesterol	126.7		mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189

INTERPRETATION: 1.Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	4.9		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/ <i>Calculated</i>)	2.2		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/ <i>Calculated</i>)	3.5		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0
<u>Glycosylated Haemoglobin (HbA1c)</u>			
HbA1C (Whole Blood/ <i>HPLC</i>)	5.3	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5
INTERPRETATION: If Diabetes - Good control : 6.1	- 7.0 % , Fair	control : 7.1 - 8.0 % , Poor cor	ntrol >= 8.1 %
Estimated Average Glucose	105.41	mg/dL	



Dr Anusha.K.S Sr.Consultant Pathologist

High: 190 - 219 Very High: >= 220

Sr.Consultant Pathologist Reg No : 100674 APPROVED BY

The results pertain to sample tested.

(Whole Blood)

Page 5 of 10

: Mr. SHANTHA KUMAR B V	,						
: MED122512549	Register On : 1	6/03/2024 8:58 AM					
: 522404443	Collection On :	16/03/2024 10:28 AM					
: 32 Year(s) / Male	Report On :	16/03/2024 3:30 PM	medall				
: OP	Printed On :	23/03/2024 3:53 PM	DIAGNOSTICS				
: MediWheel							
ation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval				
INTERPRETATION: Comments HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations. Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency, hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion. Pregnancy, End stage Benal dicease can cause falsely low HbA1c							
DID PROFILE / TFT							
odothyronine) - Total CLIA)	1.42	ng/ml	0.7 - 2.04				
RETATION: t: variation can be seen in other conditi cally active.	on like pregnancy, drug	gs, nephrosis etc. In such c	cases, Free T3 is recommended as it is				
oxine) - Total <i>CLIA</i>)	8.74	µg/dl	4.2 - 12.0				
RETATION: t: variation can be seen in other conditi cally active.	on like pregnancy, drug	gs, nephrosis etc. In such o	cases, Free T4 is recommended as it is				
hyroid Stimulating Hormone)	1.92	µIU/mL	0.35 - 5.50				
 INTERPRETATION: Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0 (Indian Thyroid Society Guidelines) Comment: 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI. 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM.The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations. 3.Values&amplt(0.03 μIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals. 							
	 MED122512549 522404443 32 Year(s) / Male OP MediWheel ation ation RETATION: Comments rovides an index of Average Blood Compared to blood and urinary glucts that prolong RBC life span like Irrelyceridemia, hyperbilirubinemia, Drug is that shorten RBC survival like acut, Pregnancy, End stage Renal disease DPROFILE / TFT odothyronine) - Total <i>CLIA</i>) RETATION: t: variation can be seen in other conditionally active. oxine) - Total <i>CLIA</i>) RETATION: t: variation can be seen in other conditionally active. oxine) - Total <i>CLIA</i>) RETATION: t: variation can be seen in other conditionally active. oxine) - Total <i>CLIA</i>) RETATION: t: variation can be seen in other conditionally active. atomic of the seen in other conditionally active. atomic of the seen in other conditionally active. by oid Stimulating Hormone) <i>CLIA</i>) RETATION: t: t: erange for cord blood - upto 20 ster: 0.1-2.5 ester 0.2-3.0 ster: 0.3-3.0 hyroid Society Guidelines) t: ference range during pregnancy dependence of 50%, hence time of the day If a complete of the day If a	i: 522404443 i: 32 Year(s) / Male Report On : i: OP Printed On : i: MediWheel ation Observed Value RETATION: Comments rovides an index of Average Blood Glucose levels over the parameter of blood and urinary glucose determinations. is that prolong RBC life span like Iron deficiency anemia, Value Retration RBC survival like acute or chronic blood loss. Pregnancy, End stage Renal disease can cause falsely low of the pregnancy, End stage Renal disease can cause falsely low of the pregnancy, End stage Renal disease can cause falsely low of the pregnancy. Pregnancy is that shorten RBC survival like acute or chronic blood loss. Pregnancy, End stage Renal disease can cause falsely low of the pregnancy. In the proof of the pregnancy depends on lodine intake, Taylor distinulating Hormone) 1.92 CLIA) RETATION: t: erange for cord blood - upto 20 ster : 0.3-3.0 hyroid Society Guidelines) t: ference range during pregnancy depends on Iodine intake, Taylor subject to circadian variation, reaching peak levels order of 50%, hence time of the day has influence on the me	image: MED122512549 Register On : 16/03/2024 8:58 AM : 522404443 Collection On : 16/03/2024 10:28 AM : 32 Year(s) / Male Report On : 16/03/2024 3:30 PM : OP Printed On : 23/03/2024 3:53 PM : MediWheel Male ation Observed Value Register On : 16/03/2024 3:53 PM image: MediWheel Multi Value Regate: Unit Value Regate: Unit Value Report On : 23/03/2024 3:53 PM MediWheel Multi Value Report On : 23/03/2024 3:53 PM Multi Value Report On : 23/03/2024 3:53 PM Multi Value Report On : 23/03/2024 3:53 PM Multi Value Multinanding indicate and indicate and in anops of				

<u>PHYSICAL EXAMINATION (URIN</u> <u>COMPLETE)</u>





The results pertain to sample tested.

Page 6 of 10

Name : Mr. SHANTHA KUMAR B V

: MediWheel

Ref. Dr

PID No.	: MED122512549	Register On : 16/03/2024 8:58 AM
SID No.	: 522404443	Collection On : 16/03/2024 10:28 AM
Age / Sex	: 32 Year(s) / Male	Report On : 16/03/2024 3:30 PM
Туре	: OP	Printed On : 23/03/2024 3:53 PM

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> Reference Interval
Colour (Urine)	Pale yellow		Yellow to Amber
Appearance (Urine)	Clear		Clear
Volume(CLU) (Urine)	20		
<u>CHEMICAL EXAMINATION (URINE</u> <u>COMPLETE)</u>			
pH (Urine)	5.5		4.5 - 8.0
Specific Gravity (Urine)	1.007		1.002 - 1.035
Ketone (Urine)	Negative		Negative
Urobilinogen (Urine)	Normal		Normal
Blood (Urine)	Negative		Negative
Nitrite (Urine)	Negative		Negative
Bilirubin (Urine)	Negative		Negative
Protein (Urine)	Negative		Negative
Glucose (Urine/GOD - POD)	Negative		Negative
Leukocytes(CP) (Urine)	Negative		
MICROSCOPIC EXAMINATION			

(URINE COMPLETE)





The results pertain to sample tested.

Page 7 of 10

Name	: Mr. SHANTHA KUMAR B V			
PID No.	: MED122512549	Register On	: 16/03/2024 8:58 AM	~
SID No.	: 522404443	Collection On	: 16/03/2024 10:28 AM	
Age / Sex	: 32 Year(s) / Male	Report On	: 16/03/2024 3:30 PM	medall
Туре	: OP	Printed On	: 23/03/2024 3:53 PM	DIAGNOSTICS
Ref. Dr	: MediWheel			

Investigation **Observed** <u>Unit</u> **Biological** Value Reference Interval Pus Cells 0-1 /hpf (Urine) Epithelial Cells 0-1 /hpf (Urine) **RBCs** NIL /hpf (Urine)

(Urine) INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

Casts (Urine)	NIL	/hpf	NIL
Crystals (Urine)	NIL	/hpf	NIL

NIL





NIL

NIL

NIL

The results pertain to sample tested.

Others

Name	: Mr. SHANTHA KUMAR B V	
PID No.	: MED122512549 Register On : 16/03/2024 8:58 AM	
SID No	: 522404443 Collection On : 16/03/2024 10:28 AM	
Age / S	: 32 Year(s) / Male Report On : 16/03/2024 3:30 PM meda	all
Туре	: OP Printed On : 23/03/2024 3:53 PM DIAGNOST	
Ref. Dr	: MediWheel	

Investigation

BUN / Creatinine Ratio

Observed Value 8.9 Biological Reference Interval 6.0 - 22.0



<u>Unit</u>



Reg No : 100674 APPROVED BY

The results pertain to sample tested.

Page 9 of 10

Lab Address: BANGALORE REFERENCE LABORATORY-CLUMAX DIAGNOSTIC AND RESEARCH CENTRE PVT LTD. (A UNIT OF MEDALL HEALTHCARE PVT. LTD.).Old No66 & New No 1. 2nd Main Road. Bashvam Circle

Name	: Mr. SHANTHA KUMAR B V			
PID No.	: MED122512549	Register On	: 16/03/2024 8:58 AM	
SID No.	: 522404443	Collection On	: 16/03/2024 10:28 AM	
Age / Sex	: 32 Year(s) / Male	Report On	: 16/03/2024 3:30 PM	medall
Туре	: OP	Printed On	: 23/03/2024 3:53 PM	DIAGNOSTICS
Ref. Dr	: MediWheel			

Investigation

Observed Unit Value Biological Reference Interval

URINE ROUTINE





APPROVED BY

-- End of Report --

The results pertain to sample tested.



Name	Mr.SHANTHA KUMAR B V	ID	MED122512549
Age & Gender	32/MALE	Visit Date	16/03/2024
Ref Doctor Name	MediWheel		

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER shows normal shape and has clear contents. Wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size and echopattern.

KIDNEYS

Right kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

Left kidney: Normal in shape, size and echopattern. Cortico-medullary differentiation is well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

-	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	9.3	1.5
Left Kidney	10.6	1.7

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

PROSTATE shows normal shape, size and echopattern.

No evidence of ascites.

IMPRESSION:

• No significant abnormality detected.

REPORT DISCLAIMER

^{1.} This is only a radiologincal imperssion. Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.

The results reported here in are subject to interpretation by qualified medical professionals only.
 Customer identities are accepted provided by the customer or their representative.

^{4.}information about the customer's condition at the time of sample collection such as fasting, food

consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.

^{5.}If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.

^{6.}Test results should be interpreted in context of clinical and other findings if any. In case of any clarification /doubt, the refrering doctor/patient can contact the respective section head of the laboratory.

^{7.}Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,

^{8.}If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.

^{9.}Liability is limited to the extend of amount billed.

^{10.}Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.

^{11.}Disputes, if any, with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.



Name	Mr.SHANTHA KUMAR B V	ID	MED122512549
Age & Gender	32/MALE	Visit Date	16/03/2024
Ref Doctor Name	MediWheel		

DR. SHWETHA S CONSULTANT RADIOLOGIST Sw/Mi

REPORT DISCLAIMER

- 1. This is only a radiologincal imperssion. Like other investigations, radiological investication also have limitation. Therefore radiologincal reports should be interpreted in correlation with clinical and pathological findings.
- 2. The results reported here in are subject to interpretation by qualified medical professionals only.
- 3.Customer identities are accepted provided by the customer or their representative.
- 4.information about the customer's condition at the time of sample collection such as fasting, food consumption, medication, etc are accepted as provided by the customer or representative and shall not be investigated for its truthfulness.
- 5.If any specimen/sample is received from any others laboratory/hospital,its is presumed that the sample belongs to the patient identified or named.
- 6.Test results should be interpreted in context of clinical and other findings if any.In case of any clarification /doubt , the refrering doctor/patient can contact the respective section head of the laboratory.
- 7.Results of the test are influenced by the various factors such as sensitivity, specificity of the procedures of the tests, quality of the samples and drug interactions etc.,
- 8.If the test results are found not to be correlating clinically can contact the lab in charge for clarification or retesting where practicable within 24 hours from the time of issue of results.
- 9.Liability is limited to the extend of amount billed.
- 10.Reports are subject to interpretation in their entirety.partial or selective interpretation may lead to false opinion.
- 11.Disputes, if any, with regard to the report findings are subject to the exclusive jurisdiction of the competent courts chennai only.



Name	Mr. SHANTHA KUMAR B V	ID	MED122512549
Age & Gender	32Y/M	Visit Date	Mar 16 2024 8:57AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: Essentially normal study.

DR. TRISHUL SHETTY CONSULTANT RADIOLOGIST