





CLIENT CODE: C000138363
CLIENT'S NAME AND ADDRESS:

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156

P S SRIJAN TECH PARK BUILDING, DN-52, UNIT NO. 2, GROUND FLOOR, SECTOR V, SALT LAKE,

KOLKATA, 700091 WEST BENGAL, INDIA

Tel: 9111591115, Fax: 30203412 CIN - U74899PB1995PLC045956 Email: customercare.saltlake@srl.in

PATIENT NAME: SWATI KUMARI PATIENT ID: SWATF02018731

ACCESSION NO: 0031WD00114 AGE: 36 Years SEX: Female ABHA NO:

DRAWN: 03/04/2023 08:45 RECEIVED: 03/04/2023 08:51 REPORTED: 04/04/2023 12:07

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status	Final	Results	Biological Reference Interval Units	

## MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

DI COD COUNTS EDTA WILLS E DI COD					
BLOOD COUNTS, EDTA WHOLE BLOOD	10.0		100 150		
HEMOGLOBIN (HB)	12.9		12.0 - 15.0	g/dL	
METHOD : SPECTROPHOTOMETRY	4 4 4		2.0 4.0	:171	
RED BLOOD CELL (RBC) COUNT  METHOD: ELECTRICAL IMPEDANCE	4.11		3.8 - 4.8	mil/µl	-
WHITE BLOOD CELL (WBC) COUNT	6.64		4.0 - 10.0	thou/j	ul
METHOD : ELECTRICAL IMPEDANCE	0.04		4.0 - 10.0	tilou/	μ∟
PLATELET COUNT	150		150 - 410	thou/j	ul
METHOD : ELECTRONIC IMPEDENCE & MICROSCOPY	130		130 110	(1104)	μ_
RBC AND PLATELET INDICES					
HEMATOCRIT (PCV)	38.0		36 - 46	%	
METHOD : CALCULATED					
MEAN CORPUSCULAR VOLUME (MCV)	92.4		83 - 101	fL	
METHOD : ELECTRICAL IMPEDANCE					
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	31.5		27.0 - 32.0	pg	
METHOD: CALCULATED					
MEAN CORPUSCULAR HEMOGLOBIN	34.1		31.5 - 34.5	g/dL	
CONCENTRATION (MCHC)  METHOD : CALCULATED					
RED CELL DISTRIBUTION WIDTH (RDW)	13.9		11.6 - 14.0	%	
METHOD : ELECTRICAL IMPEDANCE					
MENTZER INDEX	22.5				
MEAN PLATELET VOLUME (MPV)	14.2	High	6.8 - 10.9	fL	
METHOD: CALCULATED					
WBC DIFFERENTIAL COUNT					
NEUTROPHILS	56		40 - 80	%	
METHOD: FLOWCYTOMETRY, ELECTRONIC IMPEDANCE & MIC	ROSCOPY.				
LYMPHOCYTES	30		20 - 40	%	
METHOD: FLOWCYTOMETRY, ELECTRONIC IMPEDANCE & MIC	ROSCOPY.				
MONOCYTES	7		2 - 10	%	
METHOD: FLOWCYTOMETRY, ELECTRONIC IMPEDANCE & MIC	ROSCOPY.				
EOSINOPHILS	7	High	1 - 6	%	
BASOPHILS	0		0 - 2	%	
METHOD: FLOWCYTOMETRY, ELECTRONIC IMPEDANCE & MIC					
ABSOLUTE NEUTROPHIL COUNT	3.72		2.0 - 7.0	thou/ <sub>[</sub>	μL











CLIENT CODE: C000138363
CLIENT'S NAME AND ADDRESS:

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI

NEW DELHI 110030 DELHI INDIA 8800465156 SRL Ltd P S SRIJAN TECH PARK BUILDING, DN-52, UNIT NO. 2, GROUND FLOOR, SECTOR V, SALT LAKE,

KOLKATA, 700091 WEST BENGAL, INDIA

Tel: 9111591115, Fax: 30203412 CIN - U74899PB1995PLC045956 Email: customercare.saltlake@srl.in

PATIENT NAME: SWATI KUMARI PATIENT ID: SWATF02018731

ACCESSION NO: 0031WD00114 AGE: 36 Years SEX: Female ABHA NO:

DRAWN: 03/04/2023 08:45 RECEIVED: 03/04/2023 08:51 REPORTED: 04/04/2023 12:07

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status	<u>Final</u>	Results		Biological Reference Interva	al Units
METHOD : FLOWCYTOMETRY	( & CALCIII ATED				
ABSOLUTE LYMPHOCYT		1.99		1 - 3	thou/µL
METHOD : FLOWCYTOMETRY		1.99		1 - 3	ι Ιου/μΕ
ABSOLUTE MONOCYTE		0.46		0.20 - 1.00	thou/µL
METHOD : FLOWCYTOMETRY		0.40		0.20 1.00	ι Ιου, με
ABSOLUTE EOSINOPHI		0.46		0.02 - 0.50	thou/µL
METHOD : FLOWCYTOMETRY		0.10		0.02 0.30	ιίου, με
ABSOLUTE BASOPHIL		0	Low	0.02 - 0.10	thou/µL
METHOD : FLOWCYTOMETRY		•		0.02	ω.σα, μ=
MORPHOLOGY					
RBC		NORMOCYTIC NO	RMOCHRO	MIC	
METHOD : MICROSCOPIC EX	KAMINATION	North Toch Tie Ne	in io ci inc		
WBC		NORMAL MORPH	OLOGY		
METHOD : MICROSCOPIC EX	KAMINATION				
PLATELETS		ADEQUATE & NO	RMAL		
METHOD : MICROSCOPIC EX	KAMINATION	•			
ERYTHROCYTE SEDI	MENTATION RATE (E	SR),WHOLE			
E.S.R		2		0 - 20	mm at 1 hr
METHOD : AUTOMATED (PHO	OTOMETRICAL CAPILLARY STOP	PED FLOW KINETIC ANALYSIS)"			
GLUCOSE FASTING,F	LUORIDE PLASMA				
FBS (FASTING BLOOD	SUGAR)	97		74 - 100	mg/dL
METHOD : ENZYMATIC (HEX	OKINASE/G-6-PDH)				-
GLYCOSYLATED HEM BLOOD	IOGLOBIN(HBA1C), E	DTA WHOLE			
HBA1C		4.8		Non-diabetic Adult < 5.7 Pre-diabetes 5.7 - 6.4 Diabetes diagnosis: > or = 6.5 Therapeutic goals: < 7.0 Action suggested: > 8.0 (ADA Guideline 2021)	%
METHOD : HPLC					
ESTIMATED AVERAGE	GLUCOSE(EAG)	91.1		< 116.0	mg/dL











**CLIENT CODE:** C000138363 **CLIENT'S NAME AND ADDRESS:** 

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI

SOUTH WEST DELHI NEW DELHI 110030 **DELHI INDIA** 8800465156

P S SRIJAN TECH PARK BUILDING, DN-52, UNIT NO. 2, GROUND

FLOOR, SECTOR V, SALT LAKE,

KOLKATA, 700091 WEST BENGAL, INDIA

Tel: 9111591115, Fax: 30203412 CIN - U74899PB1995PLC045956 Email: customercare.saltlake@srl.in

**PATIENT NAME: SWATI KUMARI** PATIENT ID: SWATF02018731

ACCESSION NO: 0031WD00114 AGE: 36 Years SEX: Female ABHA NO:

RECEIVED: 03/04/2023 08:51 DRAWN: 03/04/2023 08:45 04/04/2023 12:07 REPORTED:

**REFERRING DOCTOR: SELF** CLIENT PATIENT ID:

**Test Report Status** Results Biological Reference Interval Units **Final** 

## SRL LIMITED - KOLKATA REF. LAB Bio-Rad Variant II Turbo CDM 5.4 S/N: 16043

PATIENT REP V2TURBO\_A1c

Patient Data

Sample ID: Patient ID: Name:

Physician: Sex:

3106855849

DOB:

Comments:

A I		Data
Anar	VSIS	Data

Analysis Performed: 03/APR/2023 13:14:05

Injection Number: 10336 Run Number: 479 Rack ID: 8000 Tube Number: 10


Report Generated: 03/APR/2023 13:26:42

Operator ID:

Peak Name	NGSP %	Area %	Retention Time (min)	Peak Area
Unknown		0.1	0.110	2140
A1a		0.9	0.161	17113
A1b		0.8	0.224	15305
F		0.8	0.277	15291
LA1c		1.7	0.415	32596
A1c	4.8		0.531	75215
P3		3.3	0.807	64648
P4		1.1	0.882	21951
Ao		87.5	0.997	1707004

Total Area: 1.951.264

## HbA1c (NGSP) = 4.8 %



**GLUCOSE, POST-PRANDIAL, PLASMA** 



Page 3 Of 18 Scan to View Report







CLIENT CODE: C000138363
CLIENT'S NAME AND ADDRESS:

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL )
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
P S SRIJAN TECH PARK BUILDING, DN-52, UNIT NO. 2, GROUND
FLOOR, SECTOR V, SALT LAKE,
FLOOR ATA 700001

KOLKATA, 700091 WEST BENGAL, INDIA

Tel: 9111591115, Fax: 30203412 CIN - U74899PB1995PLC045956 Email: customercare.saltlake@srl.in

PATIENT NAME: SWATI KUMARI PATIENT ID: SWATF02018731

ACCESSION NO: 0031WD00114 AGE: 36 Years SEX: Female ABHA NO:

DRAWN: 03/04/2023 08:45 RECEIVED: 03/04/2023 08:51 REPORTED: 04/04/2023 12:07

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status <u>Final</u>	Results	Biological Reference Inter	val Units
PPBS(POST PRANDIAL BLOOD SUGAR)	118	140 Normal 140 - 199 Pre-diabetic > or = 200 Diabetic	mg/dL
METHOD : ENZYMATIC (HEXOKINASE/G-6-PDH)			
LIPID PROFILE, SERUM			
CHOLESTEROL, TOTAL	146	< 200 Desirable 200 - 239 Borderline High >/= 240 High	mg/dL
METHOD: ENZYMATIC ASSAY			
TRIGLYCERIDES	48	< 150 Normal 150 - 199 Borderline High 200 - 499 High >/=500 Very High	mg/dL
METHOD: GLYCEROL PHOSPHATE OXIDASE		, , ,	
HDL CHOLESTEROL	49	Low: < 40 High: > / = 60	mg/dL
METHOD: ACCELERATOR SELECTIVE DETERGENT METHODOL	LOGY		
CHOLESTEROL LDL	87		mg/dL
NON HDL CHOLESTEROL	97	Desirable: Less than 130 Above Desirable: 130-159 Borderline High: 160-189 High: 190 -219 Very High: >or = 220	mg/dL
METHOD : CALCULATED			
VERY LOW DENSITY LIPOPROTEIN	9.6		mg/dL
CHOL/HDL RATIO	3.0		
LDL/HDL RATIO	1.8		









CLIENT CODE: C000138363
CLIENT'S NAME AND ADDRESS:

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI NEW DELHI 110030

NEW DELHI 11 DELHI INDIA 8800465156 SRL Ltd P S SRIJAN TECH PARK BUILDING, DN-52, UNIT NO. 2, GROUND FLOOR, SECTOR V, SALT LAKE,

KOLKATA, 700091 WEST BENGAL, INDIA

Tel: 9111591115, Fax: 30203412 CIN - U74899PB1995PLC045956 Email: customercare.saltlake@srl.in

PATIENT NAME: SWATI KUMARI PATIENT ID: SWATF02018731

ACCESSION NO: 0031WD00114 AGE: 36 Years SEX: Female ABHA NO:

DRAWN: 03/04/2023 08:45 RECEIVED: 03/04/2023 08:51 REPORTED: 04/04/2023 12:07

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status <u>Final</u> Results Biological Reference Interval Units

#### Interpretation(s)

- 1) Cholesterol levels help assess the patient risk status and to follow the progress of patient under treatment to lower serum cholesterol concentrations.
- 2) Serum Triglyceride (TG) are a type of fat and a major source of energy for the body. Both quantity and composition of the diet impact on plasma triglyceride concentrations. Elevations in TG levels are the result of overproduction and impaired clearance. High TG are associated with increased risk for CAD (Coronary artery disease) in patients with other risk factors, such as low HDL-C, some patient groups with elevated apolipoprotein B concentrations, and patients with forms of LDL that may be particularly atherogenic.
- 3)HDL-C plays a crucial role in the initial step of reverse cholesterol transport, this considered to be the primary atheroprotective function of HDL
- 4) LDL -C plays a key role in causing and influencing the progression of atherosclerosis and, in particular, coronary sclerosis. The majority of cholesterol stored in atherosclerotic plaques originates from LDL, thus LDL-C value is the most powerful clinical predictor.
- 5)Non HDL cholesterol: Non-HDL-C measures the cholesterol content of all atherogenic lipoproteins, including LDL hence it is a better marker of risk in both primary and secondary prevention studies. Non-HDL-C also covers, to some extent, the excess ASCVD risk imparted by the sdLDL, which is significantly more atherogenic than the normal large buoyant particles, an elevated non-HDL-C indirectly suggests greater proportion of the small, dense variety of LDL particles

Serum lipid profile is measured for cardiovascular risk prediction. Lipid Association of India recommends LDL-C as primary target and Non HDL-C as co-primary treatment target.

## Risk Stratification for ASCVD (Atherosclerotic cardiovascular disease) by Lipid Association of India

Risk Category				
Extreme risk group	A.CAD with > 1 feature of high risk group			
	B. CAD with > 1 feature of Very high risk g	group or recurrent ACS (within 1 year) despite LDL-C		
	<pre>&lt; or = 50 mg/dl or polyvascular disease</pre>			
Very High Risk	1. Established ASCVD 2. Diabetes with 2 1	major risk factors or evidence of end organ damage 3.		
	Familial Homozygous Hypercholesterolemi	a		
High Risk	1. Three major ASCVD risk factors. 2. Dia	abetes with 1 major risk factor or no evidence of end		
		DL >190 mg/dl 5. Extreme of a single risk factor. 6.		
	Coronary Artery Calcium - CAC >300 AU. 7. Lipoprotein a >/= 50mg/dl 8. Non stenotic carotid			
	plaque			
Moderate Risk	2 major ASCVD risk factors			
Low Risk	0-1 major ASCVD risk factors			
Major ASCVD (Atherosclerotic cardiovascular disease) Risk Factors				
1. Age $>$ or $=$ 45 year	s in males and $>$ or $= 55$ years in females	3. Current Cigarette smoking or tobacco use		
2. Family history of p	remature ASCVD	4. High blood pressure		
5. Low HDL				

Newer treatment goals and statin initiation thresholds based on the risk categories proposed by LAI in 2020.

Risk Group	Treatment Goals		Consider Drug Therapy	
	LDL-C (mg/dl)	Non-HDL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)











**CLIENT CODE:** C000138363 **CLIENT'S NAME AND ADDRESS:** 

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI

SOUTH WEST DELHI **NEW DELHI 110030 DELHI INDIA** 8800465156

Test Report Status

P S SRIJAN TECH PARK BUILDING, DN-52, UNIT NO. 2, GROUND

Biological Reference Interval Units

FLOOR, SECTOR V, SALT LAKE, KOLKATA, 700091 WEST BENGAL, INDIA

Tel: 9111591115, Fax: 30203412 CIN - U74899PB1995PLC045956 Email: customercare.saltlake@srl.in

**PATIENT NAME: SWATI KUMARI** PATIENT ID: SWATF02018731

0031WD00114 AGE: 36 Years SEX: Female ABHA NO: ACCESSION NO:

DRAWN: 03/04/2023 08:45 RECEIVED: 03/04/2023 08:51 04/04/2023 12:07 REPORTED:

**REFERRING DOCTOR: SELF** CLIENT PATIENT ID:

Extreme Risk Group	<50 (Optional goal	< 80 (Optional goal	>OR = 50	>OR = 80
Category A	$\langle OR = 30 \rangle$	$\langle OR = 60 \rangle$		
Extreme Risk Group	<OR = 30	< OR = 60	> 30	>60
Category B				
Very High Risk	<50	<80	>OR= 50	>OR= 80
High Rick	<70	<100	>OR= 70	>OR= 100

Results

**Final** 

References: Management of Dyslipidaemia for the Prevention of Stroke: Clinical Practice Recommendations from the Lipid Association of India. Current Vascular Pharmacology, 2022, 20, 134-155.

## LIVER FUNCTION PROFILE, SERUM

BILIRUBIN, TOTAL	0.89	0.2 - 1.2	mg/dL
METHOD: DIAZONIUM SALT			
BILIRUBIN, DIRECT	0.38	0.0 - 0.5	mg/dL
METHOD: DIAZO REACTION			
BILIRUBIN, INDIRECT	0.51	0.1 - 1.0	mg/dL
METHOD: CALCULATED			
TOTAL PROTEIN	7.4	6.0 - 8.30	g/dL
METHOD: BIURET			
ALBUMIN	4.6	3.5 - 5.2	g/dL
METHOD: COLORIMETRIC (BROMCRESOL GREEN)			
GLOBULIN	2.8	2.0 - 3.5	g/dL
ALBUMIN/GLOBULIN RATIO	1.6	1 - 2.1	RATIO
METHOD: CALCULATED PARAMETER			
ASPARTATE AMINOTRANSFERASE (AST/SGOT)	27	5 - 34	U/L
METHOD: ENZYMATIC (NADH (WITHOUT P-5'-P)			
ALANINE AMINOTRANSFERASE (ALT/SGPT)	35	0 - 55	U/L
METHOD: ENZYMATIC (NADH (WITHOUT P-5'-P)			
ALKALINE PHOSPHATASE	57	40 - 150	U/L
METHOD: PARA-NITROPHENYL PHOSPHATE			
GAMMA GLUTAMYL TRANSFERASE (GGT)	11	8 -33	U/L
METHOD: L-GAMMA-GLUTAMYL-4-NITROANALIDE/GLYCYLGLYCI	NE KINETIC METHOD		
LACTATE DEHYDROGENASE	180	125 - 220	U/L
METHOD: IFCC LACTATE TO PYRUVATE			
BLOOD UREA NITROGEN (BUN), SERUM			
BLOOD UREA NITROGEN	7	7.0 - 18.7	mg/dL



Page 6 Of 18

Moderate Risk <100 <130 >OR = 100>OR = 130Low Risk <100 <130 >OR = 130\*>OR = 160

<sup>\*</sup>After an adequate non-pharmacological intervention for at least 3 months.







CLIENT CODE: C000138363
CLIENT'S NAME AND ADDRESS:

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL )
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
P S SRIJAN TECH PARK BUILDING, DN-52, UNIT NO. 2, GROUND
FLOOR, SECTOR V, SALT LAKE,
FOLKATA 700091

KOLKATA, 700091 WEST BENGAL, INDIA

Tel: 9111591115, Fax: 30203412 CIN - U74899PB1995PLC045956 Email: customercare.saltlake@srl.in

PATIENT NAME: SWATI KUMARI PATIENT ID: SWATF02018731

ACCESSION NO: 0031WD00114 AGE: 36 Years SEX: Female ABHA NO:

DRAWN: 03/04/2023 08:45 RECEIVED: 03/04/2023 08:51 REPORTED: 04/04/2023 12:07

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status <u>Final</u>	Results	Biological Reference	Interval Units
METHOD : UREASE METHOD			
CREATININE, SERUM			
CREATININE	0.67	0.50 - 1.00	mg/dL
METHOD: KINETIC ALKALINE PICRATE			
BUN/CREAT RATIO			
BUN/CREAT RATIO	10.45	5.0 - 15.0	
URIC ACID, SERUM			
URIC ACID	5.8	2.6 - 6.0	mg/dL
METHOD: URICASE			
TOTAL PROTEIN, SERUM			
TOTAL PROTEIN	7.4	6.0 - 8.3	g/dL
METHOD : BIURET			
ALBUMIN, SERUM			
ALBUMIN	4.6	3.5 - 5.2	g/dL
METHOD: COLORIMETRIC (BROMCRESOL GREEN)			
GLOBULIN			
GLOBULIN	2.8	2.0 - 3.5	g/dL
METHOD: CALCULATED PARAMETER			
ELECTROLYTES (NA/K/CL), SERUM			
SODIUM, SERUM	138	136 - 145	mmol/L
METHOD: ION SELECTIVE ELECTRODE TECHNOLOGY INDIRECT	Т		
POTASSIUM, SERUM	4.40	3.5 - 5.1	mmol/L
METHOD: ION SELECTIVE ELECTRODE TECHNOLOGY INDIRECT	Г		
CHLORIDE, SERUM	106	98 - 107	mmol/L
METHOD: ION SELECTIVE ELECTRODE TECHNOLOGY INDIRECT	Т		











CLIENT CODE: C000138363
CLIENT'S NAME AND ADDRESS:

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI

SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156 SRL Ltd P S SRIJAN TECH PARK BUILDING, DN-52, UNIT NO. 2, GROUND FLOOR, SECTOR V, SALT LAKE,

KOLKATA, 700091 WEST BENGAL, INDIA

Tel: 9111591115, Fax: 30203412 CIN - U74899PB1995PLC045956 Email: customercare.saltlake@srl.in

PATIENT NAME: SWATI KUMARI PATIENT ID: SWATF02018731

ACCESSION NO: 0031WD00114 AGE: 36 Years SEX: Female ABHA NO:

DRAWN: 03/04/2023 08:45 RECEIVED: 03/04/2023 08:51 REPORTED: 04/04/2023 12:07

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status <u>Final</u> Results Biological Reference Interval Units

#### Interpretation(s)

Sodium	Potassium	Chloride
Decreased in:CCF, cirrhosis,	Decreased in: Low potassium	Decreased in: Vomiting, diarrhea,
vomiting, diarrhea, excessive	intake,prolonged vomiting or diarrhea,	renal failure combined with salt
sweating, salt-losing	RTA types I and II,	deprivation, over-treatment with
nephropathy,adrenal insufficiency,	hyperaldosteronism, Cushing's	diuretics, chronic respiratory acidosis,
nephrotic syndrome, water	syndrome,osmotic diuresis (e.g.,	diabetic ketoacidosis, excessive
intoxication, SIADH. Drugs:	hyperglycemia),alkalosis, familial	sweating, SIADH, salt-losing
thiazides, diuretics, ACE inhibitors,	periodic paralysis,trauma	nephropathy, porphyria, expansion of
chlorpropamide,carbamazepine,anti	(transient).Drugs: Adrenergic agents,	extracellular fluid volume,
depressants (SSRI), antipsychotics.	diuretics.	adrenalinsufficiency,
		hyperaldosteronism, metabolic
		alkalosis. Drugs: chronic
		laxative,corticosteroids, diuretics.
Increased in: Dehydration	Increased in: Massive hemolysis,	Increased in: Renal failure, nephrotic
(excessivesweating, severe	severe tissue damage, rhabdomyolysis,	syndrome, RTA,dehydration,
vomiting or diarrhea),diabetes	acidosis, dehydration,renal failure,	overtreatment with
mellitus, diabetesinsipidus,	Addison's disease, RTA type IV,	saline,hyperparathyroidism, diabetes
hyperaldosteronism, inadequate	hyperkalemic familial periodic	insipidus, metabolic acidosis from
water intake. Drugs: steroids,	paralysis. Drugs: potassium salts,	diarrhea (Loss of HCO3-), respiratory
licorice,oral contraceptives.	potassium- sparing diuretics,NSAIDs,	alkalosis, hyperadrenocorticism.
	beta-blockers, ACE inhibitors, high-	Drugs: acetazolamide, and rogens,
	dose trimethoprim-sulfamethoxazole.	hydrochlorothiazide,salicylates.
Interferences: Severe lipemia or	Interferences: Hemolysis of sample,	Interferences:Test is helpful in
hyperproteinemi, if sodium analysis	delayed separation of serum,	assessing normal and increased anion
involves a dilution step can cause	prolonged fist clenching during blood	gap metabolic acidosis and in
spurious results. The serum sodium	drawing, and prolonged tourniquet	distinguishing hypercalcemia due to
falls about 1.6 mEq/L for each 100	placement. Very high WBC/PLT counts	hyperparathyroidism (high serum
mg/dL increase in blood glucose.	may cause spurious. Plasma potassium	chloride) from that due to malignancy
	levels are normal.	(Normal serum chloride)

## PHYSICAL EXAMINATION, URINE

COLOR	PALE YELLOW	
APPEARANCE	CLEAR	
CHEMICAL EXAMINATION, URINE		
PH	6.0	4.7 - 7.5
SPECIFIC GRAVITY	1.005	1.003 - 1.035
METHOD: DIPSTICK		
PROTEIN	NOT DETECTED	NOT DETECTED
METHOD: DIPSTICK		
GLUCOSE	NOT DETECTED	NOT DETECTED
METHOD : DIPSTICK		
KETONES	NOT DETECTED	NOT DETECTED
METHOD : DIPSTICK		
BLOOD	NOT DETECTED	NOT DETECTED
METHOD : DIPSTICK		
BILIRUBIN	NOT DETECTED	NOT DETECTED



Page 8 Of 18







**CLIENT CODE:** C000138363 **CLIENT'S NAME AND ADDRESS:** 

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI **NEW DELHI 110030** DELHI INDIA

8800465156

P S SRIJAN TECH PARK BUILDING, DN-52, UNIT NO. 2, GROUND FLOOR, SECTOR V, SALT LAKE, KOLKATA, 700091 WEST BENGAL, INDIA

Tel: 9111591115, Fax: 30203412 CIN - U74899PB1995PLC045956 Email: customercare.saltlake@srl.in

**PATIENT NAME: SWATI KUMARI** PATIENT ID: SWATF02018731

ACCESSION NO: 0031WD00114 AGE: 36 Years SEX: Female ABHA NO:

DRAWN: 03/04/2023 08:45 RECEIVED: 03/04/2023 08:51 04/04/2023 12:07 REPORTED:

**REFERRING DOCTOR: SELF** CLIENT PATIENT ID:

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units	
METHOD: DIPSTICK			
UROBILINOGEN	NORMAL	NORMAL	
METHOD: DIPSTICK			
NITRITE	NOT DETECTED	NOT DETECTED	
METHOD : DIPSTICK			
LEUKOCYTE ESTERASE	NEGATIVE	NOT DETECTED	
MICROSCOPIC EXAMINATION, URINE			
RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF
PUS CELL (WBC'S)	0-1	0-5	/HPF
EPITHELIAL CELLS	1-2	0-5	/HPF
CASTS	NOT DETECTED		
CRYSTALS	NOT DETECTED		
BACTERIA	NOT DETECTED	NOT DETECTED	
YEAST	NOT DETECTED	NOT DETECTED	

#### Comments

URINALYSIS: MICROSCOPIC EXAMINATION IS CARRIED OUT ON CENTRIFUGED URINARY SEDIMENT.











CLIENT CODE: C000138363
CLIENT'S NAME AND ADDRESS:

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI 110412

NEW DELHI 110030 DELHI INDIA 8800465156 SRL Ltd P S SRIJAN TECH PARK BUILDING, DN-52, UNIT NO. 2, GROUND FLOOR, SECTOR V, SALT LAKE,

KOLKATA, 700091 WEST BENGAL, INDIA

Tel: 9111591115, Fax: 30203412 CIN - U74899PB1995PLC045956 Email: customercare.saltlake@srl.in

PATIENT NAME: SWATI KUMARI PATIENT ID: SWATF02018731

ACCESSION NO: 0031WD00114 AGE: 36 Years SEX: Female ABHA NO:

DRAWN: 03/04/2023 08:45 RECEIVED: 03/04/2023 08:51 REPORTED: 04/04/2023 12:07

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status Final Results Biological Reference Interval Units

#### Interpretation(s)

The following table describes the probable conditions, in which the analytes are present in urine

Presence of	Conditions
Proteins	Inflammation or immune illnesses
Pus (White Blood Cells)	Urinary tract infection, urinary tract or kidney stone, tumors or any kind
·	of kidney impairment
Glucose	Diabetes or kidney disease
Ketones	Diabetic ketoacidosis (DKA), starvation or thirst
Urobilinogen	Liver disease such as hepatitis or cirrhosis
Blood	Renal or genital disorders/trauma
Bilirubin	Liver disease
Erythrocytes	Urological diseases (e.g. kidney and bladder cancer, urolithiasis), urinary tract infection and glomerular diseases
Leukocytes	Urinary tract infection, glomerulonephritis, interstitial nephritis either acute or chronic, polycystic kidney disease, urolithiasis, contamination by genital secretions
Epithelial cells	Urolithiasis, bladder carcinoma or hydronephrosis, ureteric stents or bladder catheters for prolonged periods of time
Granular Casts	Low intratubular pH, high urine osmolality and sodium concentration, interaction with Bence-Jones protein
Hyaline casts	Physical stress, fever, dehydration, acute congestive heart failure, renal diseases
Calcium oxalate	Metabolic stone disease, primary or secondary hyperoxaluria, intravenous infusion of large doses of vitamin C, the use of vasodilator naftidrofuryl oxalate or the gastrointestinal lipase inhibitor orlistat, ingestion of ethylene glycol or of star fruit (Averrhoa carambola) or its juice
Uric acid	arthritis
Bacteria	Urinary infectionwhen present in significant numbers & with pus cells.
Trichomonas vaginalis	Vaginitis, cervicitis or salpingitis

**THYROID PANEL, SERUM** 

T3 117.0 35 - 193 ng/dL

METHOD: TWO-STEP CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY

T4 7.90 Non-Pregnant Women μg/dL

4.87 - 11.71 Pregnant Women

1st Trimester: 7.33 - 14.80 2nd Trimester: 7.93 - 16.10

3rd Trimester: 6.95 - 15.70

 ${\tt METHOD: TWO-STEP\ CHEMILUMINESCENT\ MICROPARTICLE\ IMMUNOASSAY}$ 











CLIENT CODE: C000138363
CLIENT'S NAME AND ADDRESS:

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI

SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156 SRL Ltd P S SRIJAN TECH PARK BUILDING, DN-52, UNIT NO. 2, GROUND FLOOR, SECTOR V, SALT LAKE,

KOLKATA, 700091 WEST BENGAL, INDIA

Tel: 9111591115, Fax: 30203412 CIN - U74899PB1995PLC045956 Email: customercare.saltlake@srl.in

PATIENT NAME: SWATI KUMARI PATIENT ID: SWATF02018731

ACCESSION NO: 0031WD00114 AGE: 36 Years SEX: Female ABHA NO:

DRAWN: 03/04/2023 08:45 RECEIVED: 03/04/2023 08:51 REPORTED: 04/04/2023 12:07

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status <u>Final</u> Results Biological Reference Interval Units

TSH (ULTRASENSITIVE) 1.398 0.350 - 4.940  $\mu$ IU/mL

METHOD: TWO-STEP CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY

#### Interpretation(s)

**Triiodothyronine T3**, **Thyroxine T4**, and **Thyroid Stimulating Hormone TSH** are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low. Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3.Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3)
					Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid
					hormone replacement therapy (3) In cases of Autoimmune/Hashimoto
					thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical
					inflammation, drugs like amphetamines, Iodine containing drug and
					dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre
					(3)Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid
					hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4
					replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism
6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent
					treatment for Hyperthyroidism
8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies

REF: 1. TIETZ Fundamentals of Clinical chemistry 2.Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011. **NOTE: It is advisable to detect Free T3,FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.**TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

**PAPANICOLAOU SMEAR** 

**RESULT PENDING** 

**ABO GROUP & RH TYPE, EDTA WHOLE BLOOD** 

ABO GROUP TYPE B











**CLIENT CODE:** C000138363 **CLIENT'S NAME AND ADDRESS:** 

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI

SOUTH WEST DELHI **NEW DELHI 110030 DELHI INDIA** 8800465156

P S SRIJAN TECH PARK BUILDING, DN-52, UNIT NO. 2, GROUND

FLOOR, SECTOR V, SALT LAKE,

KOLKATA, 700091 WEST BENGAL, INDIA

Tel: 9111591115, Fax: 30203412 CIN - U74899PB1995PLC045956 Email: customercare.saltlake@srl.in

**PATIENT NAME: SWATI KUMARI** PATIENT ID: SWATF02018731

0031WD00114 AGE: 36 Years SEX: Female ABHA NO: ACCESSION NO:

04/04/2023 12:07 DRAWN: 03/04/2023 08:45 RECEIVED: 03/04/2023 08:51 REPORTED:

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status Results Biological Reference Interval Units **Final** 

RH TYPE **POSITIVE** 

\* XRAY-CHEST

**IMPRESSION** NO ABNORMALITY DETECTED

\* TMT OR ECHO

TMT OR ECHO Echo Done - Normal

\* ECG

**ECG** Short PR interval, possible early repolarisation pattern

\* MEDICAL HISTORY

RELEVANT PRESENT HISTORY **NOT SIGNIFICANT** RELEVANT PAST HISTORY Typhoid, Covid RELEVANT PERSONAL HISTORY **NOT SIGNIFICANT** Mother - Diabetes, HTN RELEVANT FAMILY HISTORY OCCUPATIONAL HISTORY NOT SIGNIFICANT HISTORY OF MEDICATIONS **NOT SIGNIFICANT** 

\* ANTHROPOMETRIC DATA & BMI

HEIGHT IN METERS 1.53 mts WEIGHT IN KGS. 64 Kgs

BMI 27 BMI & Weight Status as follows: kg/sqmts

Below 18.5: Underweight 18.5 - 24.9: Normal 25.0 - 29.9: Overweight 30.0 and Above: Obese

\* GENERAL EXAMINATION

MENTAL / EMOTIONAL STATE **NORMAL** PHYSICAL ATTITUDE **NORMAL** GENERAL APPEARANCE / NUTRITIONAL STATUS **OVERWEIGHT BUILT / SKELETAL FRAMEWORK AVERAGE** FACIAL APPEARANCE **NORMAL** SKIN NORMAL UPPER LIMB **NORMAL** LOWER LIMB **NORMAL** NORMAL

NECK LYMPHATICS / SALIVARY GLANDS NOT ENLARGED OR TENDER

THYROID GLAND **NOT ENLARGED** 

CAROTID PULSATION **NORMAL** 



**NFCK** 









CLIENT CODE: C000138363
CLIENT'S NAME AND ADDRESS:

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI

SOUTH WEST DELHI NEW DELHI 110030 DELHI INDIA 8800465156 SRL Ltd

P S SRIJAN TECH PARK BUILDING, DN-52, UNIT NO. 2, GROUND

FLOOR, SECTOR V, SALT LAKE,

KOLKATA, 700091 WEST BENGAL, INDIA

Tel: 9111591115, Fax: 30203412 CIN - U74899PB1995PLC045956 Email: customercare.saltlake@srl.in

PATIENT NAME: SWATI KUMARI PATIENT ID: SWATF02018731

ACCESSION NO: 0031WD00114 AGE: 36 Years SEX: Female ABHA NO:

DRAWN: 03/04/2023 08:45 RECEIVED: 03/04/2023 08:51 REPORTED: 04/04/2023 12:07

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status <u>Final</u> Results Biological Reference Interval Units

BREAST (FOR FEMALES) NORMAL TEMPERATURE NORMAL

PULSE 76/min-REGULAR, ALL PERIPHERAL PULSES WELL FELT

RESPIRATORY RATE NORMAL

\* CARDIOVASCULAR SYSTEM

3P 110/70 mm Hg mm/Hg

PERICARDIUM NORMAL APEX BEAT NORMAL

HEART SOUNDS S1, S2 HEARD NORMALLY

MURMURS ABSENT

\* RESPIRATORY SYSTEM

SIZE AND SHAPE OF CHEST NORMAL

MOVEMENTS OF CHEST SYMMETRICAL

BREATH SOUNDS INTENSITY NORMAL

BREATH SOUNDS QUALITY VESICULAR (NORMAL)

ADDED SOUNDS ABSENT

\* PER ABDOMEN

APPEARANCE NORMAL VENOUS PROMINENCE ABSENT

LIVER NOT PALPABLE
SPLEEN NOT PALPABLE
HERNIA ABSENT

\* CENTRAL NERVOUS SYSTEM

HIGHER FUNCTIONS NORMAL
CRANIAL NERVES NORMAL
CEREBELLAR FUNCTIONS NORMAL
SENSORY SYSTEM NORMAL
MOTOR SYSTEM NORMAL
REFLEXES NORMAL

\* MUSCULOSKELETAL SYSTEM

SPINE NORMAL JOINTS NORMAL

\* BASIC EYE EXAMINATION



Page 13 Of 18

Scan to View Details







**CLIENT CODE:** C000138363 **CLIENT'S NAME AND ADDRESS:** 

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI SOUTH WEST DELHI

NEW DELHI 110030 DELHI INDIA 8800465156

P S SRIJAN TECH PARK BUILDING, DN-52, UNIT NO. 2, GROUND

FLOOR, SECTOR V, SALT LAKE,

KOLKATA, 700091 WEST BENGAL, INDIA

Tel: 9111591115, Fax: 30203412 CIN - U74899PB1995PLC045956 Email: customercare.saltlake@srl.in

**PATIENT NAME: SWATI KUMARI** PATIENT ID: SWATF02018731

0031WD00114 AGE: 36 Years SEX: Female ABHA NO: ACCESSION NO:

RECEIVED: 03/04/2023 08:51 REPORTED: 04/04/2023 12:07 DRAWN: 03/04/2023 08:45

REFERRING DOCTOR: SELF		CLIENT PATIENT ID:		
Test Report Status <u>Final</u>	Results	Biological Reference Interval	Units	
CONJUNCTIVA	NORMAL			
EYELIDS	NORMAL			
EYE MOVEMENTS	NORMAL			
DISTANT VISION RIGHT EYE WITHOUT GLASSES	6/6			
DISTANT VISION LEFT EYE WITHOUT GLASSES	6/6			
NEAR VISION RIGHT EYE WITHOUT GLASSES	N6			
NEAR VISION LEFT EYE WITHOUT GLASSES	N6			
COLOUR VISION	NORMAL			
* BASIC ENT EXAMINATION				
EXTERNAL EAR CANAL	NORMAL			
TYMPANIC MEMBRANE	NORMAL			
NOSE	NO ABNORMALITY DETECTE	:D		
SINUSES	NORMAL			
THROAT	NO ABNORMALITY DETECTE	D		
TONSILS	NOT ENLARGED			
* BASIC DENTAL EXAMINATION				
TEETH	NORMAL			
GUMS	HEALTHY			
* SUMMARY				
RELEVANT HISTORY	NOT SIGNIFICANT			
RELEVANT GP EXAMINATION FINDINGS	Overweight (64 kg)			
RELEVANT LAB INVESTIGATIONS	WITHIN NORMAL LIMITS			
RELEVANT NON PATHOLOGY DIAGNOSTICS	Mild hepatomegaly in USG			

Should follow the given advice:

1. Avoid fat and oily diet

Mild hepatomegaly in USG

2. Reduce body weight

be overweight

3. Estimated body weight should be: 56 kg

Short PR interval, possible early repolarisation pattern in ECG

Short PR interval, possible early repolarisation pattern in ECG

On examination and investigations the candidate is found to

- 4. Regular physical exercise and walking
- 5. Drink plenty of water
- 6. Physician opinion



REMARKS / RECOMMENDATIONS









**CLIENT CODE:** C000138363 **CLIENT'S NAME AND ADDRESS:** 

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL )

SOUTH WEST DELHI **NEW DELHI 110030 DELHI INDIA** 8800465156

P S SRIJAN TECH PARK BUILDING, DN-52, UNIT NO. 2, GROUND F-703, LADO SARAI, MEHRAULI FLOOR, SECTOR V, SALT LAKE,

KOLKATA, 700091 WEST BENGAL, INDIA

Tel: 9111591115, Fax: 30203412 CIN - U74899PB1995PLC045956 Email: customercare.saltlake@srl.in

**PATIENT NAME: SWATI KUMARI** PATIENT ID: SWATF02018731

0031WD00114 AGE: 36 Years SEX: Female ABHA NO: ACCESSION NO:

DRAWN: 03/04/2023 08:45 RECEIVED: 03/04/2023 08:51 REPORTED: 04/04/2023 12:07

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Test Report Status Results Biological Reference Interval Units Final

#### Comments

MEDICAL EXAMINATION DONE BY:

DR. DEBIKA ROY, MBBS REG NO: 51651 (WBMC) CONSULTANT PHYSICIAN WELLNESS CLINIC SALT LAKE REF LAB, KOLKATA

#### Interpretation(s)

BLOOD COUNTS, EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.

RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13)

from Beta thalassaemia trait

(413) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for

diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR = 3.4 years old and NLR = 3.5 years old and NLR = 3.6 years old and NLR = 3.6 years old and NLR = 3.6 years old and NLR = 3.7 years old and NLR = 3.8 years old and N 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients A.-P. Yang, et al. International Immunopharmacology 84 (2020) 106504

This ratio element is a calculated parameter and out of NABL scope.

ERYTHROCYTE SEDIMENTATION RATE (ESR), WHOLE BLOOD-**TEST DESCRIPTION**:
Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change.

## TEST INTERPRETATION

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging.

Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias,

Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum. Decreased in: Polycythermia vera, Sickle cell anemia

#### LIMITATIONS

False elevated ESR: Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia False Decreased: Poikilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Ouinine,

salicylates)

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition.

GLUCOSE FASTING,FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the

Increased in:Diabetes mellitus, Cushing's syndrome (10 – 15%), chronic pancreatitis (30%). Drugs:corticosteroids,phenytoin, estrogen, thiazides.

Decreased in:Pancreatic islet cell disease with increased insulin,insulinoma,adrenocortical insufficiency,hypopituitarism,diffuse liver disease,

malignancy(adrenocortical,stomach,fibrosarcoma),infant of a diabetic mother,enzyme deficiency diseases(e.g.galactosemia),Drugs-insulin,ethanol,propranolol sulfonylureas, tolbutamide, and other oral hypoglycemic agents.

NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin (HbA1c) levels are favored to monitor glycemic control.











**CLIENT CODE:** C000138363 **CLIENT'S NAME AND ADDRESS:** 

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL )

SOUTH WEST DELHI **NEW DELHI 110030 DELHI INDIA** 8800465156

F-703, LADO SARAI, MEHRAULI

P S SRIJAN TECH PARK BUILDING, DN-52, UNIT NO. 2, GROUND FLOOR, SECTOR V, SALT LAKE, KOLKATA, 700091 WEST BENGAL, INDIA

Tel: 9111591115, Fax: 30203412 CIN - U74899PB1995PLC045956 Email: customercare.saltlake@srl.in

**PATIENT NAME: SWATI KUMARI** PATIENT ID: SWATF02018731

0031WD00114 AGE: 36 Years SEX: Female ABHA NO: ACCESSION NO:

DRAWN: 03/04/2023 08:45 RECEIVED: 03/04/2023 08:51 REPORTED: 04/04/2023 12:07

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

**Test Report Status** Results Biological Reference Interval Units Final

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-**Used For**:

- Evaluating the long-term control of blood glucose concentrations in diabetic patients.
   Diagnosing diabetes.
- 3. Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

- eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.
   eAG gives an evaluation of blood glucose levels for the last couple of months.
   eAG is calculated as eAG (mg/dl) = 28.7 \* HbA1c 46.7

#### HbA1c Estimation can get affected due to :

- 1. Shortened Erythrocyte survival: Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss,hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.
- 2.Vitamin C & E are reported to falsely lower test results.(possibly by inhibiting glycation of hemoglobin.
- 3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia uremia, hyperbilirubinemia, chronic alcoholism chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results.
- 4. Interference of hemoglobinopathies in HbA1c estimation is seen in

- a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.
  b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.)
  c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that

attaches sugar molecules to bilirubin. **AST** is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity.ALT test measures the amount of this enzyme in the blood.ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health.AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease.

GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.

Total Protein also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and

globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome,Protein-losing enteropathy etc.

Albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular

permeability or decreased lymphatic clearance,malnutrition and wasting etc BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism) Causes of decreased level include Liver disease, SIADH.

CREATININE, SERUM-Higher than normal level may be due to:

• Blockage in the urinary tract, Kidney problems, such as kidney damage or failure, infection, or reduced blood flow, Loss of body fluid (dehydration), Muscle problems, such as breakdown of muscle fibers, Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to: Myasthenia Gravis, Muscuophy

URIC ACID, SERUM-Causes of Increased levels:-Dietary(High Protein Intake, Prolonged Fasting, Rapid weight loss), Gout, Lesch nyhan syndrome, Type 2 DM, Metabolic syndrome Causes of decreased levels-Low Zinc intake, OCP, Multiple Sclerosis











**CLIENT CODE:** C000138363 **CLIENT'S NAME AND ADDRESS:** 

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI

SOUTH WEST DELHI **NEW DELHI 110030 DELHI INDIA** 8800465156

P S SRIJAN TECH PARK BUILDING, DN-52, UNIT NO. 2, GROUND FLOOR, SECTOR V, SALT LAKE,

KOLKATA, 700091 WEST BENGAL, INDIA

Tel: 9111591115, Fax: 30203412 CIN - U74899PB1995PLC045956 Email: customercare.saltlake@srl.in

**PATIENT NAME: SWATI KUMARI** PATIENT ID: SWATF02018731

0031WD00114 AGE: 36 Years SEX: Female ABHA NO: ACCESSION NO:

DRAWN: 03/04/2023 08:45 RECEIVED: 03/04/2023 08:51 REPORTED: 04/04/2023 12:07

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

**Test Report Status** Results Biological Reference Interval Units Final

TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc. ALBUMIN, SERUM-

Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns,

hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same.

The test is performed by both forward as well as reverse grouping methods.

THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOLABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.









**CLIENT CODE:** C000138363 **CLIENT'S NAME AND ADDRESS:** 

ACROFEMI HEALTHCARE LTD ( MEDIWHEEL ) F-703, LADO SARAI, MEHRAULI

SOUTH WEST DELHI **NEW DELHI 110030 DELHI INDIA** 8800465156

P S SRIJAN TECH PARK BUILDING, DN-52, UNIT NO. 2, GROUND FLOOR, SECTOR V, SALT LAKE,

KOLKATA, 700091 WEST BENGAL, INDIA

Tel: 9111591115, Fax: 30203412 CIN - U74899PB1995PLC045956 Email: customercare.saltlake@srl.in

**PATIENT NAME: SWATI KUMARI** PATIENT ID: SWATF02018731

0031WD00114 AGE: 36 Years SEX: Female ABHA NO: ACCESSION NO:

DRAWN: 03/04/2023 08:45 RECEIVED: 03/04/2023 08:51 REPORTED: 04/04/2023 12:07

REFERRING DOCTOR: SELF CLIENT PATIENT ID:

Himari Moran

**Consultant Microbiologist** 

Test Report Status Results Units Final

## MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

\* ULTRASOUND ABDOMEN **ULTRASOUND ABDOMEN** Mild hepatomegaly

\*\*End Of Report\*\*

Please visit www.srlworld.com for related Test Information for this accession TEST MARKED WITH '\*' ARE OUTSIDE THE NABL ACCREDITED SCOPE OF THE LABORATORY.

chaitalila.

Senior Biochemist cum

**Management Representative** 

Dr. Chaitali Ray, PHD Dr.Himadri Mondal, MD

Dr. Debika Roy **MBBS Consultant Physician** 

Desilve Ray

Dr. Anwesha Chatterjee, MD **Pathologist** 

Achatterise

#### **CONDITIONS OF LABORATORY TESTING & REPORTING**

- 1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
- 2. All tests are performed and reported as per the turnaround time stated in the SRL Directory of Services.
- 3. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event.
- 4. A requested test might not be performed if:
  - i. Specimen received is insufficient or inappropriate
  - ii. Specimen quality is unsatisfactory
  - iii. Incorrect specimen type
  - iv. Discrepancy between identification on specimen container label and test requisition form

- 5. SRL confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.
- 6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.
- 7. Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.
- 8. Test results cannot be used for Medico legal purposes.
- 9. In case of queries please call customer care (91115 91115) within 48 hours of the report.

**SRL Limited** 

Fortis Hospital, Sector 62, Phase VIII, Mohali 160062



