

PHYSICAL EXAMINATION REPORT

Patient Name	Subodh Kauble	Sex/Age	M/37
Date	22/3/23	Location	Thane

History and Complaints

Nil

EXAMINATION FINDINGS:

Height (cms):	170	Temp (0c):	
Weight (kg):	78.	Skin:	
Blood Pressure	110/80	Nails:	
Pulse	72/wm	Lymph Node:	



Acne scars
NAD
Ringworm patch

Systems :

Cardiovascular:	NAD
Respiratory:	
Genitourinary:	
GI System:	
CNS:	

Impression: 2D EHO - LVH,
↓ HPL.

0000-0000-0000

Advice:

- Low Fat, Low Sugar Diet
- Reg. Exercise

1)	Hypertension:	
2)	IHD	
3)	Arrhythmia	
4)	Diabetes Mellitus	
5)	Tuberculosis	Nil
6)	Asthama	
7)	Pulmonary Disease	
8)	Thyroid/ Endocrine disorders	
9)	Nervous disorders	
10)	GI system	
11)	Genital urinary disorder	
12)	Rheumatic joint diseases or symptoms	
13)	Blood disease or disorder	
14)	Cancer/lump growth/cyst	Nil
15)	Congenital disease	
16)	Surgeries	
17)	Musculoskeletal System	

PERSONAL HISTORY:

1)	Alcohol	Yes (occ.)
2)	Smoking	Occ.
3)	Diet	Portion Control
4)	Medication	No



Dr. Manasee Kulkarni
M.B.B.S

2005/09/3439



Use a QR Code Scanner Application To Scan the Code

CID : 2308109073
Name : MR.SUBODH BALIRAM KAMBLE
Age / Gender : 37 Years / Male
Consulting Dr. : -
Reg. Location : G B Road, Thane West (Main Centre)

Collected : 22-Mar-2023 / 08:54
Reported : 22-Mar-2023 / 12:09

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
CHOLESTEROL, Serum	156.1	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	87.0	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	32.4	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	123.7	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	107.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	16.7	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.8	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	3.3	0-3.5 Ratio	Calculated

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***



Amit Taori

Dr.AMIT TAORI
M.D (Path)
Pathologist



CID : 2308109073
Name : MR.SUBODH BALIRAM KAMBLE
Age / Gender : 37 Years / Male
Consulting Dr. : -
Reg. Location : G B Road, Thane West (Main Centre)

Collected : 22-Mar-2023 / 08:54
Reported : 22-Mar-2023 / 11:28

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC (Complete Blood Count), Blood

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<u>RBC PARAMETERS</u>			
Haemoglobin	14.2	13.0-17.0 g/dL	Spectrophotometric
RBC	5.36	4.5-5.5 mil/cmm	Elect. Impedance
PCV	43.5	40-50 %	Measured
MCV	81.1	80-100 fl	Calculated
MCH	26.4	27-32 pg	Calculated
MCHC	32.6	31.5-34.5 g/dL	Calculated
RDW	12.8	11.6-14.0 %	Calculated
<u>WBC PARAMETERS</u>			
WBC Total Count	7720	4000-10000 /cmm	Elect. Impedance
<u>WBC DIFFERENTIAL AND ABSOLUTE COUNTS</u>			
Lymphocytes	40.8	20-40 %	
Absolute Lymphocytes	3149.8	1000-3000 /cmm	Calculated
Monocytes	7.9	2-10 %	
Absolute Monocytes	609.9	200-1000 /cmm	Calculated
Neutrophils	48.8	40-80 %	
Absolute Neutrophils	3767.4	2000-7000 /cmm	Calculated
Eosinophils	2.5	1-6 %	
Absolute Eosinophils	193.0	20-500 /cmm	Calculated
Basophils	0.0	0.1-2 %	
Absolute Basophils	0.0	20-100 /cmm	Calculated
Immature Leukocytes	-		
WBC Differential Count by Absorbance & Impedance method/Microscopy.			
<u>PLATELET PARAMETERS</u>			
Platelet Count	284000	150000-400000 /cmm	Elect. Impedance
MPV	8.7	6-11 fl	Calculated
PDW	11.0	11-18 %	Calculated
<u>RBC MORPHOLOGY</u>			



Use a QR Code Scanner Application To Scan the Code

CID : 2308109073
Name : MR.SUBODH BALIRAM KAMBLE
Age / Gender : 37 Years / Male
Consulting Dr. : -
Reg. Location : G B Road, Thane West (Main Centre)

Collected : 22-Mar-2023 / 08:54
Reported : 22-Mar-2023 / 11:02

Hypochromia	Mild
Microcytosis	Occasional
Macrocytosis	-
Anisocytosis	-
Poikilocytosis	-
Polychromasia	-
Target Cells	-
Basophilic Stippling	-
Normoblasts	-
Others	-
WBC MORPHOLOGY	-
PLATELET MORPHOLOGY	-
COMMENT	-

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 20 2-15 mm at 1 hr. Sedimentation

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***

ARGENT SPECIAL EXPERTISE

OUR SERVICE



Amit Taori

Dr.AMIT TAORI
M.D (Path)
Pathologist



CID : 2308109073
Name : MR.SUBODH BALIRAM KAMBLE
Age / Gender : 37 Years / Male
Consulting Dr. : -
Reg. Location : G B Road, Thane West (Main Centre)

Collected : 22-Mar-2023 / 08:54
Reported : 22-Mar-2023 / 11:56

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	93.9	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	90.3	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.4	0.1-1.2 mg/dl	Diazo
BILIRUBIN (DIRECT), Serum	0.16	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.24	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.2	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.5	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.7	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1 - 2	Calculated
SGOT (AST), Serum	16.2	5-40 U/L	IFCC without pyridoxal phosphate activation
SGPT (ALT), Serum	10.8	5-45 U/L	IFCC without pyridoxal phosphate activation
GAMMA GT, Serum	19.4	3-60 U/L	IFCC
ALKALINE PHOSPHATASE, Serum	76.9	40-130 U/L	PNPP
BLOOD UREA, Serum	21.2	12.8-42.8 mg/dl	Urease & GLDH
BUN, Serum	9.9	6-20 mg/dl	Calculated

Authenticity Check



Use a QR Code Scanner Application To Scan the Code

CID : 2308109073
Name : MR.SUBODH BALIRAM KAMBLE
Age / Gender : 37 Years / Male
Consulting Dr. : -
Reg. Location : G B Road, Thane West (Main Centre)

Collected : 22-Mar-2023 / 12:43
Reported : 22-Mar-2023 / 16:54

CREATININE, Serum	1.01	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	88	>60 ml/min/1.73sqm	Calculated
Note: eGFR estimation is calculated using MDRD (Modification of diet in renal disease study group) equation			
URIC ACID, Serum	7.1	3.5-7.2 mg/dl	Uricase
Urine Sugar (Fasting)	Absent	Absent	
Urine Ketones (Fasting)	Absent	Absent	
Urine Sugar (PP)	Absent	Absent	
Urine Ketones (PP)	Absent	Absent	

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***



Amit Taori

Dr. AMIT TAORI
M.D (Path)
Pathologist



Use a QR Code Scanner Application To Scan the Code

CID : 2308109073
Name : MR.SUBODH BALIRAM KAMBLE
Age / Gender : 37 Years / Male
Consulting Dr. : -
Reg. Location : G B Road, Thane West (Main Centre)

Collected : 22-Mar-2023 / 08:54
Reported : 22-Mar-2023 / 11:28

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	5.0	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	96.8	mg/dl	Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***



Amit Taori

Dr. AMIT TAORI
M.D (Path)
Pathologist



Use a QR Code Scanner Application To Scan the Code

CID : 2308109073
Name : MR.SUBODH BALIRAM KAMBLE
Age / Gender : 37 Years / Male
Consulting Dr. : -
Reg. Location : G B Road, Thane West (Main Centre)

Collected : 22-Mar-2023 / 08:54
Reported : 22-Mar-2023 / 14:07

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
URINE EXAMINATION REPORT

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	Acidic (5.0)	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.020	1.010-1.030	Chemical Indicator
Transparency	Slight hazy	Clear	-
Volume (ml)	50	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	3-4	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	1-2		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	6-8	Less than 20/hpf	

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein: (1+ - 25 mg/dl, 2+ - 75 mg/dl, 3+ - 150 mg/dl, 4+ - 500 mg/dl)
- Glucose: (1+ - 50 mg/dl, 2+ - 100 mg/dl, 3+ - 300 mg/dl, 4+ - 1000 mg/dl)
- Ketone: (1+ - 5 mg/dl, 2+ - 15 mg/dl, 3+ - 50 mg/dl, 4+ - 150 mg/dl)

Reference: Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***



Amit Taori

Dr. AMIT TAORI
M.D (Path)
Pathologist



CID : 2308109073
Name : MR.SUBODH BALIRAM KAMBLE
Age / Gender : 37 Years / Male
Consulting Dr. : -
Reg. Location : G B Road, Thane West (Main Centre)

Collected : 22-Mar-2023 / 08:54
Reported : 22-Mar-2023 / 13:03

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
BLOOD GROUPING & Rh TYPING

<u>PARAMETER</u>	<u>RESULTS</u>
ABO GROUP	B
Rh TYPING	Positive

NOTE: Test performed by Semi- automated column agglutination technology (CAT)

Specimen: EDTA Whole Blood and/or serum

Clinical significance:
ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

References:

1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***



Amit Taori

Dr.AMIT TAORI
M.D (Path)
Pathologist

Authenticity Check



Use a QR Code Scanner
 Application To Scan the Code

CID : 2308109073
 Name : MR.SUBODH BALIRAM KAMBLE
 Age / Gender : 37 Years / Male
 Consulting Dr. : -
 Reg. Location : G B Road, Thane West (Main Centre)

Collected : 22-Mar-2023 / 08:54
 Reported : 22-Mar-2023 / 11:20

R
E
P
O
R
T

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Free T3, Serum	4.6	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	16.2	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	3.86	0.35-5.5 microIU/ml	ECLIA



CID : 2308109073
Name : MR.SUBODH BALIRAM KAMBLE
Age / Gender : 37 Years / Male
Consulting Dr. : -
Reg. Location : G B Road, Thane West (Main Centre)

Collected : 22-Mar-2023 / 08:54
Reported : 22-Mar-2023 / 11:20

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto 15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be transiently altered because of non thyroidal illness like severe infections,liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests:Anti thyroid Antibodies,USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3.Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD G B Road Lab, Thane West
*** End Of Report ***



Amit Taori

Dr.AMIT TAORI
M.D (Path)
Pathologist


Authenticity Check




Use a QR Code Scanner Application To Scan the Code

CID : 2308109073
 Name : MR.SUBODH BALIRAM KAMBLE
 Age / Gender : 37 Years / Male
 Consulting Dr. : -
 Reg. Location : G B Road, Thane West (Main Centre)


Haemoglobin




WBC Total Count




Platelet Count




ESR



CHOLESTEROL



TRIGLYCERIDES




Authenticity Check




Use a QR Code Scanner Application To Scan the Code

CID : 2308109073
Name : MR.SUBODH BALIRAM KAMBLE
Age / Gender : 37 Years / Male
Consulting Dr. : -
Reg. Location : G B Road, Thane West (Main Centre)


HDL CHOLESTEROL




LDL CHOLESTEROL




BLOOD UREA




BUN



CREATININE



URIC ACID




Authenticity Check




Use a QR Code Scanner Application To Scan the Code

CID : 2308109073
Name : MR.SUBODH BALIRAM KAMBLE
Age / Gender : 37 Years / Male
Consulting Dr. : -
Reg. Location : G B Road, Thane West (Main Centre)


TOTAL PROTEINS




ALBUMIN




GLOBULIN




SGOT (AST)



SGPT (ALT)



ALKALINE PHOSPHATASE




Authenticity Check




Use a QR Code Scanner Application To Scan the Code

CID : 2308109073
Name : MR.SUBODH BALIRAM KAMBLE
Age / Gender : 37 Years / Male
Consulting Dr. : -
Reg. Location : G B Road, Thane West (Main Centre)


GAMMA GT




BILIRUBIN (DIRECT)




Glycosylated Hemoglobin (HbA1c)




Estimated Average Glucose (eAG)



Free T3




Free T4





Use a QR Code Scanner Application To Scan the Code

CID : 2308109073
 Name : MR.SUBODH BALIRAM KAMBLE
 Age / Gender : 37 Years / Male
 Consulting Dr. : -
 Reg. Location : G B Road, Thane West (Main Centre)



Date:

CID:

Name: 22/3/27

Sex / Age: /

Sobochu Kumble

EYE CHECK UP

M.-57

Chief complaints: REU

Systemic Diseases: All

Past history: All

Unaided Vision: RR 6/18 " H.V. 2 N:10

Aided Vision: BR 6/6 H.V. 2 N:6

Refraction:

	(Right Eye)				(Left Eye)			
	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance								
Near								

Colour Vision: Normal / Abnormal

Remark: use own spectacles

MR. PRAKASH KUDVA
Prakash
SR. OPTOMETRIST

Age 37 years 3 months 1 day

Gender Male


Heart Rate 58bpm

Patient Vitals

BP: 110/80 mmHg
Weight: 78 kg
Height: 170 cm
Pulse: NA
SpO2: NA
Resp: NA
Others:

Measurements

QRSd: 96ms
QT: 392ms
QTc: 384ms
PR: 152ms
P-R-T: 38° 70° 47°



Copyright 2014 (2023) Tricog Health. All Rights Reserved. **tricog**

ECG Within Normal Limits: Sinus Bradycardia. Please correlate clinically.

REPORTED BY

DR SHAILAJA PILLAI
MBBS, MD Physician
MD Physician
49972

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.

Authenticity Check



Use a QR Code Scanner
Application To Scan the Code

R
E
P
O
R
T

CID : 2308109073
 Name : Mr SUBODH BALIRAM KAMBLE
 Age / Sex : 37 Years/Male
 Ref. Dr :
 Reg. Location : G B Road, Thane West Main Centre
 Reg. Date : 22-Mar-2023
 Reported : 22-Mar-2023 / 12:03

USG WHOLE ABDOMEN

LIVER: Liver appears normal in size and echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

GALL BLADDER: Gall bladder is distended and appears normal. Wall thickness is within normal limits. There is no evidence of any calculus.

PORTAL VEIN: Portal vein is normal. **CBD:** CBD is normal.

PANCREAS: Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification. Pancreatic duct is not dilated.

KIDNEYS: Right kidney measures 10.1 x 4.6 cm. Left kidney measures 9.8 x 4.6 cm. Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.


URINARY BLADDER: Urinary bladder is distended and normal. Wall thickness is within normal limits.

PROSTATE: Prostate is normal in size and echotexture. No evidence of any focal lesion. Median lobe does not show significant hypertrophy.

No free fluid or significant lymphadenopathy is seen.

Click here to view images <http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023032208530537>

Authenticity Check



Use a QR Code Scanner
Application To Scan the Code

CID : 2308109073
 Name : Mr SUBODH BALIRAM KAMBLE
 Age / Sex : 37 Years/Male
 Ref. Dr :
 Reg. Location : G B Road, Thane West Main Centre
 Reg. Date : 22-Mar-2023
 Reported : 22-Mar-2023 / 12:03

IMPRESSION: USG ABDOMEN IS WITHIN NORMAL LIMITS.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further/follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis.

-----End of Report-----

Dr Gauri Varma
Consultant Radiologist
MBBS / DMRE
MMC- 2007/12/4113

AREAS OF SPECIAL EXPERTISE

YOUR PRESENCE

022-6170-0000

Click here to view images <http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023032208530537>

REG NO. : 2308109073	SEX : MALE
NAME : MR.SUBODH BALIRAM KAMBLE	AGE : 37 YRS
REF BY : -----	DATE: 22.03.2023

2D ECHOCARDIOGRAPHY

M - MODE FINDINGS :

LVIDD	47	mm
LVIDS	31	mm
LVEF	60	%
IVS	13	mm
PW	9	mm
AO	15	mm
LA	28	mm

2D ECHO:

- All cardiac chambers are normal in size
- Left ventricular contractility : Normal
- Regional wall motion abnormality : Absent.
- Systolic thickening : Normal. LVEF = 60%
- Mitral, tricuspid , aortic , pulmonary valves are : Normal.
- Great arteries : Aorta and pulmonary artery are : Normal .
- Inter - atrial and inter - ventricular septum are intact .
- Pulmonary veins , IVC , hepatic veins are normal.
- No pericardial effusion . No intracardiac clots or vegetation.

022-6170-0000

PATIENT NAME : MR.SUBODH BALIRAM KAMBLE

COLOR DOPPLER:

- Mitral valve doppler - E- 1.1 m/s, A- 0.6m/s.
- Mild TR.
- No aortic / mitral regurgitation. Aortic velocity 1.4 m/s, PG 8.9 mmHg
- No significant gradient across aortic valve.
- No diastolic dysfunction.

IMPRESSION :

- MILD CONCENTRIC HYPERTROPHY OF LV
- NO REGIONAL WALL MOTION ABNORMALITY AT REST.
- NORMAL LV SYSTOLIC FUNCTION.

-----End of the Report-----



DR.YOGESH KHARCHE
DNB(MEDICINE) DNB (CARDIOLOGY)
CONSULTANT INTERVENTIONAL CARDIOLOGIST.

022-6170-0000



CID : 2308109073
Name : Mr SUBODH BALIRAM KAMBLE
Age / Sex : 37 Years/Male
Ref. Dr :
Reg. Location : G B Road, Thane West Main Centre

Reg. Date : 22-Mar-2023
Reported : 22-Mar-2023 / 12:13

Use a QR Code Scanner
Application To Scan the Code

X-RAY CHEST PA VIEW

Both lung fields are clear.
Both costo-phrenic angles are clear.
The cardiac size and shape are within normal limits.
The domes of diaphragm are normal in position and outlines.
The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

Dr Gauri Varma
Consultant Radiologist
MBBS / DMRE
MMC- 2007/12/4113

Click here to view images <http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2023032208530544>