NABH ACCREDITED

EYE HOSPITAL & LASER CENTRE

Dr. AMIT GARG

M.B.B.S., D.N.B. (Opth.) I-Lasik (Femto) Bladefree Topical Micro Phaco

& Medical Retina Specialist Ex. Micro Phaco Surgeon

Venu Eye Institute & Research Centre, New Delhi 

Name Portal Signeyh

Routine Eye chuked

M.B.B.S., D.N.B. Garg Pathology, Meerut



Accredited Eye Hospital Western U.P.


Website: www.prakasheyehospital.in Facebook: http://www.prakasheyehospital.in

7535832832 7895517715 Manager

7302222373 OT 9837897788 TPA


Timings Morning: 9:30 am to 1:30 pm. Evening: 5:00 pm to 7:00 pm. Sunday: 9:30 am to 1:30 pm.


Near Nai Sarak, Garh Road, Meerut E-mail: prakasheyehosp@gmail.com




Colour Rusion < NORMAL

	RIGHT EYE			LEFT EYE				
	Sph.	Cyl.	Axis	Vision	Sph.	Cyl.	Axis	Vision
Distance	+1.00	_	-	616	10.50	to.50	30'	96
Near Odd BE	+225	_		Ms	+225			Ms











## भारतीय विशिष्ट पहचान प्राधिकरण UNIQUE IDENTIFICATION AUTHORITY OF INDIA


पता:
S/O: अरदार सिंह, सरधना प्रेड गणपति विहार, नागला Cant. Meerut Utar Pradesh - 250001 उत्तर प्रदेश - 250001


5891 5613 3736


Aadhaar-Aam Admi ka Adhikar

60

Dr. MONIKA GARG M.B.B.S., M.D. (Path.) GARG PATHOLOGY









Certified by

National Accreditation Board For Testing & Calibration Laboratories

Former Pathologist : St. Stephan's Hospital, Delhi

M.D. (Path) Gold Medalist

Garden House Colony, Near Nai Sarak, Garh Road, Meerut Ph.: 0121-2600454, 8979608687, 9837772828

PUID : 230318/602 C. NO: 602

**Collection Time** 

: 18-Mar-2023 8:32AM

**Patient Name** 

: Mr. PRATAP SINGH 52Y / Male

**Receiving Time** 

<sup>1</sup> 18-Mar-2023 8:38AM

Referred By

: Dr. BANK OF BARODA

**Reporting Time** 

: 18-Mar-2023 10:40AM

Sample By Organization **Centre Name** 

: Garg Pathology Lab - TPA

Investigation Results Units Biological Ref-Interval

#### **HAEMATOLOGY (EDTA WHOLE BLOOD)**

#### **COMPLETE BLOOD COUNT**

30111 ==11 = 2=302 300111			
HAEMOGLOBIN	13.8	gm/dl	13.0-17.0
(Colorimetry)			
TOTAL LEUCOCYTE COUNT	7350	*10^6/L	4000 - 11000
(Electric Impedence)			
DIFFERENTIAL LEUCOCYTE COUNT			
(Microscopy)			
Neutrophils	50	%.	40-80
Lymphocytes	40	%.	20-40
Eosinophils	07	%.	1-6
Monocytes	03	%.	2-10
Basophils	00	%.	<1-2
Band cells	00	%	0-5
Absolute neutrophil count	3.68	x 10^9/L	2.0-7.0(40-80%
Absolute lymphocyte count	2.94	x 10^9/L	1.0-3.0(20-40%)
Absolute eosinophil count	0.51	x 10^9/L	0.02-0.5(1-6%)
Method:-((EDTA Whole blood, Automated /			
RBC Indices			
TOTAL R.B.C. COUNT	4.69	Million/Cumm	4.5 - 6.5
(Electric Impedence)			
Haematocrit Value (P.C.V.)	43.4	%	26-50
MCV	92.5	fL	80-94
(Calculated)			
MCH	29.4	pg	27-32
(Calculated)			
MCHC	31.8	g/dl	30-35
(Calculated)			
RDW-SD	47.0	fL	37-54



\*THIS TEST IS NOT UNDER NABL SCOPE

**Checked By Technician:** 

Page 1 of 10

Dr. Monika Garg MBBS, MD(Path)

(Consultant Pathologist)





Certified by

M.D. (Path) Gold Medalist Former Pathologist : St. Stephan's Hospital, Delhi

National Accreditation Board For Testing & Calibration Laboratories

Garden House Colony, Near Nai Sarak, Garh Road, Meerut Ph.: 0121-2600454, 8979608687, 9837772828

PUID : 230318/602 C. NO: 602

**Collection Time** 

: 18-Mar-2023 8:32AM

**Patient Name Referred By** 

Organization

: Mr. PRATAP SINGH 52Y / Male

: Dr. BANK OF BARODA

**Receiving Time** <sup>1</sup> 18-Mar-2023 8:38AM

: 18-Mar-2023 10:40AM

Sample By

**Reporting Time Centre Name** 

: Garg Pathology Lab - TPA

Organization :				
Investigation	Results	Units	Biological Ref-Interval	
(Calculated)				
RDW-CV	12.3	%	11.5 - 14.5	
(Calculated)				
Platelet Count	1.64	/Cumm	1.50-4.50	
(Electric Impedence)				
MPV	10.7	%	7.5-11.5	
(Calculated)				
NLR	1.25		1-3	
6-9 Mild stres				
7 O Dethalastal serves				

7-9 Pathological cause

- -NLR is a reflection of physiologic stress, perhaps tied most directly to cortisol and catecholamine levels.
- -NLR can be a useful tool to sort out patients who are sicker, compared to those who are less sick (its not specific to infection).
- -NLR has proven more useful than white blood cell count (WBC) when the two are directly compared. Ultimately, NLR may be a logical replacement for the WBC. In some situations, NLR is competitive with more expensive biomarkers (e.g. procalcitonin, lactate).
- -With specific clinical contexts (e.g. pancreatitis, pulmonary embolism), NLR may have surprisingly good prognostic value.

**BLOOD GROUP \*** 

"O" POSITIVE



\*THIS TEST IS NOT UNDER NABL SCOPE

**Checked By Technician:** 

Page 2 of 10





M.D. (Path) Gold Medalist

: 18-Mar-2023 8:32AM

<sup>1</sup> 18-Mar-2023 8:38AM

: 18-Mar-2023 10:40AM : Garg Pathology Lab - TPA

Former Pathologist : St. Stephan's Hospital, Delhi

National Accreditation Board For Testing & Calibration Laboratories

Garden House Colony, Near Nai Sarak, Garh Road, Meerut

Ph.: 0121-2600454, 8979608687, 9837772828

PUID C. NO: 602 : 230318/602 **Collection Time Patient Name** 

: Mr. PRATAP SINGH 52Y / Male **Receiving Time** : Dr. BANK OF BARODA **Reporting Time** 

Sample By **Centre Name** 

Organization Units **Biological Ref-Interval** Investigation Results

**GLYCATED HAEMOGLOBIN (HbA1c)\*** 5.0 % 4.3-6.3

ESTIMATED AVERAGE GLUCOSE 96.8 mg/dl

EXPECTED RESULTS:

Referred By

Non diabetic patients & Stabilized diabetics 4.3% to 6.30%

Good Control of diabetes 6.4% to 7.5% Fair Control of diabetes 7.5% to 9.0% Poor Control of diabetes 9.0 % and above

-Next due date for HBA1C test: After 3 months

-High HbF & Trig.level, iron def.anaemia result in high GHb

-Haemolyic anemia, presence of HbS, HbC and other Haemoglobinopathies may produce low values. three months.

INTERPRETATION: HbA1c is an indicator of glycemic control. HbA1c represents average glycemia over the past six to eight weeks. Glycation of hemoglobin occurs over the entire 120 day life span of the red blood cell, but with in this 120 days. Recent glycemia has the largest influence on the HbA1c value. Clinical studies suggest that a patient in stable control will have 50% of their HbA1c formed in the month before sampling, 25% in the month before that, and the remaining 25% in months two to four. Mean Plasma Glucose mg/dl = (HbA1c x 35.6) - 77.3) Correlation between HbA1c and Mean Plasma Glucose (MPG) is not "perfect" but rather only this means that to predict or estimate average glucose from Hb-A1c or vice-versa is not "perfect" but gives a good working ballpark estimate. Afternoon and evening results correlate more closely to HbA1c than morning results, perhaps because morning fasting glucose levels vary much more than daytime glucose levels, which are easier to predict and control.

As per IFCC recommendations 2007, HbA1c being reported as above maintaining traceability to both IFCC (mmol/mol) & NGSP (%) units.

\*THIS TEST IS NOT UNDER NABL SCOPE

**Checked By Technician:** 

Page 3 of 10





Former Pathologist :

National Accreditation Board For Testing & Calibration Laboratories

C. NO: 602

St. Stephan's Hospital, Delhi

Garden House Colony, Near Nai Sarak, Garh Road, Meerut Ph.: 0121-2600454, 8979608687, 9837772828

PUID : 230318/602 **Patient Name** : Mr. PRATAP SINGH 52Y / Male

: Dr. BANK OF BARODA

**Collection Time Receiving Time Reporting Time** 

: 18-Mar-2023 8:32AM <sup>1</sup> 18-Mar-2023 8:38AM : 18-Mar-2023 10:41AM

Sample By Organization

Referred By

**Centre Name** 

: Garg Pathology Lab - TPA

Results Units **Biological Ref-Interval** 

**BIOCHEMISTRY (FLORIDE)** 

PLASMA SUGAR FASTING

81.0

mg/dl

70 - 110

(GOD/POD method)

Investigation

132.0

mg/dl

80-140

(GOD/POD method)

PLASMASUGAR P.P.

\*THIS TEST IS NOT UNDER NABL SCOPE

**Checked By Technician:** 

Page 4 of 10





Former Pathologist :

National Accreditation Board For Testing & Calibration Laboratories

St. Stephan's Hospital, Delhi

Garden House Colony, Near Nai Sarak, Garh Road, Meerut Ph.: 0121-2600454, 8979608687, 9837772828

PUID : 230318/602

: Mr. PRATAP SINGH 52Y / Male

Referred By : Dr. BANK OF BARODA

Sample By Organization

Investigation

**Patient Name** 

C. NO: 602

**Collection Time Receiving Time**  : 18-Mar-2023 8:32AM <sup>1</sup> 18-Mar-2023 8:38AM

**Reporting Time** 

: 18-Mar-2023 10:42AM

: Garg Pathology Lab - TPA **Centre Name** 

Units **Biological Ref-Interval** 

#### **BIOCHEMISTRY (SERUM)**

Results

SERUM CREATININE	0.8	mg/dl	0.6-1.4
(Enzymatic) URIC ACID	3.9	mg/dL.	3.6-7.7
BLOOD UREA NITROGEN	10.20	mg/dL.	8-23



\*THIS TEST IS NOT UNDER NABL SCOPE

**Checked By Technician:** 

Page 5 of 10





Former Pathologist : St. Stephan's Hospital, Delhi

National Accreditation Board For Testing & Calibration Laboratories

Garden House Colony, Near Nai Sarak, Garh Road, Meerut Ph.: 0121-2600454, 8979608687, 9837772828

PUID : 230318/602 C. NO: 602

**Collection Time** 

: 18-Mar-2023 8:32AM

**Patient Name Referred By** 

: Mr. PRATAP SINGH 52Y / Male

: Dr. BANK OF BARODA

**Receiving Time Reporting Time**  <sup>1</sup> 18-Mar-2023 8:38AM : 18-Mar-2023 10:42AM

Sample By

**Centre Name** 

: Garg Pathology Lab - TPA

Organization :					
Investigation	Results	Units	Biological Ref-Interval		
LIVER FUNCTION TEST					
SERUM BILIRUBIN					
TOTAL	0.8	mg/dl	0.1-1.2		
(Diazo)					
DIRECT	0.3	mg/dl	<0.3		
(Diazo)					
INDIRECT	0.5	mg/dl	0.1-1.0		
(Calculated)					
S.G.P.T.	21.0	U/L	8-40		
(IFCC method)					
S.G.O.T.	29.0	U/L	6-37		
(IFCC method)					
SERUM ALKALINE PHOSPHATASE (IFCC KINETIC)	101.0	IU/L.	50-126		
SERUM PROTEINS					
TOTAL PROTEINS	6.8	Gm/dL.	6-8		
(Biuret)					
ALBUMIN	3.9	Gm/dL.	3.5-5.0		
(Bromocresol green Dye)					
GLOBULIN	2.9	Gm/dL.	2.5-3.5		
(Calculated)					
A: G RATIO	1.3		1.5-2.5		
(Calculated)					



\*THIS TEST IS NOT UNDER NABL SCOPE

**Checked By Technician:** 

Page 6 of 10





Former Pathologist :

National Accreditation Board For Testing & Calibration Laboratories

C. NO: 602

St. Stephan's Hospital, Delhi

Garden House Colony, Near Nai Sarak, Garh Road, Meerut Ph.: 0121-2600454, 8979608687, 9837772828

: 18-Mar-2023 8:32AM **Collection Time** 

**Receiving Time** <sup>1</sup> 18-Mar-2023 8:38AM

**Reporting Time** : 18-Mar-2023 10:42AM : Garg Pathology Lab - TPA

**Centre Name** 

Units Investigation Results **Biological Ref-Interval** 

PSA\* 0.854 ng/ml

**ECLIA** 

PUID

**Patient Name** 

**Referred By** 

Sample By

Organization

NORMAL VALUE

Age (years)	Medain (ng/ml)
<49	<2.0
50-59	<3.5
60-69	<4.5
70-79	<6.5

: 230318/602

: Mr. PRATAP SINGH 52Y / Male

: Dr. BANK OF BARODA



\*THIS TEST IS NOT UNDER NABL SCOPE

**Checked By Technician:** 

Page 7 of 10





M.D. (Path) Gold Medalist Former Pathologist : St. Stephan's Hospital, Delhi

National Accreditation Board For Testing & Calibration Laboratories

Garden House Colony, Near Nai Sarak, Garh Road, Meerut Ph.: 0121-2600454, 8979608687, 9837772828

PUID : 230318/602 C. NO: 602

**Collection Time** 

: 18-Mar-2023 8:32AM

**Patient Name** Referred By

Organization

: Mr. PRATAP SINGH 52Y / Male

: Dr. BANK OF BARODA

**Receiving Time** 

<sup>1</sup> 18-Mar-2023 8:38AM : 18-Mar-2023 10:42AM

Sample By

**Reporting Time Centre Name** 

: Garg Pathology Lab - TPA

Organization -					
Investigation	Results	Units	Biological Ref-Interval		
LIPID PROFILE					
SERUM CHOLESTEROL	210.0	mg/dl	150-250		
(CHOD - PAP)					
SERUM TRIGYCERIDE	219.0	mg/dl	70-150		
(GPO-PAP)					
HDL CHOLESTEROL *	44.0	mg/dl	30-60		
(PRECIPITATION METHOD)					
VLDL CHOLESTEROL *	43.8	mg/dl	10-30		
(Calculated)					
LDL CHOLESTEROL *	122.2	mg/dL.	0-100		
(Calculated)					
LDL/HDL RATIO *	02.8	ratio	<3.55		
(Calculated)					
CHOL/HDL CHOLESTROL RATIO*	4.8	ratio	3.8-5.9		
(Calculated)					

Interpretation:

NOTE:

Lipid Profile Ranges As PER NCEP-ATP III:

SERUM CHOESTEROL : Desirable : < 200 Borderline : 200 - 239 Elevated :> 240 mg/dl HDLCHOLESTEROL : Desirable : > 60 Borderline : 40- 60 Decreased :< 40 mg/dl LDL CHOLESTEROL : Desirable : 100 mg/dl, Borderline : 100- 159 Elevated : >160 mg/dl : Desirable : 150 Borderline : 150- 199 High : 200 - 499 Very High :>500 Triglycerides

Friedwald Equation, VLDL & LDL values are not applicable for triglyceride > 400 mg/dl.

SERUM SODIUM (Na) \*

139.0

mEq/litre

135 - 155

(ISE method)

(ISE)



\*THIS TEST IS NOT UNDER NABL SCOPE

**Checked By Technician:** 

Page 8 of 10



<sup>\*</sup>Paitient Should be Fast overnight For Minimum 12 hours and normal diet for one week\*



Certified by

St. Stephan's Hospital, Delhi

M.D. (Path) Gold Medalist Former Pathologist :

National Accreditation Board For Testing & Calibration Laboratories

C. NO: 602

Garden House Colony, Near Nai Sarak, Garh Road, Meerut Ph.: 0121-2600454, 8979608687, 9837772828

PUID : 230318/602 **Patient Name** : Mr. PRATAP SINGH 52Y / Male **Collection Time** 

: 18-Mar-2023 8:32AM <sup>1</sup> 18-Mar-2023 8:38AM

Referred By : Dr. BANK OF BARODA

Organization

**Receiving Time Reporting Time** 

: 18-Mar-2023 10:42AM

Sample By

**Centre Name** 

: Garg Pathology Lab - TPA 

- · <b>J</b>					
Investigation	Results	Units	Biological Ref-Interval		
THYRIOD PROFILE*					
Triiodothyronine (T3) *	1.287	ng/dl	0.79-1.58		
(ECLIA)					
Thyroxine (T4) *	8.965	ug/dl	4.9-11.0		
(ECLIA)					
THYROID STIMULATING HORMONE (TSH)	1.805	uIU/ml	0.38-5.30		
(ECLIA)					
Normal Range:-					
1 TO 4 DAYS 2.7-26.5					

4 TO 30 DAYS 1.2-13.1

Hyperthyroid patient have suppressed TSH values, with the exception of those few individuals whos have hyperthyroidism caused by TSH producing pituitary tumor or other rare disordes such as pituitary resistance to thyroid hormones. Subclinical hyperthyroidism is defined as low TSH with levels of T4 and T3 within the reference interval. In most patients with hypothyroidism, serum TSH results are markedly elevated, but results are low in individuals with hypothyroidism caused by pituitary or hypothalamic disorders. An important cause of both incresed and decreased TSH results is NTI. Patients with NTI tend to have low TSH results during their acute illness, then TSH rises to within or above the reference range with resolution of the underlying illness, and finally returns to within the reference range. The situation is complicated because drugs, including glucagon and dopamine, suppress TSH. Sensitive TSH assays are helpful in evaluation of treatment with thyroid hormone both for replacement therapy and suppressive doses for malignant thyroid disease.

SERUM POTASSIUM (K) *	4.1	mEq/litre.	3.5 - 5.5
(ISE method)			
SERUM CALCIUM	9.3	mg/dl	9.2-11.0
(Arsenazo)			



\*THIS TEST IS NOT UNDER NABL SCOPE

**Checked By Technician:** 

Page 9 of 10





M.D. (Path) Gold Medalist

Former Pathologist :

National Accreditation Board For Testing & Calibration Laboratories Garden House Colony, Near Nai Sarak, Garh Road, Meerut

St. Stephan's Hospital, Delhi

Ph.: 0121-2600454, 8979608687, 9837772828

PUID : 230318/602 **Patient Name** 

: Mr. PRATAP SINGH 52Y / Male

Referred By : Dr. BANK OF BARODA

Sample By Organization C. NO: 602 **Collection Time** 

**Receiving Time** 

: 18-Mar-2023 8:32AM

**Reporting Time** 

<sup>1</sup> 18-Mar-2023 8:38AM : 18-Mar-2023 10:44AM

**Centre Name** 

: Garg Pathology Lab - TPA

Investigation	Results	Units	<b>Biological Ref-Interval</b>

#### **URINE**

#### PHYSICAL EXAMINATION

**Volume** ml 20

Pale Yellow Colour

**Appearance** Clear Clear

1.000-1.030 Specific Gravity 1.020

PH (Reaction) Acidic

#### **BIOCHEMICAL EXAMINATION**

Nil Protein Nil Sugar Nil Nil

#### **MICROSCOPIC EXAMINATION**

/HPF Nil Red Blood Cells Nil /HPF 0-2 Pus cells 2-3 /HPF 1-3 **Epithilial Cells** 1-2

Crystals Nil Casts Nil

#### @ Special Examination

**Bile Pigments** Absent Blood Nil Bile Salts **Absent** 

-----{END OF REPORT }-----



\*THIS TEST IS NOT UNDER NABL SCOPE

**Checked By Technician:** 

Page 10 of 10







# LOKPRIVA HOSPITAL



SAMRAT PALACE, GARH ROAD, MEERUT - 250003

# DEPARTMENT OF NON-INVASIVE CARDIOLOGY

DATE : 18/03/2023 REFERENCE NO. : 10913

PATIENT NAME : PRATAP SINGH AGE/SEX : 53YRS/M

REFERRED BY : DR. MONIKA GARG ECHOGENECITY : NORMAL

REFERRING DIAGNOSIS: To rule out structural heart disease.

## ECHOCARDIOGRAPHY REPORT

DIMENSI	ONS	NORMAL			NORMAL
A0 (ed)	2.5 cm	(2.1 - 3.7 cm)	IVS (ed)	1.0 cm	(0.6 - 1.2 cm)
. ,	2.6 cm	(2.1 - 3.7 cm)	LVPW (ed)	1.0 cm	(0.6 - 1.2 cm)
RVID (ed)		(1.1 - 2.5 cm)	<b>EF</b>	60%	(62% - 85%)
LVID (ed)		(3.6 - 5.2 cm)	FS	30%	(28% - 42%)
LVID (es)		(2.3 - 3.9 cm)			

### MORPHOLOGICAL DATA:

Mitral Valve: AML: Normal Interatrial septum: Intact

PML: Normal Interventricular Septum: Intact

Aortic Valve : Thickened Pulmonary Artery : Normal

Tricuspid Valve : Normal Aorta : Normal

Pulmonary Valve : Normal Right Atrium : Normal

Right Ventricle : Normal Left Atrium : Normal

Left Ventricle : Normal

Cont. Page No. 2



# LOKPRIVA HOSPITAL



SAMRAT PALACE, GARH ROAD, MEERUT - 250003

:: 2 ::

## 2-D ECHOCARDIOGRAPHY FINDINGS:

LV normal in size with normal contractions. No LV regional wall motion abnormality seen. RV normal in size with adequate contractions. LA and RA normal. Aortic valve is thickened and rest other cardiac valves are structurally normal. No intracardiac mass. Estimated LV ejection fraction is 60%.

## DOPPLER STUDIES:

Valve	Regurgitation	Velocity m/sec	Gradient mmHg	
Mitral Valve	No	0.86	2.6	
Tricuspid Valve	No	0.69	2.1	
Pulmonary Valve	No	0.78	2.3	
Aortic Valve	No	1.0	4.6	

## IMPRESSION:

- > No RWMA.
- LV Diastolic Dysfunction Grade I.
- ➤ Normal LV Systolic Function (LVEF =60%).

DR. SANJEEV KUMAR BANSAL MD, Dip. CARD (Cardiology) FCCS (Non-Invasive Cardiology) Lokpriya Heart Centre DR. HARIOM TYAGI MD, DM (Cardiology) (Interventional Cardiologist) Director, Lokpriya Heart Centre

**NOTE:** Echocardiography report given is that of the procedure done on that day and needs to be correlated clinically. This is not for medico legal purpose, as patient's identity is not confirmed. No record of this report is kept in the Hospital.



# LOKPRIYA HOSPITAL

## **LOKPRIYA RADIOLOGY CENTRE**

SAMRAT PALACE, GARH ROAD, MEERUT - 250003



0

DATE	18.03.2023	REF. NO.	5532		
PATIENT NAME	PRATAP SINGH	AGE	53YRS	SEX:	M
INVESTIGATION	USG WHOLE ABDOMEN	REF. BY	GARG (PATHOLOGY)		

#### REPORT

Liver - appears normal in size and echotexture. No mass lesion seen. Portal vein is normal.

Gall bladder - Wall thickness is normal. No calculus / mass lesion seen. CBD is normal.

Pancreas- appears normal in size and echotexture. No mass lesion seen.

**Spleen-** is normal in size and echotexture.

Right Kidney - Normal in size and echotexture. Show well maintained corticomedullary differentiation. No calculus / hydronephrosis is noted.

Left Kidney - Normal in size and echotexture. Show well maintained corticomedullary differentiation. No calculus / hydronephrosis is noted.

Urinary bladder - appears distended. Wall thickness is normal. No calculus / mass seen.

Prostate - Normal in size (18g) & echotexture.

#### IMPRESSION

Essentially normal study

M.B.B.S., D.M.R.D. (VIMS & RC) Consultant Radiologist and Head

<sup>.</sup> Impression is a professional opinion & not a diagnosis

Impression is a professional opinion & not a diagnosis
 All modern machines & procedures have their limitations, if there is variance clinically this examination may be repeated or reevaluated by other investigations Ps. All congenital anomalies are not picked upon ultrasounds.
 Suspected typing errors should be informed back for correction immediately.
 Not for medico-legal purpose, Identity of the patient cannot be verified.

<sup>• 1.5</sup> Tesla MRI → 64 Slice CT → Ultrasound

Doppler → Dexa Scan / BMD → Digital X-ray



# LOKPRIYA HOSPITAL

## **LOKPRIYA RADIOLOGY CENTRE**





0

DATE	18.03.2023	REF. NO.	171444		
PATIENT NAME	PRATAP SINGH	AGE	53 YRS	SEX	M
INVESTIGATION	X-RAY CHEST PA VIEW	REF. BY	GARG (PATHOLOGY)		

#### REPORT

- Trachea is central in position.
- Bilateral lung field show normal broncho vascular markings.
- Cardiac size is within normal limits.
- Both costophrenic angles are clear.
- Both domes of diaphragm are normal in contour and position.

#### **IMPRESSION**

Normal study

M.B.B.S., D.M.R.D. (VIMS & RC) Consultant Radiologist and Head

Impression is a professional opinion & not a diagnosis
 All modern machines & procedures have their limitations. If there is variance clinically this examination may be repeated or reevaluated by other investigations Ps. All congenital anomalies are not picked upon ultrasounds.
 Suspected typing errors should be informed back for correction immediately.
 Not for medico-legal purpose. Identity of the patient cannot be verified.

 <sup>1.5</sup> Tesla MRI → 64 Slice CT → Ultrasound