



Name : MS MADHAVI MAGGO **Age** : 29 Yr(s) Sex :Female
Registration No : MH005035520 **Lab No** : 31230400594
Patient Episode : H03000053832 **Collection Date** : 15 Apr 2023 10:02
Referred By : HEALTH CHECK MHD **Reporting Date** : 15 Apr 2023 13:19
Receiving Date : 15 Apr 2023 12:05

Department of Transfusion Medicine (Blood Bank)

BLOOD GROUPING, RH TYPING & ANTIBODY SCREEN (TYPE & SCREEN)
Specimen-Blood

Blood Group & Rh Typing (Agglutination by gel/tube technique)

Blood Group & Rh typing O Rh(D) Positive

Antibody Screening (Microtyping in gel cards using reagent red cells)

Cell Panel I NEGATIVE
Cell Panel II NEGATIVE
Cell Panel III NEGATIVE
Autocontrol NEGATIVE

Final Antibody Screen Result Negative

Technical Note:

ABO grouping and Rh typing is done by cell and serum grouping by microplate / gel technique. Antibody screening is done using a 3 cell panel of reagent red cells coated with Rh, Kell, Duffy, Kidd, Lewis, P, MNS, Lutheran and Xg antigens using gel technique.

Page 1 of 10

-----END OF REPORT-----

Dr Himanshu Lamba



www.manipalhospitals.com E info@manipalhospitals.com P +91 11 4967 4967
Home sample collection: +91 74 2876 9482 Pharmacy Home Delivery: +91 84 4848 6472

Managed by Manipal Hospital (Dwarka) Private Limited



Name : MS MADHAVI MAGGO **Age** : 29 Yr(s) Sex :Female
Registration No : MH005035520 **Lab No** : 32230405435
Patient Episode : H03000053832 **Collection Date** : 15 Apr 2023 10:02
Referred By : HEALTH CHECK MHD **Reporting Date** : 15 Apr 2023 13:07
Receiving Date : 15 Apr 2023 10:53

BIOCHEMISTRY

Glycosylated Hemoglobin

Specimen: EDTA Whole blood

HbA1c (Glycosylated Hemoglobin)

7.5 #

As per American Diabetes Association(ADA)
% [4.0-6.5]HbA1c in %
Non diabetic adults >= 18years <5.7
Prediabetes (At Risk) 5.7-6.4
Diagnosing Diabetes >= 6.5

Methodology (HPLC)

Estimated Average Glucose (eAG) 169 mg/dl

Comments : HbA1c provides an index of average blood glucose levels over the past 8-12 weeks and is a much better indicator of long term glycemic control.

Specimen Type : Serum

THYROID PROFILE, Serum

T3 - Triiodothyronine (ECLIA)	1.11	ng/ml	[0.70-2.04]
T4 - Thyroxine (ECLIA)	6.64	µg/dl	[4.60-12.00]
Thyroid Stimulating Hormone (ECLIA)	2.700	µIU/mL	[0.340-4.250]

1st Trimester:0.6 - 3.4 micIU/mL
2nd Trimester:0.37 - 3.6 micIU/mL
3rd Trimester:0.38 - 4.04 micIU/mL

Note : TSH levels are subject to circadian variation, reaching peak levels between 2-4.a.m.and at a minimum between 6-10 pm.Factors such as change of seasons hormonal fluctuations,Ca or Fe supplements,high fibre diet,stress and illness



Name : MS MADHAVI MAGGO **Age** : 29 Yr(s) Sex :Female
Registration No : MH005035520 **Lab No** : 32230405435
Patient Episode : H03000053832 **Collection Date** : 15 Apr 2023 10:02
Referred By : HEALTH CHECK MHD **Reporting Date** : 15 Apr 2023 12:59
Receiving Date : 15 Apr 2023 10:48

BIOCHEMISTRY

affect TSH results.

* References ranges recommended by the American Thyroid Association

1) Thyroid. 2011 Oct;21(10):1081-125.PMID .21787128

2) <http://www.thyroid-info.com/articles/tsh-fluctuating.html>

Lipid Profile (Serum)

TOTAL CHOLESTEROL (CHOD/POD)	138	mg/dl	[<200] Moderate risk:200-239 High risk:>240
TRIGLYCERIDES (GPO/POD)	163 #	mg/dl	[<150] Borderline high:151-199 High: 200 - 499 Very high:>500
HDL - CHOLESTEROL (Direct)	38	mg/dl	[30-60]
Methodology: Homogenous Enzymatic			
VLDL - Cholesterol (Calculated)	33	mg/dl	[10-40]
(CALCULATED) LDL- CHOLESTEROL	67	mg/dl	[<100] Near/Above optimal-100-129 Borderline High:130-159 High Risk:160-189
T.Chol/HDL.Chol ratio	3.6		<4.0 Optimal 4.0-5.0 Borderline >6 High Risk
LDL.CHOL/HDL.CHOL Ratio	1.8		<3 Optimal 3-4 Borderline >6 High Risk

Note:
Reference ranges based on ATP III Classifications.
Recommended to do fasting Lipid Profile after a minimum of 8 hours of overnight fasting.



Name : MS MADHAVI MAGGO **Age** : 29 Yr(s) Sex :Female
Registration No : MH005035520 **Lab No** : 32230405435
Patient Episode : H03000053832 **Collection Date** : 15 Apr 2023 10:02
Referred By : HEALTH CHECK MHD **Reporting Date** : 15 Apr 2023 12:52
Receiving Date : 15 Apr 2023 10:48

BIOCHEMISTRY

Test Name	Result	Unit	Biological Ref. Interval
LIVER FUNCTION TEST (Serum)			
BILIRUBIN-TOTAL (mod.J Groff)**	0.39	mg/dl	[0.10-1.20]
BILIRUBIN - DIRECT (mod.J Groff)	0.15	mg/dl	[<0.2]
BILIRUBIN - INDIRECT (mod.J Groff)	0.24	mg/dl	[0.20-1.00]
SGOT/ AST (P5P, IFCC)	50.30 #	IU/L	[5.00-37.00]
SGPT/ ALT (P5P, IFCC)	66.30 #	IU/L	[10.00-50.00]
ALP (p-NPP, kinetic)*	100 #	IU/L	[37-98]
TOTAL PROTEIN (mod.Biuret)	7.6	g/dl	[6.0-8.2]
SERUM ALBUMIN (BCG-dye)	4.6	g/dl	[3.5-5.0]
SERUM GLOBULIN (Calculated)	3.0	g/dl	[1.8-3.4]
ALB/GLOB (A/G) Ratio	1.53		[1.10-1.80]

Note:

**NEW BORN:Vary according to age (days), body wt & gestation of baby
 *New born: 4 times the adult value



Name : MS MADHAVI MAGGO **Age** : 29 Yr(s) Sex :Female
Registration No : MH005035520 **Lab No** : 32230405435
Patient Episode : H03000053832 **Collection Date** : 15 Apr 2023 10:02
Referred By : HEALTH CHECK MHD **Reporting Date** : 15 Apr 2023 12:49
Receiving Date : 15 Apr 2023 10:48

BIOCHEMISTRY

Test Name	Result	Unit	Biological Ref. Interval
KIDNEY PROFILE (Serum)			
BUN (Urease/GLDH)	9.00	mg/dl	[8.00-23.00]
SERUM CREATININE (mod.Jaffe)	0.60	mg/dl	[0.60-1.40]
SERUM URIC ACID (mod.Uricase)	5.7	mg/dl	[2.6-6.0]
SERUM CALCIUM (NM-BAPTA)	9.4	mg/dl	[8.6-10.0]
SERUM PHOSPHORUS (Molybdate, UV)	3.3	mg/dl	[2.3-4.7]
SERUM SODIUM (ISE)	137.0	mmol/l	[134.0-145.0]
SERUM POTASSIUM (ISE)	4.08	mmol/l	[3.50-5.20]
SERUM CHLORIDE (ISE / IMT)	101.7	mmol/l	[95.0-105.0]
eGFR	123.6	ml/min/1.73sq.m	[>60.0]

Technical Note

eGFR which is primarily based on Serum Creatinine is a derivation of CKD-EPI 2009 equation normalized to 1.73 sq.m BSA and is not applicable to individuals below 18 years. eGFR tends to be less accurate when Serum Creatinine estimation is indeterminate e.g. patients at extremes of muscle mass, on unusual diets etc. and samples with severe Hemolysis / Icterus / Lipemia.

Page 5 of 10

-----END OF REPORT-----

Dr. Neelam Singal
CONSULTANT BIOCHEMISTRY



NABH Accredited Hospital
H-2019-0640/09/06/2019-08/06/2022



NABL Accredited Hospital
MC/3228/04/09/2019-03/09/2021



Awarded Emergency Excellence Services
E-2019-0026/27/07/2019-26/07/2021



Awarded Nursing Excellence Services
N-2019-0113/27/07/2019-26/07/2021



Awarded Clean & Green Hospital
IND18.6278/05/12/2018- 04/12/2019

www.manipalhospitals.com E info@manipalhospitals.com P +91 11 4967 4967
Home sample collection: +91 74 2876 9482 Pharmacy Home Delivery: +91 84 4848 6472

Managed by Manipal Hospital (Dwarka) Private Limited



Name : MS MADHAVI MAGGO **Age** : 29 Yr(s) Sex :Female
Registration No : MH005035520 **Lab No** : 32230405436
Patient Episode : H03000053832 **Collection Date** : 15 Apr 2023 10:03
Referred By : HEALTH CHECK MHD **Reporting Date** : 15 Apr 2023 11:53
Receiving Date : 15 Apr 2023 10:52

BIOCHEMISTRY

Specimen Type : Serum/Plasma

Plasma GLUCOSE-Fasting (Hexokinase) 153 # mg/dl [70-100]

Page 6 of 10

-----END OF REPORT-----

Dr. Neelam Singal
CONSULTANT BIOCHEMISTRY



NABH Accredited Hospital
H-2019-0640/09/06/2019-08/06/2022



NABL Accredited Hospital
MC/3228/04/09/2019-03/09/2021



Awarded Emergency Excellence Services
E-2019-0026/27/07/2019-26/07/2021



Awarded Nursing Excellence Services
N-2019-0113/27/07/2019-26/07/2021



Awarded Clean & Green Hospital
IND18.6278/05/12/2018- 04/12/2019



Name : MS MADHAVI MAGGO **Age** : 29 Yr(s) Sex :Female
Registration No : MH005035520 **Lab No** : 33230403287
Patient Episode : H03000053832 **Collection Date** : 15 Apr 2023 10:01
Referred By : HEALTH CHECK MHD **Reporting Date** : 15 Apr 2023 12:35
Receiving Date : 15 Apr 2023 10:31

HAEMATOLOGY

ERYTHROCYTE SEDIMENTATION RATE (Automated) Specimen-Whole Blood

ESR 17.0 /1sthour [0.0-20.0]

Interpretation :

Erythrocyte sedimentation rate (ESR) is a non-specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants (e.g. pyogenic infections, inflammation and malignancies). The ESR is increased in pregnancy from about the 3rd month and returns to normal by the 4th week postpartum.

ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives).

It is especially low (0 -1mm) in polycythemia, hypofibrinogenemia or congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis or sickle cells.

Test Name	Result	Unit	Biological Ref. Interval
COMPLETE BLOOD COUNT (EDTA Blood)			
WBC Count (Flow cytometry)	6600	/cu.mm	[4000-10000]
RBC Count (Impedence)	5.11 #	million/cu.mm	[3.80-4.80]
Haemoglobin (SLS Method)	14.0	g/dL	[12.0-15.0]
Haematocrit (PCV) (RBC Pulse Height Detector Method)	43.8	%	[36.0-46.0]
MCV (Calculated)	85.7	fL	[83.0-101.0]
MCH (Calculated)	27.4	pg	[25.0-32.0]
MCHC (Calculated)	32.0	g/dL	[31.5-34.5]
Platelet Count (Impedence)	176000	/cu.mm	[150000-410000]
RDW-CV (Calculated)	13.5	%	[11.6-14.0]
DIFFERENTIAL COUNT			
Neutrophils (Flowcytometry)	62.8	%	[40.0-80.0]
Lymphocytes (Flowcytometry)	27.9	%	[20.0-40.0]



Name : MS MADHAVI MAGGO **Age** : 29 Yr(s) Sex :Female
Registration No : MH005035520 **Lab No** : 33230403287
Patient Episode : H03000053832 **Collection Date** : 15 Apr 2023 10:01
Referred By : HEALTH CHECK MHD **Reporting Date** : 15 Apr 2023 12:35
Receiving Date : 15 Apr 2023 10:31

HAEMATOLOGY

Monocytes (Flowcytometry)	6.8	%	[2.0-10.0]
Eosinophils (Flowcytometry)	2.3	%	[1.0-6.0]
Basophils (Flowcytometry)	0.2 #	%	[1.0-2.0]
IG	0.50	%	
Neutrophil Absolute(Flourescence flow cytometry)	4.2	/cu mm	[2.0-7.0]x10 ³
Lymphocyte Absolute(Flourescence flow cytometry)	1.8	/cu mm	[1.0-3.0]x10 ³
Monocyte Absolute(Flourescence flow cytometry)	0.5	/cu mm	[0.2-1.2]x10 ³
Eosinophil Absolute(Flourescence flow cytometry)	0.2	/cu mm	[0.0-0.5]x10 ³
Basophil Absolute(Flourescence flow cytometry)	0.0	/cu mm	[0.0-0.1]x10 ³

Complete Blood Count is used to evaluate wide range of health disorders, including anemia, infection, and leukemia. Abnormal increase or decrease in cell counts as revealed may indicate that an underlying medical condition that calls for further evaluation.

-----END OF REPORT-----

Soma Pradhan

Dr. Soma Pradhan



Name : MS MADHAVI MAGGO **Age** : 29 Yr(s) Sex :Female
Registration No : MH005035520 **Lab No** : 38230401038
Patient Episode : H03000053832 **Collection Date** : 15 Apr 2023 10:02
Referred By : HEALTH CHECK MHD **Reporting Date** : 15 Apr 2023 14:44
Receiving Date : 15 Apr 2023 13:20

CLINICAL PATHOLOGY

Test Name	Result	Biological Ref. Interval
ROUTINE URINE ANALYSIS		
MACROSCOPIC DESCRIPTION		
Colour (Visual)	PALE YELLOW	(Pale Yellow - Yellow)
Appearance (Visual)	SLIGHTLY TURBID	
CHEMICAL EXAMINATION		
Reaction[pH] (Reflectancephotometry(Indicator Method))	6.0	(5.0-9.0)
Specific Gravity (Reflectancephotometry(Indicator Method))	1.005	(1.003-1.035)
Bilirubin	Negative	NEGATIVE
Protein/Albumin (Reflectance photometry(Indicator Method)/Manual SSA)	PRESENT TRACE	(NEGATIVE-TRACE)
Glucose (Reflectance photometry (GOD-POD/Benedict Method))	DETECTED ++	(NEGATIVE)
Ketone Bodies (Reflectance photometry(Legal's Test)/Manual Rotheras)	NOT DETECTED	(NEGATIVE)
Urobilinogen Reflectance photometry/Diazonium salt reaction	NORMAL	(NORMAL)
Nitrite	NEGATIVE	NEGATIVE
Reflectance photometry/Griess test		
Leukocytes Reflectance photometry/Action of Esterase	++	NEGATIVE
BLOOD (Reflectance photometry(peroxidase))	NIL	NEGATIVE
MICROSCOPIC EXAMINATION (Manual) Method: Light microscopy on centrifuged urine		
WBC/Pus Cells	10-15 /hpf	(4-6)
Red Blood Cells	NIL	(1-2)
Epithelial Cells	6-8 /hpf	(2-4)
Casts	NIL	(NIL)
Crystals	NIL	(NIL)
Bacteria	NIL	
Yeast cells	NIL	

Interpretation:



Name : MS MADHAVI MAGGO **Age** : 29 Yr(s) Sex :Female
Registration No : MH005035520 **Lab No** : 38230401038
Patient Episode : H03000053832 **Collection Date** : 15 Apr 2023 10:02
Referred By : HEALTH CHECK MHD **Reporting Date** : 15 Apr 2023 14:44
Receiving Date : 15 Apr 2023 13:20

CLINICAL PATHOLOGY

URINALYSIS--Routine urine analysis assists in screening and diagnosis of various metabolic , urological, kidney and liver disorders

Protein: Elevated proteins can be an early sign of kidney disease. Urinary protein excretion can also be temporarily elevated by strenuous exercise, orthostatic proteinuria, dehydration, urinary tract infections and acute illness with fever

Glucose: Uncontrolled diabetes mellitus can lead to presence of glucose in urine.

Other causes include pregnancy, hormonal disturbances, liver disease and certain medications.

Ketones: Uncontrolled diabetes mellitus can lead to presence of ketones in urine.

Ketones can also be seen in starvation, frequent vomiting, pregnancy and strenuous exercise.

Blood: Occult blood can occur in urine as intact erythrocytes or haemoglobin, which can occur in various urological, nephrological and bleeding disorders.

Leukocytes: An increase in leukocytes is an indication of inflammation in urinary tract or kidneys. Most Common cause is bacterial urinary tract infection.

Nitrite: Many bacteria give positive results when their number is high. Nitrite concentration during infection increases with length of time the urine specimen is retained in bladder prior to collection.

pH: The kidneys play an important role in maintaining acid base balance of the body. Conditions of the body producing acidosis/alkalosis or ingestion of certain type of food can affect the pH of urine.

Specific gravity: Specific gravity gives an indication of how concentrated the urine is. Increased Specific gravity is seen in conditions like dehydration, glycosuria and proteinuria while decreased Specific gravity is seen in excessive fluid intake, renal failure and diabetes insipidus.

Bilirubin: In certain liver diseases such as biliary obstruction or hepatitis, bilirubin gets excreted in urine.

Urobilinogen: Positive results are seen in liver diseases like hepatitis and cirrhosis and in case of hemolytic anemia.

-----END OF REPORT-----

Dr. Soma Pradhan