



Wh 83.

11



MER-MEDICAL EXAMINATION REPORT

WILLY WILD !		
DATE OF EXAMINATION	18/02/2022	
The state of the s	MR. BADRI LAL KUMHAR	
NAME	56	
AGE	50	
HEIGHT	164CM.	
	83 KG	
WEIGHT	NORMAL	
ВР	NORMAL	
ECG X-RAY	NORMAL	
PRESENT AILMENTS	NORMAL	
DETAILES OF PAST AIMENTS (IF AY)		
COMMENTS/ADVICE :SHE/HE IS PHYSICALLY FIT	YES	



Signature With Stamp Of Medical Examiner



Call: 9982996666

Dr. Sharva Pandya

Minns Min. pistonamaisan) RMC Reg. No. 021837

डॉ. शर्चा पण्डया

परिष्य नेच सेच विशेषक्ष सर्जन

MR. BADET 2AZ KUMHAR

56/M

2.11.23

c/0 - for eye checkup

NVA 2 6/12

DVP 2 6/6

colour vision - Narrad

Add (+ 2.00 (N/6)

Showing

DR. SHARVA PANDYA MBBS, MS (OPHTH.) RMC: 021537 (MBBS) 007516 (MS.) JAI DRISHTI EYE HOSPITAL UDAIPUR (RAJ.)

चित्रकूट नगर, उदयपुर में हमारी नैत्र चिकित्सा सेवाएं शीघ्र उपलब्ध होगी।

Jai Drishti Eye Hospital, 23A, Residency Road, Opp. Equitas Bank, Sardarpura, Udalpur जय दुष्टि आई हॉस्पिटल, 23-ए, रेजीडेन्सी रोड़, एक्विटास बैंक के सामने, सरदारपुरा, उदयपुर





Shipra Scans & Labs

,		111
Name : Thanks To :	Badri lal kumhar Health checkup	Age : 56 Yrs. / F Date : 2/11/23

X-RAY CHEST (PA VIEW)

Both lung fields appear normal.

No e/o Koch's lesion or consolidation seen.

Both CP angles appear clear.

Both domes of diaphragm appear normal.

Heart size and aorta are within normal limits.

Bony thorax under vision appears normal.

.Both hila appear normal.


Consultant Radiologist

(This report is not valid for any Medico-legal purpose)

2-B, Ground Floor, Court Choraha, Main Road Tehsil Ke Samne, Udaipur 313001 (Raj.) Mob.: 7229961115, 7229970005, 7229901188

(24 x 7 Customer Service) Email : Kshipralabsudaipur@gmail.com







	:	Mr. Badri lal	Age	:	56Yrs. / M
Name Name	:	Mediwheel	Date	:	02/11/2023
Thanks To					

ULTRASOUND STUDY OF WHOLE ABDOMEN

LIVER

Liver is mild enlarged in size (15.6cm)& bright in echotexture. No focal mass lesion is seen. Intra hepatic biliary radicles are normal. Portal vein is normal in caliber.

GALL BLADDER

Gall bladder is well distended. The wall thickness appears normal. No evidence of calculus or mass lesion is seen. C.B.D. appears normal.

PANCREAS

Pancreas is normal in size, shape & echotexture. No focal mass lesion is seen.

SPLEEN

Spleen is normal in size, shape & echotexture. No focal mass lesion is seen.

BOTH KIDNEYS

Both kidneys are normal in size, shape & echotexture. Renal parenchyma appears normal. No evidence of hydronephrosis, calculus or cortical scarring is seen in either kidney.

Right kidney measures

: 10.4 x 5.4 cms.

Left kidney measures

: 10.0 x 5.3 cms.

URINARY BLADDER

Urinary bladder is well distended and appears normal in contour. The wall thickness appears normal.

PROSTATE

Prostate is mild enlarged in size measures 3.9 x 3.4 x 3.8cms. Volume: 27cc.

No obvious abdominal lymphadenopathy is seen. No free fluid is seen in peritoneal cavity.

OPINION:

- Mild hepatomegaly with fatty liver grade I.
- Mild prostatomegaly.

MD (Radio-Diagnosis) Consultant Radiologist

(This report is not valid for any Medico-legal purpose) ENCL: - PCPNDT Registration Certificate is printed on the back side of this report.

2-B, Ground Floor, Court Choraha, Main Road Tehsil Ke Samne, Udaipur 313001 (Raj.) Mob.: 7229961115, 7229970005, 7229901188

(24 x 7 Customer Service) Email: Kshipralabsudaipur@gmail.com

TEST REPORT

Reg. No : 2311100032

Name : Badri Lal Kumhar Age/Sex : 56 Years / Male

Collected On : 02-Nov-2023 09:31 **Approved On** : 02-Nov-2023 10:43

Reg. Date

Ref. By

Client

: MEDIWHEEL WELLNESS

Printed On : 02-Nov-2023 18:14

: 02-Nov-2023

<u>Parameter</u>	Result	<u>Unit</u>	Reference Interval	
	KIDNEY FU	JNCTION TEST		
UREA (Urease & glutamate dehydrogenase)	25.2	mg/dL	10 - 50	
Creatinine (Jaffe method)	0.77	mg/dL	0.5 - 1.4	
Uric Acid (Enzymatic colorimetric)	4.2	mg/dL	2.5 - 7.0	
	Fod C	Of Donort		

: 2311100032 Reg. No Name : Badri Lal Kumhar Age/Sex : 56 Years / Male

Hematrocrit (PCV)

Collected On : 02-Nov-2023 09:31 Approved On : 02-Nov-2023 10:32

Reg. Date

40 - 54

Ref. By

Client

: MEDIWHEEL WELLNESS

Printed On : 02-Nov-2023 18:14

: 02-Nov-2023

<u>Parameter</u>	<u>Result</u>	<u>Unit</u>	Reference Interval	
	COMPLETE	BLOOD COUNT (CBC)	
	SPEC	IMEN: EDTA BLOOD		
Hemoglobin	14.6	g/dL	13.0 - 17.0	
RBC Count	5.42	million/cmm	4.5 - 5.5	

%

MCH	26.9	Pg	27 - 32
MCV	90.4	fL	83 - 101
MCHC	29.8	%	31.5 - 34.5
RDW	12.6	%	11.5 - 14.5
WBC Count	5980	/cmm	4000 - 11000

49.0

DIFFERENTIAL WBC COUN	T (Flow cytometry)		
Neutrophils (%)	50	%	38 - 70
Lymphocytes (%)	38	%	20 - 40
Monocytes (%)	07	%	2 - 8
Eosinophils (%)	04	%	0 - 6
Basophils (%)	01	%	0 - 2

Dasoprilis (70)	01	70
Neutrophils	2990	/cmm
Lymphocytes	2272	/cmm
Monocytes	419	/cmm
Eosinophils	239	/cmm
Basophils	60	/cmm
Platelet Count (Flow cytometry)	154000	/cmm
AAD) /	0.7	rı .

150000 - 450000

7.5 - 11.5

MPV 9.7 fL

ERYTHROCYTE SEDIMENTATION RATE ESR (After 1 hour) 15 mm/hr 0 - 19

Modified Westergren Method

		TEST REPORT		
Reg. No	: 2311100032		Reg. Date	: 02-Nov-2023
Name	: Badri Lal Kumhar		Collected On	: 02-Nov-2023 09:31
Age/Sex	: 56 Years / Male		Approved On	: 02-Nov-2023 10:32
Ref. By	:		Printed On	: 02-Nov-2023 18:14
Client	: MEDIWHEEL WELLNESS			
Paramet	<u>er</u>	Result		
	Specimer	BLOOD GROUP & RH a: EDTA and Serum; Method: Haemagglu	tination	
ABO		'AB'		
Rh (D)		Positive		
		End Of Report		



: 2311100032 Reg. No Name : Badri Lal Kumhar

Age/Sex 56 Years / Male

Ref. By

Client : MEDIWHEEL WELLNESS Reg. Date : 02-Nov-2023

Approved On

Collected On : 02-Nov-2023 09:31

Printed On : 02-Nov-2023 18:14

: 02-Nov-2023 14:39

<u>Parameter</u>	<u>Result</u>	<u>Unit</u>	Reference Interval
------------------	---------------	-------------	--------------------

PLASMA GLUCOSE

Fasting Blood Sugar (FBS) 91.7 mg/dL 70 - 110

Hexokinase Method

70 - 140 Post Prandial Blood Sugar (PPBS) 126.8 mg/dL

Hexokinase Method

Criteria for the diagnosis of diabetes1. HbA1c >/= 6.5 *

2. Fasting plasma glucose >126 gm/dL. Fasting is defined as no caloric intake at least for 8 hrs.

3. Two hour plasma glucose >/= 200mg/dL during an oral glucose tolerence test by using a glucose load containing equivalent of 75 gm anhydrous glucose dissolved in water.

4. In a patient with classic symptoms of hyperglycemia or hyperglycemic crisis, a random plasma glucose >/= 200 mg/dL.

*In the absence of unequivocal hyperglycemia, criteria 1-3 should be confirmed by repeat testing.

American diabetes association. Standards of medical care in diabetes 2011. Diabetes care 2011;34;S11.

 Reg. No
 : 2311100032

 Name
 : Badri Lal Kumhar

 Age/Sex
 : 56 Years / Male

Collected On : 02-Nov-2023 09:31 **Approved On** : 02-Nov-2023 10:43

: 02-Nov-2023

Reg. Date

Ref. By

Printed On : 02-Nov-2023 18:14

Client : MEDIWHEEL WELLNESS

<u>Parameter</u>	Result	<u>Unit</u>	Reference Interval
	LIF	PID PROFILE	
Cholesterol (Enzymatic colorimetric)	217.0	mg/dL	Desirable : < 200.0 Borderline High : 200-239 High : > 240.0
Triglyceride (Enzymatic colorimetric)	108.1	mg/dL	Normal : < 150.0 Borderline : 150-199 High : 200-499 Very High : > 500.0
VLDL	21.62	mg/dL	15 - 35
Calculated			
LDL CHOLESTEROL	154.68	mg/dL	Optimal : < 100.0 Near / above optimal : 100-129 Borderline High : 130-159 High : 160-189 Very High : >190.0
HDL Cholesterol	40.7	mg/dL	30 - 70
Homogeneous enzymatic colorim	etric		
Cholesterol /HDL Ratio Calculated	5.33		0 - 5.0
LDL / HDL RATIO Calculated	3.80		0 - 3.5



Reg. No : 2311100032

Name : Badri Lal Kumhar

Age/Sex : 56 Years / Male

Collected On : 02-Nov-2023 09:31

Approved On : 02-Nov-2023 10:43

Reg. Date

Ref. By

Client: MEDIWHEEL WELLNESS

Printed On : 02-Nov-2023 18:14

: 02-Nov-2023

<u>Parameter</u> <u>Result</u> <u>Unit</u> <u>Reference Interval</u>

NEW ATP III GUIDELINES (MAY 2001), MODIFICATION OF NCEP<?xml:namespace prefix = "o" ns = "urn:schemas-microsoft-com:office:office" />

LDL CHOLESTEROL CHOLESTEROL HDL CHOLESTEROL TRIGLYCERIDES Optimal<100

Optimal<100
Desirable<200
Low<40
Normal<150
Near Optimal 100-129
Border Line 200-239
High >60
Border High 150-199
Borderline 130-159
High >240

High 200-499 High 160-189

-

- LDL Cholesterol level is primary goal for treatment and varies with risk category and assesment
- For LDL Cholesterol level Please consider direct LDL value

Risk assessment from HDL and Triglyceride has been revised. Also LDL goals have changed.

- Detail test interpreation available from the lab
- All tests are done according to NCEP guidelines and with FDA approved kits.
- · LDL Cholesterol level is primary goal for treatment and varies with risk category and assesment

For test performed on specimen's received or collected from non-KSHIPRA locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender.

KSHIPRA will be responsible Only for the analytical part of test carried out. All other responsibility will be of referring Laboratory.

. All other responsibility will be of referring Laboratory.

----- End Of Report ------

Page 6 of 11

Approved by: DR PS RAO

Reg. No : 2311100032 Name : Badri Lal Kumhar Age/Sex : 56 Years / Male

Reg. Date : 02-Nov-2023 Collected On : 02-Nov-2023 09:31

Approved On : 02-Nov-2023 10:43

Ref. By

Printed On : 02-Nov-2023 18:14

Client : MEDIWHEEL WELLNESS

	Result	<u>Unit</u>	Reference Interval	
	LIVEF	R FUNCTION TES	т	
Γotal Bilirubin	0.34	mg/dL	0.10 - 1.0	
Colorimetric diazo method				
Conjugated Bilirubin	0.11	mg/dL	0.0 - 0.3	
Sulph acid dpl/caff-benz				
Jnconjugated Bilirubin	0.23	mg/dL	0.0 - 1.1	
Sulph acid dpl/caff-benz				
SGOT	24.1	U/L	0 - 37	
(Enzymatic)				
SGPT	24.4	U/L	0 - 40	
(Enzymatic)				
Alakaline Phosphatase	87.9	U/L	53 - 130	
(Colorimetric standardized method)				
Protien with ratio				
Γotal Protein	7.2	g/dL	6.5 - 8.7	
(Colorimetric standardized method)				
Albumin	4.5	mg/dL	3.5 - 5.3	
(Colorimetric standardized method)				
Globulin	2.70	g/dL	2.3 - 3.5	
Calculated				
NG Ratio	1.67		0.8 - 2.0	
Calculated				

----- End Of Report -----

TEST REPORT

: 2311100032 Reg. No Name : Badri Lal Kumhar Age/Sex 56 Years / Male

Collected On : 02-Nov-2023 09:31 Approved On : 02-Nov-2023 10:43

Reg. Date

Ref. By

Printed On : 02-Nov-2023 18:14

: 02-Nov-2023

Client : MEDIWHEEL WELLNESS

Parameter Result Reference Interval

HEMOGLOBIN A1 C ESTIMATION

Specimen: Blood EDTA

Hb A1C

6.3

% of Total Hb

Unit

Poor Control: > 7.0 % Good Control: 6.2-7.0 %

Boronate Affinity with Fluorescent Quenching

Non-diabetic Level: 4.3-6.2 %

Mean Blood Glucose Calculated

146.98

mg/dL

Degree of Glucose Control Normal Range:

Poor Control >7.0% *

Good Control 6.0 - 7.0 %**Non-diabetic level < 6.0 %

- * High risk of developing long term complication such as retinopathy, nephropathy, neuropathy, cardiopathy,etc.
- * Some danger of hypoglycemic reaction in Type I diabetics.
- * Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1c levels in this area.

EXPLANATION:-

Total haemoglobin A1 c is continuously symthesised in the red blood cell throught its 120 days life span. The concentration of HBA1c in the cell reflects the average blood glucose concentration it encounters.

*The level of HBA1c increases proportionately in patients with uncontrolled diabetes. It reflects the average blood glucose oncentration over an extended time period and remains unaffected by short-term fluctuations in blood glucose levels.

*The measurement of HbA1c can serve as a convenient test for evaluating the adequacy of diabetic control and in preventing various diabetic complications. Because the average half life of a red blood cell is sixty days. HbA1c has been accepted as a measurnment which effects the mean daily blood glucose concentration, better than fasting blood glucose determination, and the degree of carbohydrate imbalance over the preceding two months.

*It may also provide a better index of control of the diabetic patient without resorting to glucose loading procedures.

HbA1c assay Interferences:

*Errneous values might be obtained from samples with abnormally elevated quantities of other Haemoglobins as a result of either their simultaneous elution with HbA1c(HbF) or differences in their glycation from that of HbA(HbS)

----- End Of Report -----

Page 8 of 11

DR PS RAO

MD Pathologist

This is an electronically authenticated report.

Approved by:

Test done from collected sample

: 2311100032 Reg. No Name Badri Lal Kumhar Age/Sex : 56 Years / Male

Collected On : 02-Nov-2023 09:31 Approved On : 02-Nov-2023 10:31

: 02-Nov-2023

Reg. Date

Ref. By

Client

Printed On : 02-Nov-2023 18:14 : MEDIWHEEL WELLNESS

<u>Parameter</u>	Result	<u>Unit</u>	Reference Interval	
	THYRO	ID FUNCTION TI	EST	
T3 (Triiodothyronine)	0.95	ng/mL	0.87 - 1.81	
Chemiluminescence				
T4 (Thyroxine)	7.27	μg/dL	5.89 - 14.9	
Chemiluminescence				
TSH (ultra sensitive)	1.096	μIU/ml	0.34 - 5.6	
Chemiluminescence				

SUMMARY The hypophyseal release of TSH (thyrotropic hormone) is the central regulating mechanism for the biological action of thyroid hormones. TSH is a very sensitive and specific parameter for assessing thyroid function and is particularly suitable for early detection or exclusion of disorders in the central regulating circuit between the hypothalamus, pituitary and thyroid. LIMITATION Presence of autoantibodies may cause unexpected high value of TSH

----- End Of Report -----

MD Pathologist

This is an electronically authenticated report.

TEST REPORT

Reg. No : 2311100032 Name : Badri Lal Kumhar : 56 Years / Male

Collected On : 02-Nov-2023 09:31

: 02-Nov-2023

Age/Sex

Reg. Date

Approved On : 02-Nov-2023 10:31

Printed On

: 02-Nov-2023 18:14

Ref. By Client

Parameter

: MEDIWHEEL WELLNESS

Result

<u>Unit</u>

Reference Interval

PROSTATE SPECIFIC ANTIGEN

PSA 0.40 ng/mL

0 - 4

Chemiluminescence

Reg. No : 2311100032
Name : Badri Lal Kumhar
Age/Sex : 56 Years / Male

Collected On : 02-Nov-2023 09:31 **Approved On** : 02-Nov-2023 10:44

Ref. By

Parameter

Client

.

Printed On : 02-Nov-2023 18:14

: 02-Nov-2023

: MEDIWHEEL WELLNESS

Reference Interval

Reg. Date

URINE ROUTINE EXAMINATION

<u>Unit</u>

PHYSICAL EXAMINATION

Quantity 20 cc
Colour Pale Yellow

Appearance Clear

CHEMICAL EXAMINATION (BY REFLECTANCE PHOTOMETRIC METHOD)

Result

pH 6.0 5.0 - 8.0 Sp. Gravity 1.015 1.002 - 1.03

Nil Protein Nil Glucose Ketone Bodies Nil Urine Bile salt and Bile Pigment Nil Urine Bilirubin Nil Nitrite Nil Leucocytes Nil Blood Nil

MICROSCOPIC EXAMINATION (MANUAL BY MCIROSCOPY)

Leucocytes (Pus Cells) 1 - 2/hpf

Erythrocytes (Red Cells) Occasional/hpf

Epithelial Cells 1-2/hpf Amorphous Material Nil

Casts Nil
Crystals Nil
Bacteria Nil
Monilia Nil

----- End Of Report -----

Page 11 of 11

Approved by: DR PS RAO