



MC-5333

PATIENT NAME : YOGESH RANIWAAL**REF. DOCTOR : SELF****CODE/NAME & ADDRESS : C000049066**SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG
JAIPUR 302017
9314660100ACCESSION NO : **0251WB000325**

PATIENT ID : FH.10738454

CLIENT PATIENT ID: 012302050020

ABHA NO :

AGE/SEX : 32 Years Male

DRAWN : 05/02/2023 09:26:00

RECEIVED : 05/02/2023 10:34:26

REPORTED : 05/02/2023 16:05:56

Test Report Status **Final****Results****Biological Reference Interval** **Units****HAEMATOLOGY - CBC****MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE****BLOOD COUNTS, EDTA WHOLE BLOOD**

HEMOGLOBIN (HB)	14.7	13.0 - 17.0	g/dL
METHOD : CYANIDE FREE DETERMINATION			
RED BLOOD CELL (RBC) COUNT	4.57	4.5 - 5.5	mil/ μ L
METHOD : ELECTRICAL IMPEDANCE			
WHITE BLOOD CELL (WBC) COUNT	4.70	4.0 - 10.0	thou/ μ L
METHOD : ELECTRICAL IMPEDANCE			
PLATELET COUNT	182	150 - 410	thou/ μ L
METHOD : ELECTRONIC IMPEDANCE			

RBC AND PLATELET INDICES

HEMATOCRIT (PCV)	44.5	40 - 50	%
METHOD : CALCULATED PARAMETER			
MEAN CORPUSCULAR VOLUME (MCV)	97.0	83 - 101	fL
METHOD : CALCULATED PARAMETER			
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	32.2 High	27.0 - 32.0	pg
METHOD : CALCULATED PARAMETER			
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC)	33.1	31.5 - 34.5	g/dL
METHOD : CALCULATED PARAMETER			
RED CELL DISTRIBUTION WIDTH (RDW)	13.6	11.6 - 14.0	%
METHOD : CALCULATED PARAMETER			
MENTZER INDEX	21.2		
MEAN PLATELET VOLUME (MPV)	10.6	6.8 - 10.9	fL
METHOD : CALCULATED PARAMETER			

WBC DIFFERENTIAL COUNT

NEUTROPHILS	60	40 - 80	%
METHOD : IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY			
LYMPHOCYTES	30	20 - 40	%
METHOD : IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY			
MONOCYTES	06	2 - 10	%
METHOD : IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY			
EOSINOPHILS	04	1 - 6	%
METHOD : IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY			

Dr. Akansha Jain
Consultant Pathologist

Page 1 Of 14



View Details



View Report

PERFORMED AT :SRL Ltd
C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road
JAIPUR, 302015
Rajasthan, INDIA**Patient Ref. No. 775000002279142**



MC-5333

PATIENT NAME : YOGESH RANIWAAL**REF. DOCTOR : SELF****CODE/NAME & ADDRESS : C000049066**SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG
JAIPUR 302017
9314660100ACCESSION NO : **0251WB000325**

PATIENT ID : FH.10738454

CLIENT PATIENT ID: 012302050020

ABHA NO :

AGE/SEX : 32 Years Male

DRAWN : 05/02/2023 09:26:00

RECEIVED : 05/02/2023 10:34:26

REPORTED : 05/02/2023 16:05:56

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

BASOPHILS		00	0 - 2	%
METHOD : IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY				
ABSOLUTE NEUTROPHIL COUNT		2.82	2.0 - 7.0	thou/ μ L
METHOD : CALCULATED PARAMETER				
ABSOLUTE LYMPHOCYTE COUNT		1.41	1.0 - 3.0	thou/ μ L
METHOD : CALCULATED PARAMETER				
ABSOLUTE MONOCYTE COUNT		0.28	0.2 - 1.0	thou/ μ L
METHOD : CALCULATED PARAMETER				
ABSOLUTE EOSINOPHIL COUNT		0.19	0.02 - 0.50	thou/ μ L
METHOD : CALCULATED PARAMETER				
ABSOLUTE BASOPHIL COUNT		0 Low	0.02 - 0.10	thou/ μ L
NEUTROPHIL LYMPHOCYTE RATIO (NLR)		2.0		

Interpretation(s)

BLOOD COUNTS, EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.

RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait (<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients ; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504 This ratio element is a calculated parameter and out of NABL scope.

Dr. Akansha Jain
Consultant Pathologist

Page 2 Of 14



View Details



View Report

PERFORMED AT :SRL Ltd
C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road
JAIPUR, 302015
Rajasthan, INDIA**Patient Ref. No. 775000002279142**

PATIENT NAME : YOGESH RANIWAAL

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG
JAIPUR 302017
9314660100

ACCESSION NO : 0251WB000325

PATIENT ID : FH.10738454

CLIENT PATIENT ID: 012302050020

ABHA NO :

AGE/SEX : 32 Years Male

DRAWN : 05/02/2023 09:26:00

RECEIVED : 05/02/2023 10:34:26

REPORTED : 05/02/2023 16:05:56

Test Report Status Final

Results

Biological Reference Interval **Units**

HAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

ERYTHROCYTE SEDIMENTATION RATE (ESR),WHOLE BLOOD

E.S.R

03

0 - 14

mm at 1 hr

METHOD : AUTOMATED (PHOTOMETRICAL CAPILLARY STOPPED FLOW KINETIC ANALYSIS)"

Interpretation(s)

ERYTHROCYTE SEDIMENTATION RATE (ESR),WHOLE BLOOD-TEST DESCRIPTION :-

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic; it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition. CRP is superior to ESR because it is more sensitive and reflects a more rapid change.

TEST INTERPRETATION

Increase in: Infections, Vasculitides, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging.

Finding a very accelerated ESR (>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm/hr(95 if anemic). ESR returns to normal 4th week post partum.

Decreased in: Polycythemia vera, Sickle cell anemia

LIMITATIONS

False elevated ESR : Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia

False Decreased : Poikilocytosis,(SickleCells,spherocytes),Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine, salicylates)

REFERENCE :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition;2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin;3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition.

Dr. Akansha Jain
Consultant Pathologist

Page 3 Of 14



View Details



View Report

PERFORMED AT :

SRL Ltd
C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg,Gandhi Nagar Mod, Tonk Road
JAIPUR, 302015
Rajasthan, INDIA



Patient Ref. No. 775000002279142

PATIENT NAME : YOGESH RANIWAAL

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG
JAIPUR 302017
9314660100

ACCESSION NO : **0251WB000325**

PATIENT ID : FH.10738454

CLIENT PATIENT ID: 012302050020

ABHA NO :

AGE/SEX : 32 Years Male

DRAWN : 05/02/2023 09:26:00

RECEIVED : 05/02/2023 10:34:26

REPORTED : 05/02/2023 16:05:56

Test Report Status **Final**

Results

Biological Reference Interval **Units**

IMMUNOHAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

ABO GROUP

TYPE A

METHOD : TUBE AGGLUTINATION

RH TYPE

POSITIVE

METHOD : TUBE AGGLUTINATION

Interpretation(s)

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-

Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.

Dr. Akansha Jain
Consultant Pathologist

Page 4 Of 14



View Details



View Report

PERFORMED AT :

SRL Ltd
C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road
JAIPUR, 302015
Rajasthan, INDIA



Patient Ref. No. 775000002279142



MC-5333

PATIENT NAME : YOGESH RANIWAAL		REF. DOCTOR : SELF	
CODE/NAME & ADDRESS : C000049066		ACCESSION NO : 0251WB000325	
SRL JAIPUR WELLNESS CORPORATE WALK IN		AGE/SEX : 32 Years Male	
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG		DRAWN : 05/02/2023 09:26:00	
JAIPUR 302017		RECEIVED : 05/02/2023 10:34:26	
9314660100		REPORTED : 05/02/2023 16:05:56	
		PATIENT ID : FH.10738454	
		CLIENT PATIENT ID: 012302050020	
		ABHA NO :	

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

BIOCHEMISTRY

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

GLUCOSE FASTING, FLUORIDE PLASMA

FBS (FASTING BLOOD SUGAR) 86 74 - 99 mg/dL
 METHOD : GLUCOSE OXIDASE

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD

HBA1C 5.6 Non-diabetic: < 5.7 %
Pre-diabetics: 5.7 - 6.4
Diabetics: > or = 6.5
Therapeutic goals: < 7.0
Action suggested : > 8.0
(ADA Guideline 2021)

METHOD : HIGH PERFORMANCE LIQUID CHROMATOGRAPHY (HPLC)

ESTIMATED AVERAGE GLUCOSE(EAG) 114.0 < 116.0 mg/dL
 METHOD : CALCULATED PARAMETER

GLUCOSE, POST-PRANDIAL, PLASMA

PPBS(POST PRANDIAL BLOOD SUGAR) 80 70 - 140 mg/dL
 METHOD : GLUCOSE OXIDASE

LIPID PROFILE, SERUM

CHOLESTEROL, TOTAL 213 High < 200 Desirable mg/dL
200 - 239 Borderline High
>/= 240 High

METHOD : CHOLESTEROL OXIDASE

TRIGLYCERIDES 124 < 150 Normal mg/dL
150 - 199 Borderline High
200 - 499 High
>/=500 Very High

METHOD : LIPASE/GPO-PAP NO CORRECTION

HDL CHOLESTEROL 50 < 40 Low mg/dL
>/=60 High

METHOD : DIRECT CLEARANCE METHOD

Dr. Akansha Jain
Consultant Pathologist



[View Details](#)



[View Report](#)

PERFORMED AT :

SRL Ltd
 C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road
 JAIPUR, 302015
 Rajasthan, INDIA



Patient Ref. No. 775000002279142



MC-5333

PATIENT NAME : YOGESH RANIWAAL**REF. DOCTOR : SELF****CODE/NAME & ADDRESS : C000049066**SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG
JAIPUR 302017
9314660100ACCESSION NO : **0251WB000325**

PATIENT ID : FH.10738454

CLIENT PATIENT ID: 012302050020

ABHA NO :

AGE/SEX : 32 Years Male

DRAWN : 05/02/2023 09:26:00

RECEIVED : 05/02/2023 10:34:26

REPORTED : 05/02/2023 16:05:56

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

CHOLESTEROL LDL	139 High	< 100 Optimal 100 - 129 Near optimal/ above optimal 130 - 159 Borderline High 160 - 189 High >= 190 Very High	mg/dL
NON HDL CHOLESTEROL	163 High	Desirable: Less than 130 Above Desirable: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very high: > or = 220	mg/dL

METHOD : CALCULATED PARAMETER

VERY LOW DENSITY LIPOPROTEIN CHOL/HDL RATIO	24.8 4.3	<= 30.0 3.3 - 4.4 Low Risk 4.5 - 7.0 Average Risk 7.1 - 11.0 Moderate Risk > 11.0 High Risk	mg/dL
--	-------------	---	-------

LDL/HDL RATIO	2.8	0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate Risk Risk >6.0 High Risk	
---------------	-----	--	--

Interpretation(s)**LIVER FUNCTION PROFILE, SERUM**

BILIRUBIN, TOTAL	0.91	0 - 1	mg/dL
------------------	------	-------	-------

METHOD : DIAZO WITH SULPHANILIC ACID

BILIRUBIN, DIRECT	0.28 High	0.00 - 0.25	mg/dL
-------------------	------------------	-------------	-------

METHOD : DIAZO WITH SULPHANILIC ACID

BILIRUBIN, INDIRECT	0.63	0.1 - 1.0	mg/dL
---------------------	------	-----------	-------

METHOD : CALCULATED PARAMETER

TOTAL PROTEIN	8.2	6.4 - 8.2	g/dL
---------------	-----	-----------	------

METHOD : BIURET REACTION, END POINT

ALBUMIN	4.8 High	3.8 - 4.4	g/dL
---------	-----------------	-----------	------

Dr. Akansha Jain
Consultant Pathologist

Page 6 Of 14



View Details



View Report

PERFORMED AT :SRL Ltd
C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road
JAIPUR, 302015
Rajasthan, INDIA**Patient Ref. No. 775000002279142**



MC-5333

PATIENT NAME : YOGESH RANIWAAL**REF. DOCTOR : SELF****CODE/NAME & ADDRESS : C000049066**SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG
JAIPUR 302017
9314660100ACCESSION NO : **0251WB000325**

PATIENT ID : FH.10738454

CLIENT PATIENT ID: 012302050020

ABHA NO :

AGE/SEX : 32 Years Male

DRAWN : 05/02/2023 09:26:00

RECEIVED : 05/02/2023 10:34:26

REPORTED : 05/02/2023 16:05:56

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

METHOD : BROMOCRESOL GREEN

GLOBULIN	3.4	2.0 - 4.1	g/dL
----------	-----	-----------	------

METHOD : CALCULATED PARAMETER

ALBUMIN/GLOBULIN RATIO	1.4	1.0 - 2.1	RATIO
------------------------	-----	-----------	-------

METHOD : CALCULATED PARAMETER

ASPARTATE AMINOTRANSFERASE (AST/SGOT)	49 High	0 - 37	U/L
---------------------------------------	----------------	--------	-----

METHOD : TRIS BUFFER NO P5P IFCC / SFBC 37° C

ALANINE AMINOTRANSFERASE (ALT/SGPT)	78 High	0 - 40	U/L
-------------------------------------	----------------	--------	-----

METHOD : TRIS BUFFER NO P5P IFCC / SFBC 37° C

ALKALINE PHOSPHATASE	77	39 - 117	U/L
----------------------	----	----------	-----

METHOD : AMP OPTIMISED TO IFCC 37° C

GAMMA GLUTAMYL TRANSFERASE (GGT)	21	11 - 50	U/L
----------------------------------	----	---------	-----

METHOD : GAMMA GLUTAMYL-3 CARBOXY-4 NITROANILIDE (IFCC) 37° C

LACTATE DEHYDROGENASE	547 High	230 - 460	U/L
-----------------------	-----------------	-----------	-----

BLOOD UREA NITROGEN (BUN), SERUM

BLOOD UREA NITROGEN	10	5.0 - 18.0	mg/dL
---------------------	----	------------	-------

METHOD : UREASE KINETIC

CREATININE, SERUM

CREATININE	0.92	0.8 - 1.3	mg/dL
------------	------	-----------	-------

METHOD : ALKALINE PICRATE NO DEPROTEINIZATION

BUN/CREAT RATIO

BUN/CREAT RATIO	10.87		
-----------------	-------	--	--

METHOD : CALCULATED PARAMETER

URIC ACID, SERUM

URIC ACID	6.9	3.4 - 7.0	mg/dL
-----------	-----	-----------	-------

METHOD : URICASE PEROXIDASE WITH ASCORBATE OXIDASE

TOTAL PROTEIN, SERUM

TOTAL PROTEIN	8.2	6.4 - 8.3	g/dL
---------------	-----	-----------	------

METHOD : BIURET REACTION, END POINT

ALBUMIN, SERUM

ALBUMIN	4.8 High	3.8 - 4.4	g/dL
---------	-----------------	-----------	------

METHOD : BROMOCRESOL GREEN

GLOBULIN

GLOBULIN	3.4	2.0 - 4.1	g/dL
----------	-----	-----------	------

Dr. Akansha Jain
Consultant Pathologist

Page 7 Of 14



View Details



View Report

PERFORMED AT :SRL Ltd
C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road
JAIPUR, 302015
Rajasthan, INDIA

Patient Ref. No. 775000002279142



MC-5333

PATIENT NAME : YOGESH RANIWAAL**REF. DOCTOR : SELF****CODE/NAME & ADDRESS : C000049066**SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG
JAIPUR 302017
9314660100**ACCESSION NO : 0251WB000325**

PATIENT ID : FH.10738454

CLIENT PATIENT ID: 012302050020

ABHA NO :

AGE/SEX : 32 Years Male

DRAWN : 05/02/2023 09:26:00

RECEIVED : 05/02/2023 10:34:26

REPORTED : 05/02/2023 16:05:56

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

ELECTROLYTES (NA/K/CL), SERUM

SODIUM, SERUM 141.2 137 - 145 mmol/L

METHOD : ION-SELECTIVE ELECTRODE

POTASSIUM, SERUM 4.46 3.6 - 5.0 mmol/L

METHOD : ION-SELECTIVE ELECTRODE

CHLORIDE, SERUM 103.4 98 - 107 mmol/L

METHOD : ION-SELECTIVE ELECTRODE

Interpretation(s)**Interpretation(s)****GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION**

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and so that no glucose is excreted in the urine.

Increased in

Diabetes mellitus, Cushing's syndrome (10 - 15%), chronic pancreatitis (30%). Drugs: corticosteroids, phenytoin, estrogen, thiazides.

Decreased in

Pancreatic islet cell disease with increased insulin, insulinoma, adrenocortical insufficiency, hypopituitarism, diffuse liver disease, malignancy (adrenocortical, stomach, fibrosarcoma), infant of a diabetic mother, enzyme deficiency diseases (e.g., galactosemia), Drugs- insulin, ethanol, propranolol, sulfonylureas, tolbutamide, and other oral hypoglycemic agents.

NOTE:

While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin (HbA1c) levels are favored to monitor glycaemic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glycosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

GLYCOSYLATED HEMOGLOBIN (HbA1c), EDTA WHOLE BLOOD-Used For:

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.
2. Diagnosing diabetes.

3. Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patient's metabolic control has remained continuously within the target range.

1. eAG (Estimated average glucose) converts percentage HbA1c to mg/dl, to compare blood glucose levels.

2. eAG gives an evaluation of blood glucose levels for the last couple of months.

3. eAG is calculated as $eAG (mg/dl) = 28.7 * HbA1c - 46.7$

HbA1c Estimation can get affected due to :

I. Shortened Erythrocyte survival : Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.

II. Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin.)

III. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addition are reported to interfere with some assay methods, falsely increasing results.

IV. Interference of hemoglobinopathies in HbA1c estimation is seen in

a. Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.

b. Heterozygous state detected (D10 is corrected for HbS & HbC trait.)

c. HbF > 25% on alternate platform (Boronate affinity chromatography) is recommended for testing of HbA1c. Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin

treatment, Renal Glycosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. Additional test HbA1c

LIVER FUNCTION PROFILE, SERUM-LIVER FUNCTION PROFILE

Dr. Akansha Jain
Consultant Pathologist

Page 8 Of 14



View Details



View Report

PERFORMED AT :SRL Ltd
C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road
JAIPUR, 302015
Rajasthan, INDIA**Patient Ref. No. 775000002279142**



MC-5333

PATIENT NAME : YOGESH RANIWAAL

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG
JAIPUR 302017
9314660100

ACCESSION NO : 0251WB000325

PATIENT ID : FH.10738454

CLIENT PATIENT ID: 012302050020

ABHA NO :

AGE/SEX : 32 Years Male

DRAWN : 05/02/2023 09:26:00

RECEIVED : 05/02/2023 10:34:26

REPORTED : 05/02/2023 16:05:56

Test Report Status **Final** Results Biological Reference Interval Units

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. Elevated levels result from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease. Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors & Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health. AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Paget's disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels are seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilson's disease. GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc. Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom's disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc. Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

Causes of decreased level include Liver disease, SIADH.

CREATININE, SERUM-Higher than normal level may be due to:

- Blockage in the urinary tract
- Kidney problems, such as kidney damage or failure, infection, or reduced blood flow
- Loss of body fluid (dehydration)
- Muscle problems, such as breakdown of muscle fibers
- Problems during pregnancy, such as seizures (eclampsia), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to:

- Myasthenia Gravis
- Muscular dystrophy

URIC ACID, SERUM-Causes of Increased levels:-Dietary(High Protein Intake,Prolonged Fasting,Rapid weight loss),Gout,Lesch nyhan syndrome,Type 2 DM, Metabolic syndrome

Causes of decreased levels-Low Zinc intake,OCP, Multiple Sclerosis

TOTAL PROTEIN, SERUM-Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom's disease

Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

Dr. Akansha Jain
Consultant Pathologist



View Details



View Report

PERFORMED AT :

SRL Ltd
C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road
JAIPUR, 302015
Rajasthan, INDIA



Patient Ref. No. 775000002279142



MC-5333

PATIENT NAME : YOGESH RANIWAAL		REF. DOCTOR : SELF	
CODE/NAME & ADDRESS : C000049066		ACCESSION NO : 0251WB000325	AGE/SEX : 32 Years Male
SRL JAIPUR WELLNESS CORPORATE WALK IN AAKRITI LABS PVT LTD. A-430, AGRASEN MARG JAIPUR 302017 9314660100		PATIENT ID : FH.10738454	DRAWN : 05/02/2023 09:26:00
		CLIENT PATIENT ID: 012302050020	RECEIVED : 05/02/2023 10:34:26
		ABHA NO :	REPORTED : 05/02/2023 16:05:56

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

CLINICAL PATH - URINALYSIS

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

PHYSICAL EXAMINATION, URINE

COLOR	PALE YELLOW
METHOD : GROSS EXAMINATION	
APPEARANCE	CLEAR
METHOD : GROSS EXAMINATION	

CHEMICAL EXAMINATION, URINE

PH	5.5	4.7 - 7.5
METHOD : DOUBLE INDICATOR PRINCIPLE		
SPECIFIC GRAVITY	<=1.005	1.003 - 1.035
METHOD : IONIC CONCENTRATION METHOD		
PROTEIN	NOT DETECTED	NOT DETECTED
METHOD : PROTEIN ERROR OF INDICATORS WITH REFLECTANCE		
GLUCOSE	NOT DETECTED	NOT DETECTED
METHOD : GLUCOSE OXIDASE PEROXIDASE / BENEDICTS		
KETONES	NOT DETECTED	NOT DETECTED
METHOD : SODIUM NITROPRUSSIDE REACTION		
BLOOD	NOT DETECTED	NOT DETECTED
METHOD : PEROXIDASE ANTI PEROXIDASE		
BILIRUBIN	NOT DETECTED	NOT DETECTED
METHOD : DIPSTICK		
UROBILINOGEN	NORMAL	NORMAL
METHOD : EHRlich REACTION REFLECTANCE		
NITRITE	NOT DETECTED	NOT DETECTED
METHOD : NITRATE TO NITRITE CONVERSION METHOD		
LEUKOCYTE ESTERASE	NOT DETECTED	NOT DETECTED

MICROSCOPIC EXAMINATION, URINE

RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF
METHOD : MICROSCOPIC EXAMINATION			
PUS CELL (WBC'S)	2-3	0-5	/HPF
METHOD : DIPSTICK, MICROSCOPY			
EPITHELIAL CELLS	0-1	0-5	/HPF
METHOD : MICROSCOPIC EXAMINATION			
CASTS	NOT DETECTED		

Dr. Akansha Jain
Consultant Pathologist



View Details



View Report

PERFORMED AT :

SRL Ltd
C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road
JAIPUR, 302015
Rajasthan, INDIA



Patient Ref. No. 775000002279142



MC-5333

PATIENT NAME : YOGESH RANIWAAL

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG
JAIPUR 302017
9314660100

ACCESSION NO : **0251WB000325**

PATIENT ID : FH.10738454

CLIENT PATIENT ID: 012302050020

ABHA NO :

AGE/SEX : 32 Years Male

DRAWN : 05/02/2023 09:26:00

RECEIVED : 05/02/2023 10:34:26

REPORTED : 05/02/2023 16:05:56

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

METHOD : MICROSCOPIC EXAMINATION

CRYSTALS

NOT DETECTED

METHOD : MICROSCOPIC EXAMINATION

BACTERIA

NOT DETECTED

NOT DETECTED

METHOD : MICROSCOPIC EXAMINATION

YEAST

NOT DETECTED

NOT DETECTED

Interpretation(s)

Dr. Akansha Jain
Consultant Pathologist

Page 11 Of 14



View Details



View Report

PERFORMED AT :

SRL Ltd
C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road
JAIPUR, 302015
Rajasthan, INDIA



Patient Ref. No. 775000002279142



MC-5333

PATIENT NAME : YOGESH RANIWAAL		REF. DOCTOR : SELF	
CODE/NAME & ADDRESS : C000049066		ACCESSION NO : 0251WB000325	
SRL JAIPUR WELLNESS CORPORATE WALK IN AAKRITI LABS PVT LTD. A-430, AGRASEN MARG JAIPUR 302017 9314660100		PATIENT ID : FH.10738454	AGE/SEX : 32 Years Male
		CLIENT PATIENT ID: 012302050020	DRAWN : 05/02/2023 09:26:00
		ABHA NO :	RECEIVED : 05/02/2023 10:34:26
			REPORTED : 05/02/2023 16:05:56

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

CLINICAL PATH - STOOL ANALYSIS

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

PHYSICAL EXAMINATION,STOOL

COLOUR SAMPLE NOT RECEIVED
 METHOD : GROSS EXAMINATION

Dr. Abhishek Sharma
Consultant Microbiologist



View Details

View Report

PERFORMED AT :

SRL Ltd
 C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road
 JAIPUR, 302015
 Rajasthan, INDIA



Patient Ref. No. 775000002279142



MC-5333

PATIENT NAME : YOGESH RANIWAAL**REF. DOCTOR : SELF****CODE/NAME & ADDRESS : C000049066**SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD, A-430, AGRASEN MARG
JAIPUR 302017
9314660100ACCESSION NO : **0251WB000325**

PATIENT ID : FH.10738454

CLIENT PATIENT ID: 012302050020

ABHA NO :

AGE/SEX : 32 Years Male

DRAWN : 05/02/2023 09:26:00

RECEIVED : 05/02/2023 10:34:26

REPORTED : 05/02/2023 16:05:56

Test Report Status **Final****Results****Biological Reference Interval** **Units****SPECIALISED CHEMISTRY - HORMONE****MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE****THYROID PANEL, SERUM**

T3	110.99	60.0 - 181.0	ng/dL
METHOD : CHEMILUMINESCENCE			
T4	10.30	4.5 - 10.9	µg/dL
METHOD : CHEMILUMINESCENCE			
TSH (ULTRASENSITIVE)	4.763	0,550 - 4.780	µIU/mL
METHOD : CHEMILUMINESCENCE			

Interpretation(s)

Triiodothyronine T3 , **Thyroxine T4**, and **Thyroid Stimulating Hormone TSH** are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low.

Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3. Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3) Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1) Subclinical Hypothyroidism (2) Patient with insufficient thyroid hormone replacement therapy (3) In cases of Autoimmune/Hashimoto thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical inflammation, drugs like amphetamines, Iodine containing drug and dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre (3) Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4 replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism
6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent treatment for Hyperthyroidism

Dr. Akansha Jain
Consultant Pathologist

Page 13 Of 14



View Details



View Report

PERFORMED AT :SRL Ltd
C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road
JAIPUR, 302015
Rajasthan, INDIA**Patient Ref. No. 775000002279142**



MC-5333

PATIENT NAME : YOGESH RANIWAAL

REF. DOCTOR : SELF

CODE/NAME & ADDRESS : C000049066

SRL JAIPUR WELLNESS CORPORATE WALK IN
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG
JAIPUR 302017
9314660100

ACCESSION NO : **0251WB000325**

PATIENT ID : FH.10738454

CLIENT PATIENT ID: 012302050020

ABHA NO :

AGE/SEX : 32 Years Male

DRAWN : 05/02/2023 09:26:00

RECEIVED : 05/02/2023 10:34:26

REPORTED : 05/02/2023 16:05:56

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies

REF: 1. TIFTZ Fundamentals of Clinical chemistry 2. Guidelines of the American Thyroid association during pregnancy and Postpartum, 2011.

NOTE: It is advisable to detect Free T3,FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

****End Of Report****

Please visit www.srlworld.com for related Test Information for this accession

Dr. Akansha Jain
Consultant Pathologist

Page 14 Of 14



View Details



View Report

PERFORMED AT :

SRL Ltd
C/o Aakriti Labs Pvt Ltd, 3, Mahatma Gandhi Marg, Gandhi Nagar Mod, Tonk Road
JAIPUR, 302015
Rajasthan, INDIA




Patient Ref. No. 775000002279142



MR YOGESH RANJANAL K.32 YS /M/10 Cms/10 Kg/HR 64

Date: 05/02/2023

BP: 140/90 mmHg P/LC On Natch Of HR 70.05 Hz LF 100 Hz



ST change

↘

DR. NITIZ GOYAL
M.B.S., M.D.
RMO - 0233319



AGESH RANIWAL / 32 Yrs / M / 0 Cms / 0 Kg
 05 / 02 / 2023 Technician : VIJENDRA KUMAR Examined By:

Stage	Time	Duration	Speed(mph)	Elevation	MEts	Rate	%THR	Bp	Rpp	Pvc	Comments
Supine	00:07	0:07	01.1	00.0	01.0	060	32 %	140/90	084	00	
Standing	00:17	0:10	00.0	00.0	01.0	071	38 %	140/90	099	00	
HV	00:20	0:03	00.0	00.0	01.0	071	38 %	140/90	099	00	
Warm Up	00:40	0:20	00.0	00.0	01.0	072	38 %	140/90	100	00	
ExStart	00:44	0:04	00.0	00.0	01.0	072	38 %	140/90	100	00	
BRUCE Stage 1	03:44	3:00	01.7	10.0	04.7	091	48 %	140/90	127	00	
BRUCE Stage 2	06:44	3:00	02.5	12.0	07.1	094	50 %	140/90	131	00	
BRUCE Stage 3	09:44	3:00	03.4	14.0	10.2	115	61 %	140/90	161	00	
PeakEx	12:27	2:43	04.2	16.0	13.2	161	86 %	140/90	225	00	
Recovery	13:27	1:00	00.0	00.0	04.3	120	64 %	140/90	168	00	
Recovery	14:27	2:00	00.0	00.0	01.0	080	43 %	170/103	136	00	
Recovery	15:05	2:38	00.0	00.0	01.0	076	40 %	150/80	114	00	

REPORT :

FINAL IMPRESSION . TEST IS NEGATIVE FOR INDUCIBLE ISCHAEMIA

DR. NITIZ GOYAL
 M.B.B.S., M.D.
 RMC 0233319
 Doctor : DR. NITIZ GOYAL

Yageshgi / 32 / m / 9413374105

05/02/23

Ad-

Refract - WNL

NonesRx. 6/60 vision

- 3.00 RSPH. 6/9.

- 3.50 RSPH. 6/9.

Colour blindness - Normal

Dr. RAKESH SHARMA
M.S. OPTH. B. OPTH
FICLLP



Aakriti Labs


3 Mahatma Gandhi Marg, Gandhi Nagar Mod
Tonk Road, Jaipur (Raj.) Ph.: 0141-2710661
www.aakritilabs.com
CIN NO.: U85195RJ2004PTC019563

PATIENT NAME: MR YOGESH RANIWAL	AGE & SEX: 32Y/M
REF. by: MEDIWHEEL	DATE: 05.02.2023

USG: WHOLE ABDOMEN (Male)

- LIVER** : Is normal in size, shape and echogenecity.
The IHBR and hepatic radicals are not dilated.
No evidence of focal echopoor/echorich lesion seen.
Portal vein diameter and common bile duct appear normal.
- GALL** : Is normal in size, shape and echotexture. Walls are smooth and
BLADDER regular with normal thickness. There is no evidence of cholelithiasis.
- PANCREAS** : Is normal in size, shape and echotexture. Pancreatic duct is not dilated.
SPLEEN : Is normal in size, shape and echogenecity. Splenic hilum is not dilated.
- KIDNEYS** : Right Kidney:-Size: 101x39 mm, Left Kidney:-Size: 104x43 mm.
Bilateral Kidneys are normal in size, shape and echotexture,
corticomedullary differentiation is fair and ratio appears normal.
Pelvi calyceal system is normal. No evidence of hydronephrosis/ nephrolithiasis.
- URINARY** : Bladder walls are smooth, regular and normal thickness.
BLADDER : No evidence of mass or stone in bladder lumen.
- PROSTATE**: Is normal in size, shape and echotexture,
measures: 31x25x22 mm, wt: 9 gms.
Its capsule is intact and no evidence of focal lesion.
- SPECIFIC** : No evidence of retroperitoneal mass or free fluid seen in peritoneal cavity.
: NO evidence of lymphadenopathy or mass lesion in retroperitoneum.
: Visualized bowel loop appear normal. Great vessels appear normal.

IMPRESSION:- NORMAL STUDY


DR NEERA MEHTA
MBBS, DMRD
RMCNO.005807/14853



Name : Mr. YOGESH RANIWAL

Age/Gender: 32 Y/Male

Patient ID : 012302050020

BarcodeNo : 10075376

Referred By : Self

Registration No: 51380

Registered : 05/Feb/2023 09:26AM

Analysed : 05/Feb/2023 10:16AM

Reported : 05/Feb/2023 10:16AM

Panel : Medi Wheel (ArcoFemi
Healthcare Ltd)

DIGITAL X-RAY CHEST PA VIEW

Calcific opacities are seen in left upper zone.

Soft tissue shadow and bony cages are normal.

Trachea is central.

Both CP angle are clear.

Domes of diaphragm are normally placed.


Transverse diameter of heart appears with normal limits.

IMPRESSION:- OLD KOCH'S CHEST.

*** End Of Report ***

Page 1 of 1




Dr. Neera Mehta
M.B.B.S.,D.M.R.D.
RMCNO.005807/14853