



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.VANDANA SOHAN LAL CHAUDHARY	Registered On	: 15/Sep/2024 10:22:55
Age/Gender	: 34 Y 3 M 2 D /F	Collected	: 15/Sep/2024 10:59:46
UHID/MR NO	: ALDP.0000149185	Received	: 15/Sep/2024 11:17:50
Visit ID	: ALDP0217522425	Reported	: 15/Sep/2024 13:18:54
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing), Blood				
Blood Group	В			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC), Whole Blo	od			
Haemoglobin	12.70	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	COLORIMETRIC METHOD (CYANIDE-FREE REAGENT)
TLC (WBC)	5,000.00	/Cu mm	4000-10000	IMPEDANCE METHOD
DLC				
Polymorphs (Neutrophils)	64.00	%	40-80	FLOW CYTOMETRY
Lymphocytes	28.00	%	20-40	FLOW CYTOMETRY
Monocytes	5.00	%	2-10	FLOW CYTOMETRY
Eosinophils	3.00	%	1-6	FLOW CYTOMETRY
Basophils ESR	0.00	%	< 1-2	FLOW CYTOMETRY
Observed	12.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5	



80-91 Yr 15.8







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.VANDANA SOHAN LAL CHAUDHARY	Registered On	: 15/Sep/2024 10:22:55
Age/Gender	: 34 Y 3 M 2 D /F	Collected	: 15/Sep/2024 10:59:46
UHID/MR NO	: ALDP.0000149185	Received	: 15/Sep/2024 11:17:50
Visit ID	: ALDP0217522425	Reported	: 15/Sep/2024 13:18:54
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Pregnancy	
			Early gestation - 48 (62	
			if anaemic) Leter gestation - 70 (95	
			if anaemic)	
Corrected	-	Mm for 1st hr.	,	
PCV (HCT)	38.00	%	40-54	
Platelet count				
Platelet Count	2.09	LACS/cu mm	1.5-4.0	ELECTRONIC
				IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.40	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	-	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.27	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	12.80	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.34	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	88.40	fl	80-100	CALCULATED PARAMETER
MCH	29.30	pg	27-32	CALCULATED PARAMETER
MCHC	33.20	%	30-38	CALCULATED PARAMETER
RDW-CV	16.40	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	54.80	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,200.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	150.00	/cu mm	40-440	









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.VANDANA SOHAN LAL CHAUDHARY	Registered On	: 15/Sep/2024 10:22:55
Age/Gender	: 34 Y 3 M 2 D /F	Collected	: 15/Sep/2024 10:59:45
UHID/MR NO	: ALDP.0000149185	Received	: 15/Sep/2024 11:17:50
Visit ID	: ALDP0217522425	Reported	: 15/Sep/2024 13:34:15
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Uni	t Bio. Ref. Interv	al Method
GLUCOSE FASTING, Plasma Glucose Fasting	87.40	0	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impaired Glucose Tolerance.

CLINICAL SIGNIFICANCE:- Glucose is the major source of energy in the body. Lack of insulin or resistance to it section at the cellular level causes diabetes. Therefore, the blood glucose levels are very high. Elevated serum glucose levels are observed in diabetes mellitus and may be associated with pancreatitis, pituitary or thyroid dysfunction and liver disease. Hypoglycaemia occurs most frequently due to over dosage of insulin.

Glucose PP	99.00	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	
			>200 Diabetes	

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impaired Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C), EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	4.60	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	27.10	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	86	mg/dl	

Interpretation:

NOTE:-

• eAG is directly related to A1c.



Chandan 24x7 App

Page 3 of 12







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.VANDANA SOHAN LAL CHAUDHARY	Registered On	: 15/Sep/2024 10:22:55
Age/Gender	: 34 Y 3 M 2 D /F	Collected	: 15/Sep/2024 10:59:45
UHID/MR NO	: ALDP.0000149185	Received	: 15/Sep/2024 11:17:50
Visit ID	: ALDP0217522425	Reported	: 15/Sep/2024 13:34:15
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test NameResultUnitBio. Ref. IntervalMethod	
---	--

- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen)	7.30	mg/dL	7.0-23.0	CALCULATED
Sample:Serum				



Page 4 of 12

View Reports on

Chandan 24x7 App







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.VANDANA SOHAN LAL CHAUDHA	5	d On	: 15/Sep/2024 10:	
Age/Gender	: 34 Y 3 M 2 D /F	Collected		: 15/Sep/2024 10:	
UHID/MR NO Visit ID	: ALDP.0000149185 : ALDP0217522425	Received Reported		: 15/Sep/2024 11: : 15/Sep/2024 13:	
	: Dr. MEDIWHEEL-ARCOFEMI HEALTH			-	54.15
Ref Doctor	CARE LTD -	Status		: Final Report	
		INT OF BIOC			
	MEDIWHEEL BANK OF				
Test Name	Result		Unit	Bio. Ref. Interval	Method
Interpretation: Note: Elevated BU	IN levels can be seen in the following:				
	_	Cartainter		1	
High-protein diet, De	ehydration, Aging, Certain medications, Bur	ns, Gastrointesti	imal (GI) bi	leeding.	
Low BUN levels ca	an be seen in the following:				
Low-protein diet, ov	erhydration, Liver disease.				
reatinine ample:Serum Interpretation: The significance of si	0.84	mg/dl light of the patie	0.5-1.2		DDIFIED JAFFES
ample:Serum Interpretation: The significance of si mass will have a high absolute creatinine co could be affected mil	0.84 ingle creatinine value must be interpreted in her creatinine concentration. The trend of ser oncentration. Serum creatinine concentration Idly and may result in anomalous values if se	light of the patie um creatinine c ns may increase	ents muscle oncentratio when an A	mass. A patient with ons over time is more i ACE inhibitor (ACE)	a greater muscle important than is taken. The assay
ample:Serum Interpretation: The significance of si mass will have a high absolute creatinine co could be affected mil	ingle creatinine value must be interpreted in her creatinine concentration. The trend of ser oncentration. Serum creatinine concentration	light of the patie um creatinine c ns may increase	ents muscle oncentratio when an A	mass. A patient with ons over time is more i ACE inhibitor (ACE)	a greater muscle important than is taken. The assay
ample:Serum Interpretation: The significance of si mass will have a high absolute creatinine co	ingle creatinine value must be interpreted in her creatinine concentration. The trend of ser oncentration. Serum creatinine concentration	light of the patie um creatinine c ns may increase	ents muscle oncentratio when an A	mass. A patient with ons over time is more i ACE inhibitor (ACE) hilic antibodies, hemo	a greater muscle important than is taken. The assay
ample:Serum Interpretation: The significance of si mass will have a high absolute creatinine co could be affected mill lipemic. Interpretation: Note:-	ingle creatinine value must be interpreted in her creatinine concentration. The trend of ser oncentration. Serum creatinine concentration Idly and may result in anomalous values if se	light of the patie um creatinine c ns may increase rum samples ha	ents muscle oncentratio when an A we heteroph	mass. A patient with ons over time is more i ACE inhibitor (ACE) hilic antibodies, hemo	a greater muscle important than is taken. The assay olyzed, icteric or
Interpretation: The significance of simass will have a high absolute creatinine concerned by affected millipemic. ric Acid ample:Serum Interpretation: Note:- Elevated uric acid	ingle creatinine value must be interpreted in her creatinine concentration. The trend of ser oncentration. Serum creatinine concentration ldly and may result in anomalous values if se 2.95	light of the patie um creatinine c ns may increase rum samples ha mg/dl	ents muscle oncentratio when an A we heteropl 2.5-6.0	mass. A patient with ons over time is more i ACE inhibitor (ACE) hilic antibodies, hemo	a greater muscle important than is taken. The assay olyzed, icteric or
Interpretation: The significance of simass will have a high absolute creatinine concerned by affected millipemic. ric Acid ample:Serum Interpretation: Note:- Elevated uric acid	ingle creatinine value must be interpreted in her creatinine concentration. The trend of ser oncentration. Serum creatinine concentration ldly and may result in anomalous values if se 2.95 Ievels can be seen in the following: otein diet, alcohol), Chronic kidney disease,	light of the patie um creatinine c ns may increase rum samples ha mg/dl	ents muscle oncentratio when an A we heteropl 2.5-6.0	mass. A patient with ons over time is more i ACE inhibitor (ACE) hilic antibodies, hemo	a greater muscle important than is taken. The assay olyzed, icteric or
Interpretation: The significance of signass will have a high absolute creatinine co could be affected millipemic. ric Acidion interpretation: Note:- Elevated uric acidion Drugs, Diet (high-pro- FT (WITH GAMIMA SGOT / Aspartate An	ingle creatinine value must be interpreted in her creatinine concentration. The trend of ser oncentration. Serum creatinine concentration ldly and may result in anomalous values if se 2.95 levels can be seen in the following: otein diet, alcohol), Chronic kidney disease, A GT) , <i>Serum</i> minotransferase (AST) 20.10	light of the patie um creatinine c ns may increase rum samples ha mg/dl Hypertension, T	ents muscle oncentratio when an A we heteroph 2.5-6.0 Obesity. < 35	mass. A patient with ons over time is more in ACE inhibitor (ACE) hilic antibodies, hemo UR	a greater muscle important than is taken. The assay Jyzed, icteric or ICASE
Interpretation: The significance of signass will have a high absolute creatinine of could be affected milling ipemic. ric Acidion imple:Serum Interpretation: Note:- Elevated uric acidion Drugs, Diet (high-pre- T (WITH GAMIMA SGOT / Aspartate Aris SGPT / Alanine Amin	ingle creatinine value must be interpreted in her creatinine concentration. The trend of ser oncentration. Serum creatinine concentration Idly and may result in anomalous values if se 2.95 Levels can be seen in the following: otein diet, alcohol), Chronic kidney disease, A GT) , <i>Serum</i> minotransferase (AST) 20.10 notransferase (ALT) 13.70	light of the patie um creatinine c ns may increase rum samples ha mg/dl Hypertension, d U/L U/L	ents muscle oncentratio when an A we heteropl 2.5-6.0 Obesity. < 35 < 40	mass. A patient with ons over time is more in ACE inhibitor (ACE) in hilic antibodies, hemo UR UR	a greater muscle important than is taken. The assay Jyzed, icteric or ICASE C WITHOUT P5P C WITHOUT P5P
Interpretation: The significance of signass will have a high absolute creatinine con- could be affected milling ipemic. ric Acidion imple:Serum Interpretation: Note:- Elevated uric acidion Drugs, Diet (high-pro- FT (WITH GAMIMA SGOT / Aspartate Arison of CGT)	ingle creatinine value must be interpreted in her creatinine concentration. The trend of ser oncentration. Serum creatinine concentration Idly and may result in anomalous values if se 2.95 levels can be seen in the following: otein diet, alcohol), Chronic kidney disease, A GT) , <i>Serum</i> minotransferase (AST) 20.10 notransferase (ALT) 13.70 22.00	light of the patie um creatinine c ns may increase rum samples ha mg/dl Hypertension, U/L U/L IU/L	ents muscle oncentratio when an A we heteropl 2.5-6.0 Obesity. < 35 < 40 11-50	mass. A patient with ons over time is more is ACE inhibitor (ACE) is hilic antibodies, hemo UR UR IFC IFC OP	a greater muscle important than is taken. The assay Jyzed, icteric or ICASE C WITHOUT P5P C WITHOUT P5P TIMIZED SZAZING
Interpretation: The significance of signass will have a high absolute creatinine constructions could be affected milling ipemic. ric Aciding ample:Serum Interpretation: Note:- Elevated uric acidi Drugs, Diet (high-pro- FT (WITH GAMIMA SGOT / Aspartate And SGPT / Alanine Aming Gamma GT (GGT) Protein	ingle creatinine value must be interpreted in the creatinine concentration. The trend of seroncentration. Serum creatinine concentration dily and may result in anomalous values if set 2.95 2.95 Ievels can be seen in the following: otein diet, alcohol), Chronic kidney disease, A GT) , <i>Serum</i> minotransferase (AST) 20.10 notransferase (ALT) 13.70 22.00 6.80	light of the patie um creatinine c ns may increase rum samples ha mg/dl Hypertension, U/L U/L IU/L gm/dl	ents muscle oncentratio when an A we heteroph 2.5-6.0 Obesity. < 35 < 40 11-50 6.2-8.0	mass. A patient with ons over time is more in ACE inhibitor (ACE) in hilic antibodies, hemo UR UR IFC IFC OP BIL	a greater muscle important than is taken. The assay olyzed, icteric or ICASE C WITHOUT P5P C WITHOUT P5P TIMIZED SZAZING JRET
Interpretation: The significance of signass will have a high absolute creatinine constructions could be affected milling ipemic. ric Aciding ample:Serum Interpretation: Note:- Elevated uric aciding Drugs, Diet (high-pro- FT (WITH GAMIM/ SGOT / Aspartate Aristic SGPT / Alanine Amiling Gamma GT (GGT) Protein Albumin	ingle creatinine value must be interpreted in her creatinine concentration. The trend of ser oncentration. Serum creatinine concentration ldly and may result in anomalous values if se 2.95 levels can be seen in the following: otein diet, alcohol), Chronic kidney disease, A GT) , <i>Serum</i> minotransferase (AST) 20.10 notransferase (ALT) 13.70 22.00 6.80 4.23	light of the patie um creatinine c ns may increase rum samples ha mg/dl Hypertension, U/L U/L U/L JU/L gm/dl gm/dl	ents muscle oncentratio when an <i>A</i> we heteroph 2.5-6.0 Obesity. < 35 < 40 11-50 6.2-8.0 3.4-5.4	mass. A patient with ons over time is more in ACE inhibitor (ACE) in hilic antibodies, hemo UR UR IFC IFC OP BIL B.C	a greater muscle important than is taken. The assay olyzed, icteric or ICASE C WITHOUT P5P C WITHOUT P5P TIMIZED SZAZING JRET 2.G.
Interpretation: The significance of signass will have a high absolute creatinine construction of the significance of signals will have a high absolute creatinine construction of the signals will have a high absolute creatinine construction of the signals will have a high absolute creatinine construction of the signals will have a high absolute creatinine construction of the signals will have a high absolute creatinine construction of the signals will have a high absolute creatinine construction of the signals will have a high absolute creatinine construction of the signals will have a high absolute creatinine construction of the signals will have a high absolute creatinine construction of the signals will have a high absolute creatinine construction of the signals will have a high absolute creatinine construction of the signals will have a high absolute creatinine construction of the signals will have a high absolute creatinine construction of the signals will have a high absolute creatinine construction of the signals will have a high absolute creatinine construction of the signals will have a high absolute creatinine construction of the signals will have a high absolute creatinine construction of the signals will have a high absolute creatinine construction of the signals will have a high absolute creatinine construction of the signals will have a high absolute creatinine construction of the signals will have a high absolute creatinine construction of the signals will have a high absolute creating will have a high a hi	ingle creatinine value must be interpreted in the creatinine concentration. The trend of seroncentration. Serum creatinine concentration dily and may result in anomalous values if set 2.95 2.95 Ievels can be seen in the following: otein diet, alcohol), Chronic kidney disease, A GT) , <i>Serum</i> minotransferase (AST) 20.10 notransferase (ALT) 13.70 22.00 6.80	light of the patie um creatinine c ns may increase rum samples ha mg/dl Hypertension, U/L U/L IU/L gm/dl	ents muscle oncentratio when an A we heteroph 2.5-6.0 Obesity. < 35 < 40 11-50 6.2-8.0	mass. A patient with ons over time is more in ACE inhibitor (ACE) in hilic antibodies, hemo UR UR IFC IFC IFC OP BIL B.C CA	a greater muscle important than is taken. The assay olyzed, icteric or ICASE C WITHOUT P5P C WITHOUT P5P TIMIZED SZAZING JRET



View Reports on Chandan 24x7 App







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.VANDANA SOHAN LAL CHAUDHARY	Registered On	: 15/Sep/2024 10:22:55
Age/Gender	: 34 Y 3 M 2 D /F	Collected	: 15/Sep/2024 10:59:45
UHID/MR NO	: ALDP.0000149185	Received	: 15/Sep/2024 11:17:50
Visit ID	: ALDP0217522425	Reported	: 15/Sep/2024 13:34:15
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY


MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	U	nit Bio. Ref. Inte	erval Method
Alkaline Phosphatase (Total)	77.00	U/L	42.0-165.0	PNP/AMP KINETIC
Bilirubin (Total)	0.65	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.25	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.40	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI), Serum				
Cholesterol (Total)	198.00	mg/dl	<200 Desirable 200-239 Borderline H > 240 High	CHOD-PAP High
HDL Cholesterol (Good Cholesterol)	70.00	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	102	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Opti 130-159 Borderline H 160-189 High > 190 Very High	
VLDL	25.50	mg/dl	10-33	CALCULATED
Triglycerides	127.50	mg/dl	< 150 Normal 150-199 Borderline H 200-499 High >500 Very High	GPO-PAP ligh

AS

View Reports on

Dr.Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.VANDANA SOHAN LAL CHAUDHARY	Registered On	: 15/Sep/2024 10:22:55
Age/Gender	: 34 Y 3 M 2 D /F	Collected	: 15/Sep/2024 13:45:21
UHID/MR NO	: ALDP.0000149185	Received	: 15/Sep/2024 13:46:15
Visit ID	: ALDP0217522425	Reported	: 15/Sep/2024 16:12:52
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE, Urin	ne			
Color	LIGHT YELLOW			
Specific Gravity	1.020			
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent 10-40 (+) 40-200 (++) 200-500 (+++)	DIPSTICK
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	DIPSTICK
Ketone	ABSENT	mg/dl	Serum-0.1-3.0 Urine-0.0-14.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	0-2/h.p.f			MICROSCOPIC EXAMINATION
Pus cells	0-2/h.p.f			
RBCs	ABSENT			MICROSCOPIC EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC EXAMINATION
Others	ABSENT			

Urine Microscopy is done on centrifuged urine sediment.









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.VANDANA SOHAN LAL CHAUDHARY	Registered On	: 15/Sep/2024 10:22:55
Age/Gender	: 34 Y 3 M 2 D /F	Collected	: 15/Sep/2024 13:45:21
UHID/MR NO	: ALDP.0000149185	Received	: 15/Sep/2024 13:46:15
Visit ID	: ALDP0217522425	Reported	: 15/Sep/2024 16:12:52
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS


Test Name	Result	Unit	Bio. Ref. Interval	Method
SUGAR, FASTING STAGE , Urine Sugar, Fasting stage	ABSENT	gms%		
Interpretation: (+) < 0.5				

(++++) > 2

AS

View Reports on

Dr.Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.VANDANA SOHAN LAL CHAUDHARY	Registered On	: 15/Sep/2024 10:22:55
Age/Gender	: 34 Y 3 M 2 D /F	Collected	: 15/Sep/2024 10:59:45
UHID/MR NO	: ALDP.0000149185	Received	: 15/Sep/2024 11:17:50
Visit ID	: ALDP0217522425	Reported	: 15/Sep/2024 13:04:58
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit B	io. Ref. Interval	Method
THYROID PROFILE - TOTAL , Serum				
T3, Total (tri-iodothyronine) T4, Total (Thyroxine) TSH (Thyroid Stimulating Hormone)	126.00 8.75 2.540	ug/dl 3	4.61–201.7 .2-12.6 .27 - 5.5	CLIA CLIA CLIA
Interpretation:		0.3-4.5 μIU/mL 0.5-4.6 μIU/mL 0.8-5.2 μIU/mL 0.5-8.9 μIU/mL 0.7-27 μIU/mL 2.3-13.2 μIU/mL 0.7-64 μIU/mL 1-39 μIU/mL 1.7-9.1 μIU/mL	Second Trime Third Trimesto Adults Premature Cord Blood Child(21 wk - L Child	ster er 55-87 Years 28-36 Week > 37Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr.Akanksha Singh (MD Pathology)











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

F	Patient Name	: Mrs.VANDANA SOHAN LAL CHAUDHARY	Registered On	: 15/Sep/2024 10:22:56
Æ	\ge/Gender	: 34 Y 3 M 2 D /F	Collected	: 2024-09-15 10:55:21
ι	JHID/MR NO	: ALDP.0000149185	Received	: 2024-09-15 10:55:21
\	/isit ID	: ALDP0217522425	Reported	: 15/Sep/2024 13:31:55
F	Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA

<u>X-RAY REPORT</u> (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) <u>CHEST P-A VIEW</u>

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.

Icrohol

DR K N SINGH (MBBS, DMRE)











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.VANDANA SOHAN LAL CHAUDHARY	Registered On	: 15/Sep/2024 10:22:56
Age/Gender	: 34 Y 3 M 2 D /F	Collected	: 2024-09-15 13:13:16
UHID/MR NO	: ALDP.0000149185	Received	: 2024-09-15 13:13:16
Visit ID	: ALDP0217522425	Reported	: 15/Sep/2024 13:16:21
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER)

LIVER: - Normal in size (13.5 cm), shape and echogenicity. No focal lesion is seen. No intra hepatic biliary radicle dilation is seen.

GALL BLADDER :- Well distended. Normal wall thickness is seen. No evidence of calculus/focal mass lesion/pericholecystic fluid is seen.

CBD :- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No evidence of ductal dilatation or calcification is seen. Rest of the pancreas is obscured by bowel gases.

SPLEEN: - Normal in size, shape and echogenicity. No evidence of mass lesion is seen.

RIGHT KIDNEY: - Normal in size (10.0 cm), shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size (10.2 cm), shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

URINARY BLADDER :- Is adequately distended. No evidence of wall thickening/calculus is seen.

UTERUS :- Is bulky in size (10.7 x 3.7 x 4.3 cm vol - 90.7 cc). No focal myometrial lesion is seen. Endometrium is normal in thickness measuring ~ 9.0 mm.

OVARIES :- Bilateral ovaries are normal in size, shape and echogenicity.

ADNEXA :- No obvious adnexal pathology is seen.

HIGH RESOLUTION :- No evidence of bowel loop dilatation or abnormal wall thickening is seen. No significant retroperitoneal lymphadenopathy is seen. No free fluid is seen in the abdomen/pelvis.

IMPRESSION : Bulky uterus.

Please correlate clinically.

Cortel

DR K N SINGH (MBBS, DMRE)



View Reports on Chandan 24x7 App







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110UP2003PLC193493

Patient Name	: Mrs.VANDANA SOHAN LAL CHAUDHARY	Registered On	: 15/Sep/2024 10:22:56
Age/Gender	: 34 Y 3 M 2 D /F	Collected	: 2024-09-15 13:54:38
UHID/MR NO	: ALDP.0000149185	Received	: 2024-09-15 13:54:38
Visit ID	: ALDP0217522425	Reported	: 15/Sep/2024 16:54:54
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF TMT

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Tread Mill Test (TMT)

NORMAL

*** End Of Report ***

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, SUGAR, PP STAGE, ECG / EKG, PAP SMEAR FOR CYTOLOGICAL EXAMINATION



This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing * 365 Days Open *Facilities Available at Select Location

Page 12 of 12

Dr. R K VERMA MBBS, PGDGM



Home Sample Collection 08069366666



