

Reg. No. NH/6333/DEC-2017

GREEN CITY HOSPITAL Near V-Mart, DIG Bungalow, Berasia Road, Bhopal AN ISO 2015-9001 & NABH CERTIFIED HOSPITAL



Pt. Name SURAJ SHING,

BP - 110/70 TAP - 97.4F P¹ - 78/m R. - 20/m H. - 160 CM

your Health Our Vision

wl. - 93KG

ECG JUNL USG JUNL

- Mo Haematological Vancatoons.

- Viscon-6/6 - Refleges - (F)/ Normal - NO Dentel Abnormalotics

Medocally fit

Greater of the Hospital Near V-Mart DIG Bungalow, Eerasia Road, BHOPAL (M.P.)

For Emergency / Ambulance Service Ph. : 0755-2733323

2022-10-08 09:37:50	6 Chan	6 Channel + 1 Rhythm Report Hosp: Prescribed by:	
	Heart Rate: 86 bpm PR/RR Int.:150/698 ms	L) **	ly confirmed by physician)
	QRS Dur: 94 ms	Normal Sinus Rhythm Low Voltage (Chest Leads)	
Z	P-R-T axes: 57 15 41	Normal Axis	voltage.
H :0 cm / W :0 kg	SV1/RV5/R+3-0.12/0.12/0.	SVI/RV5/R+S=0.1Z/0.7Z/0.04WV err ni way be incontended by Abnormal ECG 1	
	- - - 		
	• • • • •		
avr		man and and	
avi.		Mart VS	
avi		m Ve la la la	
-	www	Marian	
Base: OHZ LPF: 150Hz AC: SOHz EMG: OFF	Hz EMC: Off 12120	IO.Omm/mV 25.Omm/sec EKG200	EKG2000 6.00/3.24 BIOLICE MEQ. L. E. BIOLISI, 1164

15



Near V-Mart, DIG Bungalow, Berasia Road, Bhopal AN ISO 2015-9001 & NABH CERTIFIED HOSPITAL

Reg. No. NH/6333/DEC-2017

PATHOLOGY REPORT

Name	:Mr. Suraj Singh Parmar	Age	: 58	Years	Sex	:	Male
Advised l	CORP/GCA025999 By : GREEN CITY HOSPITAL	Lab N	o.:OPD	/ 3			08-Oct-2022

HAEMOGRAM						
Test Performfed	Value Observed	Reference Range				
Haemoglobin	16.8 gm%	13.5 - 18 gm%				
R.B.C. count	5.02 mil./cmm.	4.5 - 6.5 mil./cmm.				
Total WBC Count	5.02 mil./cmm. 8200 /cumm	4000 - 11000 /cumm				
Packed Cell Volume	45.1 %	40 - 54 %				
DIFFERENTIAL COUN	T					
Neutrophil	49 %	40 - 70 %				
Lymphocytes	44 %	20 - 45 %				
Monocytes	04 %	2 - 8 %				
Eosinophil	03 %	1 - 5 %				
Basophil	00 %	0 - 1 %				
RBC Indices						
MCV	89.9 fL	82 - 97 fL				
MCH	33.4 pg	27 - 32 pg				
MCHC	37.2 %	32 - 36 %				
Platelets Indices Platelet Count	2.76	1.5 - 4.5				
ESR	07	0 - 16 mm.FHR				
	PLOOD CDOUD					

BLOOD GROUP

Test Performfed	Value Observed	Reference Range
Blood Group	" B " POSITIVE	



Please Correlate clinically as well as with other investigative findings. This report is not valid for medico legal purpose.

For Emergency / Ambulance Service Contact No.: 0755-2733323



Near V-Mart, DIG Bungalow, Berasia Road, Bhopal AN ISO 2015-9001 & NABH CERTIFIED HOSPITAL



PATHOLOGY REPORT

Name	:Mr. Suraj Singh Parmar	Age	: 58	Years	Sex	:	Male
Advised	CORP/GCA025999 By : GREEN CITY HOSPITAL	Lab N	o.:OPD				08-Oct-2022
					Time	:	10:50 am

GLYCOSYLATED HEMOGLOBIN (HBA 1C)

Result

Reference Range

4.5%

7%: indicates good diabetic control 10%:Indicates fair diabetic control 13-20%:Indicates poor diabetic control

Dr. Pritha Dutta MBBS, MD Biochemistry





Near V-Mart, DIG Bungalow, Berasia Road, Bhopal AN ISO 2015-9001 & NABH CERTIFIED HOSPITAL

Reg. No. NH/6333/DEC-2017

1

PATHOLOGY REPORT

NAme	:Mr. Suraj Singh Parmar	Age	: 58 Years	Sex	:Male
Advised By	CORP/GCA025999 :GREEN CITY HOSPITAL	Lab No.	:OPD/3		:0%-Oct-2022
				Time	:10:49 am

BIOCHEMISTRY

Test Performed	Value Observed	Reference Range
Blood Glucose(Fasting)	: 95.0 mg/dl Our	70 - 110 mg/dl
Blood Glucose (Post-Prandial)	: mg/dl	upto 140 mg/dl
Serum Urea	: 20.0 mg/dl	210 - 45 mg/dl
Serum Creatinine	: 1.1mg/dl	0.50 - 1.0
Serum Uric Acid	: 7.5	Male : < 7.0 mg/dl Female : < 6.0 mg/dl

Dr. Pritha Dutta MBBS, MD Biochemistry

Technologist



Near V-Mart, DIG Bungalow, Berasia Road, Bhopal AN ISO 2015-9001 & NABH CERTIFIED HOSPITAL



PATHOLOGY REPORT

Name	:Mr. Suraj Singh Parmar	Age	: 58	Years	Sex	:	Male
Ttame	CORP/GCA025999 By : GREEN CITY HOSPITAL	Lab N	o.:OPD	13	Date &	:	08-Oct-2022
Advised	By : GREEN CITY HOSPITAL	Labin	001D	15	Time	:	10:49 am

LIVER FUNCTION TEST

Test Performfed	Value Observed	Reference Range
Total Bilirubin	0.41 mg/dl	0.3 - 1.2 mg/dl
Direct Bilirubin	0.09 mg/dl Our	0.1 - 0.3 mg/dl
	1	0.2 - 0.8 mg/dl
SGOT 49	0.32 mg/dl 34.4 U/L	5 - 46 U/L
SGPT (ALT)	48.5 U/L	5 - 49 Ú/L
Alkaline Phosphatase	220.7U/L U/L	80 - 306 U/L
Total Protein	6.7 gm/dl	4.6 - 7.0 gm/dl
Albumin	4.4 gm/dl	3.5 - 5.2 gm/dl
Globulin	2.3 gm/dl	2.3 - 3.5 gm/dl

GGTP

Test Performfed	Value Observed	Reference Range
Gamma GT	28.5	10 - 45 U/L

Dr. Pritha Dutta MBBS, MD Biochemistry

Technologist



Near V-Mart, DIG Bungalow, Berasia Road, Bhopal AN ISO 2015-9001 & NABH CERTIFIED HOSPITAL



PATHOLOGY REPORT

Name	:Mr. Suraj Singh Parmar	Age	: 58	Years	Sex	:	Male
4 4-4-4 1	CORP/GCA025999 By : GREEN CITY HOSPITAL	Lah N	o.:OPD	13	Date &	:	08-Oct-2022
Advised I	By OKEEN CIT I HOST HAL	Labit	0010	15	Time	:	10:49 am

	LIPID PROFILE	
Test Performfed	Value Observed	Reference Range
S. Cholesterol (Total)	256.8mg/dl	Desirable Level :< 200 mg/dl Borderline level : 200-239 mg/dl High Level > 240 mg/dl
S. Triglycerides	179.6mg/dl	Desirable level :< 150 mg/dl Borderline level :150 - 200 mg/dl High Level: > 200 mg/dl
HDL Cholesterol	41.7 mg/dl	35 - 80 mg/dl
LDL Cholesterol	179.18	Desirable Level:< 130 mg/dl Borderline level:130-180mg/dl High level: >180 mg/dl
VLDL Cholesterol	35.92	Desirable level:< 30 mg/dl Borderline level:30-45 mg/dl High level: > 45 mg/dl
TC/HDLC (Risk Factor)	6.16	Desirable Level : < 4.3 Borderline level : 4.4 to 11 High Level : >11
LDLC/HDLC(Risk Factor)	4.3	Desirable Level : < 3.0 Borderline level : 3.0 to 6.0 High Level : > 6.0

Technologist



Reg. No. NH/6333/DEC-2017

Near V-Mart, DIG Bungalow, Berasia Road, Bhopal' AN ISO 2015-9001 & NABH CERTIFIED HOSPITAL



PATHOLOGY REPORT

Name	:Mr. Suraj Singh Parmar	Age	: 58	Years	Sex	:	Male	
Advisod I	CORP/GCA025999 By:GREEN CITY HOSPITAL	Lah N	o.:OPD)/3	Date &	:	08-Oct-2022	
Auviseu	y older en i nosi inte	Labit	0010	15	Time	:	10:49 am	

URINE ROUTINE MICROSCOPIC EXAMINATION

Test Performfed	Value Observed		
		1	
<u>Physical Examination</u> Volume	20 ml Pale Yellow Clear		
Colour	Pale Yellow		
Appearance	Clear	2	
Reaction (pH)	Acidic		
<u>Chemical Examination</u> Albumin	Nil		
SUGAR	Nil		
Microscopic Examinatio	n		
PUS(WBC) Cells	3-4 /hpf	/hpf	
RBC	Nil /hpf	/hpf	
Epithelial Cells	1-2 /hpf	/hpf	
Casts	Absent		
Crystals	Absent		

Dr. Pritha Dutta MBBS, MD Biochemistry

Technologist



Reg. No. NH/6333/DEC-2017

Near V-Mart, DIG Bungalow, Berasia Road, Bhopal AN ISO 2015-9001 & NABH CERTIFIED HOSPITAL



PATHOLOGY REPORT

NAme	Mr. Suraj Singh Parmar CORP/GCA025999	Age	: 58 Years	Sex	:Male
Advised By	GREEN CITY HOSPITAL	Lab No.	:OPD/3 ,	Date & Time	:08-Oct-2022
				Ime	:12:03 pm

BIOCHEMISTRY

Test Performed	Value Observed	Reference Range
Blood Glucose (Post-Prandial)	: 120.0mg/d1 Our V	upto 140 mg/dl
		Dr. Pritha Dutta MBBS, MD Biochemistry

Technologist



Near V-Mart, DIG Bungalow, Berasia Road, Bhopal AN ISO 2015-9001 & NABH CERTIFIED HOSPITAL



PATHOLOGY REPORT

NAme	:Mr. Suraj Singh Parmar	Age	: 58 Years	Sex	:Male
Advised By	CORP/GCA025999 :GREEN CITY HOSPITAL	Lab No.	:OPD/3	Date & Time	:08-Oct-2022 :11:48 am

CLINICAL PATHOLOGY

Urine Sugar (PP)

: Nil Health Our Visio

Dr. Pritha Dutta MBBS, MD Biochemistry

Technologist

Please Correlate clinically as well as with other investigative findings. This report is not valid for medico legal purpose.

For Emergency / Ambulance Service Contact No.: 0755-2733323



Near V-Mart, DIG Bungalow, Berasia Road, Bhopal AN ISO 2015-9001 & NABH CERTIFIED HOSPITAL



PATHOLOGY REPORT

Name	:Mr. Suraj Singh Parmar	Age	: 58	Years	Sex	:	Male
Advised	CORP/GCA025999 By : GREEN CITY HOSPITAL	Lab N	0.:OPD	/3			08-Oct-2022
					Time	:	11:48 am

	STOOL EXAMIN	ATION
Test Performfed	Value Observed	
Physical Examination		
Colour	Brown th Ours	1
Consistency	Brown th Our V Soft Trace	S.
Mucus	Trace	00
Chemical Examination		
Reaction	Acidic	
Occult blood	Absent	
Microscopic Examinatio	n	
Pus cells	Absent /hpf	/hpf
RBC	Absent /hpf	/hpf
Fat Globules	Absent	

Dr. Pritha Dutta MBBS, MD Biochemistry

Technologist

PROCESSED AT :

Thyrocare

D-37/1,TTC MIDC,Turbhe, Navi Mumbai-400 703





UNITS

ng/ml



NAME: MR SURAJ SINGH PARMAR (58Y/M)REF. BY: GREEN CITYTEST ASKED: PSA,T3-T4-TSH

SAMPLE COLLECTED AT : (4620014663),GREEN CITY HOSPITAL,NEAR V-MART, BERASIA ROAD, DIG BUNGALOW, BHOPAL, MADHYA PRADESH.,462001

TEST NAME

PROSTATE SPECIFIC ANTIGEN (PSA) Reference Range :- C.L.I.A

TECHNOLOGY

VALUE 3.59

Normal : < 4.00 ng/ml Border line : 4.01 to 10.00 ng/ml

Clinical Significance:

Elevated levels of PSA are associated with prostate cancer, but may also be seen with prostatitis (Inflammation of the prostate) and benign prostatic hyperplasia (BPH). PSA test done along with free PSA provides additional information. Studies have suggested that the percentage of free PSA in total PSA is lower in patients with prostate cancer than those with benign prostate hyperplasia.

Specification:

Precision: Intra assay (%CV): 4.38%, Inter assay (%CV): 4.67%; Sensitivity: 0.01 ng/ml

Kit validation references:

Wang MC, Valenzuala LA, Murphy GP, and Chu TM. Purification of a human prostate-specific antigen. Invest. Urol. 1979; 17: 159

Please correlate with clinical conditions.

Method:- TWO SITE SANDWICH IMMUNOASSAY

Sample Collected on (SCT) Sample Received on (SRT) Report Released on (RRT)

Sample Type Labcode Barcode



: 08 Oct 2022 18:10 : 09 Oct 2022 02:26

: 09 Oct 2022 04:43

: SERUM : 0810119423/A7220 Dr Kuldeep Singh MD(Path)

Dr Sachin Patil MD(Path)

Page : 1 of 3

PROCESSED AT :

Thyrocare

D-37/1,TTC MIDC,Turbhe, Navi Mumbai-400 703







Corporate office : Thyrocare Technologies Limited, 9 D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703

REPORT

NAME	: MR SURAJ SINGH PARMAR (58Y/M)
REF. BY	: GREEN CITY
TEST ASKED	: PSA,T3-T4-TSH

SAMPLE COLLECTED AT : (4620014663), GREEN CITY HOSPITAL, NEAR V-MART, BERASIA ROAD, DIG BUNGALOW, BHOPAL, MADHYA PRADESH.,462001

TEST NAME	TECHNOLOGY	VALUE	UNITS	REFERENCE RANGE
TOTAL TRIIODOTHYRONINE (T3)	C.L.I.A	120	ng/dl	60-200
TOTAL THYROXINE (T4)	C.L.I.A	10	µg/dl	4.5-12
THYROID STIMULATING HORMONE (TSH)	C.L.I.A	1.40	µIU/ml	0.3-5.5

Comments : SUGGESTING THYRONORMALCY

Please correlate with clinical conditions.

Method :

T3 - Competitive Chemi Luminescent Immuno Assay

T4 - Competitive Chemi Luminescent Immuno Assay

TSH - SANDWICH CHEMI LUMINESCENT IMMUNO ASSAY

~~ End of report ~~

Sample Collected on (SCT) Sample Received on (SRT) Report Released on (RRT) Sample Type Labcode Barcode



: 08 Oct 2022 18:10

- : 09 Oct 2022 02:26
- : 09 Oct 2022 04:43
- : SERUM

: 0810119423/A7220

: AA019205

Dr Kuldeep Singh MD(Path)

Dr Sachin Patil MD(Path) Page: 2 of 3

CONDITIONS OF REPORTING

- v The reported results are for information and interpretation of the referring doctor only.
- v It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- v Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- v Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- v Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- v This report is not valid for medico-legal purpose.
- v Neither Thyrocare, nor its employees/representatives assume any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report.
- v Thyrocare Discovery video link :- <u>https://youtu.be/nbdYeRgYyQc</u>
- v For clinical support please contact @8450950852,8450950853,8450950854 between 10:00 to 18:00


EXPLANATIONS

- v Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- v Name The name is as declared by the client and recored by the personnel who collected the specimen.
- v Ref.Dr The name of the doctor who has recommended testing as declared by the client.
- v Labcode This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- v **Barcode** This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- v **SCP** Specimen Collection Point This is the location where the blood or specimen was collected as declared by the client.
- v SCT Specimen Collection Time The time when specimen was collected as declared by the client.
- v SRT Specimen Receiving Time This time when the specimen reached our laboratory.
- v RRT Report Releasing Time The time when our pathologist has released the values for Reporting.
- v **Reference Range** Means the range of values in which 95% of the normal population would fall.

SUGGESTIONS

- v Values out of reference range requires reconfirmation before starting any medical treatment.
 - Retesting is needed if you suspect any quality shortcomings.
- v Testing or retesting should be done in accredited laboratories.
- For suggestions, complaints or feedback, write to us at info@thyrocare.com or call us on 022-3090 0000 / 6712 3400
- v SMS:<Labcode No.> to 9870666333

v





Dr. RITESH R. KUMAWAT

M.B.B.S., D.M.R.D., D.N.B. (Radio Diagnosis) Consultant Radiologist Reg. No. MP-12614

drriteshkumawat@gmail.com niramayadiagnosticcenter@gmail.com

FACILITIES AVAILABLE : ROUTINE /HIGH FREQUENCY USG, 3D/4D USG, COLOUR DOPPLER, USG GUIDED PROCEDURES & DIGITAL X-RAY

and the second	Date: 08.10.2022
PATIENT'S NAME: MR. SURAJ	AGE: 58Y
REF. BY: SELFG	SEX: MALE

Ultrasonography : Whole Abdomen

<u>Liver</u>: Appears normal in size measures 13.2 cm in long axis in mid clavicular line and shows mildly raised hepatic echotexture with normal visualization of intrahepatic vessel walls. Margins are smooth and regular. Intra and extra hepatic billiary and vascular channels are normal. No evidence of any focal or diffuse mass lesion seen. Gaseous distension of bowel loops noted.

<u>Gall Bladder</u>: Reveals a clear anechoic non-lithiatic lumen. Its walls are of normal thickness. No pericholecystic pathology seen.

CBD & PV are of normal calibre.

<u>**Right Kidney**</u>: Normal in size measures 10.2 x 4.1 cm, shape echotexture. Cortical echotexture appears to be normal. Cortico-medullary differentiation is maintained. No hydronephrosis, calculus or scarring seen.

<u>Left Kidney</u>: Normal in size measures 10.2 x 4.1 cm, shape echotexture. Cortical echotexture appears to be normal. Cortico-medullary differentiation is maintained. No hydronephrosis, calculus or scarring seen.

Spleen: Normal in size, shape & echotexture measures 9.0 cm in long axis.

Pancreas: Is normal in size, shape and echotexture. Pancreatic duct is not dilated.

Urinary Bladder: Is central smooth in contour & reveal a clear lumen. Its walls are of normal thickness.


<u>Prostate</u>: Is enlarged in size, shape & echotexture measures 27 cc in volume and 28 grams in weight with insignificant PVR (12cc).

No evidence of retroperitoneal lymphadenopathy / ascites seen.

- Impression: USG Study Reveals:
- Normal sized liver with grade I fatty infiltration and Gaseous distension of bowel loops.
- Mild prostatomegaly measures 27 cc in volume and 28 grams in weight with insignificant PVR (12cc).


Dr. Ritesh Kumawat MBBS, DMRD, DNB (Radio Diagnosis) Consultant Radiologist Reg. No: MP - 12614


GREF





Shop No. 7, 8 & 9, Naseer Complex, 169 Green Park Colony, D.I.G. Bunglow Square, BHOPAL - 462001 Exam Date: 08.10.2022 11:04:38 AM














SURAJ



Reg. No. NH/6333/DEC-2017 **GREEDENDER DE BUNGBORNE BERGSIONALS** Near V-Mart, DIG Bungalow, Bergsio Road, Bhopal Ph.: 0755-2733323 NI ISO 2015-9001 & NABH CERTIFIED HOSPITAL

NAME OF CLIENT: MR. SURAJ SINGH	Age/Sex:58Y/M	Procedure Date : 08-10-2022
REF. BY: MEDIWHEEL		Reporting Date : 08-10-2022

X-RAY CHEST

- > Bilateral lung parenchyma is clear. Reliance Industries Limited
- > Bilateral Hilary shadow is normal.
- > Trachea midline is normal.
- > Bilateral CP angle are clear.
- > Cardio thoracic ratio is normal.

Impression: No remarkable abnormality seen in present study.

DR. NITIN KHANTAL CONSULTANT RADIOLOGIST

SCIENCE OF RADIOLOGICAL DAIGNOSIS IS BASED ON INTERPRETATION OF VARIOUS SHADOW PRODUCED BY BOTH NORMAL AND ABNORMAL TISSUES, DISSIMILAR DIVERSE DISEASES PRODUCE SIMILAR SHADOWS, HENCE THIS REPORT REPRESENT VARIOUS POSSIBILITIES AND NOT MEANT FOR MEDICO-LEGAL PURPOSES