



: Mr.MAYURESH LAMBODAR PHATAK

Age/Gender UHID/MR No : 40 Y 4 M 29 D/M : SPUN.0000044686

Visit ID

: SPUNOPV58330

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID : 641512 Collected

: 23/Sep/2023 09:17AM

Received

: 23/Sep/2023 11:54AM

Reported

: 23/Sep/2023 01:02PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

#### **DEPARTMENT OF HAEMATOLOGY**

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324					
Test Name	Result	Unit	Bio. Ref. Range	Method	

HAEMOGLOBIN	15.2	g/dL	13-17	Spectrophotometer
PCV	44.80	%	40-50	Electronic pulse & Calculation
RBC COUNT	5.04	Million/cu.mm	4.5-5.5	Electrical Impedence
MCV	88.8	fL	83-101	Calculated
MCH	30.2	pg	27-32	Calculated
MCHC	34	g/dL	31.5-34.5	Calculated
R.D.W	13.7	%	11.6-14	Calculated
TOTAL LEUCOCYTE COUNT (TLC)	5,660	cells/cu.mm	4000-10000	Electrical Impedance
DIFFERENTIAL LEUCOCYTIC COUNT (D	LC)			
NEUTROPHILS	54.9	%	40-80	Electrical Impedance
LYMPHOCYTES	27.8	%	20-40	Electrical Impedance
EOSINOPHILS	7.3	%	1-6	Electrical Impedance
MONOCYTES	9.6	%	2-10	Electrical Impedance
BASOPHILS	0.4	%	<1-2	Electrical Impedance
ABSOLUTE LEUCOCYTE COUNT				
NEUTROPHILS	3107.34	Cells/cu.mm	2000-7000	Electrical Impedance
LYMPHOCYTES	1573.48	Cells/cu.mm	1000-3000	Electrical Impedance
EOSINOPHILS	413.18	Cells/cu.mm	20-500	Electrical Impedance
MONOCYTES	543.36	Cells/cu.mm	200-1000	Electrical Impedance
BASOPHILS	22.64	Cells/cu.mm	0-100	Electrical Impedance
PLATELET COUNT	246000	cells/cu.mm	150000-410000	Electrical impedence
ERYTHROCYTE SEDIMENTATION RATE (ESR)	2	mm at the end of 1 hour	0-15	Modified Westergre

RBC NORMOCYTIC NORMOCHROMIC

WBC WITHIN NORMAL LIMITS

PLATELETS ARE ADEQUATE ON SMEAR

NO HEMOPARASITES SEEN.

Page 1 of 14

Apollo Speciality Hospitals Private Limited

(Formely known as a Nova Speciality Hospitals Private Limited)

CIN- U85 1001 G2009 PT C0994 14

Regd Off: 1-10-62/62, 5th Floor, Ashoka RaghupathiChambers.

Address:

B. Add

Regd Off:1-10-62/62,5th Floor, Ashoka RaghupathiChambers, Begumpet, Hyderabad, Telangana - 500016

Address:





: Mr.MAYURESH LAMBODAR PHATAK

Age/Gender UHID/MR No : 40 Y 4 M 29 D/M : SPUN.0000044686

Visit ID

: SPUNOPV58330

Ref Doctor Emp/Auth/TPA ID

: Dr.SELF : 641512

Collected

: 23/Sep/2023 09:17AM

Received

: 23/Sep/2023 11:54AM

Reported

: 23/Sep/2023 01:34PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

#### **DEPARTMENT OF HAEMATOLOGY**

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324					
Test Name	Result	Unit	Bio. Ref. Range	Method	

BLOOD GROUP ABO AND RH FACTOR, WHOLE BLOOD EDTA				
BLOOD GROUP TYPE	В	Microplate Hemagglutination		
Rh TYPE	Positive	Microplate Hemagglutination		

Page 2 of 14





: Mr.MAYURESH LAMBODAR PHATAK

Age/Gender UHID/MR No : 40 Y 4 M 29 D/M

Visit ID

: SPUN.0000044686 : SPUNOPV58330

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID : 641512

Collected

: 23/Sep/2023 09:17AM

Received

: 23/Sep/2023 11:54AM

Reported

: 23/Sep/2023 03:20PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

#### **DEPARTMENT OF BIOCHEMISTRY**

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324					
Test Name Result Unit Bio. Ref. Range Method					

GLUCOSE, FASTING , NAF PLASMA	89	mg/dL	70-100	HEXOKINASE

#### **Comment:**

As per American Diabetes Guidelines, 2023

Fasting Glucose Values in mg/dL	Interpretation	
70-100 mg/dL	Normal	
100-125 mg/dL	Prediabetes	*
≥126 mg/dL	Diabetes	
<70 mg/dL	Hypoglycemia	

#### Note:

- 1. The diagnosis of Diabetes requires a fasting plasma glucose of > or = 126 mg/dL and/or a random / 2 hr post glucose value of > or = 200 mg/dL on at least 2 occasions.
- 2. Very high glucose levels (>450 mg/dL in adults) may result in Diabetic Ketoacidosis & is considered critical.

GLUCOSE, POST PRANDIAL (PP), 2 HOURS, SODIUM FLUORIDE PLASMA (2	102	mg/dL	70-140	HEXOKINASE
HR)				

#### **Comment:**

It is recommended that FBS and PPBS should be interpreted with respect to their Biological reference ranges and not with each other.

Conditions which may lead to lower postprandial glucose levels as compared to fasting glucose levels may be due to reactive hypoglycemia, dietary meal content, duration or timing of sampling after food digestion and absorption, medications such as insulin preparations, sulfonylureas, amylin analogues, or conditions such as overproduction of insulin.

HBA1C, GLYCATED HEMOGLOBIN , WHOLE BLOOD EDTA	4.8	%	HPLC
ESTIMATED AVERAGE GLUCOSE (eAG) , WHOLE BLOOD EDTA	91	mg/dL	Calculated

Page 3 of 14

**Apollo Speciality Hospitals Private Limited** 

(Formely known as a Nova Speciality Hospitals Private Limited)

CIN- U85100TG2009PTC099414

**Regd Off:**1-10-62/62 ,5th Floor, Ashoka RaghupathiChambers, Begumpet, Hyderabad, Telangana - 500016

Address: P.No.9 & 10a, S.NO.2/64, Renata Chambers, Saras Baug Road, Vijayanagar Colony, Opp. Sanas Play Ground, Sadashiv Peth, Pune, Maharashtra





: Mr.MAYURESH LAMBODAR PHATAK

Age/Gender

: 40 Y 4 M 29 D/M

UHID/MR No Visit ID

: SPUN.0000044686 : SPUNOPV58330

Ref Doctor

Emp/Auth/TPA ID : 641512

: Dr.SELF

Collected

: 23/Sep/2023 09:17AM

Received

: 23/Sep/2023 11:54AM

Reported Status

: 23/Sep/2023 03:20PM

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

#### **DEPARTMENT OF BIOCHEMISTRY** ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324 **Test Name** Result Unit Bio. Ref. Range Method

#### Comment:

Reference Range as per American Diabetes Association (ADA) 2023 Guidelines:

REFERENCE GROUP	HBA1C %
NON DIABETIC	<5.7
PREDIABETES	5.7 - 6.4
DIABETES	≥ 6.5
DIABETICS	
EXCELLENT CONTROL	6 – 7
FAIR TO GOOD CONTROL	7 – 8
UNSATISFACTORY CONTROL	8 - 10
POOR CONTROL	>10

**Note:** Dietary preparation or fasting is not required.

- 1. HbA1C is recommended by American Diabetes Association for Diagnosing Diabetes and monitoring Glycemic Control by American Diabetes Association guidelines 2023.
- 2. Trends in HbA1C values is a better indicator of Glycemic control than a single test.
- 3. Low HbA1C in Non-Diabetic patients are associated with Anemia (Iron Deficiency/Hemolytic), Liver Disorders, Chronic Kidney Disease. Clinical Correlation is advised in interpretation of low Values.
- 4. Falsely low HbA1c (below 4%) may be observed in patients with clinical conditions that shorten erythrocyte life span or decrease mean erythrocyte age. HbA1c may not accurately reflect glycemic control when clinical conditions that affect erythrocyte survival are present.
- 5. In cases of Interference of Hemoglobin variants in HbA1C, alternative methods (Fructosamine) estimation is recommended for Glycemic Control

A: HbF > 25%

B: Homozygous Hemoglobinopathy.

(Hb Electrophoresis is recommended method for detection of Hemoglobinopathy)

Page 4 of 14

Address





: Mr.MAYURESH LAMBODAR PHATAK

Age/Gender

: 40 Y 4 M 29 D/M : SPUN.0000044686

UHID/MR No Visit ID

: SPUNOPV58330

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID : 641512

Collected

: 23/Sep/2023 09:17AM

Received

: 23/Sep/2023 11:44AM

Reported

: 23/Sep/2023 01:29PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

#### **DEPARTMENT OF BIOCHEMISTRY**

ARCOFEMI - MEDIWHEEL - F	THE RODY ANNUAL	PILIS MALE.	2D ECHO - PAN INDIA	FY2324
ANOOI LIIII - IIILDIIVIILLE - I	OLL BODT ANNOAL	LI LOO MALL	2D LONG - I AN INDIA	1 12324
Test Name	Result	Unit	Bio. Ref. Range	Method

LIPID PROFILE, SERUM				
TOTAL CHOLESTEROL	238	mg/dL	<200	CHO-POD
TRIGLYCERIDES	97	mg/dL	<150	GPO-POD
HDL CHOLESTEROL	57	mg/dL	40-60	Enzymatic Immunoinhibition
NON-HDL CHOLESTEROL	181	mg/dL	<130	Calculated
LDL CHOLESTEROL	161.9	mg/dL	<100	Calculated
VLDL CHOLESTEROL	19.32	mg/dL	<30	Calculated
CHOL / HDL RATIO	4.16		0-4.97	Calculated

#### **Comment:**

Reference Interval as per National Cholesterol Education Program (NCEP) Adult Treatment Panel III Report.

	Desirable	Borderline High	High	Very High
TOTAL CHOLESTEROL	< 200	200 - 239	≥ 240	
TRIGLYCERIDES	<150	150 - 199	200 - 499	≥ 500
	Optimal < 100 Near Optimal 100-129	130 - 159	160 - 189	≥ 190
HDL	≥ 60			
INON-HOLCHOLESTEROL	Optimal <130; Above Optimal 130-159	160-189	190-219	>220

- 1. Measurements in the same patient on different days can show physiological and analytical variations.
- 2. NCEP ATP III identifies non-HDL cholesterol as a secondary target of therapy in persons with high triglycerides.
- 3. Primary prevention algorithm now includes absolute risk estimation and lower LDL Cholesterol target levels to determine eligibility of drug therapy.
- 4. Low HDL levels are associated with Coronary Heart Disease due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues.
- 5. As per NCEP guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.
- 6. VLDL, LDL Cholesterol Non HDL Cholesterol, CHOL/HDL RATIO, LDL/HDL RATIO are calculated parameters when Triglycerides are below 350 mg/dl. When Triglycerides are more than 350 mg/dl LDL cholesterol is a direct measurement.

Page 5 of 14





: Mr.MAYURESH LAMBODAR PHATAK

Age/Gender UHID/MR No : 40 Y 4 M 29 D/M : SPUN.0000044686

Visit ID

: SPUNOPV58330

Ref Doctor Emp/Auth/TPA ID : Dr.SELF

: 641512

Collected

: 23/Sep/2023 09:17AM

Received Reported

: 23/Sep/2023 11:44AM : 23/Sep/2023 01:29PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

#### **DEPARTMENT OF BIOCHEMISTRY**

#### ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324

**Test Name** 

Result

Unit

Bio. Ref. Range

Method

Page 6 of 14



Apollo Speciality Hospitals Private Limited

(Formely known as a Nova Speciality Hospitals Private Limited)

CIN- U85 1001 62 005 Previous Limited and Lifestyle ltd- Sadashiv Peth Pune, Diagnostic Peth Pune, Maharashtra

Begumpet, Hyderabad, Telangana - 500016





: Mr.MAYURESH LAMBODAR PHATAK

Age/Gender

: 40 Y 4 M 29 D/M

UHID/MR No

: SPUN.0000044686

Visit ID

: SPUNOPV58330

Ref Doctor Emp/Auth/TPA ID : Dr.SELF : 641512 Collected

: 23/Sep/2023 09:17AM

Received

: 23/Sep/2023 11:44AM

Reported

: 23/Sep/2023 01:29PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

#### **DEPARTMENT OF BIOCHEMISTRY**

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324				
,		- :		
Test Name	Result	Unit	Bio. Ref. Range	Method

LIVER FUNCTION TEST (LFT), SERUM				
BILIRUBIN, TOTAL	0.72	mg/dL	0.3-1.2	DPD
BILIRUBIN CONJUGATED (DIRECT)	0.12	mg/dL	<0.2	DPD
BILIRUBIN (INDIRECT)	0.60	mg/dL	0.0-1.1	Dual Wavelength
ALANINE AMINOTRANSFERASE (ALT/SGPT)	42.02	U/L	<50	IFCC
ASPARTATE AMINOTRANSFERASE (AST/SGOT)	30.3	U/L	<50	IFCC
ALKALINE PHOSPHATASE	47.08	U/L	30-120	IFCC
PROTEIN, TOTAL	7.07	g/dL	6.6-8.3	Biuret
ALBUMIN	4.18	g/dL	3.5-5.2	BROMO CRESOL GREEN
GLOBULIN	2.89	g/dL	2.0-3.5	Calculated
A/G RATIO	1.45		0.9-2.0	Calculated

#### **Comment:**

LFT results reflect different aspects of the health of the liver, i.e., hepatocyte integrity (AST & ALT), synthesis and secretion of bile (Bilirubin, ALP), cholestasis (ALP, GGT), protein synthesis (Albumin)

Common patterns seen:

#### 1. Hepatocellular Injury:

- AST Elevated levels can be seen. However, it is not specific to liver and can be raised in cardiac and skeletal injuries.
- ALT Elevated levels indicate hepatocellular damage. It is considered to be most specific lab test for hepatocellular injury. Values also correlate well with increasing BMI.
- Disproportionate increase in AST, ALT compared with ALP.
- Bilirubin may be elevated.
- AST: ALT (ratio) In case of hepatocellular injury AST: ALT > 1In Alcoholic Liver Disease AST: ALT usually >2. This ratio is also seen

to be increased in NAFLD, Wilsons's diseases, Cirrhosis, but the increase is usually not >2.

#### 2. Cholestatic Pattern:

- ALP Disproportionate increase in ALP compared with AST, ALT.
- Bilirubin may be elevated.
- ALP elevation also seen in pregnancy, impacted by age and sex.
- To establish the hepatic origin correlation with GGT helps. If GGT elevated indicates hepatic cause of increased ALP.

#### 3. Synthetic function impairment:

• Albumin- Liver disease reduces albumin levels.

Page 7 of 14





: Mr.MAYURESH LAMBODAR PHATAK

Age/Gender

: 40 Y 4 M 29 D/M : SPUN.0000044686

UHID/MR No Visit ID

: SPUNOPV58330

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID : 641512 Collected

: 23/Sep/2023 09:17AM

Received

: 23/Sep/2023 11:44AM : 23/Sep/2023 01:29PM

Reported Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

#### **DEPARTMENT OF BIOCHEMISTRY**

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324						
Test Name	Result	Unit	Bio. Ref. Range	Method		

• Correlation with PT (Prothrombin Time) helps.

Page 8 of 14





: Mr.MAYURESH LAMBODAR PHATAK

Age/Gender

: 40 Y 4 M 29 D/M : SPUN.0000044686

UHID/MR No Visit ID

: SPUNOPV58330

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID : 641512 Collected

: 23/Sep/2023 09:17AM

Received

: 23/Sep/2023 11:44AM

Reported Status

: 23/Sep/2023 01:29PM

Sponsor Name

: Final Report

: ARCOFEMI HEALTHCARE LIMITED

#### **DEPARTMENT OF BIOCHEMISTRY**

ARCOFEMI - MEDIWHEEL - F	ULL BODY ANNUAL	L PLUS MALE -	2D ECHO - PAN INDIA	- FY2324
Test Name	Result	Unit	Bio. Ref. Range	Method

T (RFT/KFT) , SERU	JM		
0.87	mg/dL	0.72 – 1.18	Modified Jaffe, Kinetic
17.18	mg/dL	17-43	GLDH, Kinetic Assay
8.0	mg/dL	8.0 - 23.0	Calculated
5.37	mg/dL	3.5–7.2	Uricase PAP
9.13	mg/dL	8.8-10.6	Arsenazo III
3.56	mg/dL	2.5-4.5	Phosphomolybdate Complex
139.44	mmol/L	136–146	ISE (Indirect)
4.9	mmol/L	3.5–5.1	ISE (Indirect)
102.82	mmol/L	101–109	ISE (Indirect)
	0.87 17.18 8.0 5.37 9.13 3.56 139.44 4.9	17.18 mg/dL 8.0 mg/dL 5.37 mg/dL 9.13 mg/dL 3.56 mg/dL 139.44 mmol/L 4.9 mmol/L	0.87         mg/dL         0.72 – 1.18           17.18         mg/dL         17-43           8.0         mg/dL         8.0 - 23.0           5.37         mg/dL         3.5–7.2           9.13         mg/dL         8.8-10.6           3.56         mg/dL         2.5-4.5           139.44         mmol/L         136–146           4.9         mmol/L         3.5–5.1

Page 9 of 14





: Mr.MAYURESH LAMBODAR PHATAK

Age/Gender UHID/MR No : 40 Y 4 M 29 D/M : SPUN.0000044686

Visit ID

: SPUNOPV58330

Ref Doctor Emp/Auth/TPA ID : Dr.SELF : 641512

Collected

: 23/Sep/2023 09:17AM

Received

: 23/Sep/2023 11:44AM

Reported

: 23/Sep/2023 01:29PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

#### **DEPARTMENT OF BIOCHEMISTRY**

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO	- PAN INDIA - FY2324
---	----------------------

Test Name	Result	Unit	Bio. Ref. Range	Method

GAMMA GLUTAMYL TRANSPEPTIDASE	15.85	U/L	<55	IFCC	
(GGT), SERUM					

Page 10 of 14





: Mr.MAYURESH LAMBODAR PHATAK

Age/Gender

: 40 Y 4 M 29 D/M

UHID/MR No

: SPUN.0000044686

Visit ID

: SPUNOPV58330

Ref Doctor Emp/Auth/TPA ID : Dr.SELF : 641512 Collected

: 23/Sep/2023 09:17AM

Received

: 23/Sep/2023 11:45AM

Reported Status : 23/Sep/2023 12:44PM : Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

#### **DEPARTMENT OF IMMUNOLOGY**

ARCOFEMI - MEDIWHEEL - F	ULL BODY ANNUAL	L PLUS MALE -	2D ECHO - PAN INDIA	- FY2324
Test Name	Result	Unit	Bio. Ref. Range	Method

THYROID PROFILE TOTAL (T3, T4, TSH),	SERUM			
TRI-IODOTHYRONINE (T3, TOTAL)	1.03	ng/mL	0.7-2.04	CLIA
THYROXINE (T4, TOTAL)	8.50	μg/dL	5.48-14.28	CLIA
THYROID STIMULATING HORMONE (TSH)	7.005	μIU/mL	0.34-5.60	CLIA

#### **Comment:**

#### Note:

For pregnant females	Bio Ref Range for TSH in uIU/ml (As per American Thyroid Association)
First trimester	0.1 - 2.5
Second trimester	0.2 - 3.0
Third trimester	0.3 - 3.0

- **1.** TSH is a glycoprotein hormone secreted by the anterior pituitary. TSH activates production of T3 (Triiodothyronine) and its prohormone T4 (Thyroxine). Increased blood level of T3 and T4 inhibit production of TSH.
- **2.** TSH is elevated in primary hypothyroidism and will be low in primary hyperthyroidism. Elevated or low TSH in the context of normal free thyroxine is often referred to as sub-clinical hypo- or hyperthyroidism respectively.
- **3.** Both T4 & T3 provides limited clinical information as both are highly bound to proteins in circulation and reflects mostly inactive hormone. Only a very small fraction of circulating hormone is free and biologically active.
- **4.** Significant variations in TSH can occur with circadian rhythm, hormonal status, stress, sleep deprivation, medication & circulating antibodies.

TSH	T3	T4	FT4	Conditions
High	Low	Low	Low	Primary Hypothyroidism, Post Thyroidectomy, Chronic Autoimmune Thyroiditis
High	N	N	N	Subclinical Hypothyroidism, Autoimmune Thyroiditis, Insufficient Hormone Replacement Therapy.
N/Low	Low	Low	Low	Secondary and Tertiary Hypothyroidism
Low	High	High	High	Primary Hyperthyroidism, Goitre, Thyroiditis, Drug effects, Early Pregnancy
Low	N	N	N	Subclinical Hyperthyroidism
Low	Low	Low	Low	Central Hypothyroidism, Treatment with Hyperthyroidism
Low	N	High	High	Thyroiditis, Interfering Antibodies
N/Low	High	N	N	T3 Thyrotoxicosis, Non thyroidal causes
High	High	High	High	Pituitary Adenoma; TSHoma/Thyrotropinoma

Page 11 of 14

**Apollo Speciality Hospitals Private Limited** 

(Formely known as a Nova Speciality Hospitals Private Limited)
CIN- U85100TG2009PTC099414

**Regd Off:**1-10-62/62 ,5th Floor, Ashoka RaghupathiChambers, Begumpet, Hyderabad, Telangana - 500016

Address: P.No.9 & 10a, S.NO.2/64, Renata Chambers, Saras Baug Road, Vijayanagar Colony, Opp. Sanas Play Ground, Sadashiv Peth, Pune, Maharashtra





: Mr.MAYURESH LAMBODAR PHATAK

Age/Gender

: 40 Y 4 M 29 D/M

UHID/MR No Visit ID

: SPUN.0000044686

Ref Doctor

: SPUNOPV58330 : Dr.SELF

Emp/Auth/TPA ID

: 641512

Collected

: 23/Sep/2023 09:17AM

Received

: 23/Sep/2023 11:45AM : 23/Sep/2023 12:44PM

Reported Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

### **DEPARTMENT OF IMMUNOLOGY**

#### ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324

**Test Name** Result Unit Bio. Ref. Range Method

Page 12 of 14

Apollo Speciality Hospitals Private Limited

(Formely known as a Nova Speciality Hospitals Private Limited)

CIN- U85 1001 G2009PT C0994 14

Read Off: 1-10-62/62 .5th Floor, Ashoka RaghupathiChambers.

Regd Off:1-10-62/62,5th Floor, Ashoka RaghupathiChambers, Begumpet, Hyderabad, Telangana - 500016





: Mr.MAYURESH LAMBODAR PHATAK

Age/Gender UHID/MR No : 40 Y 4 M 29 D/M : SPUN.0000044686

Visit ID

: SPUNOPV58330

Ref Doctor Emp/Auth/TPA ID : Dr.SELF

: 641512

Collected

: 23/Sep/2023 09:17AM

Received

: 23/Sep/2023 11:07AM : 23/Sep/2023 11:25AM

Reported Status

Sponsor Name

: Final Report

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF CLINICAL PATHOLOGY						
ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324						
Test Name Result Unit Bio. Ref. Range Method						

PHYSICAL EXAMINATION				
COLOUR	PALE YELLOW		PALE YELLOW	Visual
TRANSPARENCY	CLEAR		CLEAR	Visual
рН	6.0		5-7.5	DOUBLE INDICATOR
SP. GRAVITY	>1.025		1.002-1.030	Bromothymol Blue
BIOCHEMICAL EXAMINATION				
URINE PROTEIN	NEGATIVE		NEGATIVE	PROTEIN ERROR OF INDICATOR
GLUCOSE	NEGATIVE		NEGATIVE	GLUCOSE OXIDASE
URINE BILIRUBIN	NEGATIVE		NEGATIVE	AZO COUPLING REACTION
URINE KETONES (RANDOM)	NEGATIVE		NEGATIVE	SODIUM NITRO PRUSSIDE
UROBILINOGEN	NORMAL		NORMAL	MODIFED EHRLICH REACTION
BLOOD	NEGATIVE		NEGATIVE	Peroxidase
NITRITE	NEGATIVE		NEGATIVE	Diazotization
LEUCOCYTE ESTERASE	NEGATIVE		NEGATIVE	LEUCOCYTE ESTERASE
CENTRIFUGED SEDIMENT WET MO	OUNT AND MICROSCOPY			
PUS CELLS	2 - 4	/hpf	0-5	Microscopy
EPITHELIAL CELLS	1 - 2	/hpf	<10	MICROSCOPY
RBC	NIL	/hpf	0-2	MICROSCOPY
CASTS	NIL		0-2 Hyaline Cast	MICROSCOPY
CRYSTALS	ABSENT		ABSENT	MICROSCOPY

Page 13 of 14



Begumpet, Hyderabad, Telangana - 500016





: Mr.MAYURESH LAMBODAR PHATAK

Age/Gender

: 40 Y 4 M 29 D/M : SPUN.0000044686

UHID/MR No Visit ID

: SPUNOPV58330

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID

: 641512

Collected

: 23/Sep/2023 09:17AM

Received

: 23/Sep/2023 11:07AM

Reported

: 23/Sep/2023 11:25AM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT		INIICAI		OCV.
DEFARIMEN	I OF GI		PAIDUL	.UG I

Unit **Test Name** Result Bio. Ref. Range Method

URINE GLUCOSE(POST PRANDIAL) **NEGATIVE NEGATIVE** Dipstick

**URINE GLUCOSE(FASTING) NEGATIVE NEGATIVE** Dipstick

\*\*\* End Of Report \*\*\*

Dr Sneha Shah

MBBS, MD (Pathology) Consultant Pathologist

DR.Sanjay Ingle M.B.B.S,M.D(Pathology) Consultant Pathologist

Page 14 of 14



#### APOLLO SPECTRA HOSPITALS

Opp. Sanas Sports Ground, Saras Baug, Sadashiv Peth, Pune, Maharashtra - 411 030. Ph. No: 020 6720 6500 www.apollospectra.com

: Mr. Mayuresh Lambodar Phatak Name

Age: 40 Y

Sex: M

Address: Vadgaon Bk Pune

Plan

: ARCOFEMI MEDIWHEEL MALE AHC CREDIT PAN

INDIA OP AGREEMENT

UHID:SPUN.0000044686

OP Number: SPUNOPV58330

Bill No: SPUN-OCR-9658 Date : 23.09.2023 09:09

Sno	Serive Type/ServiceName	Department
1	ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDI	A - FY2324
5750	URINE GLUCOSE(FASTING)	
	GAMMA GLUTAMYL TRANFERASE (GGT)	
	HbA1c, GLYCATED HEMOGLOBIN	
	2 D ECHO	
-	LIVER FUNCTION TEST (LFT)	
	X-RAY CHEST PA	
	GLUCOSE, FASTING	
-	HEMOGRAM + PERIPHERAL SMEAR	
-	ENT CONSULTATION	
10	FITNESS BY GENERAL PHYSICIAN	
1	DIET CONSULTATION	
	COMPLETE URINE EXAMINATION	
4	URINE GLUCOSE(POST PRANDIAL)	
1	4 PERIPHERAL SMEAR	
	<del>S</del> ECG	
-	6 BLOOD GROUP ABO AND RH FACTOR	
_	TLIPID PROFILE	
	8 BODY MASS INDEX (BMI)	
	OPTHAL BY GENERAL PHYSICIAN	
	RENAL PROFILE/RENAL FUNCTION TEST (RFT/KFT)	
	1 ULTRASOUND - WHOLE ABDOMEN	
	THYROID PROFILE (TOTAL T3, TOTAL T4, TSH)	
46	DENTAL CONSULTATION	
	GLUCOSE, POST PRANDIAL (PP), 2 HOURS (POST MEAL) 12.00	

# **CERTIFICATE OF MEDICAL FITNESS**

This is to certify that I have conducted the clinical examination

of Mayuresh. Photos on 23/9/23	
After reviewing the medical history and on clinical examination it has been found that he/she is	
	Tick
Medically Fit	5
Fit with restrictions/recommendations	
Though following restrictions have been revealed, in my opinion, these are not impediments to the job.	
1	
2	
3	
However the employee should follow the advice/medication that has been communicated to him/her.	
Review after	
Currently Unfit.	
Review afterrecommended	
<ul> <li>Unfit</li> </ul>	
Dr. Sammat Ashah	SAN

This certificate is not meant for medico-legal purposes

**Medical Officer** 

The Apollo Clinic, Uppal



Date

. 23-09-23

MRNO

: SPUN. 00000 44686

Name

Mr. mayuresh Phatak

Age/Gender : 40/M

Mobile No

Department: G.P.
Consultant: Dr. Samrat Shach

Reg. No

Qualification:

Consultation Timing:

S1202 -9 150190 B.P: 18 Pulse: Resp: Temp: Height: 17/UM 22 BMI: Weight: Waist Circum:

General Examination / Allergies History

Clinical Diagnosis & Management Plan

geposts Notes; Novond. .A11

Dychi pidemia @

tous fit to join duty

Follow up date:

Doctor Signature



Specialists in Surgery

Date

: 23-09-23

MRNO

Name

: Spun. 44686 : Mr. Mayuresh Phatak

Age/Gender : 40 M

Mobile No

Department : ENT

Consultant : Dr. Sushnut peshmulu

Reg. No

Qualification:

Consultation Timing:

Pulse :	B.P:	Resp:	Temp:
Weight :	Height:	BMI:	Waist Circum :
General Examination / A History	llergies Clinical Diam	S/B DR	SUSHRUT
			DESHMURKL
			MS(ENI
	E	AR-B	/L T M R) NAO
	Follow up da	+ROAT -	

## **Apollo Spectra Hospitals**

Opp. Sanas Sport Ground, Saras Baug, Sadashiv Peth, Pune, Maharashtra - 411030 BOOK YOUR APPOINTMENT TODAY!

Ph.: 020 6720 6500 Fax: 020 6720 6523 www.apollospectra.com



MR.MAYURESH PHATAK

23-Sep-2023 10:40

40 Years

MR No: Location:

SPUN.006 Apollo Spec

(Swargate)

Gender: **Image Count:** 

**Arrival Time:** 

M 1

Physician:

**SELF** Date of Exam:

Date of Report:

23-Sep-2023 23-Sep-2023 11:00

X-RAY CHEST P.A VIEW

HISTORY: Health check up

**FINDINGS** 

Normal mediastinum.

Normal heart.

No focal mass lesion. No collapse or consolidation.

The apices and cardiophrenic angles are free. No pleural or Pericardial effusion

No hilar or mediastinal lymphadenopathy is demonstrated.

No destructive osseous pathology is evident.

IMPRESSION:

Normal study

Dr.V.Pavan Kumar.MBBS,DMRD. Consultant Radiologist Reg.No: 57017

#### CONFIDENTIALITY:

This transmission is confidential. If you are not the intended recipient, please notify us immediately. Any disclosure, distribution or other action based on the contents of this report may be unlawful.

#### PLEASE NOTE:

This radiological report is the professional opinion of the reporting radiologist based on the interpretation of the images and information provided at the time of reporting. It is meant to be used in correlation with other relevant clinical findings.







: Mr.MAYURESH LAMBODAR PHATAK

Age/Gender UHID/MR No : 40 Y 4 M 29 D/M : SPUN.0000044686

Visit ID

: SPUNOPV58330

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID

: 641512

Collected

: 23/Sep/2023 09:17AM

Received

: 23/Sep/2023 11:54AM

Reported Status

: 23/Sep/2023 01:02PM

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

(8)	DEPARTMENT OF	HAEMATOLO	GY	Charles & Code (School 1984)
ARCOFEMI - MEDIWHEE	L - FULL BODY ANNUA	L PLUS MALE	- 2D ECHO - PAN INDIA -	EV2324
Test Name	Result	Unit	Bio. Ref. Range	Method

HAEMOGLOBIN	15.2	g/dL	13-17	Cnostrantata
PCV	44.80	%	40-50	Spectrophotometer Electronic pulse &
RBC COUNT	5.04	Million/cu.mm		Calculation
MCV	88.8		4.5-5.5	Electrical Impedenc
MCH		fL	83-101	Calculated
MCHC	30.2	pg	27-32	Calculated
R.D.W	34	g/dL	31.5-34.5	Calculated
TOTAL LEUCOCYTE COUNT (TLC)	13.7	%	11.6-14	Calculated
DIEEEDENTIAL LEUCCOCTTE COUNT (TLC)	5,660	cells/cu.mm	4000-10000	Electrical Impedance
DIFFERENTIAL LEUCOCYTIC COUNT (E	DLC)			
NEUTROPHILS	54.9	%	40-80	Electrical Impedance
LYMPHOCYTES	27.8	%	20-40	
EOSINOPHILS	7.3	%	1-6	Electrical Impedance
MONOCYTES	9.6	%	2-10	Electrical Impedance
BASOPHILS	0.4	%		Electrical Impedance
ABSOLUTE LEUCOCYTE COUNT	0.1	70	<1-2	Electrical Impedance
NEUTROPHILS	3107.34			
LYMPHOCYTES		Cells/cu.mm	2000-7000	Electrical Impedance
EOSINOPHILS	1573.48	Cells/cu.mm	1000-3000	Electrical Impedance
MONOCYTES	413.18	Cells/cu.mm	20-500	Electrical Impedance
BASOPHILS	543.36	Cells/cu.mm	200-1000	Electrical Impedance
	22.64	Cells/cu.mm	0-100	Electrical Impedance
PLATELET COUNT	246000	cells/cu.mm	150000-410000	Electrical impedence
ERYTHROCYTE SEDIMENTATION RATE (ESR)	2	mm at the end of 1 hour	0-15	Modified Westergrer
ERIPHERAL SMEAR		OI I IIOUI		

C NORMOCYTIC NORMOCHROMIC

WBC WITHIN NORMAL LIMITS

PLATELETS ARE ADEQUATE ON SMEAR

NO HEMOPARASITES SEEN.

Page 1 of 13









: Mr.MAYURESH LAMBODAR PHATAK

Age/Gender

: 40 Y 4 M 29 D/M

UHID/MR No Visit ID : SPUN.0000044686

Ref Doctor

: SPUNOPV58330

Emp/Auth/TPA ID

: Dr.SELF : 641512 Collected

: 23/Sep/2023 09:17AM

Received

: 23/Sep/2023 11:07AM

Reported

: 23/Sep/2023 11:25AM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

# DEPARTMENT OF CLINICAL PATHOLOGY ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324 Test Name Result Unit Bio. Ref. Range Method

PHYSICAL EXAMINATION				
COLOUR	PALE YELLOW		PALE YELLOW	Viscosi
TRANSPARENCY	CLEAR		CLEAR	Visual Visual
рН	6.0		5-7.5	
SP. GRAVITY	>1.025		1.002-1.030	DOUBLE INDICATOR
BIOCHEMICAL EXAMINATION			1.002-1.030	Bromothymol Blue
URINE PROTEIN	NEGATIVE		NEGATIVE	PROTEIN ERROR OF
GLUCOSE	NEGATIVE		NEGATIVE	GLUCOSE OXIDASE
URINE BILIRUBIN	NEGATIVE		NEGATIVE	AZO COUPLING REACTION
URINE KETONES (RANDOM)	NEGATIVE		NEGATIVE	SODIUM NITRO PRUSSIDE
UROBILINOGEN	NORMAL		NORMAL	MODIFED EHRLICH REACTION
BLOOD	NEGATIVE		NEGATIVE	Peroxidase
NITRITE	NEGATIVE		NEGATIVE	Diazotization
LEUCOCYTE ESTERASE	NEGATIVE		NEGATIVE	LEUCOCYTE ESTERASE
CENTRIFUGED SEDIMENT WET MO	UNT AND MICROSCOPY			1201210102
PUS CELLS	2 - 4	/hpf	0-5	Microscopy
EPITHELIAL CELLS	1 - 2	/hpf	<10	MICROSCOPY
RBC	NIL	/hpf	0-2	MICROSCOPY
CASTS	NIL		0-2 Hyaline Cast	MICROSCOPY
CRYSTALS	ABSENT		ABSENT	MICROSCOPY

Page 12 of 13









: Mr.MAYURESH LAMBODAR PHATAK

Age/Gender

: 40 Y 4 M 29 D/M

UHID/MR No

: SPUN.0000044686

Visit ID Ref Doctor : SPUNOPV58330

: Dr.SELF

Emp/Auth/TPA ID : 641512 Collected

: 23/Sep/2023 09:17AM

Received

: 23/Sep/2023 11:45AM

Reported Status

: 23/Sep/2023 12:44PM

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

	<b>DEPARTMENT O</b>	F IMMUNOLOG	GY .	
ARCOFEMI - MEDIWHEE	L - FULL BODY ANNUA	L PLUS MALE	- 2D ECHO - PAN INDIA	EV2224
Test Name	Result	Unit	Bio. Ref. Range	
			Dio. Rei. Range	Method

SERUM			
1.03	ng/mL	0.7-2.04	CLIA
8.50	μg/dL	5.48-14.28	CLIA
7.005	μIU/mL	0.34-5.60	CLIA
	1.03 8.50	1.03 ng/mL 8.50 μg/dL	1.03 ng/mL 0.7-2.04 8.50 μg/dL 5.48-14.28

#### **Comment:**

#### Note:

Bio Ref Range for TSH in uIU/ml (As per American Thyroid Association)
0.1 - 2.5
0.2 – 3.0
0.3 – 3.0

- 1. TSH is a glycoprotein hormone secreted by the anterior pituitary. TSH activates production of T3 (Triiodothyronine) and its prohormone T4 (Thyroxine). Increased blood level of T3 and T4 inhibit production of TSH.
- 2. TSH is elevated in primary hypothyroidism and will be low in primary hyperthyroidism. Elevated or low TSH in the context of normal free thyroxine is often referred to as sub-clinical hypo- or hyperthyroidism respectively.
- 3. Both T4 & T3 provides limited clinical information as both are highly bound to proteins in circulation and reflects mostly inactive hormone. Only a very small fraction of circulating hormone is free and biologically active.
- 4. Significant variations in TSH can occur with circadian rhythm, hormonal status, stress, sleep deprivation, medication & circulating antibodies.

TSH	T3	T4	FT4	Conditions
High	Low	Low	Low	Primary Hypothyroidism, Post Thyroidectomy, Chronic Autoimmune Thyroiditis
High	N	N	N	Subclinical Hypothyroidism, Autoimmune Thyroiditis, Insufficient Hormone Replacement Therapy.
N/Low	Low	Low	Low	Secondary and Tertiary Hypothyroidism
Low	High	High		Primary Hyperthyroidism, Goitre, Thyroiditis, Drug effects, Early Pregnancy
Low	N	N	N	Subclinical Hyperthyroidism
Low	Low	Low	Low	Central Hypothyroidism, Treatment with Hyperthyroidism
Low	N	High	High	Thyroiditis, Interfering Antibodies
N/Low	High	N	N	T3 Thyrotoxicosis, Non thyroidal causes
High	High	High	High	Pituitary Adenoma; TSHoma/Thyrotropinoma
				-

Page 10 of 13







: Mr.MAYURESH LAMBODAR PHATAK

Age/Gender

: 40 Y 4 M 29 D/M

UHID/MR No Visit ID

: SPUN.0000044686 : SPUNOPV58330

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID : 641512 Collected

: 23/Sep/2023 09:17AM

Received

: 23/Sep/2023 11:54AM

Reported

: 23/Sep/2023 03:20PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

ARCOFEMI - MEDIWHEEL - FUL	L BODY ANNUA	L PLUS MALE	- 2D ECHO - PAN INDIA	- FY2324
Test Name	Result	Unit	Bio. Ref. Range	Method
HBA1C, GLYCATED HEMOGLOBIN , WHOLE BLOOD EDTA	4.8	%		HPLC
ESTIMATED AVERAGE GLUCOSE (eAG) , WHOLE BLOOD EDTA	91	mg/dL		Calculated

#### Comment:

Reference Range as per American Diabetes Association (ADA) 2023 Guidelines:

REFERENCE GROUP	HBA1C %	
NON DIABETIC	<5.7	
PREDIABETES	5.7 – 6.4	
DIABETES	≥ 6.5	
DIABETICS		
EXCELLENT CONTROL	6 – 7	
FAIR TO GOOD CONTROL	7 – 8	
UNSATISFACTORY CONTROL	8 – 10	
POOR CONTROL	>10	

Note: Dietary preparation or fasting is not required.

- 1. HbA1C is recommended by American Diabetes Association for Diagnosing Diabetes and monitoring Glycemic Control by American Diabetes Association guidelines 2023.
- 2. Trends in HbA1C values is a better indicator of Glycemic control than a single test.
- 3. Low HbA1C in Non-Diabetic patients are associated with Anemia (Iron Deficiency/Hemolytic), Liver Disorders, Chronic Kidney Disease. Clinical Correlation is advised in interpretation of low Values.
- 4. Falsely low HbA1c (below 4%) may be observed in patients with clinical conditions that shorten erythrocyte life span or decrease mean erythrocyte age. HbA1c may not accurately reflect glycemic control when clinical conditions that affect erythrocyte survival are present.
- 5. In cases of Interference of Hemoglobin variants in HbA1C, alternative methods (Fructosamine) estimation is recommended for Glycemic Control
  - A: HbF >25%
  - B: Homozygous Hemoglobinopathy.
  - (Hb Electrophoresis is recommended method for detection of Hemoglobinopathy)

Page 4 of 15







: Mr.MAYURESH LAMBODAR PHATAK

Age/Gender

: 40 Y 4 M 29 D/M

UHID/MR No

: SPUN.0000044686

Visit ID Ref Doctor : SPUNOPV58330

Emp/Auth/TPA ID

: Dr.SELF : 641512

Collected

: 23/Sep/2023 09:17AM

Received

: 23/Sep/2023 11:07AM

Reported

: 23/Sep/2023 11:25AM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF	LINICAL	PATHOLOGY
---------------	---------	-----------

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY232	ARCOFEMI - MEDIWHEEL	- FULL BODY ANNUAL PLUS MALE -	2D ECHO - PAN INDIA - EV232
---	----------------------	--------------------------------	-----------------------------

**Test Name** Result Unit Bio. Ref. Range Method

URINE GLUCOSE(POST PRANDIAL) **NEGATIVE NEGATIVE** Dipstick URINE GLUCOSE(FASTING) **NEGATIVE NEGATIVE** Dipstick

\*\*\* End Of Report \*\*\*

Dr Sneha Shah MBBS, MD (Pathology) Consultant Pathologist

DR.Sanjay Ingle M.B.B.S,M.D(Pathology) Consultant Pathologist







: Mr.MAYURESH LAMBODAR PHATAK

Age/Gender

: 40 Y 4 M 29 D/M

UHID/MR No

: SPUN.0000044686

Visit ID Ref Doctor : SPUNOPV58330

: Dr.SELF

Emp/Auth/TPA ID : 641512 Collected

: 23/Sep/2023 09:17AM

Received

: 23/Sep/2023 11:44AM : 23/Sep/2023 01:29PM

Reported Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

DELAKTIMENT OF BIOCHEMISTRY	DEPA	RTMENT	OF	BIOCHEMISTRY
-----------------------------	------	--------	----	--------------

ARCOFEMI - MEDIWHEEL -	FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324
T	

T			TO LOTIO - FAIN INDIA -	F12324
Test Name	Result	Unit	Bio. Ref. Range	Method
				motilou

GAMMA GLUTAMYL TRANSPEPTIDASE	15.05				
(GGT) , SERUM	15.85	U/L	<55	IFCC	







: Mr.MAYURESH LAMBODAR PHATAK

Age/Gender

: 40 Y 4 M 29 D/M

UHID/MR No

: SPUN.0000044686

Visit ID Ref Doctor

: SPUNOPV58330

: Dr.SELF

Emp/Auth/TPA ID : 641512 Collected

: 23/Sep/2023 09:17AM

Received

: 23/Sep/2023 11:44AM : 23/Sep/2023 01:29PM

Reported Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

	DEPARTMENT OF	BIOCHEMIST	RY	
ARCOFEMI - MEDIWHEE	L - FULL BODY ANNUA	L PLUS MALE	- 2D ECHO - PAN INDIA -	EV2224
Test Name	Result			F12324
	Result	Unit	Bio. Ref. Range	Method

RENAL PROFILE/KIDNEY FUNCTION  CREATININE	0.87			
UREA		mg/dL	0.72 - 1.18	Modified Jaffe, Kineti
BLOOD UREA NITROGEN	17.18	mg/dL	17-43	GLDH, Kinetic Assay
	8.0	mg/dL	8.0 - 23.0	Calculated
URIC ACID	5.37	mg/dL	3.5-7.2	Uricase PAP
CALCIUM	9.13	mg/dL	8.8-10.6	Arsenazo III
PHOSPHORUS, INORGANIC	3.56	mg/dL	2.5-4.5	Phosphomolybdate
SODIUM	139.44	mmol/L	136–146	Complex ISE (Indirect)
POTASSIUM	4.9	mmol/L	3.5–5.1	ISE (Indirect)
CHLORIDE	102.82	mmol/L	101–109	ISE (Indirect)







: Mr.MAYURESH LAMBODAR PHATAK

Age/Gender

: 40 Y 4 M 29 D/M

UHID/MR No Visit ID

: SPUN.0000044686

Ref Doctor

: SPUNOPV58330

Emp/Auth/TPA ID

: Dr.SELF : 641512 Collected

: 23/Sep/2023 09:17AM

Received Reported

: 23/Sep/2023 11:44AM : 23/Sep/2023 01:29PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

## DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLU	JS MALE - 2D ECHO - PAN INDIA - FY2324

Test Name

Result

Unit

Bio. Ref. Range

Method

• Correlation with PT (Prothrombin Time) helps.

Page 7 of 13









: Mr.MAYURESH LAMBODAR PHATAK

Age/Gender

: 40 Y 4 M 29 D/M

UHID/MR No

: SPUN.0000044686

Visit ID

: SPUNOPV58330

Ref Doctor

: Dr.SELF

Emp/Auth/TPA ID : 641512 Collected

: 23/Sep/2023 09:17AM

Received Reported

: 23/Sep/2023 11:44AM

Status

: 23/Sep/2023 01:29PM

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

	DEPARTMENT OF			
ARCOFEMI - MEDIWHEE	L - FULL BODY ANNUA	L PLUS MALE	- 2D ECHO - PAN INDIA -	FY2324
Test Name	Result	Unit	Bio. Ref. Range	1 12024

BILIRUBIN, TOTAL	0.72	mg/dL	0.3-1.2	DPD
BILIRUBIN CONJUGATED (DIRECT)	0.12	mg/dL	<0.2	DPD
BILIRUBIN (INDIRECT)	0.60	mg/dL	0.0-1.1	
ALANINE AMINOTRANSFERASE (ALT/SGPT)	42.02	U/L	<50	Dual Wavelength IFCC
ASPARTATE AMINOTRANSFERASE (AST/SGOT)	30.3	U/L	<50	IFCC
ALKALINE PHOSPHATASE	47.08	U/L	30-120	IFCC
PROTEIN, TOTAL	7.07	g/dL	6.6-8.3	Biuret
ALBUMIN	4.18	g/dL	3.5-5.2	BROMO CRESOL GREEN
GLOBULIN	2.89	g/dL	2.0-3.5	Calculated
A/G RATIO	1.45		0.9-2.0	Calculated

#### **Comment:**

LFT results reflect different aspects of the health of the liver, i.e., hepatocyte integrity (AST & ALT), synthesis and secretion of bile (Bilirubin, ALP), cholestasis (ALP, GGT), protein synthesis (Albumin) Common patterns seen:

# 1. Hepatocellular Injury:

- AST Elevated levels can be seen. However, it is not specific to liver and can be raised in cardiac and skeletal injuries.
- ALT Elevated levels indicate hepatocellular damage. It is considered to be most specific lab test for hepatocellular injury. Values also correlate well with increasing BMI.
- Disproportionate increase in AST, ALT compared with ALP.
- · Bilirubin may be elevated.
- AST: ALT (ratio) In case of hepatocellular injury AST: ALT > 1In Alcoholic Liver Disease AST: ALT usually >2. This ratio is also seen

to be increased in NAFLD, Wilsons's diseases, Cirrhosis, but the increase is usually not >2.

#### 2. Cholestatic Pattern:

- ALP Disproportionate increase in ALP compared with AST, ALT.
- Bilirubin may be elevated.
- ALP elevation also seen in pregnancy, impacted by age and sex.
- To establish the hepatic origin correlation with GGT helps. If GGT elevated indicates hepatic cause of increased ALP.

# 3. Synthetic function impairment:

Albumin- Liver disease reduces albumin levels.

Page 6 of 13

www.apollodiagnostics.in







: Mr.MAYURESH LAMBODAR PHATAK

Age/Gender

: 40 Y 4 M 29 D/M

UHID/MR No

: SPUN.0000044686

Visit ID Ref Doctor

: SPUNOPV58330

Emp/Auth/TPA ID

: Dr.SELF

: 641512

Collected

: 23/Sep/2023 09:17AM

Received Reported

: 23/Sep/2023 11:44AM : 23/Sep/2023 01:29PM

Status

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

	DEPARTMENT OF	BIOCHEMIST	RY	
ARCOFEMI - MEDIWHEE	L - FULL BODY ANNUA	L PLUS MALE	- 2D ECHO - PAN INDIA -	FY2324
Test Name	Result	Unit	Bio. Ref. Range	Method

TOTAL CHOLESTEROL	238	mg/dL	<200	CHO-POD
TRIGLYCERIDES	97	mg/dL		
HDL CHOLESTEROL			<150	GPO-POD
NON-HDL CHOLESTEROL	57	mg/dL	40-60	Enzymatic Immunoinhibition
	181	mg/dL	<130	Calculated
LDL CHOLESTEROL	161.9	mg/dL	<100	Calculated
VLDL CHOLESTEROL	19.32	mg/dL	<30	Calculated
CHOL / HDL RATIO	4.16		0-4.97	Calculated

#### **Comment:**

Reference Interval as per National Cholesterol Education Program (NCEP) Adult Treatment Panel III Report.

	Desirable	Borderline High	High	Very High
TOTAL CHOLESTEROL	< 200	200 - 239	≥ 240	J 9
TRIGLYCERIDES	<150	150 - 199	200 - 499	≥ 500
LDL	Optimal < 100 Near Optimal 100-129	130 - 159	160 - 189	≥ 190
HDL	≥ 60			
NON-HDL CHOLESTEROL	Optimal <130; Above Optimal 130-159	160-189	190-219	>220

- 1. Measurements in the same patient on different days can show physiological and analytical variations.
- 2. NCEP ATP III identifies non-HDL cholesterol as a secondary target of therapy in persons with high triglycerides.
- 3. Primary prevention algorithm now includes absolute risk estimation and lower LDL Cholesterol target levels to determine eligibility of drug therapy.
- 4. Low HDL levels are associated with Coronary Heart Disease due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues.
- 5. As per NCEP guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.
- 6. VLDL, LDL Cholesterol Non HDL Cholesterol, CHOL/HDL RATIO, LDL/HDL RATIO are calculated parameters when Triglycerides are below 350 mg/dl. When Triglycerides are more than 350 mg/dl LDL cholesterol is a direct measurement.

Page 4 of 13

www.apollodiagnostics.in







: Mr.MAYURESH LAMBODAR PHATAK

Age/Gender

: 40 Y 4 M 29 D/M

UHID/MR No

: SPUN.0000044686

Visit ID Ref Doctor

: SPUNOPV58330

Emp/Auth/TPA ID

: Dr.SELF

: 641512

Collected

: 23/Sep/2023 11:55AM

Received

: 23/Sep/2023 12:48PM

Reported Status

: 23/Sep/2023 01:37PM

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

	DEPARTMENT OF	BIOCHEMISTE	RY	
ARCOFEMI - MEDIWHEEL -	FULL BODY ANNUAL	L PLUS MALE -	2D ECHO - PAN INDIA	EV2224
Test Name	Result	Unit		F12324
	result	Onit	Bio. Ref. Range	Method

GLUCOSE, FASTING, NAF PLASMA 89 mg/dL 70-100 HEXOKINASE

#### **Comment:**

As per American Diabetes Guidelines, 2023

Fasting Glucose Values in mg/dL	Interpretation	
70-100 mg/dL	Normal	
100-125 mg/dL	Prediabetes	
≥126 mg/dL	Diabetes	
<70 mg/dL	Hypoglycemia	

#### Note:

- 1. The diagnosis of Diabetes requires a fasting plasma glucose of > or = 126 mg/dL and/or a random / 2 hr post glucose value of > or = 200 mg/dL on at least 2 occasions.
- 2. Very high glucose levels (>450 mg/dL in adults) may result in Diabetic Ketoacidosis & is considered critical.

GLUCOSE, POST PRANDIAL (PP), 2	100			
HOURS , SODIUM FLUORIDE PLASMA (2	102	mg/dL	70-140	HEXOKINASE

#### Comment:

It is recommended that FBS and PPBS should be interpreted with respect to their Biological reference ranges and not with each

Conditions which may lead to lower postprandial glucose levels as compared to fasting glucose levels may be due to reactive hypoglycemia, dietary meal content, duration or timing of sampling after food digestion and absorption, medications such as insulin preparations, sulfonylureas, amylin analogues, or conditions such as overproduction of insulin.

Page 3 of 13









: Mr.MAYURESH LAMBODAR PHATAK

Age/Gender

: 40 Y 4 M 29 D/M

UHID/MR No

: SPUN.0000044686

Visit ID Ref Doctor : SPUNOPV58330

Emp/Auth/TPA ID

: Dr.SELF : 641512

Collected

: 23/Sep/2023 09:17AM

Received

: 23/Sep/2023 11:54AM

Reported Status

: 23/Sep/2023 01:34PM

: Final Report

Sponsor Name

: ARCOFEMI HEALTHCARE LIMITED

	<b>DEPARTMENT OF</b>	HAEMATOLO	GY	
ARCOFEMI - MEDIWHEE	L - FULL BODY ANNUA	L PLUS MALE	- 2D FCHO - PAN INDIA	EV0004
Test Name		The state of the s		FY2324
	Result	Unit	Bio. Ref. Range	Method

BLOOD GROUP ABO AND RH FACT	OR, WHOLE BLOOD EDTA	
BLOOD GROUP TYPE	В	
Rh TYPE		Microplate
	Positive	Hemagglutination
	1 Ositive	Microplate
		Hemagglutination

Page 2 of 13



# **EYE REPORT**



ASH/PUN/OPTH/06/02-0216

Date: 23 09 23

Mr. Mayuresh Phatak

Ref No.:

Age /Sex:

AO Y M

Complaint: No complaint

Vision L 6/6 H6 Vision<

Examination

NO DM

NO HTH

Spectacle	Rx		Left Eye					
		Right	transmitted from the same transmitted			Axis		
	Vision	Sphere	Cyl.	Axis	Vision	Spnere		AXIS
Distance	616	0.75	0.50	90'	616	1.20	0.50	33
Bead	too			NG	1.00			N6

Add

Vision	Sphere	Cyl.	Axis	Vision	Spriere	Суі.	AAIS
610		0.50	90'	616	1.50	0.50	35
+00	0.70		NG	itos			N6
	CYL	Axis	Vision	Sphere	CYI	Axis	Vision
	Vision 6 6 6 1.00 Sphere	616 0.75	6/6 0.75 0.50	6/6 0.75 0.50 90° 1.00 - NG	616 0.75 0.50 90' 616 1.00 - NG 1.00	6/6 0.75 0.50 90' 6/6 1.50 1.00 - NG 1.00 - CYL	Vision Sphere Cyl. Axis Vision Construction  6 ( 0.75 0.50 90 6 6 1.50 0.50  1.00 - NG 1.00 - Axis

Remarks:

R 0.75 | 0.50 ×90'
L T.50 | 0.50 ×35'

Medications:

: BE colour vision Normal.

Trade Name	Frequency	Duration
The state of the s	A CONTRACTOR OF THE CONTRACTOR	

Follow up:

Consultant:

**Apollo Spectra Hospitals** 

Opp. Sanas Sports Ground, Saras Baug, Sadashiv Peth, Pune, Maharashtra- 411030 Ph : 020 67206500 | Fax: 020 67206523 | www.apollospectra.com



# 2D ECHO / COLOUR DOPPLER

Name : MR. Mayuresh Phatak Ref by : HEALTH CHECKUP

Age: 40YRS / M Date: 23/09/2023

LA - 32

AO - 26

IVS - 10

PW - 10

LVIDD - 37

LVIDS - 25

EF 60 %

Normal LV size and systolic function.

No diastolic dysfunction

Normal LV systolic function, LVEF 60 %

No regional wall motion abnormality

Normal sized other cardiac chambers.

Mitral valve has thin leaflets with normal flow.

Aortic valve has three thin leaflets with normal structure and function. No aortic regurgitation. No LVOT gradient

Normal Tricuspid & pulmonary valves.

No tricuspid regurgitation.

PA pressures Normal

Intact IAS and IVS.

No clots, vegetations, pericardial effusion noted.

#### IMPRESSION:


NORMAL LV SYSTOLIC AND DIASTOLIC FUNCTION.

NO RWMA. NO PULMONARY HTN

NO CLOTS/VEGETATIONS


DR.SAMRAT SHAH MD, CONSULTANT PHYSICIAN

**Apollo Spectra Hospitals:** Saras Baug Road, Opp. Sanas Play Ground, Sadashiv Peth, Pune, Maharashtra - 411030 Ph No: 022 - 6720 6500 | www.apollospectra.com



# **Corporate HC Auto Appointments**

UHID	Booked Date	Rescheduled From	Appointment Date	Slot Time	Agreement & Package Name	Patient Name	Mobile Number	Status	Reschedule	Booked By
	22/09/2023	110	23/09/2023	08:50-08:55	VISIT HEALTH NB DIAGONOSTICS TESTS PACK 1 TO 6 CREDIT PAN INDIA OP AGREEMENT & [VISIT HEALTH - NB DIAGNOSTIC TESTS PACK 5 - PAN INDIA - FY2324]	Mr. Ritesh Darda	9923364567	Scheduled		
	22/09/2023		23/09/2023	08:15-08:20	EMERSON INNOVATION CENTER PMC CREDIT PAN INDIA OP AGREEMENT & [EMERSON INNOVATION CENTER - PMC - PAN INDIA - FY2324]	PRADNYA GAIKWAD	9623450063	Scheduled	,	
	21/09/2023		23/09/2023	08:50-08:55	BAJAJ FINSERVE PREVENTIVE HC HPR CREDIT PAN INDIA OP AGREEMENT & [BAJAJ FINSERVE - HPR PREVENTIVE HC - PAN INDIA - FY2223]	Pramod k Kulkarni	9960039983	Scheduled		
	25/08/2023		23/09/2023	08:20-08:25	ARCOFEMI MEDIWHEEL FEMALE AHC CREDIT PAN INDIA OP AGREEMENT & ARCOFEMI - MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS CHECK - FEMALE - 2D ECHO - PAN INDIA - FY2324	MS. PATHAK RUJUTA	9766361376	Scheduled		
	25/08/2023		23/09/2023	08:20-08:25	ARCOFEMI MEDIWHEEL MALE AHC CREDIT PAN INDIA OP AGREEMENT & ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324	Mayuresh Phatak	976636137	6 Schedule	d	



MR. MAYURESH PHATAK(40 Years / Male)

Registration No:

1330923040

Reffered By

: Dr.APOLLO SPECTRA HOSPITAL

Registered On : 23 Sep 2023 12:23

Printed On

: 9/23/2023

01:46pm

# <u>ULTRASONOGRAPHY ABDOMEN & PELVIS</u>

*Liver*: Normal in size and echotexture. No focal hepatic lesion. The portal vein appears normal.

Gall bladder: Well distended and shows smooth thin wall. No e/o gallstones.

No changes of cholecystitis noted.

Pancreas: shows normal appearance. No evidence of pancreatitis, calcification or mass lesion.

Spleen: Normal in size and echotexture. No focal lesion is seen.

Right kidney: Normal in size and echotexture (measures 9.8 x 4.2 cms). CMD is well maintained. No evidence of hydronephrosis. No calculus / focal lesion is seen

Left kidney: Normal in size and echotexture (measures 10.4 x 4.5 cms). CMD is well maintained. No evidence of hydronephrosis. No calculus / focal lesion is seen

Urinary bladder: Urinary bladder is well distended and shows normal appearance.

**Prostate**: is normal in size and echotexture.

Aorta and para-aortic regions appear normal. There is no evidence of lymphadenopathy Bowel loops show normal peristalsis.

IMPRESSION: Study of abdomen and pelvis is essentially within normal limits.

DR. NAAINNA BHURRAT

Consultant Radiologist

Printed By: NIKHIL SATHE

# **Patient**

ID Name Birth Date Gender

23-09-2023-0023 PHATAK, MAYURESH

# Exam

Accession # Exam Date Description Sonographer

23092023

















# भारतीय विशिष्ट पहचान प्राधिकरण

# भारत सरकार Unique Identification Authority of India Government of India

नामांकन क्रम / Enrollment No.: 1325/12769/16078

To, मयुरेश लंबोदर फाटक Mayuresh Lambodar Phatak Flat No. 13, Wing-D, Samarthnagar Apartments, SN.56/3, Behind Ashirwad Hotel, Vadgaon Budruk Vadgaon Budruk Pune Maharashtra 411041 9619030049

Ref: 183 / 12V / 54282 / 54478 / P



SB459198159FH



आपका आधार क्रमांक / Your Aadhaar No. :

**4274 7709 5433** मेरा आधार, मेरी पहचान



#### भारत सरकार Government of India

मयुरेश लंबोदर फाटक Mayuresh Lambodar Phatak जन्म तिथि / DOB : 24/04/1983





4274 7709 5433 मेरा आधार, मेरी पहचान