# **TEST REPORT**

Reg. No : 2203101214

Name : Mukul Sharma Age/Sex : 31 Years / Male

Ref. By

Client : MEDIWHEEL WELLNESS Reg. Date

: 12-Mar-2022

Collected On : 12-Mar-2022 09:45

**Approved On** : 12-Mar-2022 11:50

**Printed On** : 17-Mar-2022 17:53

<u>Parameter</u>	Result	<u>Unit</u>	Reference Interval			
KIDNEY FUNCTION TEST						
UREA (Urease & glutamate dehydrogenase)	12.4	mg/dL	10 - 50			
Creatinine (Jaffe method)	0.52	mg/dL	0.5 - 1.4			
Uric Acid (Enzymatic colorimetric)	6.2	mg/dL	2.5 - 7.0			

----- End Of Report -----

: 2203101214 Reg. No Name · Mukul Sharma Age/Sex : 31 Years / Male

Ref. By

**MCH** 

Client : MEDIWHEEL WELLNESS Reg. Date : 12-Mar-2022

27 - 32

0 - 2

**Collected On** : 12-Mar-2022 09:45 Approved On : 12-Mar-2022 10:49

**Printed On** : 17-Mar-2022 17:53

_							
	<u>Parameter</u>	Result	<u>Unit</u>	Reference Interval			
	COMPLETE BLOOD COUNT (CBC)						
	SPECIMEN: EDTA BLOOD						
	Hemoglobin	13.8	g/dL	13.0 - 17.0			
	RBC Count	4.53	million/cmm	4.5 - 5.5			
	Hematrocrit (PCV)	39.0	%	40 - 54			

Pg

MCV	86.1	fL	83 - 101
MCHC	35.4	%	31.5 - 34.5
RDW	11.3	%	11.5 - 14.5
WBC Count	6730	/cmm	4000 - 11000

DIFFERENTIAL WBC COUNT (Flow cytometry)						
Neutrophils (%)	58	%	38 - 70			
Lymphocytes (%)	35	%	20 - 40			
Monocytes (%)	05	%	2 - 8			
Fosinophils (%)	02	%	0 - 6			

30.5

Eosinophils (%) 02 % Basophils (%) 00 % Neutrophils 3903 /cmm Lymphocytes 2356 /cmm Monocytes 337 /cmm Eosinophils 135 /cmm Basophils 0 /cmm

Platelet Count (Flow cytometry) /cmm 150000 - 450000 192000 MPV 8.9 fL 7.5 - 11.5

**ERYTHROCYTE SEDIMENTATION RATE** 

ESR (After 1 hour) 12 mm/hr 0 - 14

Modified Westergren Method

----- End Of Report -----

		TEST REPORT				
Reg. No	: 2203101214		Reg. Date	: 12-Mar-2022		
Name	: Mukul Sharma		Collected On	: 12-Mar-2022 09:45		
Age/Sex	: 31 Years / Male		Approved On	: 12-Mar-2022 10:49		
Ref. By	:		Printed On	: 17-Mar-2022 17:53		
Client	: MEDIWHEEL WELLNESS					
Paramete	<u>er</u>	Result				
BLOOD GROUP & RH  Specimen: EDTA and Serum; Method: Haemagglutination						
ABO		'B'				
Rh (D)		Positive				
End Of Report						



: 2203101214 Reg. No

Name : Mukul Sharma Age/Sex 31 Years / Male

Ref. By

**Parameter** 

Client : MEDIWHEEL WELLNESS Reg. Date

: 12-Mar-2022

**Collected On** 

: 12-Mar-2022 09:45

**Approved On** 

: 12-Mar-2022 13:56

**Printed On** : 17-Mar-2022 17:53

Reference Interval

# **PLASMA GLUCOSE**

Fasting Blood Sugar (FBS)

91.5

Result

mg/dL

<u>Unit</u>

70 - 110

Hexokinase Method

Post Prandial Blood Sugar (PPBS)

119.4

mg/dL

70 - 140

Hexokinase Method

Criteria for the diagnosis of diabetes1. HbA1c >/= 6.5 \*

2. Fasting plasma glucose >126 gm/dL. Fasting is defined as no caloric intake at least for 8 hrs.

3. Two hour plasma glucose >/= 200mg/dL during an oral glucose tolerence test by using a glucose load containing equivalent of 75 gm anhydrous glucose dissolved in water.

4. In a patient with classic symptoms of hyperglycemia or hyperglycemic crisis, a random plasma glucose >/= 200 mg/dL.

\*In the absence of unequivocal hyperglycemia, criteria 1-3 should be confirmed by repeat testing.

American diabetes association. Standards of medical care in diabetes 2011. Diabetes care 2011;34;S11.

----- End Of Report -----



: 2203101214 Reg. No Name Mukul Sharma Age/Sex : 31 Years / Male

Approved On : 12-Mar-2022 11:50

: 12-Mar-2022

: 12-Mar-2022 09:45

: 17-Mar-2022 17:53

Reg. Date

Collected On

**Printed On** 

Ref. By

Client

: MEDIWHEEL WELLNESS

**Parameter** Result <u>Unit</u> Reference Interval LIPID PROFILE 134.1 mg/dL Desirable: < 200.0 Cholesterol Borderline High: 200-239 (Enzymatic colorimetric) High: > 240.0Triglyceride 114.0 Normal: < 150.0 mg/dL Borderline: 150-199 (Enzymatic colorimetric) High: 200-499 Very High: > 500.0 **VLDL** 22.80 mg/dL 15 - 35 Calculated LDL CHOLESTEROL 72.80 mg/dL Optimal: < 100.0 Near / above optimal: 100-129 Borderline High: 130-159 High: 160-189 Very High: >190.0 30 - 70 **HDL Cholesterol** 38.5 mg/dL Homogeneous enzymatic colorimetric 0 - 5.0 Cholesterol /HDL Ratio 3.48 Calculated LDL / HDL RATIO 1.89 0 - 3.5

Calculated

MD Pathologist



2203101214 Reg. No Name Mukul Sharma Age/Sex

31 Years / Male

Ref. By

Client MEDIWHEEL WELLNESS Reg. Date : 12-Mar-2022

Collected On : 12-Mar-2022 09:45

Approved On : 12-Mar-2022 11:50

Printed On : 17-Mar-2022 17:53

**Parameter** Result <u>Unit</u> Reference Interval

NEW ATP III GUIDELINES (MAY 2001), MODIFICATION OF NCEP<?xml:namespace prefix = "o" ns = "urn:schemasmicrosoft-com:office:office" />

> LDL CHOLESTEROL **CHOLESTEROL HDL CHOLESTEROL TRIGLYCERIDES**

> Optimal<100 Desirable<200 Low<40 Normal<150 Near Optimal 100-129 Border Line 200-239 High >60 Border High 150-199 Borderline 130-159 High >240

High 200-499 High 160-189

- LDL Cholesterol level is primary goal for treatment and varies with risk category and assesment
- For LDL Cholesterol level Please consider direct LDL value

Risk assessment from HDL and Triglyceride has been revised. Also LDL goals have changed.

- Detail test interpreation available from the lab
- All tests are done according to NCEP guidelines and with FDA approved kits.
- LDL Cholesterol level is primary goal for treatment and varies with risk category and assesment

# For test performed on specimens received or collected from non-KSHIPRA locations, it is presumed that the specimen belongs to the patient named or identified as labeled on the container/test request and such verification has been carried out at the point generation of the said specimen by the sender.

KSHIPRA will be responsible Only for the analytical part of test carried out. All other responsibility will be of referring Laboratory.

. All other responsibility will be of referring Laboratory.

----- End Of Report -----

This is an electronically authenticated report.

Page 6 of 11

Reg. No : 2203101214 Name : Mukul Sharma Age/Sex : 31 Years / Male

Collected On : 12-Mar-2022 09:45 **Approved On** : 12-Mar-2022 11:50

: 12-Mar-2022

Ref. By

**Printed On** 

Reg. Date

: 17-Mar-2022 17:53

Client : MEDIWHEEL WELLNESS

<u>Parameter</u>	Result	<u>Unit</u>	Reference Interval			
LIVER FUNCTION TEST WITH GGT						
Total Bilirubin	1.99	mg/dL	0.10 - 1.0			
Colorimetric diazo method						
Conjugated Bilirubin	0.77	mg/dL	0.0 - 0.3			
Sulph acid dpl/caff-benz						
Unconjugated Bilirubin	1.22	mg/dL	0.0 - 1.1			
Sulph acid dpl/caff-benz						
SGOT	66.5	U/L	0 - 37			
(Enzymatic)						
SGPT	102.2	U/L	0 - 40			
(Enzymatic)						
GGT	8.2	U/L	11 - 49			
(Enzymatic colorimetric)						
Alakaline Phosphatase	114.4	U/L	53 - 130			
(Colorimetric standardized method)						
Protien with ratio						
Total Protein	6.1	g/dL	6.5 - 8.7			
(Colorimetric standardized method)						
Albumin	4.4	mg/dL	3.5 - 5.3			
(Colorimetric standardized method)						
Globulin	1.70	g/dL	2.3 - 3.5			
Calculated						
A/G Ratio	2.59		0.8 - 2.0			
Calculated						

# **TEST REPORT**

: 2203101214 Reg. No Name : Mukul Sharma Age/Sex 31 Years / Male

Ref. By

Client : MEDIWHEEL WELLNESS

: 12-Mar-2022 11:50 Approved On **Printed On** : 17-Mar-2022 17:53

Reg. Date

**Collected On** 

: 12-Mar-2022

: 12-Mar-2022 09:45

**Parameter** Result Unit Reference Interval

# **HEMOGLOBIN A1 C ESTIMATION**

Specimen: Blood EDTA

Hb A1C 5.4

Boronate Affinity with Fluorescent Quenching

% of Total Hb

Poor Control: > 7.0 % Good Control: 6.2-7.0 % Non-diabetic Level: 4.3-6.2 %

Mean Blood Glucose 114.94 mg/dL

Calculated

### **Degree of Glucose Control Normal Range:**

Poor Control >7.0% \*

Good Control 6.0 - 7.0 %\*\*Non-diabetic level < 6.0 %

- \* High risk of developing long term complication such as retinopathy, nephropathy, neuropathy, cardiopathy, etc.
- \* Some danger of hypoglycemic reaction in Type I diabetics.
- \* Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1c levels in this area.

# **EXPLANATION:-**

Total haemoglobin A1 c is continuously symthesised in the red blood cell throught its 120 days life span. The concentration of HBA1c in the cell reflects the average blood glucose concentration it encounters.

\*The level of HBA1c increases proportionately in patients with uncontrolled diabetes. It reflects the average blood glucose oncentration over an extended time period and remains unaffected by short-term fluctuations in blood glucose levels.

\*The measurement of HbA1c can serve as a convenient test for evaluating the adequacy of diabetic control and in preventing various diabetic complications. Because the average half life of a red blood cell is sixty days. HbA1c has been accepted as a measurnment which eflects the mean daily blood glucose concentration, better than fasting blood glucose determination, and the degree of carbohydrate imbalance over the preceding two months.

\*It may also provide a better index of control of the diabetic patient without resorting to glucose loading procedures.

### **HbA1c** assay Interferences:

\*Errneous values might be obtained from samples with abnormally elevated quantities of other Haemoglobins as a result of either their simultaneous elution with HbA1c(HbF) or differences in their glycation from that of HbA(HbS)

----- End Of Report -----

Page 8 of 11

This is an electronically authenticated report.

Test done from collected sample

DR PS RAO Approved by: MD Pathologist

: 2203101214 Reg. No Name Mukul Sharma Age/Sex : 31 Years / Male

Collected On : 12-Mar-2022 09:45 Approved On : 12-Mar-2022 11:46

Reg. Date

Ref. By

Client : MEDIWHEEL WELLNESS Printed On : 17-Mar-2022 17:53

: 12-Mar-2022

<u>Parameter</u>	<u>Result</u>	<u>Unit</u>	Reference Interval			
THYROID FUNCTION TEST						
T3 (Triiodothyronine)	0.91	ng/mL	0.87 - 1.81			
Chemiluminescence						
T4 (Thyroxine)	9.62	μg/dL	5.89 - 14.9			
Chemiluminescence						
TSH ( ultra sensitive )	1.582	μIU/ml	0.34 - 5.6			
Chemiluminescence						

SUMMARY The hypophyseal release of TSH (thyrotropic hormone) is the central regulating mechanism for the biological action of thyroid hormones. TSH is a very sensitive and specific parameter for assessing thyroid function and is particularly suitable for early detection or exclusion of disorders in the central regulating circuit between the hypothalamus, pituitary and thyroid. LIMITATION Presence of autoantibodies may cause unexpected high value of TSH

----- End Of Report -----

This is an electronically authenticated report.

# **TEST REPORT**

 Reg. No
 : 2203101214

 Name
 : Mukul Sharma

 Age/Sex
 : 31 Years / Male

**Collected On** : 12-Mar-2022 09:45 **Approved On** : 12-Mar-2022 10:50

: 12-Mar-2022

Ref. By

**Parameter** 

:

**Printed On** : 17-Mar-2022 17:53

Client: MEDIWHEEL WELLNESS

Reference Interval

Reg. Date

## URINE ROUTINE EXAMINATION

<u>Unit</u>

## **PHYSICAL EXAMINATION**

Quantity 20 cc

Colour Pale Yellow

Appearance Clear

# CHEMICAL EXAMINATION ( BY REFLECTANCE PHOTOMETRIC METHOD)

Result

pH 6.0 5.0 - 8.0 Sp. Gravity 1.020 1.002 - 1.03

Nil Protein Glucose Nil **Ketone Bodies** Nil Urine Bile salt and Bile Pigment Nil Urine Bilirubin Nil **Nitrite** Nil Leucocytes Nil Blood Nil

# MICROSCOPIC EXAMINATION (MANUAL BY MCIROSCOPY)

Leucocytes (Pus Cells) Nil Erythrocytes (Red Cells) Nil **Epithelial Cells** Nil **Amorphous Material** Nil Nil Casts Nil Crystals **Bacteria** Nil Monilia Nil

----- End Of Report -----

Page 10 of 11

Oh

This is an electronically authenticated report.

# **TEST REPORT**

 Reg. No
 : 2203101214

 Name
 : Mukul Sharma

 Age/Sex
 : 31 Years / Male

Reg. Date : 12-Mar-2022 Collected On : 12-Mar-2022 09:45

**Approved On**: 12-Mar-2022 11:46

Printed On : 17-Mar-2022 17:53

Ref. By

<u>Parameter</u>

Client

.
: MEDIWHEEL WELLNESS

<u>Unit</u> <u>Reference Interval</u>

### STOOL EXAMINATION

Colour Yellow
Consistency Semi Solid

Result

**CHEMICAL EXAMINATION** 

Occult Blood Negative

Peroxidase Reaction with o-

Dianisidine

Reaction Neutral

pH Strip Method

Reducing Substance Absent

Benedict's Method

### **MICROSCOPIC EXAMINATION**

Mucus Nil

Pus Cells 1 - 2/hpf

Red Cells Nil **Epithelial Cells** Nil Vegetable Cells Nil **Trophozoites** Nil Cysts Nil Ova Nil **Neutral Fat** Nil Nil Monilia

Note: Stool occult blood test is highly sensitive to peroxidase like activity of free hemoglobin.

**False negative**: False negative occult blood test may be observed in case of excess (>250mg/day) Vitamin C intake and in case of occassinal unruptured RBCs.

**False positive:** False positive occult blood test may be observed in stool samples containing vegetable peroxidase (turnips, horseradish, cauliflower, brocoli, cantaloupe, parsnips) and myoglobin from food (meat diet) intake.

----- End Of Report -----

Page 11 of 11

Approved by: DR PS RAO

MD Pathologist