

Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mr.NEERAJ SINGH	Registered On	: 07/Jan/2024 09:14:44
Age/Gender	: 39 Y 4 M 4 D /M	Collected	: 07/Jan/2024 09:35:39
UHID/MR NO	: CDCA.0000102618	Received	: 07/Jan/2024 09:42:03
	: CDCA0317512324		: 07/Jan/2024 14:16:21
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) * , I	3lood			
Blood Group	В			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) * , What	ole Blood			
Haemoglobin TLC (WBC) DLC Polymorphs (Neutrophils) Lymphocytes Monocytes Eosinophils	14.80 6,400.00 56.00 33.00 7.00 4.00	g/dl /Cu mm % % % %	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl 4000-10000 55-70 25-40 3-5 1-6	ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE
Basophils	0.00	%	<1	ELECTRONIC IMPEDANCE
ESR Observed Corrected PCV (HCT) Platelet count	18.00 16.00 44.00	Mm for 1st hr. Mm for 1st hr. %	< 9 40-54	
Platelet Count	1.9	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width) P-LCR (Platelet Large Cell Ratio)	16.40 45.10	fL %	9-17 35-60	ELECTRONIC IMPEDANCE





Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mr.NEERAJ SINGH	Registered On	: 07/Jan/2024 09:14:44
Age/Gender	: 39 Y 4 M 4 D /M	Collected	: 07/Jan/2024 09:35:39
UHID/MR NO	: CDCA.0000102618	Received	: 07/Jan/2024 09:42:03
Visit ID	: CDCA0317512324	Reported	: 07/Jan/2024 14:16:21
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.25	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	12.90	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.80	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	91.66	f	80-100	CALCULATED PARAMETER
MCH	30.83	pg	28-35	CALCULATED PARAMETER
MCHC	33.63	%	30-38	CALCULATED PARAMETER
RDW-CV	11.80	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	40.00	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,584.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	256.00	/cu mm	40-440	

Dr. R.K. Khanna (MBBS,DCP)

Page 2 of 12



Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mr.NEERAJ SINGH	Registered On	: 07/Jan/2024 09:14:45
Age/Gender	: 39 Y 4 M 4 D /M	Collected	: 07/Jan/2024 15:08:20
UHID/MR NO	: CDCA.0000102618	Received	: 07/Jan/2024 16:11:17
Visit ID	: CDCA0317512324	Reported	: 07/Jan/2024 17:20:45
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLUCOSE FASTING * , <i>Plasma</i> Glucose Fasting	113.03	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
c) I.G.T = Impared Glucose Tolerance.

Glucose PP * Sample:Plasma After Meal	120.30	mg/dl	<140 Normal 140-199 Pre-diabetes >200 Diabetes	GOD POD

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

Dr. R.K. Khanna (MBBS, DCP)



Home Sample Collection 1800-419-0002



Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN: U85110DL2003PLC308206



Patient Name	: Mr.NEERAJ SINGH	Registered On	: 07/Jan/2024 09:14:45
Age/Gender	: 39 Y 4 M 4 D /M	Collected	: 07/Jan/2024 09:35:39
UHID/MR NO	: CDCA.0000102618	Received	: 07/Jan/2024 17:10:58
Visit ID	: CDCA0317512324	Reported	: 07/Jan/2024 18:49:10
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLYCOSYLATED HAEMOGLOBIN (HBA1C) ** , E	DTA BLOOD			
Glycosylated Haemoglobin (HbA1c) Glycosylated Haemoglobin (HbA1c) Estimated Average Glucose (eAG)	5.20 33.00 102	% NGSP mmol/mol/IFC0 mg/dl	2	HPLC (NGSP)

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following nondiabetic conditions: a. Iron-deficiency anemia b. Splenectomy







Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mr.NEERAJ SINGH	Registered On	: 07/Jan/2024 09:14:45
Age/Gender	: 39 Y 4 M 4 D /M	Collected	: 07/Jan/2024 09:35:39
UHID/MR NO	: CDCA.0000102618	Received	: 07/Jan/2024 17:10:58
Visit ID	: CDCA0317512324	Reported	: 07/Jan/2024 18:49:10
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

Dr. Anupam Singh (MBBS MD Pathology)

Page 5 of 12





Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mr.NEERAJ SINGH	Registered On	: 07/Jan/2024 09:14:46
Age/Gender	: 39 Y 4 M 4 D /M	Collected	: 07/Jan/2024 09:35:39
UHID/MR NO	: CDCA.0000102618	Received	: 07/Jan/2024 11:09:11
Visit ID	: CDCA0317512324	Reported	: 07/Jan/2024 11:48:13
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

	Result		Die Def Interval	Method
Test Name	Result	Unit	Bio. Ref. Interval	Wethod
BUN (Blood Urea Nitrogen) * Sample:Serum	14.30	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	1.25	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid * Sample:Serum	6.30	· mg/dl	3.4-7.0	URICASE
LFT (WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST)	45.30	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	58.59	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	25.47	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.62	gm/dl	6.2-8.0	BIURET
Albumin	4.04	gm/dl	3.4-5.4	B.C.G.
Globulin	2.58	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.57		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	88.30	U/L	42.0-165.0.	IFCC METHOD
Bilirubin (Total)	0.73	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.30	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.43	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) * , Serum				
Cholesterol (Total)	186.60	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	56.37	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	108	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline High 160-189 High > 190 Very High	
VLDL	22.56	mg/dl	10-33	CALC' " ATED
Triglycerides	112.80	mg/dl	 < 150 Normal 150-199 Borderline High 200-499 High >500 Very High 	GPO-





Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mr.NEERAJ SINGH	Registered On	: 07/Jan/2024 09:14:45
Age/Gender	: 39 Y 4 M 4 D /M	Collected	: 07/Jan/2024 15:08:20
UHID/MR NO	: CDCA.0000102618	Received	: 07/Jan/2024 15:57:40
Visit ID	: CDCA0317512324	Reported	: 07/Jan/2024 17:44:15
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE *	, Urine			
Color	LIGHT YELLOW			
Specific Gravity	1.025			
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	ABSENT			
Protein	ABSENT	[′] mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
Current and a second seco	ADCENT		> 500 (++++)	DIDCTICK
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++)	DIPSTICK
			1-2 (+++)	
		Call No	>2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT		and a second	DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	OCCASIONAL			MICROSCOPIC
· · · · · · · · · · · · · · · · · · ·				EXAMINATION
Pus cells	OCCASIONAL			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
				EXAMINATION
Others	ABSENT			
STOOL, ROUTINE EXAMINATION *	, Stool			
Color	BROWNISH			
Consistency	SEMI SOLID			
Reaction (PH)	Acidic (5.0)			





Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mr.NEERAJ SINGH	Registered On	: 07/Jan/2024 09:14:45
Age/Gender	: 39 Y 4 M 4 D /M	Collected	: 07/Jan/2024 15:08:20
UHID/MR NO	: CDCA.0000102618	Received	: 07/Jan/2024 15:57:40
Visit ID	: CDCA0317512324	Reported	: 07/Jan/2024 17:44:15
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Mucus	ABSENT			
Blood	ABSENT			
Worm	ABSENT			
Pus cells	ABSENT			
RBCs	ABSENT			
Ova	ABSENT			
Cysts	ABSENT			
Others	ABSENT			
SUGAR, FASTING STAGE * , Urine				
Sugar, Fasting stage	ABSENT	gms%		
Interpretation:				
(+) < 0.5		1 11 1 1		

(+)	< 0.5	
(++)	0.5-1.0	
(+++)	1-2	
(++++)	> 2	

SUGAR, PP STAGE * , Urine

Sugar, PP Stage

ABSENT

Interpretation:

(+)	< 0.5 gms%
(++)	0.5-1.0 gms%
(+++)	1-2 gms%
(++++)	>2 gms%







Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Pa	atient Name	: Mr.NEERAJ SINGH	Registered On	:	07/Jan/2024 09:14:46
Aç	ge/Gender	: 39 Y 4 M 4 D /M	Collected	:	07/Jan/2024 09:35:39
UI	HID/MR NO	: CDCA.0000102618	Received	:	07/Jan/2024 16:44:25
Vi	sit ID	: CDCA0317512324	Reported	:	07/Jan/2024 17:28:03
Re	ef Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	:	Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL ** , Serum				
T3, Total (tri-iodothyronine)	130.62	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	8.50	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	3.960	μIU/mL	0.27 - 5.5	CLIA
Intermetation				
Interpretation:		0.3-4.5 μIU/	mL First Trimester	

0.5-4.6

0.8-5.2

0.5-8.9

0.7-27

0.7 - 64

1-39

1.7-9.1

µIU/mL

µIU/mL

µIU/mL

µIU/mL

µIU/mL

µIU/mL

µIU/mL

2.3-13.2 µIU/mL

autoimmune disorders.	
2) Patients having high T3 and T4 levels but low TSH level	ls suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Second Trimester

Child(21 wk - 20 Yrs.)

55-87 Years

0-4 Days

2-20 Week

28-36 Week

> 37Week

Third Trimester

Adults

Child

Child

Premature

Cord Blood

Dr. Anupam Singh (MBBS MD Pathology)







Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mr.NEERAJ SINGH	Registered On	: 07/Jan/2024 09:14:48
Age/Gender	: 39 Y 4 M 4 D /M	Collected	: N/A
UHID/MR NO	: CDCA.0000102618	Received	: N/A
Visit ID	: CDCA0317512324	Reported	: 07/Jan/2024 14:39:56
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA *

(300 mA COMPUTERISED UNIT SPOT FILM DEVICE)

CHEST P-A VIEW

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

IMPRESSION

• NO SIGNIFICANT RADIOLOGICAL ABNORMALITY SEEN ON PRESENT STUDY.

Dr. Vandana Gupta MBBS,DMRD,DNB

Page 10 of 12







Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



ľ	Patient Name	: Mr.NEERAJ SINGH	Registered On	: 07/Jan/2024 09:14:48
	Age/Gender	: 39 Y 4 M 4 D /M	Collected	: N/A
	UHID/MR NO	: CDCA.0000102618	Received	: N/A
		: CDCA0317512324	Reported	: 07/Jan/2024 12:11:24
	Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

<u>LIVER</u>

• Liver is normal in size measuring 12.3 cm in longitudinal span & shows mild diffuse increase in parenchymal echogenicity.

PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- Portal vein is normal at the porta.
- Porta hepatis is normal.

BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common duct is normal at the porta. (3.9 mm)
- The gall bladder is normal in size and has regular walls. Wall thickness is normal. Lumen of the gall bladder is anechoic.

PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture.

<u>RIGHT KIDNEY (10.7 x 4.4 cm)</u>

- Right kidney is normal in size and shape and cortical echotexture.
- The collecting system is not dilated.
- The upper part of right ureter is normal.
- The vesicoureteric junction is normal.
- Corticomedullary demarcation is clear.
- Renal respiratory excursions are normal.

LEFT KIDNEY (11.8 x 5.7 cm)

- Left kidney is normal in size and shape and cortical echotexture.
- Simple cortical cyst is noted in upper pole, measuring 1.5 x 1.1 cm.
- The collecting system is not dilated.
- The upper part of left ureter is normal.
- The vesicoureteric junction is normal.
- Corticomedullary demarcation is clear.
- Renal respiratory excursions are normal.



Page 11 of 12



Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mr.NEERAJ SINGH	Registered On	: 07/Jan/2024 09:14:48
Age/Gender	: 39 Y 4 M 4 D /M	Collected	: N/A
UHID/MR NO	: CDCA.0000102618	Received	: N/A
Visit ID	: CDCA0317512324	Reported	: 07/Jan/2024 12:11:24
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

<u>SPLEEN</u>

• The spleen is normal in size (11.2 cm) and has a homogenous echotexture.

ILIAC FOSSA

• Scan over the iliac fossae does not reveal any fluid collection or mass.

URINARY BLADDER

- The urinary bladder is normal. Bladder wall is normal in thickness and regular.
- Pre-void urine volume is ~ 373 cc.
- Post-void residual urine volume is ~ 16 cc.

PROSTATE

• The prostate gland is mildly enlarged in size, measuring 5.1 x 3.6 x 3.1 cm (vol- 30.64 cc).

IMPRESSION

- Grade-I fatty infiltration of liver.
- · Left renal simple cortical cyst.
- Grade-I prostatomegaly -? Prostatitis.

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow: ECG/EKG



Dr. Vandana Gupta MBBS,DMRD,DNB

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing * 365 Days Open *Facilities Available at Select Location

Page 12 of 12



