RMS TMT MARK-II(4.0.1)RECORDERS AND MEDICARE SYSTEMS (P) Ltd, CHANDIGARH STS (mV/Sec) Date: 09 / 02 / 2022 12:30:47 PM VANNARAPETTAI, THIRUNELVELI. 120786597 / MRS. NEETHU M / 29 Yrs / Female / 55 Kg / 154 Cm/ Non Smoker Raw Rhythm V4 avR 3 METs: 01.00 HR: 87 Target HR: 45% of 191 0.9 0.6 0.0 -0.5 avL = 5 12 BP: 100/70 PostJ @80ms ExTime: 00:52 Linked Medians Report SUPINE Speed: 00.00 mph Grade: 00.00 % 0.5 0.9 0.8 avF = 5 8 30 40 25 mm/Sec. 1.0 Cm/mV MICRO MED CHARTS 0.0 0.02 0.6 0.2 Scanned by AnyScanner

MEDALL

HR: 102 Target HR: 53% of 191

BP: 100/70 PostJ @80ms

MEDALL

Date: 09 / 02 / 2022 12:30:47 PM METs: 01.00

Linked Medians Report ExStrt

ExTime: 00:00 Speed: 01.70 mph Grade: 10.00 %

STS (mV/Sec) Raw Rhythm 4 5 avR : 37.0 0.9 0.1 0.7 **V**5 52 avL -0.5 0.7 0.9 0.5 53 76 avF 111 1 Z T

0.7

00

I

00

0.4




VANNARAPETTAI, THIRUNELVELI. 120786597 / MRS. NEETHU M / 29 Yrs / Female / 55 Kg / 154 Cm/ Non Smoker

Date: 09 / 02 / 2022 12:30:47 PM METS: 04.70 HR: 144 Target HR: 75% of 191



Scanned by AnyScanner

Linked Medians Report
BRUCE: Stage 1 (03:00) Speed: 01.70 mph Grade: 10.00 % 25 mm/Sec. 1.0 Cm/mV



VANNARAPETTAI, THIRUNELVELI. 120786597 / MRS. NEETHU M / 29 Yrs / Female / 55 Kg / 154 Cm/ Non Smoker


Date: 09 / 02 / 2022 12:30:47 PM

Linked Medians Report BRUCE: Stage 2 (03:00)

Speed: 02.50 mph Grade: 12.00 %



25 mm/Sec. 1.0 Cm/mV Scanned by AnyScanner




ANNARAPETTAI,THIRUNELVELI. 20786597 / MRS. NEETHU M / 29 Yrs / Female / 55 Kg / 154 Cm/ Non Smoker ate: 09 / 02 / 2022 12:30:47 PM

Linked Medians Report Recovery: (00:10)

Speed: 00.00 mph Grade: 00.00 % 25 mm/Sec. 1.0 Cm/mV

Scanned by **AnyScanner**



/ANNARAPETTAI, THIRUNELVELI. |20786597 / MRS. NEETHU M / 29 Yrs / Female / 55 Kg / 154 Cm/ Non Smoker

late: 09 / 02 / 2022 12:30:47 PM METS: 04.10 HR: 153 Target HR: 80% of 191

BP: 100/70 PostJ @60ms

ExTime: 08:12

Linked Medians Report Recovery: (00:30)


Speed: 00.00 mph Grade: 00.00 % 25 mm/Sec. 1.0 Cm/mV


S TMT MARK-II(4.0 1)RECORDERS AND MEDICARE SYSTEMS (P) Ltd, CHANDIGARH S (mV/Sec) Raw Rhythm 4 avR S 1.8 0.0 1.6 250 5 12 avL E 3 Variation . 1.1 2.1 82 0.1 76 5 avF ≣ MICRO MED CHARTS 7 Scanned by AnyScanner 1.0 1.1 00 -12

Date: 09 / 02 / 2022 12:30:47 PM VANNARAPETTAI, THIRUNELVELI. 120786597 / MRS. NEETHU M / 29 Yrs / Female / 55 Kg / 154 Cm/ Non Smoker

Linked Medians Report Recovery: (01:00)


Scanned by AnyScanner





VANNARAPETTAI, THIRUNELVELI. 120786597 / MRS. NEETHU M / 29 Yrs / Female / 55 Kg / 154 Cm/ Non Smoker Date: 09 / 02 / 2022 12:30:47 PM

Linked Medians Report Recovery: (03:00)



RMS TMT MARK-II(4.0.1)RECORDERS AND MEDICARE SYSTEMS (P) Ltd, CHANDIGARH Raw Rhythm STS (mV/Sec) 2 HR: 106 Target HR: 55% of 191 BP: 130/70 PostJ @60ms 0.6 0.5 0.2 5 avL 12 -ExTime: 08:12 Speed: 00.00 mph Grade: 00.00 % 25 mm/Sec. 1.0 Cm/mV 0.4 0.7 0.01 avE 11 76 5 MICRO MED CHARTS \$ F = 5 0.0 -03 0.0 0.2

Linked Medians Report Recovery: (04:00)

Date: 09 / 02 / 2022 12:30:47 PM

METs: 01.00

MEDALL

VANNARAPETTAI, THIRUNELVELI. 120786597 / MRS. NEETHU M / 29 Yrs / Female / 55 Kg / 154 Cm/ Non Smoker



Scanned by AnyScanner

Supine 121 000 121 000 1) 813 2) 213 167 bpm (2) 1:00 130 bpm ExStart (1) 0.00 (2) 0.00 (98 bpm Stage (1) 8:01 (2) 3:01 Stage [7] 3.01 [7] 3.01 Date: 09 / 02 / 2022 12:30:47 PM PeakEx BALS THT MARK-IIM I PRECORDERS AND MEDICARE SYSTEMS (P) LIG CHANDIGARH 1207865971MRS. NEETHU M 129 Yrs 1F 155 Kg 1154 Cms 154 bpm Recovery 2 1.2 mph 0.0 % 0.0 mph 1.7 mph 10.0 % 25 mph 120 % 0.0 % 0.0 % 3.4 mph 14.0 % 215 0.7 == 1.8 80 154 180 0.5 0.5 007 -0 2 HA. = ŧ 00 -00 0.2 007 0. -0.5 = 603 08 005 -0 avA 70 80 80 00 avL £ Ŧ 207 002 80 95 00 avF 00 00 90 흐믕 5 100 200 10 414 2 55 0.5 52 200 139 0 3 చ 90 35 02 6.0 80 < F 50 82 20 믉 25 MICRO MED CHARTS 5 22 20 50 28 88 Ŧ Scanned by AnyScanner

ST Summary



Scanned by AnyScanner

20786597 / MRS. NEETHU M /29 Yrs / F / 55 Kg / 154 Oms

L AWF VI V2 V3 -02 00 09 05 05 05 05 -01 10 12 06 03 04 -07 02 08 02 02 07 -09 05 10 03 08 02 07 -09 05 10 03 09 10 04 -01 02 07 02 07 02 12 -10 -01 02 07 02 07 -02 00 07 04 02 07 -03 01 07 05 06 02 01 -04 01 06 14 12 16 -05 00 04 07 05 06 -07 05 16 10 12 16 -08 00 00 01 07 05 06 -01 00 18 13 18 10 -01 01 02 07 -03 12 08 08 08 -01 01 02 07 -04 18 13 18 10 -05 01 07 -07 08 07 -08 07									91.7	PT IIVe										STS mV/Sec.									0 mSecs Post J		
	Recovery	Recovery	Recovery	Recovery	Recovery	PeakEx	Stage 2	Stage 1	ExStart	Sunine	Recovery	Recovery	Removery	Remyery	Description	DoakEv	Stores -		Every Control	Simina	Recovery	Recovery	Recovery	Recovery	Recovery	PeakEx	Stage 2	Stage 1	ExStart	Supine	T T W T T T T T T T T T T T T T T T T T
III ByR BYL ByF IVI V2 V3 V4 V6	1.9	1.7	0.7	-	1.0	-1.9	-1.4	17	ත ත	3.9	0.8	0.6	0 6	12	 o c	<u>-</u> с	o -	 0 -	4 9	0 7	0.6	0.5	0.4	0.7	10	0.4	0.1	1.2	-	0.9	
WAR SAPE WY1 YZ Y3 Y4 Y5 Y5 Y6 Y6 Y7 Y8 Y7 Y8 Y7 Y8 Y8 Y8	0.1	-1.0	-1.6	-1.4	-1.2	-52	-3.5	-3.4	1 3	0.9	0.3	0.2	0.3	0 6	0.7	י ת	5 -	1 0	э о л о	0 3	0.1	<u>ь</u>	-0.2	0.0	0.1	-0.7	-0.7	<u>.</u>	0.4	0.3	
L ayF ::VI V2 V3 V4 V5 -02 000 09 05 06 03 0.4 2 -07 01 12 08 02 0.2 -09 05 1.0 03 0.8 -04 01 13 0.9 1.0 -04 01 13 0.9 1.0 -04 02 07 04 0.2 -0.1 -0.2 00 07 04 0.2 -0.1 -0.1 0.3 12 1.6 -0.2 0.4 -0.1 0.3 12 0.8 -0.1 0.3 12 0.8 -0.1 0.3 12 0.8 -0.1 0.3 12 0.8 -0.1 0.3 12 0.8 -0.1 0.3 12 0.8 -0.1 0.3 12 0.8 -0.1 0.3 12 0.8 -0.1 0.3 12 0.8 -0.1 0.3 12 0.8 -0.1 0.3 12 0.8 -0.1 0.1 0.2 0.7 -0.3 3.6 42 31 -1.3 2.6 3.3 3.6 42 31 -1.3 2.6 0.3 5.6 -4.5 -0.4 0.1 2.4 31 -0.5 0.6 -1.2 -0.8 0.7 2.5 -0.4 0.1 2.3 5.6 -0.4 0.1 2.4 -0.5 0.6 0.3 -0.6 0.4 -0.7 0.8 -0.8 0.7 2.6 -0.9 0.8 -0.9 0.9 -0.9 0.	-1.7	-2.8	-2.3	-2.5	-2.1	-3.3	-2.7	<u>ф</u>	4.1	-3.0	-0.4	-0.4	-0.3	-0.7	-1 0.0		-1 0	5 0	5 5	-04	-0.5	-0.6	-0.5	-0.8	-0.9	-11	-0.9	-1.2	-0.7	-0,6	-
L AYF VI V2 V3 V4 V5 00 00 09 05 06 03 0.4 2 -07 01 12 08 02 0.2 1 -09 05 1.0 03 0.8 -04 01 13 0.9 1.0 0.4 0 -04 01 13 0.9 1.0 0.4 6 -02 00 07 04 0.2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	-1,0	-0.4	0.5	0.1	0.1	3.6	2.5	0.9	-3.2	-2.8	-0.5	-0.4	-0.4	-0.9	<u>.</u>	-1 o	ა :	1 00	5	0.01	-0.4	-0.2		-0.4	-0.5	0.1	0.3	-0.5	-0.7	0 .5	∨ avR
VI V2 V3 V4 V5 V0 0.0 0.9 0.6 0.3 V1 0.1 1.2 0.6 0.3 0.4 V2 0.5 0.0 0.5 0.7 V2 0.5 0.0 0.5 0.7 V3 0.2 0.2 0.7 V4 0.1 1.3 0.9 1.0 0.4 V4 0.1 1.3 0.9 1.0 0.4 V5 0.1 0.7 0.4 0.2 0.1 V6 0.7 0.4 0.2 0.1 V6 0.7 0.4 0.5 0.6 0.2 V6 0.7 0.5 0.6 0.2 0.1 V7 0.5 0.6 0.2 0.1 V8 0.7 0.5 0.6 0.2 V8 0.7 0.5 0.6 0.5 V8 0.7 0.5 0.5 V8 0.7 0.5 0.5 V9 0.7 0.5 V	2.0	2.2	1.6	1.7	1.7	0.7	0.4	3.3	4.8	3.5	0.6	0.5	0.5	1.0	14	12	0.8	14	0 8	0.6	0.6	0.6	0.5	0.8	1.0	0.7	0.4	1.2	0.9	8.0	av.L
V2 V3 V4 V6 11 07 0.6 0.3 0.4 12 0.6 0.3 0.4 0.2 0.7 10 0.8 0.2 0.2 0.7 0.4 0.8 0.2 0.1 0.4 07 0.4 0.6 0.2 0.1 0.2 0.2 0.1 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2 0.2	-0.8	-1	-1.9	-2.0	-1.8	-4.3	-2.7	-4.3	-1.4	-11	-0.1	-0.1	0.0	-0.1	-0.2	-02	-0.5	0	0.0	0.0	-0.2	-0.3	-0.4	-0.4	-0.4	-0.9	-0.7	-0.7	-0.1	-02	avF
V3 V4 V5 05 05 05 03 07 09 07 09 07 06 03 -08 -16 07 05 02 02 -01 06 02 12 -10 07 04 06 02 05 05 06 02 10 14 12 -10 10 14 12 07 13 18 10 05 04 07 04 07 04 07 04 07 04 07 04 07 04 07 04 07 04 27 25 -19 04 27 25 -19 03 56 -45 -45 04 -04 -04 -04 03 -05 -04 -04 03 -05 -04 -05 04 -05 -04 -05	0.7		- 3	1.4	2.0	4.6	2.8	2.0	0.1	0.1	-0.2	ь <u>.</u>	0.0	-03	-0.4	-0.5	-0.7	-0.6	-0.4	0.1	0.0	0.1	0.2	0.1	0.1	0.5	0.2	0.1	+0.1	0.0	IV.
0.6 0.7 0.4 0.5 0.7 0.5 0.5 0.4 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5	2.5	2.4	2.6	3.1	2.9	1.0	2.1	3.4	6.3	4.4	0.7	0.7	0.8	1.2	1.8	1.6	10	1.4	0.7	0.7	0.7	0.7	0.7	1.0	.3	.0	0.8	1.2		0.9	1/2
-1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0 -1.0	4	1.2	0.3	1.7	2.3	-0.8	0.4	0.6	3,6	2.9	0,4	0,5	0.6	0,8	13	10	0.5	12	0.5	0,6	0,4	0,4	0/2	0,6	0.9	0.3	0 0	0 0	0.7	0.0	V3
0 4 0 0 0 0 0 0 4 4 0 0 0 0 0 0 0 0 0 0	- 80	-0.6	5.6	-1.3	11	-7.6	2.7	-2.5	4.2	2.7	0.7	0.6	=	0.9	1.8	1.4	+0.2	1.6	0.6	0.5	0.0	0.2	1.2	0.2		4 6	0 0	0 0	2 0	0 0	V4
	0.6	-0.4	-4.5	-2.2	0.1	-12.0	2.6	-1.9	8.1	1.2	0.4	0.4	-0.6	0.6	1.0	12	0.7						1		0 0		1	9 0			3 6
																			İ						+			-			
																		-					-								

RMS TMT MARK-11(4.0.1)RECORDERS AND MEDICARE SYSTEMS (P) Ltd. CHANDIGARH STS (mW/Soc) Date: 09 / 02 / 2022 12:30:47 PM VANNARAPETTAI, THIRUNELVELI. 120786597 / MRS. NEETHU M / 29 Yrs / Female / 55 Kg / 154 Cm/ Non Smoker Raw Rhythm avR 7 5 METS: 09.40 HR: 167 Target HR: 87% of 191 111 40 1.0 1.4 0.6 5 AVL 52 BP: 100/70 PostJ @60ms -ExTime: 08:12 Linked Medians Report 10 12 0.5 Speed 03.40 mph Grade 14.00 % 5 avE = PeakEx 10 Crivin'y Scanned by AnyScanner 00 4

MEDALL

VANNARAPETTAI, THIRUNELVELI.

120786597/MRS. NEETHU M /29 Yrs/F/55 Kg/154 Cms/NonSmoker Date: 09/02/2022

Summ



Ref.By CO MEDIASSEST HEALTHCARE	EDIASSEST	HEA THOA	ň			Objective	(D					1	
Stage	Stane Ima		ĥ			History	iy:					STL	0.5 mm/Div
-	(Min Sec)	Speed	Grade	METS	H.R.	B.P	R.P.P	8	Comments		-	S	
Supine			(42)		(bpm)	(mmHg)	x100				+	1	
1				10	86	100/70	86				+	1	STATE OF THE PARTY
CXOIGH				1.0	98	100/70	98	1					
Stage	3:00	1.7	10.0	4.7	144	100/70	144					=	The same
Stage 2	3:00	26	12.0	7.1	154	100/70	1						
PeakEx	2:12	3,4	140	9	27	0000	9					= {	
Recovery	1:00	0	0	;	-	100,70	107	-				ò	
Recovery	3		c	7.1	180	100/70	130	+				1	-
	0 00	Olo	0.0	1.0	115	150/70	172	-				}	3
кесочегу	3.00	0.0	0.0	1.0	=	130/70	144					Q F	
пешчегу	4:00	0.0	0.0	1.0	106	130/70	137	1		5	+	avF	
Newyary	4:10	0.0	0,0	1.0	103	130/70	133	1				ś	
Findings:													
Exercise Time	ise Time	: 8:13 minutes	utes							1	-	12	-
MaxH	Max HR attained	: 222 bpm	m 82% of Target	arget 191									
Max BP	P	150/70								3.0		5	1
Maxw	Max WorkLoad attained: 9.4 (Good Effort Tolerance)	tained: 9.4	(Good Effor	t Tolerance	-					V5 Piek			
9000	GOOD EFFORT TOLERANCE NORMAL HE AND BEEFER TOLERANCE	TOLERANO	NOR MA	HD AND	D	5						VA N	- NATANA
NO A	NO ANGINA. NO SIGNIFICANT ST-CHANGES IN DURING EXERCISE	SIGNIFICA	NT ST-CHA	NGES IN E	URING E	XERCISE.				})	V5\	A MANAGER
M D D	MPRESSION - TATIO NED ATIVE	MIN OF THE			1						Ę	8	
KINDI	KINDLY CORRELATE CLINICAL	ATE CLINIC	7 1	COCIDE	חייים		METS.			-2.0 Stage 2			
DR.S.	DR.S.MANIKANDAN MDDMIC	AN MODMI	0									3	6 9 12 15
						>							
Althore	Advide/Comments:					7	7				1		