## **EALTHCARE SERVICES**

(A Unit of Zena Enterprises)

Patient Name: MRS. PRANGYA PARAMITA MISHRA

Age / Gender: 44 years / Female

Professional | Accuracy | Precision

Patient ID: 21026

Referral: MEDI WHEEL

Collection Time: 27/04/2024, 01:13 PM

Reporting Time: 27/04/2024, 04:48 PM

Sample ID:

Test Description	Value(s)	Reference Range	Unit
	Lipid P	rofile	
Cholesterol-Total  Method: Spectrophotometry	139.22	Desirable level   < 200 Borderline High   200-239 High   >or = 240	mg/dL
Triglycerides  Method: Serum, Enzymatic, endpoint	232.54	Normal: < 150 Borderline High: 150-199 High: 200-499 Very High: >= 500	mg/dL
HDL Cholesterol  Method: Serum, Direct measure-PEG	34.80	Normal: > 40 Major Risk for Heart: < 40	mg/dL
LDL Cholesterol  Method: Enzymatic selective protection	57.91	Optimal < 100 Near / Above Optimal 100-129 Borderline High 130-159 High 160-189 Very High >or = 190	mg/dL
VLDL Cholesterol  Method : Serum, Enzymatic	46.51	6 - 38	mg/dL
CHOL/HDL Ratio  Method: Serum, Enzymatic	4.00	3.5 - 5.0	
LDL/HDL Ratio Method: Serum, Enzymatic Note:	1.66	2.5 - 3.5	
8-10 hours fasting sample is required.			

\*\*END OF REPORT\*\*

Lab technician

Dr.Kundan Kumar Sahoo CONSULTANT PATHOLOGIST / MICROBIOLOGIST

(A Unit of Zena Enterprises)

Patient Name: MRS. PRANGYA PARAMITA MISHRA

Age / Gender: 44 years / Female

Professional | Accuracy | Precision

Patient ID: 21026

Referral: MEDI WHEEL

Collection Time: 27/04/2024, 01:13 PM

Reporting Time: 27/04/2024, 04:48 PM

Sample ID:

Test Description	Value(s)	Reference Range	Unit
	LFT, Liver Fu	nction Test	
Bilirubin - Total	0.69	0.00 - 1.00	mg/dL
Method : Serum, Jendrassik Grof			
Bilirubin - Direct	0.19	0.00 - 0.20	mg/dL
Method : Serum, Diazotization			
Bilirubin - Indirect	0.50	0.10 - 0.80	mg/dL
Method : Serum, Calculated			
SGOT	19.20	8 - 33	U/L
Method: Serum, UV with P5P, IFCC 37 degree			
SGPT	25.73	3 - 35	U/L
Method: Serum, UV with P5P, IFCC 37 degree			
GGT-Gamma Glutamyl Transpeptidae	6.53	< 38	U/L
Method : Serum, G-glutamyl-carboxy-nitoanilide			
Alkaline Phosphatase	85.14	42-141	U/L
Method: PNPP-AMP Buffer/Kinetic			
Total Protein	6.99	6.60 - 8.70	g/dL
Method : Serum, Biuret, reagent blank end point			
Albumin	4.01	3.50 - 5.30	g/dL
Method : Serum, Bromocresol green			
Globulin	2.98	2.00-3.50	g/dL
Method : Serum, EIA			
A/G Ratio	1.35	1.2 - 2.2	
Method : Serum, EIA			

\*\*END OF REPORT\*\*

Dr.Kundan Kumar Sahoo CONSULTANT PATHOLOGIST / MICROBIÓLOGIST

## EALTHCARE SER

(A Unit of Zena Enterprises)

Patient Name: MRS. PRANGYA PARAMITA MISHRA

Age / Gender: 44 years / Female

Patient ID: 21026

Referral: MEDI WHEEL

Collection Time: 27/04/2024, 01:13 PM

Reporting Time: 27/04/2024, 04:47 PM

Sample ID:

**Test Description** 

Value(s)

Reference Range

Unit

## Urine(R/M) Routine Examination of Urine

deneral Examination	General	Examination
---------------------	---------	-------------

Colour	PALE YELLOW	Pale Yellow	
Transparency (Appearance)	CLEAR	Clear	
Deposit	Absent	Absent	
Reaction (pH)	Acidic 6.5	4.5 - 7.0	
Specific gravity	1.010	1.005 - 1.030	
Chemical Examination			
Urine Protein (Albumin)	Absent	Absent	
Urine Glucose (Sugar)	Absent	Absent	
Microscopic Examination			
Red blood cells	Absent	0-4	/hpf
Pus cells (WBCs)	2 - 4 /HPF	0-9	/hpf
Epithelial cells	2 - 3 /HPF	0-4	/hpf
Crystals	Absent	Absent	
Cast	Absent	Absent	
Bacteria	Absent	Absent	

\*\*END OF REPORT\*\*

Dr.Kundan Kumar Sahoo CONSULTANT PATHOLOGIST / MICROBIOLOGIST

## **EALTHCARE SER**

(A Unit of Zena Enterprises)

Patient Name: MRS. PRANGYA PARAMITA MISHRA

Age / Gender: 44 years / Female

Patient ID: 21026

Referral: MEDI WHEEL

Collection Time: 27/04/2024, 01:13 PM

Reporting Time: 27/04/2024, 04:46 PM

Sample ID:

Mont Description	Train at a	P. C. P.	** 1.	
Test Description	value(s)	Reference Range	Unit	

### HbA1C, Glycosylated Hemoglobin

HbA1c (GLYCOSYLATED HEMOGLOBIN),

5.41

0/0

Method: (HPLC, NGSP certified)

Estimated Average Glucose:

108.57

mg/dL

### Interpretation

As per American Diabetes Association (AD	A)
Reference Group	HbA1c in %
Non diabetic adults >=18 years	<5.7
At risk (Prediabetes)	5.7 - 6.4
Diagnosing Diabetes	>= 6.5
Therapeutic goals for glycemic control	Age > 19 years Goal of therapy: < 7.0 Action suggested: > 8.0 Age < 19 years Goal of therapy: <7.5

### Note:

- 1. Since HbA1c reflects long term fluctuations in the blood glucose concentration, a diabetic patient who is recently under good control may still have a high concentration of HbA1c. Converse is true for a diabetic previously under good control but now poorly controlled .
- 2. Target goals of < 7.0 % may be beneficial in patients with short duration of diabetes, long life expectancy and no significant cardiovascular disease. In patients with significant complications of diabetes, limited life expectancy or extensive co-morbid conditions, targeting a goal of < 7.0 % may not be appropriate.

HbA1c provides an index of average blood glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

### ADA criteria for correlation between HbA1c & Mean plasma glucose levels.

HbA1c(%)	Mean Plasma Glucose (mg/dL)
6	126
7	154
8	183
9	212
	b

For Home Collection Please Call at Number :

Zena Healthcare Services
Plot No. 119, Opp. Water tank Lane, Near Police Phandi, Saheed Nagar, Bhubaneswar-07
Ph.: 0674-2549902, 9692276908, 8337964922, E-mail: zenahealthcare@gmail.com

Wishing Good Health

(A Unit of Zena Enterprises)

Patient Name: MRS. PRANGYA PARAMITA MISHRA

Age / Gender: 44 years / Female

Patient ID: 21026

Referral: MEDI WHEEL

Collection Time: 27/04/2024, 01:13 PM

Reporting Time: 27/04/2024, 04:46 PM Sample ID:

Test De	escription	Value(s)	Reference Range	Unit
10	240			
11	269			
12	298			
		Glucose, Fa	sting (FBS)	
Glucose		86.77	75 - 115	mg/dL
Method	: Fluoride Plasma-F, Hexokinase			
		Glucose, Post	Prandial (PP)	
Blood G	lucose-Post Prandial	119.54	70 - 140	mg/dL
Method	: Hexokinase			
		Creati	nine	
Creatini		0.89	0.60 - 1.30	mg/dL
Method	: Serum, Jaffe			
		Uric acid	, Serum	
Uric Aci		5.13	3.4 - 7.0	mg/dL
Method	: Uricase, Colorimetric			
		BUN, S	erum	
BUN-Blo	ood Urea Nitroge	12	10 - 50	mg/dL
Method	: Serum, Urease			

\*\*END OF REPORT\*\*

selen Lab technician

Dr.Kundan Kumar Sahoo CONSULTANT PATHOLOGIST / MICROBIOLOGIST

Regd. No.: 1834

## EALTHCARE SER

(A Unit of Zena Enterprises)

Patient Name: MRS. PRANGYA PARAMITA MISHRA

Age / Gender: 44 years / Female

Patient ID: 21026

Referral: MEDI WHEEL

Collection Time: 27/04/2024, 01:13 PM

Reporting Time: 27/04/2024, 04:50 PM

Sample ID:

Unit Value(s) Reference Range **Test Description** 

## Blood Group ABO & Rh Typing, Blood

Blood Group (ABO typing)

Method: Manual-Hemagglutination RhD Factor (Rh Typing)

Method: Manual hemagglutination

"O"

Positive

### ESR, Erythrocyte Sedimentation Rate

ESR - Erythrocyte Sedimentation Rate

18

0 - 20

mm/hr

Method: EDTA Whole Blood, Manual Westergren

## Interpretation:

- · It indicates presence and intensity of an inflammatory process. It does not diagnose a specific disease. Changes in the ESR are more significant than the abnormal results of a single test.
- · It is a prognostic test and used to monitor the course or response to treatment of diseases like tuberculosis, bacterial endocarditis, acute rheumatic fever, rheumatoid arthritis, SLE, Hodgkins disease, temporal arteritis and polymyalgia rheumatica.
- · It is also increased in pregnancy, multiple myeloma, menstruation, and hypothyroidism.

\*\*END OF REPORT\*\*

Dr.Kundan Kumar Sahoo CONSULTANT PATHOLOGIST MICROBIOLOGIST

## EALTHCARE SERVICES

(A Unit of Zena Enterprises)

Patient Name: MRS. PRANGYA PARAMITA MISHRA

Age / Gender: 44 years / Female

Patient ID: 21026

Referral: MEDI WHEEL

Collection Time: 27/04/2024, 01:13 PM

Reporting Time: 27/04/2024, 04:46 PM

Sample ID:

Third trimester: 0.3-3.0

Test Description	Value(s)	Reference Range	Unit
	Thyroid Profile	( T3, T4, TSH )	
T3-Total	1.58	0.87 - 2.73	ng/dL
Method: CLIA			
T4-Total	8.67	6,09 - 12.23	ug/dL
Method: CLIA			
TSH-Ultrasensitive	2.45	0.45 - 4.5	uIU/mL
Method: CLIA		First Trimester: 0.1-2.5	
		Second Trimester: 0.2-3.0	

### Interpretation

TSH	T3	T4	Suggested Interpretation for the Thyroid Function Tests Pattern
Raised	Within range	Within range	Raised Within Range Within Range .Isolated High TSHespecially in the range of 4.7 to 15 m1U/m1 is commonly associated with Physiological & Biological TSH Variability. Subclinical Autoimmune Hypothyroidism.Intermittent 14 therapy for hypothyroidism .Recovery phase after Non-Thyroidal illness'
Raised	Decreased	Decreased	Chronic Autoimmune Thyroiditis Post thyroidectomy, Post radioiodine Hypothyroid phase of transient thyroiditis"
Raised or within range	Raised	Raised or within range	Interfering antibodies to thyroid hormones (anti-TPO antibodies)Intermittent 14 therapy or T4 overdose *Drug interference- Amiodarone, Heparin,Beta blockers,steroids, anti-epileptics.
Decreased	Raised or within range	Raised or within range	Isolated Low TSH -especially in the range of 0.1 to 0.4 often seen in elderly & Range Range associated with Non-Thyroidal illness .Subclinical Hyperthyroidism .Thyroxine ingestion
Decreased	Decreased	Decreased	Central Hypothyroidism .Non-Thyroidal illness .Recent treatment for Hyperthyroidism (TSH remains suppressed)"
Decreased	Raised	Raised	Primary Hyperthyroidism (Graves' disease). Multinodular goitre, Toxic nodule *Transient thyroiditis:Postpartum, Silent (lymphocytic), Postviral (granulomatous, subacute, DeQuervain's), Gestational thyrotoxicosis with hyperemesis gravidarum*
Decreased Within Rang	Raised	Within range	T3 toxicosis •Non-Thyroidal illness
Within range	Decreased	Within range	Isolated Low T3-often seen in elderly & associated Non-Thyroidal illness in elderly the drop in 13 level can be upto 25%.

\*\*END OF REPORT\*\*



(A Unit of Zena Enterprises)

Patient Name: MRS. PRANGYA PARAMITA MISHRA

Age / Gender: 44 years / Female

Patient ID: 21026

Referral: MEDI WHEEL

Collection Time: 27/04/2024, 01:13 PM

Reporting Time: 27/04/2024, 04:46 PM

Sample ID:

**Test Description** 

Value(s)

Reference Range

Unit

Dr.Kundan Kumar Sahoo CONSULTANT PATHOLOGIST / MICROBIOLOGIST

R. R. R. STAUS RHYTHM P. R. 1140 mm WIDESPERD T WAVE ABNORMALITY MAY BE DUE TO MYOCARDIAL ISCHEMIA OCT. OCT. OCT. OCT. OCT. OCT. OCT. OCT.	PLOT-119. SAHIDNAGAR, BHUBANESWAR
1. REFORT FORMAT 3x4+11.50  1. See	
WIS. 382 mm WIS. 588 ABRORMAL ECG 1.13 AVE 1.11 AVE 1.11 AVE 1.11 AVE 1.12 AVE 1.13 AVE 1.14 AVE 1.15 AVE 1.16 AVE 1.17 AVE 1.18 AVE 1.19 AVE 1.19 AVE 1.10 AVE 1.10 AVE 1.11 AVE 1.11 AVE 1.11 AVE 1.12 AVE 1.13 AVE 1.14 AVE 1.15 AVE 1.16 AVE 1.17 AVE 1.18 AVE 1.19	L Drong you parantha mishrea
NORMAL ECG.  REF.  V1  AVE  AVE  AVE  V3	222
AVE BEEF.  AVE  AVE  AVE  AVE  AVE  AVE  AVE  AV	
aVE aVE	
TI ave	Dr.,
	V5
ave ave	
	NA.

# **HEALTHCARE SERVICES**

(A Unit of Zena Enterprises)

Patient Name: MRS. PRANGYA PARAMITA MISHRA

Age / Gender: 44 years / Female

Professional Accuracy Precision

Patient ID: 21026

Referral: MEDI WHEEL

Collection Time: 27/04/2024, 01:13 PM

Reporting Time: 27/04/2024, 04:49 PM

Sample ID:

Test Description	Value(s)	Reference Range	Unit
	Complete Bl	ood Count	
Hemoglobin (Hb)	10.6	12.0 - 15.0	gm/dL
Erythrocyte (RBC) Count	4.24	3.8 - 4.8	mil/cu.mm
Packed Cell Volume (PCV)	34.8	36 - 46	%
Mean Cell Volume (MCV)	82.08	83 - 101	fL
Mean Cell Haemoglobin (MCH)	25	27 - 32	pg
Mean Corpuscular Hb Concn. (MCHC)	30.46	31.5 - 34.5	g/dL
Red Cell Distribution Width (RDW)	14.6	11.6 - 14.0	%
Total Leucocytes (WBC) Count	7500	4000-10000	cell/cu.mm
Neutrophils	67	40 - 80	%
Lymphocytes	29	20 - 40	%
Monocytes	03	2 - 10	%
Eosinophils	01	1 - 6	%
Basophils	00	1-2	%
Platelet Count	275	150 - 410	10^3/ul
Mean Platelet Volume (MPV)	10.9	7.2 - 11.7	fL
PCT	0.30	0.2 - 0.5	%
PDW	18.2	9.0 - 17.0	%

\*\*END OF REPORT\*\*

Lab technician

Dr.Kundan Kumar Sahoo CONSULTANT PATHOLOGIST / MICROBIOLOGIST