Name	REVURI SURESH	ID	MED111237890
Age & Gender	33Year(s)/MALE		8/9/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

2 D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA : 2.7 cms

LEFT ATRIUM : 3.3 cms

AVS :----

LEFT VENTRICLE (DIASTOLE) : 4.6 cms

(SYSTOLE) : 3.2 cms

VENTRICULAR SEPTUM (DIASTOLE) : 0.8 cms

(SYSTOLE) : 1.3 cms

POSTERIOR WALL (DIASTOLE) : 0.9 cms

(SYSTOLE) : 1.3 cms

EDV : 98 ml

ESV : 40 ml

FRACTIONAL SHORTENING : 32 %

EJECTION FRACTION : 60 %

EPSS :---

RVID : 1.6 cms

DOPPLER MEASUREMENTS:

MITRAL VALVE : E' 0.82 m/s A' 0.67 m/s NO MR

AORTIC VALVE : 1.17 m/s NO AR

TRICUSPID VALVE : E' 2.00 m/s A' - m/s NO TR

PULMONARY VALVE : 0.87 m/s NO PR

Name	REVURI SURESH	ID	MED111237890
Age & Gender	33Year(s)/MALE	Visit Date	8/9/2022 12:00:00 AM
Ref Doctor Name	MediWheel	-	

2D ECHOCARDIOGRAPHY FINDINGS:

Left ventricle : Normal size, Normal systolic function.

No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral valve : Normal, No mitral valve prolapsed.

Aortic valve : Normal, Trileaflet.

Tricuspid valve : Normal.

Pulmonary valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

IMPRESSION:

- > NORMAL SIZED CARDIAC CHAMBERS.
- > NORMAL LV SYSTOLIC FUNCTION. EF: 60 %.
- > NO REGIONAL WALL MOTION ABNORMALITIES.
- > NORMAL VALVES.
- > NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

DR. K.S. SUBRAMANI. MBBS, MD, DM (CARDIOLOGY) FESC, FICC SENIOR CONSULTANT INTERVENTIONAL CARDIOLOGIST

Note:

Name	REVURI SURESH	ID	MED111237890
Age & Gender	33Year(s)/MALE	Visit Date	8/9/2022 12:00:00 AM
Ref Doctor Name	MediWheel		

^{*} Report to be interpreted by qualified medical professional.

* To be correlated with other clinical findings.

* Parameters may be subjected to inter and intra observer variations.

Mahesh Mob:8618385220 ಶ್ರೀ ಪಾರ್ವತಿ ಆಫ್ಟಿಕ್ಸ್ 9901569756

SRI PARVATHI OPTICS

Multi Branded Opticals Store

Computerized Eye Testing & Spectacles Clinic

333.8th Main 5th Cross Near Cambridge & Miranda School HAL 3rd Stage Behind Vishveshvariah Park New Thippasandra, Bangalore - 560075, Email: parvathiopticals@gmail.com

SPECTACLE PRESCRIPTION

Name: Revuri Swurh

No. 99'

Mobil No: 99/6746636

Date: 09/08/22

Age / Gender 33 4/ M

Ref. No.

NEW THIPPASANDRA

	RIGHT EYE			LEFT EYE				
	SPH	CYL	AXIS	VISION	SPH	CYL	AXIS	VISION
DISTANCE	1125	0,25	168	8/6	- 080	1,75	3	46
NEAR								

PD Eques	
Advice to use glasses for:	
DISTANCE FAR & NEAR	READING COMPUTER PURFOSE
We Care Your Eyes	
	SRI PARVATHI OPTICS

CLUMAX DIAGNOSTICS



--- A MEDALL COMPANY ---

Date 09-Aug-2022 10:32 AM

Customer Name: MR. REVURI SURESH

DOB

:10 Dec 1988

Ref Dr Name

: MediWheel

Age

:33Y/MALE

Customer Id

:MED111237890

Wisit ID

:422059721

Email Id

Phone No :9916746636


Corp Name

:MediWheel

Address

Package Name: Mediwheel Full Body Health Checkup Male Below 40

S.No	Modality	Study	Accession No	Time	Seq	Signature
1	LAB	BLOOD UREA NITROGEN				
y es	**	(BUN)	4			
2	LAB	CREATININE				
3	LAB	GLUCOSE - FASTING				
4	LAB	GLUCOSE - POSTPRANDIAL (2				
		HRS)				
5	LAB	GLYCOSYLATED				
		HAEMOGLOBIN (HbA1c)				
6	LAB	URIC ACID				
7	LAB	LIPID PROFILE				
8	LAB	LIVER FUNCTION TEST (LFT)				
9	LAB	THYROID PROFILE/ TFT(T3,				
	N. B	T4, TSH)				2 4
10	LAB	URINE GLUCOSE - FASTING				
11	LAB	URINE GLUCOSE -		N ₁₀		-
		POSTPRANDIAL (2 Hrs)			. Sa	
12	LAB	COMPLETE BLOOD COUNT	·			
		WITH ESR				
13	LAB	STOOL ANALYSIS - ROUTINE	a a a			
14	LAB	URINE ROUTINE			-	
15	LAB	BUN/CREATININE RATIO	8	-		
16	LAB	BLOOD GROUP & RH TYPE		•		
		(Forward Reverse)	•			
17	OTHERS	Troodmill / 2D Faha	IND 1 2200 TO 1 1600			



Name	REVURI SURESH	ID	MED111237890
Age & Gender	33Year(s)/MALE	Visit Date	8/9/2022 12:00:00 AM
Ref Doctor Name	MediWheel	•	

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER shows normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size and echopattern. Spleen measures 9.5 cms in long axis and 3.8cms in short axis.

No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and echopattern.

Cortico- medullary differentiations are well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

•	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	10.1	1.2
Left Kidney	10.7	1.2

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

PROSTATE shows normal shape, size and echopattern. It measures 3.4 x 2.7 x 2.9cms (Vol - 14cc).

No evidence of ascites / pleural effusion.

IMPRESSION:

> ESSENTIALLY NORMAL STUDY.

DR. MEERA S CONSULTANT RADIOLOGIST

Name	REVURI SURESH	Customer ID	MED111237890
Age & Gender	33Y/M	Visit Date	Aug 9 2022 10:32AM
Ref Doctor	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: Essentially normal study.

DR. APARNA

CONSULTANT RADIOLOGIST

 PID No.
 : MED111237890
 Register On
 : 09/08/2022 10:38 AM

 SID No.
 : 422059721
 Collection On
 : 09/08/2022 10:58 AM

 Age / Sex
 : 33 Year(s) / Male
 Report On
 : 09/08/2022 7:09 PM

 Type
 : OP
 Printed On
 : 22/08/2022 12:59 PM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
HAEMATOLOGY			
Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood/Spectrophotometry)	14.66	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	44.8	%	42 - 52
RBC Count (EDTA Blood)	5.19	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood)	86.3	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	28.2	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	32.7	g/dL	32 - 36
RDW-CV (EDTA Blood)	13.9	%	11.5 - 16.0
RDW-SD (EDTA Blood)	41.98	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	6400	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood)	60.78	%	40 - 75
Lymphocytes (EDTA Blood)	25.49	%	20 - 45
Eosinophils (EDTA Blood)	5.39	%	01 - 06



 PID No.
 : MED111237890
 Register On
 : 09/08/2022 10:38 AM

 SID No.
 : 422059721
 Collection On
 : 09/08/2022 10:58 AM

 Age / Sex
 : 33 Year(s) / Male
 Report On
 : 09/08/2022 7:09 PM

 Type
 : OP
 Printed On
 : 22/08/2022 12:59 PM

Ref. Dr : MediWheel

Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Monocytes (EDTA Blood)	8.03	%	01 - 10
Basophils (Blood)	0.31	%	00 - 02
INTERPRETATION: Tests done on Automated Five Pa	art cell counter. All a	abnormal results are	reviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	3.89	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	1.63	$10^3 / \mu l$	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.34	$10^3 / \mu l$	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.51	$10^3 / \mu l$	< 1.0
Absolute Basophil count (EDTA Blood)	0.02	$10^3 / \mu l$	< 0.2
Platelet Count (EDTA Blood)	227.0	$10^3 / \mu l$	150 - 450
MPV (EDTA Blood)	8.61	fL	7.9 - 13.7
PCT (EDTA Blood/Automated Blood cell Counter)	0.20	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	8	mm/hr	< 15



 PID No.
 : MED111237890
 Register On
 : 09/08/2022 10:38 AM

 SID No.
 : 422059721
 Collection On
 : 09/08/2022 10:58 AM

 Age / Sex
 : 33 Year(s) / Male
 Report On
 : 09/08/2022 7:09 PM

 Type
 : OP
 Printed On
 : 22/08/2022 12:59 PM

Ref. Dr : MediWheel

<u>Investigation</u>	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	0.93	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.31	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.62	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	136.58	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	107.62	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	19.71	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	65.19	U/L	53 - 128
Total Protein (Serum/Biuret)	7.04	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.45	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.59	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	1.72		1.1 - 2.2





 PID No.
 : MED111237890
 Register On
 : 09/08/2022 10:38 AM

 SID No.
 : 422059721
 Collection On
 : 09/08/2022 10:58 AM

 Age / Sex
 : 33 Year(s) / Male
 Report On
 : 09/08/2022 7:09 PM

 Type
 : OP
 Printed On
 : 22/08/2022 12:59 PM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	147.90	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	71.27	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	38.39	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	95.2	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	14.3	mg/dL	< 30





 PID No.
 : MED111237890
 Register On
 : 09/08/2022 10:38 AM

 SID No.
 : 422059721
 Collection On
 : 09/08/2022 10:58 AM

 Age / Sex
 : 33 Year(s) / Male
 Report On
 : 09/08/2022 7:09 PM

 Type
 : OP
 Printed On
 : 22/08/2022 12:59 PM

Ref. Dr : MediWheel

InvestigationObserved ValueUnitBiological Reference IntervalNon HDL Cholesterol109.5mg/dLOptimal: < 130</td>(Serum/Calculated)Above Optimal: 130 - 159Borderline High: 160 - 189High: 190 - 219Very High: >= 220

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2. It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	3.9	Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	1.9	Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	2.5	Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0





PID No. : MED111237890 Register On : 09/08/2022 10:38 AM : 422059721 SID No. Collection On : 09/08/2022 10:58 AM Age / Sex : 33 Year(s) / Male Report On 09/08/2022 7:09 PM **Type** : OP **Printed On** : 22/08/2022 12:59 PM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Glycosylated Haemoglobin (HbA1c)			
HbA1C (Whole Blood/ <i>HPLC</i>)	5.82	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 120.33 mg/dL

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbAlC values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.

Remark: Outsourced report.



VERIFIED BY



 PID No.
 : MED111237890
 Register On
 : 09/08/2022 10:38 AM

 SID No.
 : 422059721
 Collection On
 : 09/08/2022 10:58 AM

 Age / Sex
 : 33 Year(s) / Male
 Report On
 : 09/08/2022 7:09 PM

 Type
 : OP
 Printed On
 : 22/08/2022 12:59 PM

Ref. Dr : MediWheel

<u>Investigation</u>	<u>Observed</u> <u>l</u>	<u> Unit</u>	<u>Biological</u>
	Value		Reference Interval

IMMUNOASSAY

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 0.986 ng/ml 0.7 - 2.04

(Serum/ECLIA)

INTERPRETATION:

Comment:

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is

Metabolically active.

T4 (Tyroxine) - Total 8.31 μg/dl 4.2 - 12.0

(Serum/ECLIA)

INTERPRETATION:

Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 3.56 µIU/mL 0.35 - 5.50

(Serum/ECLIA)

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester: 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment:

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.

3. Values & amplt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.



DR SHAMIM JAVED MD PATHOLOGY KMC 88902

APPROVED BY

Page 7 of 11

 PID No.
 : MED111237890
 Register On
 : 09/08/2022 10:38 AM

 SID No.
 : 422059721
 Collection On
 : 09/08/2022 10:58 AM

 Age / Sex
 : 33 Year(s) / Male
 Report On
 : 09/08/2022 7:09 PM

 Type
 : OP
 Printed On
 : 22/08/2022 12:59 PM

Ref. Dr : MediWheel

<u>Investigation</u> <u>Observed</u> <u>Unit</u> <u>Biological</u>
<u>Value</u> <u>Reference Interval</u>

CLINICAL PATHOLOGY

PHYSICAL EXAMINATION (URINE COMPLETE)

Colour Pale Yellow Yellow to Amber

(Urine)

Appearance Clear Clear

(Urine)

Volume(CLU) 20

(Urine)

CHEMICAL EXAMINATION (URINE

<u>COMPLETE</u>)

pH 6.0 4.5 - 8.0

(Urine)

Specific Gravity 1.015 1.002 - 1.035

(Urine)

Ketone Negative Negative

(Urine)

Urobilinogen Normal Normal

(Urine)

Blood Negative Negative

(Urine)

Nitrite Negative Negative

(Urine)

Bilirubin Negative Negative

(Urine)

Protein Negative Negative

(Urine)



VERIFIED BY



 PID No.
 : MED111237890
 Register On
 : 09/08/2022 10:38 AM

 SID No.
 : 422059721
 Collection On
 : 09/08/2022 10:58 AM

 Age / Sex
 : 33 Year(s) / Male
 Report On
 : 09/08/2022 7:09 PM

 Type
 : OP
 Printed On
 : 22/08/2022 12:59 PM

Ref. Dr : MediWheel

<u>Investigation</u> <u>Observed</u> <u>Unit</u> <u>Biological</u> <u>Value</u> <u>Reference Interval</u>

Glucose Negative Negative

(Urine/GOD - POD)

Leukocytes(CP) Negative

(Urine)

MICROSCOPIC EXAMINATION (URINE COMPLETE)

Pus Cells 0-1 /hpf NIL

(Urine)

Epithelial Cells 1-2 /hpf NIL

(Urine)

RBCs Nil /hpf NIL

(Urine)

Others Nil

(Urine)

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

Casts Nil /hpf NIL

(Urine)

Crystals Nil /hpf NIL

(Urine)



VERIFIED BY



 PID No.
 : MED111237890
 Register On
 : 09/08/2022 10:38 AM

 SID No.
 : 422059721
 Collection On
 : 09/08/2022 10:58 AM

 Age / Sex
 : 33 Year(s) / Male
 Report On
 : 09/08/2022 7:09 PM

 Type
 : OP
 Printed On
 : 22/08/2022 12:59 PM

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

IMMUNOHAEMATOLOGY

BLOOD GROUPING AND Rh TYPING 'B' 'Positive'

(EDTA Blood/Agglutination)



VERIFIED BY



 PID No.
 : MED111237890
 Register On
 : 09/08/2022 10:38 AM

 SID No.
 : 422059721
 Collection On
 : 09/08/2022 10:58 AM

 Age / Sex
 : 33 Year(s) / Male
 Report On
 : 09/08/2022 7:09 PM

 Type
 : OP
 Printed On
 : 22/08/2022 12:59 PM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
BUN / Creatinine Ratio	10.2		6.0 - 22.0
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	84.66	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

ve Negative
9 mg/dL 70 - 140
ti 59

(Plasma - PP/GOD-PAP)

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Blood Urea Nitrogen (BUN)	7.9	mg/dL	7.0 - 21
(Serum/ <i>Urease UV / derived</i>)			
Creatinine	0.77	mg/dL	0.9 - 1.3
(Serum/Modified Jaffe)			

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine

Uric Acid 5.32 mg/dL 3.5 - 7.2 (Serum/Enzymatic)





APPROVED BY

-- End of Report --