Name	: Mr. ALAM SARFARAZ		
PID No.	: MED110960832	Register On : 19/02/2022 9:59 AM	\mathbf{C}
SID No.	: 79133447	Collection On : 19/02/2022 10:30 AM	
Age / Sex	: 36 Year(s) / Male	Report On : 19/02/2022 2:40 PM	MEDALL
Туре	: OP	Printed On : 23/02/2022 11:56 AM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
HAEMATOLOGY			
Complete Blood Count With - ESR			
Haemoglobin (Blood/Spectrophotometry)	13.9	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (Blood/Derived from Impedance)	45.6	%	42 - 52
RBC Count (Blood/Impedance Variation)	7.20	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (Blood/Derived from Impedance)	63	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (Blood/Derived from Impedance)	19.3	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (Blood/Derived from Impedance)	30.6	g/dL	32 - 36
RDW-CV (Derived from Impedance)	17.4	%	11.5 - 16.0
RDW-SD (Derived from Impedance)	38.37	fL	39 - 46
Total Leukocyte Count (TC) (Blood/Impedance Variation)	7200	cells/cu.mm	4000 - 11000
Neutrophils (Blood/Impedance Variation & Flow Cytometry)	70	%	40 - 75
Lymphocytes (Blood/Impedance Variation & Flow Cytometry)	34	%	20 - 45
Eosinophils (Blood/Impedance Variation & Flow Cytometry)	03	%	01 - 06



APPROVED BY

Name	: Mr. ALAM SARFARAZ			
PID No.	: MED110960832	Register On :	: 19/02/2022 9:59 AM	\mathbf{C}
SID No.	: 79133447	Collection On 3	19/02/2022 10:30 AM	
Age / Sex	: 36 Year(s) / Male	Report On :	19/02/2022 2:40 PM	MEDALL
Туре	: OP	Printed On :	23/02/2022 11:56 AM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Monocytes	03	%	01 - 10
(Blood/Impedance Variation & Flow Cytometry)			
Basophils	00	%	00 - 02
(Blood/Impedance Variation & Flow Cytometry)			
INTERPRETATION: Tests done on Automated Three			
Absolute Neutrophil count (Blood/Impedance Variation & Flow Cytometry)	5.04	10^3 / µl	1.5 - 6.6
Absolute Lymphocyte Count (Blood/Impedance Variation & Flow Cytometry)	2.45	10^3 / µl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (Blood/Impedance Variation & Flow Cytometry)	0.22	10^3 / µl	0.04 - 0.44
Absolute Monocyte Count (Blood/Impedance Variation & Flow Cytometry)	0.22	10^3 / µl	< 1.0
Absolute Basophil count (Blood/Impedance Variation & Flow Cytometry)	0.00	10^3 / µl	< 0.2
Platelet Count (Blood/Impedance Variation)	1.56	lakh/cu.mm	1.4 - 4.5
MPV	8.3	fL	7.9 - 13.7
(Blood/Derived from Impedance)			
PCT	0.13	%	0.18 - 0.28
(Automated Blood cell Counter)			
ESR (Erythrocyte Sedimentation Rate) (Blood/Automated ESR analyser)	02	mm/hr	< 15



APPROVED BY

Name	: Mr. ALAM SARFARAZ			
PID No.	: MED110960832	Register On : 19/02/2	022 9:59 AM	
SID No.	: 79133447	Collection On : 19/02/2	2022 10:30 AM	
Age / Sex	: 36 Year(s) / Male	Report On : 19/02/2	2022 2:40 PM MEDA	LL
Туре	: OP	Printed On : 23/02/2	2022 11:56 AM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BIOCHEMISTRY			
Liver Function Test			
Bilirubin(Total) (Serum/DCA with ATCS)	1.20	mg/dL	0.1 - 1.2
Bilirubin(Direct) (Serum/Diazotized Sulfanilic Acid)	0.30	mg/dL	0.0 - 0.3
Bilirubin(Indirect) (Serum/Derived)	0.90	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/ <i>Modified IFCC</i>)	41 (Rechecked)	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/ <i>Modified IFCC</i>)	65 (Rechecked)	U/L	5 - 41
Alkaline Phosphatase (SAP) (Serum/ <i>Modified IFCC</i>)	92	U/L	53 - 128
Total Protein (Serum/Biuret)	7.7	gm/dL	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.2	gm/dL	3.5 - 5.2
Globulin (Serum/Derived)	3.50	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	1.20		1.1 - 2.2

P. D. Che adhary Dr.Pritika Chaudhari MD(Path)., Consultant Pathologist Reg No. 076732 APPROVED BY

Name	:	Mr. ALAM SARFARAZ					
PID No.	:	MED110960832	Register On	:	19/02/2022 9:59 AM	$\mathbf{\mathcal{O}}$	
SID No.	:	79133447	Collection On	:	19/02/2022 10:30 AM		
Age / Sex	:	36 Year(s) / Male	Report On	:	19/02/2022 2:40 PM	MEDALL	
Туре	:	OP	Printed On	:	23/02/2022 11:56 AM		
Ref. Dr	:	MediWheel					

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
Lipid Profile			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	185	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/ <i>GPO-PAP with ATCS</i>)	195	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the õusualö"circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	40.3	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/ <i>Calculated</i>)	105.7	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	39	mg/dL	< 30
Non HDL Cholesterol (Serum/ <i>Calculated</i>)	144.7	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220



Name PID No. SID No. Age / Sex Type Ref. Dr	 : Mr. ALAM SARFARAZ : MED110960832 : 79133447 : 36 Year(s) / Male : OP : MediWheel 	Collection On Report On	: 19/02/2 : 19/02/	022 9:59 AM 2022 10:30 AM 2022 2:40 PM 2022 11:56 AM	MEDALL
Investiga	ation RETATION: 1.Non-HDL Choles	<u>Obse</u> <u>Va</u>	lue	<u>Unit</u>	Biological Reference Interval
2.It is the		proteins including LDI			ons and it is the "new bad cholesterol" and is a
Total Ch (Serum/Ca	olesterol/HDL Cholesterol R	atio 4	l.6		Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyce (TG/HD (Serum/Ca	,	4	1.8		Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HD (Serum/Ca	DL Cholesterol Ratio	2	2.6		Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0

p. p. che udhari Dr.Pritika Chaudhari MD(Path)., Consultant Pathologist Reg No. 076732 APPROVED BY

The results pertain to sample tested.

High Risk: > 6.0

Name	: Mr. ALAM SARFARAZ		
PID No.	: MED110960832	Register On : 19/02/2022 9:59 AM	M
SID No.	: 79133447	Collection On : 19/02/2022 10:30 AM	
Age / Sex	: 36 Year(s) / Male	Report On : 19/02/2022 2:40 PM	MEDALL
Туре	: OP	Printed On : 23/02/2022 11:56 AM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u>	<u>Unit</u>	Biological
Glycosylated Haemoglobin (HbA1c)	<u>Value</u>		Reference Interval
HbA1C (Whole Blood/ <i>Ion exchange HPLC</i>)	6.2	%	Normal: 4.5 - 5.6 Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 %, Fair control : 7.1 - 8.0 %, Poor control >= 8.1 %

Remark: *Outsourced To Metropolis.

Mean Blood Glucose	131	mg/dL
(Whole Blood)		

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.




Consultant Pathologist Reg No. 076732 APPROVED BY

The results pertain to sample tested.

Name	: Mr. ALAM SARFARAZ		
PID No.	: MED110960832	Register On : 19/02/2022 9:59 AM	\mathbf{M}
SID No.	: 79133447	Collection On : 19/02/2022 10:30 AM	
Age / Sex	: 36 Year(s) / Male	Report On : 19/02/2022 2:40 PM	MEDALL
Туре	: OP	Printed On : 23/02/2022 11:56 AM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
IMMUNOASSAY			
THYROID PROFILE / TFT			
T3 (Triiodothyronine) - Total (Serum/Chemiluminescent Immunometric Assay (CLIA))	0.95	ng/ml	0.7 - 2.04
INTERPRETATION: Comment : Total T3 variation can be seen in other condition like pre- Metabolically active.	gnancy, drugs, neph	rosis etc. In such case	es, Free T3 is recommended as it is
T4 (Tyroxine) - Total (Serum/Chemiluminescent Immunometric Assay (CLIA))	6.97	µg/dl	4.2 - 12.0
INTERPRETATION: Comment : Total T4 variation can be seen in other condition like pre- Metabolically active.	gnancy, drugs, neph	rosis etc. In such case	es, Free T4 is recommended as it is
TSH (Thyroid Stimulating Hormone)- Ultrasensitive (Serum/Chemiluminescent Immunometric Assay (CLIA))	3.6313	µIU/mL	0.35 - 5.50
INTERPRETATION: Reference range for cord blood - upto 20 1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0 (Indian Thyroid Society Guidelines) Comment :			
1.TSH reference range during pregnancy depends on Iod 2.TSH Levels are subject to circadian variation, reaching of the order of 50%,hence time of the day has influence of 3.Values&lt0.03 µIU/mL need to be clinically correl	peak levels betwee on the measured service	n 2-4am and at a mini um TSH concentration	mum between 6-10PM. The variation can be ns.

 $3.Values\&lt, 0.03 \ \mu IU/mL$ need to be clinically correlated due to presence of rare TSH variant in some individuals.




APPROVED BY

Name	: Mr. ALAM SARFARAZ		
PID No.	: MED110960832	Register On : 19/02/2022 9:59 AM	M
SID No.	: 79133447	Collection On : 19/02/2022 10:30 AM	
Age / Sex	: 36 Year(s) / Male	Report On : 19/02/2022 2:40 PM	MEDALL
Туре	: OP	Printed On : 23/02/2022 11:56 AM	
Ref. Dr	: MediWheel		

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
CLINICAL PATHOLOGY			
Urine Analysis - Routine			
Physical Examination			
Colour (Urine)	Pale Yellow		Yellow to Amber
Appearance (Urine)	Clear		
Chemical Examination			
Protein (Urine)	Negative		Negative
Glucose (Urine)	Negative		Negative
Microscopic Examination			
Pus Cells (Urine)	0-1	/hpf	NIL
Epithelial Cells (Urine)	0-1	/hpf	Nil
RBCs (Urine)	Nil	/hpf	Nil
Others (Urine)	Nil		Nil

INTERPRETATION: Note: Done with Automated Urine Analyser & microscopy



APPROVED BY

The results pertain to sample tested.

Name	: Mr. ALAM SARFARAZ			
PID No.	: MED110960832	Register On	: 19/02/2022 9:59 AM	\mathbf{M}
SID No.	: 79133447	Collection On	: 19/02/2022 10:30 AM	
Age / Sex	: 36 Year(s) / Male	Report On	: 19/02/2022 2:40 PM	MEDALL
Туре	: OP	Printed On	: 23/02/2022 11:56 AM	
Ref. Dr	: MediWheel			

Investigation

Observed Value Biological Reference Interval

•

HAEMATOLOGY

BLOOD GROUPING AND Rh TYPING (Blood/Agglutination)

'B' 'Positive'

DR.ABHISHEK LAUL M.B.B.S.; M.D.Pathology Fellow Neuropathology (K.E.M.Hospital, Mumbai) Reg No: 2011/04/0990

APPROVED BY

<u>Unit</u>

Name	: Mr. ALAM SARFARAZ			
PID No.	: MED110960832	Register On	: 19/02/2022 9:59 AM	M
SID No.	: 79133447	Collection On	: 19/02/2022 10:30 AM	
Age / Sex	: 36 Year(s) / Male	Report On	: 19/02/2022 2:40 PM	MEDALL
Туре	: OP	Printed On	: 23/02/2022 11:56 AM	
Ref. Dr	: MediWheel			

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	Biological Reference Interval
BIOCHEMISTRY			
BUN / Creatinine Ratio	6.20		
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	99	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine)	Sample Not Given		Negative
(Urine - F)			
Glucose Postprandial (PPBS)	108	mg/dL	70 - 140
(Plasma - PP/GOD-PAP)			

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Urine Glucose(PP-2 hours) (Urine - PP)	Negative		Negative
Blood Urea Nitrogen (BUN) (Serum/Urease UV/derived)	7.00	mg/dL	7.0 - 21
Creatinine (Serum/Modified Jaffe)	1.13	mg/dL	0.9 - 1.3
Uric Acid (Serum/ <i>Enzymatic</i>)	5.89	mg/dL	3.5 - 7.2



APPROVED BY

-- End of Report --

The results pertain to sample tested.

Name	MR. ALAM SARFARAZ	ID	MED110960832
Age & Gender	36Y/MALE	Visit Date	19 Feb 2022
Ref Doctor Name	MediWheel		

HEALTH CHECKUP

CHIEF COMPLAINTS: Right Foot pain some times

PAST HISTORY:

Medical: Nil

Surgical: No

PERSONAL HISTORY:

Marital Status: Married

No. of Children:-01

Habits: No. Tobacco & snuff: No. Smoking: No. Alcohol: No.

Physical Activity: No.

Drug Allergies: Nil.

FAMILY HISTORY:

Father: Died-IHD.

Mother: Age 72 yrs - Healthy.

Siblings: Brother-0 2 -Healthy, Sister-0 2 -Healthy

PHYSICAL EXAMINATION:

HEIGHT: 167 Cms.		WEIGHT: 71 Kgs.
BLOOD PRESSURE:	110 /70 mmHg.	PULSE: 72 /Min.

SKIN: Free From Contagious Diseases.

Name	MR. ALAM SARFARAZ	ID	MED110960832
Age & Gender	36Y/MALE	Visit Date	19 Feb 2022
Ref Doctor Name	MediWheel	-	

Without Spectacles EYES EXAMINATION: RIGHT LEFT **NEAR VISION:** N/6 N/6 6/6 6/6 **DISTANCE VISION:** COLOR BLANDNESS: - WNL SYSTEMIC REVIEW Pallor: No Icterus:-No Cyanosis: No Clubbing: No Oedema: No Lymphadenopathy : NO Cardiovascular System: WNL Respiratory System: WNL Gastro Intestinal System: WNL Central Nervous System: WNL Genito Urinary System: WNL Extremities & Spine: WNL Final Impression: **Recommendation**:

Name	MR. ALAM SARFARAZ	ID	MED110960832
Age & Gender	36Y/MALE	Visit Date	19 Feb 2022
Ref Doctor Name	MediWheel		

Signature

Consultant Physician

Name	MR. ALAM SARFARAZ	ID	MED110960832
Age & Gender	36Y/MALE	Visit Date	19 Feb 2022
Ref Doctor Name	MediWheel		

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

<u>**IMPRESSION**</u> : Chest radiograph reveals no evidence of any Pleuro- pulmonary abnormality

an

Dr. Rohan Kashyape MD, DNB

Dr. Parimal Sonawane DMRD, DNB

Name	MR. ALAM SARFARAZ	ID	MED110960832
Age & Gender	36Y/MALE	Visit Date	19 Feb 2022
Ref Doctor Name	MediWheel	-	

ECHOCARDIOGRAPHY AND COLOR DOPPLER REPORT

OBSERVATION:

- NORMAL LV SIZE WITH NORMAL SYSTOLIC FUNCTION, LVEF 60%
- NO LVH, NORMAL DIASTOLIC FUNCTION
- NO REGIONAL WALL MOTION ABNORMALITY AT REST
- MITRAL VALVE: NORMAL
 - o NO MR, NO MS
- AORTIC VALVE: NORMAL
 - o NO AS, NO AR
- NO TR, NO PAH
- NORMAL LA, RA, RV, IVC WITH GOOD RV FUNCTIONS
- INTACT IAS/IVS
- NO INTRA-CARDIAC CLOT/VEGETATION
- PERICARDIUM NORMAL

AO= 32 mm LA=35 mm IVS=10/16 mm LVPW=10/16 mm LVID= 48/29 mm

FINAL IMPRESSION: NORMAL LV AND RV FUNCTIONS

NORMAL ECHO AND COLOUR DOPPLER STUDY

DR. NIRMAL R. KOLTE M.D (MED), D.M. (CARDIOLOGY) CONSULTANT CARDIOLOGIST