



Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.ASHUTOSH KESHARWANI Registered On : 05/Mar/2023 12:43:40 Age/Gender Collected : 34 Y 1 M 10 D /M : 05/Mar/2023 12:55:57 UHID/MR NO : CHFD.0000234798 Received : 05/Mar/2023 13:08:08 Visit ID Reported : CHFD0592162223 : 05/Mar/2023 15:14:40

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

### **DEPARTMENT OF HAEMATOLOGY**

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

| Test Name Result Unit Bio. Ref. Interval Method |  |
|---|--|
|---|--|

Blood Group (ABO & Rh typing) \*, Blood

Blood Group

0

Rh (Anti-D)

**POSITIVE** 

Complete Blood Count (CBC) \*, Whole Blood

Haemoglobin

14.00

g/dl

1 Day- 14.5-22.5 g/dl

1 Wk- 13.5-19.5 g/dl

1 Mo- 10.0-18.0 g/dl

3-6 Mo- 9.5-13.5 g/dl

0.5-2 Yr- 10.5-13.5

g/dl

2-6 Yr- 11.5-15.5 g/dl

6-12 Yr- 11.5-15.5 g/dl

12-18 Yr 13.0-16.0

g/dl

Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl

|                                   |          |               | remale- 12.0-13.3 | y/ui                  |
|-----------------------------------|----------|---------------|-------------------|-----------------------|
| TLC (WBC)                         | 5,400.00 | /Cu mm        | 4000-10000        | ELECTRONIC IMPEDANCE  |
| DLC                               |          |               |                   |                       |
| Polymorphs (Neutrophils )         | 50.00    | %             | 55-70             | ELECTRONIC IMPEDANCE  |
| Lymphocytes                       | 48.00    | %             | 25-40             | ELECTRONIC IMPEDANCE  |
| Monocytes                         | 1.00     | %             | 3-5               | ELECTRONIC IMPEDANCE  |
| Eosinophils                       | 1.00     | %             | 1-6               | ELECTRONIC IMPEDANCE  |
| Basophils                         | 0.00     | %             | < 1               | ELECTRONIC IMPEDANCE  |
| ESR                               |          |               |                   |                       |
| Observed                          | 12.00    | Mm for 1st hr |                   |                       |
| Corrected                         | 6.00     | Mm for 1st hr | . < 9             |                       |
| PCV (HCT)                         | 43.60    | %             | 40-54             |                       |
| Platelet count                    |          |               |                   |                       |
| Platelet Count                    | 1.80     | LACS/cu mm    | 1.5-4.0           | ELECTRONIC            |
|                                   |          |               |                   | IMPEDANCE/MICROSCOPIC |
| PDW (Platelet Distribution width) | 16.40    | fL            | 9-17              | ELECTRONIC IMPEDANCE  |
| P-LCR (Platelet Large Cell Ratio) | 36.50    | %             | 35-60             | ELECTRONIC IMPEDANCE  |
| PCT (Platelet Hematocrit)         | 0.20     | %             | 0.108-0.282       | ELECTRONIC IMPEDANCE  |
| MPV (Mean Platelet Volume)        | 11.20    | fL            | 6.5-12.0          | ELECTRONIC IMPEDANCE  |
| RBC Count                         |          |               |                   |                       |
| RBC Count                         | 4.50     | Mill./cu mm   | 4.2-5.5           | ELECTRONIC IMPEDANCE  |









Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.ASHUTOSH KESHARWANI Registered On : 05/Mar/2023 12:43:40 Age/Gender : 34 Y 1 M 10 D /M Collected : 05/Mar/2023 12:55:57 UHID/MR NO : CHFD.0000234798 Received : 05/Mar/2023 13:08:08 Visit ID : CHFD0592162223 Reported : 05/Mar/2023 15:14:40

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

### **DEPARTMENT OF HAEMATOLOGY**

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

| Test Name                        | Result   | Unit   | Bio. Ref. Interval | Method               |
|----------------------------------|----------|--------|--------------------|----------------------|
|                                  |          |        |                    |                      |
| Blood Indices (MCV, MCH, MCHC)   |          |        |                    |                      |
| MCV                              | 95.10    | fl     | 80-100             | CALCULATED PARAMETER |
| MCH                              | 28.40    | pg     | 28-35              | CALCULATED PARAMETER |
| MCHC                             | 29.40    | %      | 30-38              | CALCULATED PARAMETER |
| RDW-CV                           | 14.60    | %      | 11-16              | ELECTRONIC IMPEDANCE |
| RDW-SD                           | 51.90    | fL     | 35-60              | ELECTRONIC IMPEDANCE |
| Absolute Neutrophils Count       | 2,700.00 | /cu mm | 3000-7000          |                      |
| Absolute Eosinophils Count (AEC) | 54.00    | /cu mm | 40-440             |                      |

Dr. R. B. Varshney M.D. Pathology







# CHANDAN DIAGNOSTIC CENTRE

Add: Mukut Complex, Rekabganj,Faizabad Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.ASHUTOSH KESHARWANI : 05/Mar/2023 12:43:41 Registered On Age/Gender : 34 Y 1 M 10 D /M Collected : 05/Mar/2023 17:57:17 UHID/MR NO : CHFD.0000234798 Received : 05/Mar/2023 18:04:04 Visit ID : CHFD0592162223 Reported : 05/Mar/2023 18:31:23

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

### **DEPARTMENT OF BIOCHEMISTRY**

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

| Test Name                | Result | Unit  | Bio. Ref. Interval                                     | Method  |
|--------------------------|--------|-------|--|---------|
|                          |        |       |  |         |
| GLUCOSE FASTING , Plasma |        |       |  |         |
| Glucose Fasting          | 107.63 | mg/dl | < 100 Normal<br>100-125 Pre-diabetes<br>≥ 126 Diabetes | GOD POD |

### **Interpretation:**

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

| Glucose PP               | 195.11 | mg/dl | <140 Normal          | <b>GOD POD</b> |
|--------------------------|--------|-------|----------------------|----------------|
| Sample:Plasma After Meal |        |       | 140-199 Pre-diabetes |                |
|                          |        |       | >200 Diabetes        |                |

#### **Interpretation:**

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Dr. R. B. Varshney M.D. Pathology









Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.ASHUTOSH KESHARWANI Registered On : 05/Mar/2023 12:43:41 Age/Gender : 34 Y 1 M 10 D /M Collected : 05/Mar/2023 19:23:09 UHID/MR NO : CHFD.0000234798 Received : 06/Mar/2023 12:54:47 Visit ID : CHFD0592162223 Reported : 06/Mar/2023 13:31:26 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

#### **DEPARTMENT OF BIOCHEMISTRY**

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|-----------|--------|------|--------------------|--------|
|           |        |      |                    |        |
|           |        |      |                    |        |

# GLYCOSYLATED HAEMOGLOBIN (HBA1C) \*\*, EDTA BLOOD

| Glycosylated Haemoglobin (HbA1c) | 5.70  | % NGSP        | HPLC (NGSP) |
|----------------------------------|-------|---------------|-------------|
| Glycosylated Haemoglobin (HbA1c) | 39.00 | mmol/mol/IFCC |             |
| Estimated Average Glucose (eAG)  | 117   | mg/dl         |             |

#### **Interpretation:**

#### NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

| Haemoglobin A1C (%)NGSP | mmol/mol / IFCC Unit | eAG (mg/dl) | <b>Degree of Glucose Control Unit</b> |
|-------------------------|----------------------|-------------|---------------------------------------|
| > 8                     | >63.9                | >183        | Action Suggested*                     |
| 7-8                     | 53.0 -63.9           | 154-183     | Fair Control                          |
| < 7                     | <63.9                | <154        | Goal**                                |
| 6-7                     | 42.1 -63.9           | 126-154     | Near-normal glycemia                  |
| < 6%                    | <42.1                | <126        | Non-diabetic level                    |

<sup>\*</sup>High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated G8 90 SL TOSOH HPLC Analyser.

#### **Clinical Implications:**

- \*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- \*With optimal control, the HbA 1c moves toward normal levels.
- \*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy





<sup>\*\*</sup>Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.





Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.ASHUTOSH KESHARWANI

Registered On

: 05/Mar/2023 12:43:41

Age/Gender

: 34 Y 1 M 10 D /M

Collected Received : 05/Mar/2023 19:23:09 : 06/Mar/2023 12:54:47

UHID/MR NO Visit ID : CHFD.0000234798 : CHFD0592162223

Reported

: 06/Mar/2023 13:31:26

Ref Doctor

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status

tatus : Final Report

### **DEPARTMENT OF BIOCHEMISTRY**

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

c. Alcohol toxicity d. Lead toxicity



Dr. Anupam Singh (MBBS MD Pathology)



Home Sample Collection 1800-419-0002

<sup>\*</sup>Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

<sup>\*</sup>Pregnancy d. chronic renal failure. Interfering Factors:

<sup>\*</sup>Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.





Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.ASHUTOSH KESHARWANI Registered On : 05/Mar/2023 12:43:42 Age/Gender Collected : 05/Mar/2023 12:55:57 : 34 Y 1 M 10 D /M UHID/MR NO : CHFD.0000234798 Received : 05/Mar/2023 13:11:53 Visit ID : CHFD0592162223 Reported : 05/Mar/2023 13:43:34 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

### **DEPARTMENT OF BIOCHEMISTRY**

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

| Test Name                               | Result | Unit       | Bio. Ref. Interval   | Method            |
|---|--------|------------|--|-------------------|
|   |        |            |  |                   |
| DUNI (Dia ad Livas Nitusaus)            | 0.25   | o. / all   | 7.0.22.0   | CALCULATED        |
| BUN (Blood Urea Nitrogen) Sample:Serum  | 8.25   | mg/dL      | 7.0-23.0   | CALCULATED        |
| Creatinine                              | 1.09   | mg/dl      | Serum 0.7-1.3  | MODIFIED JAFFES   |
| Sample:Serum                            | 1.07   | ,          | Spot Urine-Male- 20-<br>275<br>Female-20-320                                       | WODII IED WITTED  |
| Uric Acid                               | 6.68   | ma/dl      | 3.4-7.0  | URICASE           |
| Sample:Serum                            | 0.00   | mg/dl      | 3.4-7.0  | URICASE           |
| LFT (WITH GAMMA GT) * , Serum           |        |            |  |                   |
|   | 29.13  | 11/1       | < 35   | IFCC WITHOUT P5P  |
| SGOT / Aspartate Aminotransferase (AST) | 45.09  | U/L<br>U/L | < 40   | IFCC WITHOUT P5P  |
| SGPT / Alanine Aminotransferase (ALT)   |        |            |  |                   |
| Gamma GT (GGT)                          | 30.90  | IU/L       | 11-50  | OPTIMIZED SZAZING |
| Protein                                 | 6.52   | gm/dl      | 6.2-8.0  | BIRUET            |
| Albumin                                 | 4.55   | gm/dl      | 3.8-5.4  | B.C.G.            |
| Globulin                                | 1.97   | gm/dl      | 1.8-3.6  | CALCULATED        |
| A:G Ratio                               | 2.31   | 1.4        | 1.1-2.0  | CALCULATED        |
| Alkaline Phosphatase (Total)            | 109.74 | U/L        | 42.0-165.0   | IFCC METHOD       |
| Bilirubin (Total)                       | 0.61   | mg/dl      | 0.3-1.2  | JENDRASSIK & GROF |
| Bilirubin (Direct)                      | 0.25   | mg/dl      | < 0.30   | JENDRASSIK & GROF |
| Bilirubin (Indirect)                    | 0.36   | mg/dl      | < 0.8  | JENDRASSIK & GROF |
| LIPID PROFILE (MINI) *, Serum           |        |            |  |                   |
| Cholesterol (Total)                     | 220.84 | mg/dl      | <200 Desirable<br>200-239 Borderline Higl<br>> 240 High                            | CHOD-PAP<br>n     |
| HDL Cholesterol (Good Cholesterol)      | 58.02  | mg/dl      | 30-70  | DIRECT ENZYMATIC  |
| LDL Cholesterol (Bad Cholesterol)       | 122    | mg/dl      | < 100 Optimal<br>100-129 Nr.   | CALCULATED        |
|   |        |            | Optimal/Above Optima<br>130-159 Borderline Higl<br>160-189 High<br>> 190 Very High |                   |
| VLDL                                    | 40.37  | mg/dl      | 10-33  | CALCULATED        |
| Triglycerides                           | 201.84 | mg/dl      | < 150 Normal<br>150-199 Borderline Higl<br>200-499 High                            | GPO-PAP<br>n      |









Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.ASHUTOSH KESHARWANI

Registered On Collected

: 05/Mar/2023 12:43:42 : 05/Mar/2023 12:55:57

Age/Gender

: 34 Y 1 M 10 D /M

Received

: 05/Mar/2023 13:11:53

UHID/MR NO Visit ID

: CHFD.0000234798 : CHFD0592162223

Reported

: 05/Mar/2023 13:43:34

Ref Doctor

: Dr.Mediwheel - Arcofemi Health Care Ltd. Status


: Final Report

### **DEPARTMENT OF BIOCHEMISTRY**

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

**Test Name** Result Unit Bio. Ref. Interval Method

>500 Very High







Page 7 of 13





Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.ASHUTOSH KESHARWANI Registered On : 05/Mar/2023 12:43:41 Age/Gender : 34 Y 1 M 10 D /M Collected : 05/Mar/2023 18:01:12 UHID/MR NO : CHFD.0000234798 Received : 05/Mar/2023 18:29:27 Visit ID : CHFD0592162223 Reported : 05/Mar/2023 18:53:55

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

### **DEPARTMENT OF CLINICAL PATHOLOGY**

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

| Test Name                        | Result           | Unit   | Bio. Ref. Interval        | Method              |
|----------------------------------|------------------|--------|---------------------------|---------------------|
|                                  |                  |        |                           |                     |
| URINE EXAMINATION, ROUTINE * , U | rine             |        |                           |                     |
| Color                            | CLEAR            |        |                           |                     |
| Specific Gravity                 | 1.015            |        |                           |                     |
| Reaction PH                      | Acidic (5.0)     |        |                           | DIPSTICK            |
| Protein                          | ABSENT           | mg %   | < 10 Absent               | DIPSTICK            |
|                                  |                  | ,      | 10-40 (+)                 |                     |
|                                  |                  |        | 40-200 (++)               |                     |
|                                  |                  |        | 200-500 (+++)             |                     |
| Cugor                            | ABSENT           | gms%   | > 500 (++++)<br>< 0.5 (+) | DIPSTICK            |
| Sugar                            | ADSEINT          | giiis% | < 0.5 (+)<br>0.5-1.0 (++) | DIPSTICK            |
|                                  |                  |        | 1-2 (+++)                 |                     |
|                                  |                  |        | > 2 (++++)                |                     |
| Ketone                           | ABSENT           | mg/dl  | 0.2-2.81                  | <b>BIOCHEMISTRY</b> |
| Bile Salts                       | ABSENT           |        |                           |                     |
| Bile P <mark>igment</mark> s     | ABSENT           |        |                           |                     |
| Urobilinogen(1:20 dilution)      | ABSENT           |        |                           |                     |
| Microscopic Examination:         |                  |        |                           |                     |
| Epithelial cells                 | OCCASIONAL       |        |                           | MICROSCOPIC         |
|                                  |                  |        |                           | EXAMINATION         |
| Pus cells ·                      | ABSENT           |        |                           |                     |
| RBCs                             | ABSENT           |        |                           | MICROSCOPIC         |
| 01                               | ADCENIT          |        |                           | EXAMINATION         |
| Cast                             | ABSENT<br>ABSENT |        |                           | MICROSCOPIC         |
| Crystals                         | ADSEINT          |        |                           | EXAMINATION         |
| Others                           | ABSENT           |        |                           | E// (WIIIV/VITON    |
| SUGAR, FASTING STAGE * , Urine   |                  |        |                           |                     |
| Sugar, Fasting stage             | ABSENT           | gms%   |                           |                     |
|                                  |                  |        |                           |                     |
| Interpretation:                  |                  |        |                           |                     |

#### **Interpretation:**

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2









UHID/MR NO

Visit ID

Add: Mukut Complex, Rekabganj, Faizabad

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.ASHUTOSH KESHARWANI Registered On : 05/Mar/2023 12:43:41 Age/Gender : 34 Y 1 M 10 D /M Collected : 05/Mar/2023 18:01:12

: CHFD.0000234798 Received : 05/Mar/2023 18:29:27 : CHFD0592162223 Reported : 05/Mar/2023 18:53:55

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

### **DEPARTMENT OF CLINICAL PATHOLOGY**

# MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

**SUGAR, PP STAGE \* , Urine** 

Sugar, PP Stage

PRESENT (+)

**Interpretation:** 

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

Dr. R. B. Varshney M.D. Pathology









Add: Mukut Complex, Rekabganj,Faizabad Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.ASHUTOSH KESHARWANI Registered On : 05/Mar/2023 12:43:41 Age/Gender : 34 Y 1 M 10 D /M Collected : 05/Mar/2023 19:23:09 UHID/MR NO : CHFD.0000234798 Received : 06/Mar/2023 12:45:26 Visit ID : CHFD0592162223 Reported : 06/Mar/2023 13:40:30 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

#### DEPARTMENT OF IMMUNOLOGY

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

| Test Name                         | Result | Unit           | Bio. Ref. Interva | l Method     |
|-----------------------------------|--------|----------------|-------------------|--------------|
|                                   |        |                |                   |              |
| THYROID PROFILE - TOTAL **, Serum |        |                |                   |              |
| T3, Total (tri-iodothyronine)     | 126.36 | ng/dl          | 84.61-201.7       | CLIA         |
| T4, Total (Thyroxine)             | 8.80   | ug/dl          | 3.2-12.6          | CLIA         |
| TSH (Thyroid Stimulating Hormone) | 2.71   | μIŪ/mL         | 0.27 - 5.5        | CLIA         |
|                                   |        |                |                   |              |
| Interpretation:                   |        | ,              |                   |              |
| . •                               |        | 0.3-4.5 μIU/   | mL First Trimes   | ter          |
|                                   |        | 0.5-4.6 μIU/   | mL Second Trin    | nester       |
|                                   |        | 0.8-5.2 μIU/2  | mL Third Trime    | ster         |
|                                   |        | 0.5-8.9 µIU/   | mL Adults         | 55-87 Years  |
|                                   |        | 0.7-27 μIU/    | mL Premature      | 28-36 Week   |
|                                   |        | 2.3-13.2 μIU/1 | mL Cord Blood     | > 37Week     |
|                                   |        | 0.7-64 μIU/    |                   | ( - 20 Yrs.) |
|                                   |        |                | J/mL Child        | 0-4 Days     |
|                                   |        | 1.7-9.1 μIU/   |                   | 2-20 Week    |
|                                   |        |                |                   |              |

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- **5**) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Bring

Dr. Anupam Singh (MBBS MD Pathology)



Home Sample Collection 1800-419-0002





Ph: 9235400973,

CIN: U85110DL2003PLC308206



Registered On Patient Name : Mr.ASHUTOSH KESHARWANI : 05/Mar/2023 12:43:42

Collected Age/Gender : 34 Y 1 M 10 D /M : N/A UHID/MR NO : CHFD.0000234798 Received : N/A

Visit ID : CHFD0592162223 Reported : 06/Mar/2023 14:57:28

Ref Doctor : Dr. Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

### **DEPARTMENT OF X-RAY**

# MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

#### X-RAY DIGITAL CHEST PA \*

**CHEST P-A VIEW** 

# X-RAY REPORT (300 mA COMPUTERISED UNIT SPOT FILM DEVICE)

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

#### **IMPRESSION:**

NO SIGNIFICANT RADIOLOGICAL ABNORMALITY SEEN ON PRESENT STUDY.

Adv: clinico-pathological correlation and further evaluation.

**MD Radiodiagnosis** 









Add: Mukut Complex, Rekabganj,Faizabad Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.ASHUTOSH KESHARWANI Registered On : 05/Mar/2023 12:43:42

 Age/Gender
 : 34 Y 1 M 10 D /M
 Collected
 : N/A

 UHID/MR NO
 : CHFD.0000234798
 Received
 : N/A

Visit ID : CHFD0592162223 Reported : 05/Mar/2023 14:43:51

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

#### DEPARTMENT OF ULTRASOUND

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

# **ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) \***

### WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

#### LIVER

• Liver is enlarged in size-15.69 cm and shows diffuse increase in echogenecity s/o fatty liver grade-I. No obvious focal lesion is seen.

#### PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- The portal vein is not dilated.
- Porta hepatis is normal.

#### **BILIARY SYSTEM**

- The intra-hepatic biliary radicles are normal.
- Common duct is not dilated.
- The gall bladder is normal in size. GB Wall thicknes is normal.

#### **PANCREAS**

• The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

#### GREAT VESSELS

• Great vessels are normal.

### KIDNEYS

- Both the kidneys are normal in size and cortical echotexture.
- The collecting system of both the kidneys is normal and cortico-medullary demarcation is clear.

## **SPLEEN**

• The spleen is normal in size and has a normal homogenous echo-texture.

# LYMPH NODES

• No pre- or para - aortic lymph node mass is seen.

## RETROPERITONEUM

• Retroperitoneum is free.

# ILIAC FOSSAE & PERITONEUM

• Scan over the iliac fossae does not reveal any fluid collection or mass.









Add: Mukut Complex, Rekabganj,Faizabad Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.ASHUTOSH KESHARWANI Registered On : 05/Mar/2023 12:43:42

 Age/Gender
 : 34 Y 1 M 10 D /M
 Collected
 : N/A

 UHID/MR NO
 : CHFD.0000234798
 Received
 : N/A

Visit ID : CHFD0592162223 Reported : 05/Mar/2023 14:43:51

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

#### DEPARTMENT OF ULTRASOUND

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

• No free fluid is noted in peritoneal cavity.

### **URETERS**

- The upper parts of both the ureters are normal.
- Thevesico ureteric junctions are normal.

#### URINARY BLADDER

• The urinary bladder is normal.

#### PROSTATE

• The Prostate gland is normal in size.

#### **FINAL IMPRESSION:-**

• MILD HEPATOMEGALY WITH GRADE-I FATTY LIVER.

Adv: Clinico-pathological correlation and follow-up.

\*\*\* End Of Report \*\*\*

(\*\*) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, ECG / EKG



Dr. R. B. Varshney Ultrasonologist

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing \*

\*Facilities Available at Select Location



