



Patient Ref. No. 3100004417415



Cert. No. MC-2396

CLIENT CODE : C000138363

CLIENT'S NAME AND ADDRESS :
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
P S Srijan Tech Park Building, DN-52, Unit No.2, Ground Floor, Sector V,
Salt Lake,
KOLKATA, 700091
WEST BENGAL, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956
Email : customercare.saltlake@srl.in

PATIENT NAME : SUVASRIKANT NAYAK

PATIENT ID : SUVAM15089131

ACCESSION NO : 0031VF022872 AGE : 30 Years SEX : Male

DRAWN : 25/06/2022 09:59

RECEIVED : 25/06/2022 10:06

REPORTED : 28/06/2022 11:29

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

BLOOD COUNTS, EDTA WHOLE BLOOD

HEMOGLOBIN	13.6	13.0 - 17.0	g/dL
METHOD : SPECTROPHOTOMETRY			
RED BLOOD CELL COUNT	5.20	4.5 - 5.5	mil/ μ L
METHOD : ELECTRICAL IMPEDANCE			
WHITE BLOOD CELL COUNT	9.12	4.0 - 10.0	thou/ μ L
METHOD : ELECTRICAL IMPEDANCE			
PLATELET COUNT	185	150 - 410	thou/ μ L
METHOD : ELECTRONIC IMPEDANCE & MICROSCOPY			

RBC AND PLATELET INDICES

HEMATOCRIT	42.2	40 - 50	%
METHOD : CALCULATED			
MEAN CORPUSCULAR VOL	81.2	Low 83 - 101	fL
METHOD : ELECTRICAL IMPEDANCE			
MEAN CORPUSCULAR HGB.	26.2	Low 27.0 - 32.0	pg
METHOD : CALCULATED			
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION	32.3	31.5 - 34.5	g/dL
METHOD : CALCULATED			
MENTZER INDEX	15.6		
RED CELL DISTRIBUTION WIDTH	13.5	11.6 - 14.0	%
METHOD : ELECTRICAL IMPEDANCE			
MEAN PLATELET VOLUME	9.3	6.8 - 10.9	fL
METHOD : CALCULATED			

WBC DIFFERENTIAL COUNT - NLR

SEGMENTED NEUTROPHILS	53	40 - 80	%
METHOD : FLOCYTOMETRY, ELCTRONIC IMPEDANCE & MICROSCOPY.			
ABSOLUTE NEUTROPHIL COUNT	4.83	2.0 - 7.0	thou/ μ L
METHOD : FLOCYTOMETRY & CALCULATED.			
LYMPHOCYTES	39	20 - 40	%
METHOD : FLOCYTOMETRY, ELCTRONIC IMPEDANCE & MICROSCOPY.			
ABSOLUTE LYMPHOCYTE COUNT	3.56	High 1 - 3	thou/ μ L
METHOD : FLOCYTOMETRY & CALCULATED.			
NEUTROPHIL LYMPHOCYTE RATIO (NLR)	1.4		



Scan to View Details



Scan to View Report



Patient Ref. No. 3100004417415



Cert. No. MC-2396

CLIENT CODE : C000138363

CLIENT'S NAME AND ADDRESS :
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
P S Srijan Tech Park Building, DN-52, Unit No.2, Ground Floor, Sector V,
Salt Lake,
KOLKATA, 700091
WEST BENGAL, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956
Email : customercare.saltlake@srl.in

PATIENT NAME : SUVASRIKANT NAYAK

PATIENT ID : SUVAM15089131

ACCESSION NO : **0031VF022872** AGE : 30 Years SEX : Male

DRAWN : 25/06/2022 09:59

RECEIVED : 25/06/2022 10:06

REPORTED : 28/06/2022 11:29

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Biological Reference Interval	Units
EOSINOPHILS		3	1 - 6	%
ABSOLUTE EOSINOPHIL COUNT		0.27	0.02 - 0.50	thou/ μ L
METHOD : FLOCYTOMETRY & CALCULATED.				
MONOCYTES		5	2 - 10	%
METHOD : FLOCYTOMETRY, ELCTRONIC IMPEDANCE & MICROSCOPY.				
ABSOLUTE MONOCYTE COUNT		0.46	0.20 - 1.00	thou/ μ L
METHOD : FLOCYTOMETRY & CALCULATED.				
BASOPHILS		0	0 - 2	%
METHOD : FLOCYTOMETRY, ELCTRONIC IMPEDANCE & MICROSCOPY.				
ABSOLUTE BASOPHIL COUNT		0	Low 0.02 - 0.10	thou/ μ L
METHOD : FLOCYTOMETRY & CALCULATED.				
MORPHOLOGY				
RBC		PREDOMINANTLY NORMOCYTIC NORMOCHROMIC		
METHOD : MICROSCOPIC EXAMINATION				
WBC		NORMAL MORPHOLOGY		
METHOD : MICROSCOPIC EXAMINATION				
PLATELETS		ADEQUATE		
METHOD : MICROSCOPIC EXAMINATION				
ERYTHRO SEDIMENTATION RATE, BLOOD				
SEDIMENTATION RATE (ESR)		5	0 - 14	mm at 1 hr
METHOD : AUTOMATED (PHOTOMETRICAL CAPILLARY STOPPED FLOW KINETIC ANALYSIS)"				
GLUCOSE, FASTING, PLASMA				
GLUCOSE, FASTING, PLASMA		99	74 - 100	mg/dL
METHOD : ENZYMATIC (HEXOKINASE/G-6-PDH)				
GLYCOSYLATED HEMOGLOBIN, EDTA WHOLE BLOOD				
GLYCOSYLATED HEMOGLOBIN (HBA1C)		5.9	High Non-diabetic: < 5.7 Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5 ADA Target: 7.0 Action suggested: > 8.0	%
METHOD : HPLC				
MEAN PLASMA GLUCOSE		122.6	High < 116.0	mg/dL



Scan to View Details





Patient Ref. No. 3100004417415



Cert. No. MC-2396

CLIENT CODE : C000138363

CLIENT'S NAME AND ADDRESS :
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
P S Srijan Tech Park Building, DN-52, Unit No.2, Ground Floor, Sector V,
Salt Lake,
KOLKATA, 700091
WEST BENGAL, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956
Email : customercare.saltlake@srl.in

PATIENT NAME : SUVASRIKANT NAYAK

PATIENT ID : SUVAM15089131

ACCESSION NO : 0031VF022872 AGE : 30 Years SEX : Male

DRAWN : 25/06/2022 09:59

RECEIVED : 25/06/2022 10:06

REPORTED : 28/06/2022 11:29

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status **Final** Results Biological Reference Interval Units

SRL LIMITED - KOLKATA REF. LAB
Bio-Rad Variant II Turbo CDM 5.4 S/N : 16043

PATIENT REP
V2TURBO_A1c

Patient Data

Sample ID: 3106284757
Patient ID: 0031VF022872
Name: SUVASRIKANTNAYAK
Physician:
Sex:
DOB:

Analysis Data


Analysis Performed: 25/JUN/2022 12:38:20
Injection Number: 3444
Run Number: 176
Rack ID: 0007
Tube Number: 6
Report Generated: 25/JUN/2022 13:03:14
Operator ID:

Comments:

Peak Name	NGSP %	Area %	Retention Time (min)	Peak Area
Unknown	---	0.2	0.111	2167
A1a	---	1.0	0.155	13834
A1b	---	1.0	0.217	13557
F	---	0.8	0.268	10356
LA1c	---	1.8	0.397	24123
A1c	5.9	---	0.505	61987
P3	---	3.6	0.788	48183
P4	---	1.3	0.870	17704
Ao	---	85.7	1.005	1145889

Total Area: 1,337,800

HbA1c (NGSP) = 5.9 %



Scan to View Details



Scan to View Report



Patient Ref. No. 3100004417415



Cert. No. MC-2396

CLIENT CODE : C000138363

CLIENT'S NAME AND ADDRESS :
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
P S Srijan Tech Park Building, DN-52, Unit No.2, Ground Floor, Sector V,
Salt Lake,
KOLKATA, 700091
WEST BENGAL, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956
Email : customercare.saltlake@srl.in

PATIENT NAME : SUVASRIKANT NAYAK

PATIENT ID : SUVAM15089131

ACCESSION NO : 0031VF022872 AGE : 30 Years SEX : Male

DRAWN : 25/06/2022 09:59

RECEIVED : 25/06/2022 10:06

REPORTED : 28/06/2022 11:29

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status Final Results Biological Reference Interval Units

GLUCOSE, POST-PRANDIAL, PLASMA

GLUCOSE, POST-PRANDIAL, PLASMA 103 140 Normal 140 - 199 Pre-diabetic > or = 200 Diabetic mg/dL

METHOD : ENZYMATIC (HEXOKINASE/G-6-PDH)

CORONARY RISK PROFILE (LIPID PROFILE), SERUM.

CHOLESTEROL 147 < 200 Desirable 200 - 239 Borderline High >/= 240 High mg/dL

METHOD : ENZYMATIC ASSAY

TRIGLYCERIDES 92 < 150 Normal 150 - 199 Borderline High 200 - 499 High >/=500 Very High mg/dL

METHOD : GLYCEROL PHOSPHATE OXIDASE

HDL CHOLESTEROL 57 Low : < 40 High : > / = 60 mg/dL

METHOD : ACCELERATOR SELECTIVE DETERGENT METHODOLOGY

DIRECT LDL CHOLESTEROL 91 Adult Optimal : < 100 Near optimal : 100 - 129 Borderline high : 130 - 159 High : 160 - 189 Very high : > or = 190 mg/dL

METHOD : MEASURED, LIQUID SELECTIVE DETERGENT

NON HDL CHOLESTEROL 90 Desirable: Less than 130 Above Desirable: 130-159 Borderline High: 160-189 High: 190 -219 Very High: >or = 220 mg/dL

METHOD : CALCULATED

CHOL/HDL RATIO 2.6 Low 3.3 - 4.4 Low Risk 4.5-7.0 Average Risk 7.1 - 11.0 Moderate Risk > 11.0 High Risk

METHOD : CALCULATED

LDL/HDL RATIO 1.6 0.5 - 3.0 Desirable/ Low Risk 3.1-6.0 Borderline /Moderate Risk > 6.0 High Risk

METHOD : CALCULATED

VERY LOW DENSITY LIPOPROTEIN 18.4 < or = 30 mg/dL

METHOD : CALCULATED

LIVER FUNCTION PROFILE, SERUM





Patient Ref. No. 3100004417415



Cert. No. MC-2396

CLIENT CODE : C000138363

CLIENT'S NAME AND ADDRESS :
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
P S Srijan Tech Park Building, DN-52, Unit No.2, Ground Floor, Sector V,
Salt Lake,
KOLKATA, 700091
WEST BENGAL, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956
Email : customercare.saltlake@srl.in

PATIENT NAME : SUVASRIKANT NAYAK

PATIENT ID : SUVAM15089131

ACCESSION NO : 0031VF022872 AGE : 30 Years SEX : Male

DRAWN : 25/06/2022 09:59

RECEIVED : 25/06/2022 10:06

REPORTED : 28/06/2022 11:29

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Biological Reference Interval	Units
BILIRUBIN, TOTAL		1.18	0.2 - 1.2	mg/dL
METHOD : DIAZONIUM SALT				
BILIRUBIN, DIRECT		0.49	0.0 - 0.5	mg/dL
METHOD : DIAZO REACTION				
BILIRUBIN, INDIRECT		0.69	0.1 - 1.0	mg/dL
METHOD : CALCULATED				
TOTAL PROTEIN		7.1	6.0 - 8.30	g/dL
METHOD : BIURET				
ALBUMIN		4.2	3.5 - 5.2	g/dL
METHOD : COLORIMETRIC (BROMCRESOL GREEN)				
GLOBULIN		2.9	2.0 - 3.5	g/dL
ALBUMIN/GLOBULIN RATIO		1.4	1 - 2.1	RATIO
METHOD : CALCULATED PARAMETER				
ASPARTATE AMINOTRANSFERASE (AST/SGOT)		37	High 5 - 34	U/L
METHOD : ENZYMATIC (NADH (WITHOUT P-5'-P))				
ALANINE AMINOTRANSFERASE (ALT/SGPT)		73	High 0 - 55	U/L
METHOD : ENZYMATIC (NADH (WITHOUT P-5'-P))				
ALKALINE PHOSPHATASE		62	40 - 150	U/L
METHOD : PARA-NITROPHENYL PHOSPHATE				
GAMMA GLUTAMYL TRANSFERASE (GGT)		20	11 - 59	U/L
METHOD : L-GAMMA-GLUTAMYL-4-NITROANALIDE /GLYCYLGLYCINE KINETIC METHOD				
LACTATE DEHYDROGENASE		169	125 - 220	U/L
METHOD : IFCC LACTATE TO PYRUVATE				
SERUM BLOOD UREA NITROGEN				
BLOOD UREA NITROGEN		12	8.9 - 20.6	mg/dL
METHOD : UREASE METHOD				
CREATININE, SERUM				
CREATININE		0.95	0.72 - 1.25	mg/dL
METHOD : KINETIC ALKALINE PICRATE				
BUN/CREAT RATIO				
BUN/CREAT RATIO		12.63	5.0 - 15.0	
URIC ACID, SERUM				
URIC ACID		8.4	High 3.5 - 7.2	mg/dL
METHOD : URICASE				
TOTAL PROTEIN, SERUM				
TOTAL PROTEIN		7.1	6.0 - 8.3	g/dL





Patient Ref. No. 3100004417415



Cert. No. MC-2396

CLIENT CODE : C000138363

CLIENT'S NAME AND ADDRESS :
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
P S Srijan Tech Park Building, DN-52, Unit No.2, Ground Floor, Sector V,
Salt Lake,
KOLKATA, 700091
WEST BENGAL, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956
Email : customercare.saltlake@srl.in

PATIENT NAME : SUVASRIKANT NAYAK

PATIENT ID : SUVAM15089131

ACCESSION NO : 0031VF022872 AGE : 30 Years SEX : Male

DRAWN : 25/06/2022 09:59

RECEIVED : 25/06/2022 10:06

REPORTED : 28/06/2022 11:29

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Table header with columns: Test Report Status, Final, Results, Biological Reference Interval, Units

METHOD : BIURET

ALBUMIN, SERUM

ALBUMIN 4.2 3.5 - 5.2 g/dL

METHOD : COLORIMETRIC (BROMCRESOL GREEN)

GLOBULIN

GLOBULIN 2.9 2.0 - 3.5 g/dL

METHOD : CALCULATED PARAMETER

ELECTROLYTES (NA/K/CL), SERUM

SODIUM 137 136 - 145 mmol/L

METHOD : ION SELECTIVE ELECTRODE TECHNOLOGY INDIRECT

POTASSIUM 4.40 3.5 - 5.1 mmol/L

METHOD : ION SELECTIVE ELECTRODE TECHNOLOGY INDIRECT

CHLORIDE 102 98 - 107 mmol/L

METHOD : ION SELECTIVE ELECTRODE TECHNOLOGY INDIRECT

PHYSICAL EXAMINATION, URINE

COLOR PALE YELLOW

APPEARANCE CLEAR

SPECIFIC GRAVITY 1.025 1.003 - 1.035

METHOD : DIPSTICK

CHEMICAL EXAMINATION, URINE

PH 6.0 4.7 - 7.5

PROTEIN NOT DETECTED NOT DETECTED

METHOD : DIPSTICK

GLUCOSE NOT DETECTED NOT DETECTED

METHOD : DIPSTICK

KETONES NOT DETECTED NOT DETECTED

METHOD : DIPSTICK

BLOOD NOT DETECTED NOT DETECTED

METHOD : DIPSTICK

BILIRUBIN NOT DETECTED NOT DETECTED

METHOD : DIPSTICK

UROBILINOGEN NORMAL NORMAL

METHOD : DIPSTICK

NITRITE NOT DETECTED NOT DETECTED

METHOD : DIPSTICK

LEUKOCYTE ESTERASE NEGATIVE NOT DETECTED



Scan to View Details



Scan to View Report



Patient Ref. No. 3100004417415



Cert. No. MC-2396

CLIENT CODE : C000138363

CLIENT'S NAME AND ADDRESS :
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
P S Srijan Tech Park Building, DN-52, Unit No.2, Ground Floor, Sector V,
Salt Lake,
KOLKATA, 700091
WEST BENGAL, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956
Email : customercare.saltlake@srl.in

PATIENT NAME : SUVASRIKANT NAYAK

PATIENT ID : SUVAM15089131

ACCESSION NO : 0031VF022872 AGE : 30 Years SEX : Male

DRAWN : 25/06/2022 09:59

RECEIVED : 25/06/2022 10:06

REPORTED : 28/06/2022 11:29

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status Final Results Biological Reference Interval Units

MICROSCOPIC EXAMINATION, URINE

Table with 4 columns: Test Name, Results, Biological Reference Interval, Units. Rows include PUS CELL (WBC'S), EPITHELIAL CELLS, ERYTHROCYTES (RBC'S), CASTS, CRYSTALS, BACTERIA, and YEAST.

Comments

URINALYSIS: MICROSCOPIC EXAMINATION IS CARRIED OUT ON CENTRIFUGED URINARY SEDIMENT.

THYROID PANEL, SERUM

Table with 4 columns: Test Name, Results, Biological Reference Interval, Units. Rows include T3, T4, and TSH 3RD GENERATION.

STOOL: OVA & PARASITE

Table with 4 columns: Test Name, Results, Biological Reference Interval, Units. Rows include COLOUR, CONSISTENCY, ODOUR, MUCUS, VISIBLE BLOOD, POLYMORPHONUCLEAR LEUKOCYTES, RED BLOOD CELLS, and MACROPHAGES.



Scan to View Details



Scan to View Report



Patient Ref. No. 3100004417415



Cert. No. MC-2396

CLIENT CODE : C000138363

CLIENT'S NAME AND ADDRESS :
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
P S Srijan Tech Park Building, DN-52, Unit No.2, Ground Floor, Sector V,
Salt Lake,
KOLKATA, 700091
WEST BENGAL, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956
Email : customercare.saltlake@srl.in

PATIENT NAME : SUVASRIKANT NAYAK

PATIENT ID : SUVAM15089131

ACCESSION NO : 0031VF022872 AGE : 30 Years SEX : Male

DRAWN : 25/06/2022 09:59

RECEIVED : 25/06/2022 10:06

REPORTED : 28/06/2022 11:29

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Biological Reference Interval	Units
CHARCOT-LEYDEN CRYSTALS		NOT DETECTED	NOT DETECTED	
TROPHOZOITES		NOT DETECTED	NOT DETECTED	
METHOD : MICROSCOPIC EXAMINATION				
CYSTS		NOT DETECTED	NOT DETECTED	
METHOD : MICROSCOPIC EXAMINATION				
OVA		NOT DETECTED		
METHOD : MICROSCOPIC EXAMINATION				
LARVAE		NOT DETECTED	NOT DETECTED	
METHOD : MICROSCOPIC EXAMINATION				
ADULT PARASITE		NOT DETECTED		
METHOD : VISUAL				
OCCULT BLOOD		NOT DETECTED	NOT DETECTED	
METHOD : MANUAL				
* ABO GROUP & RH TYPE, EDTA WHOLE BLOOD				
ABO GROUP		TYPE O		
METHOD : TUBE AGGLUTINATION				
RH TYPE		POSITIVE		
METHOD : TUBE AGGLUTINATION				
XRAY-CHEST				
IMPRESSION		NO ABNORMALITY DETECTED		
TMT OR ECHO				
TMT OR ECHO		Echo Done - Normal		
ECG				
ECG		WITHIN NORMAL LIMITS		
MEDICAL HISTORY				
RELEVANT PRESENT HISTORY		NOT SIGNIFICANT		
RELEVANT PAST HISTORY		NOT SIGNIFICANT		
RELEVANT PERSONAL HISTORY		Quit smoking 4 yrs back.		
OCCUPATIONAL HISTORY		Father - Diabetes		
HISTORY OF MEDICATIONS		NOT SIGNIFICANT		
ANTHROPOMETRIC DATA & BMI				
HEIGHT IN METERS		1.70		mts
WEIGHT IN KGS.		78		Kgs



Scan to View Details





Patient Ref. No. 3100004417415



Cert. No. MC-2396

CLIENT CODE : C000138363

CLIENT'S NAME AND ADDRESS :
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
P S Srijan Tech Park Building, DN-52, Unit No.2, Ground Floor, Sector V,
Salt Lake,
KOLKATA, 700091
WEST BENGAL, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956
Email : customercare.saltlake@srl.in

PATIENT NAME : SUVASRIKANT NAYAK

PATIENT ID : SUVAM15089131

ACCESSION NO : 0031VF022872 AGE : 30 Years SEX : Male

DRAWN : 25/06/2022 09:59

RECEIVED : 25/06/2022 10:06

REPORTED : 28/06/2022 11:29

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Table header with columns: Test Report Status, Final, Results, Biological Reference Interval, Units

BMI 27
BMI & Weight Status as follows: kg/sqmts
Below 18.5: Underweight
18.5 - 24.9: Normal
25.0 - 29.9: Overweight
30.0 and Above: Obese

GENERAL EXAMINATION

MENTAL / EMOTIONAL STATE NORMAL
PHYSICAL ATTITUDE NORMAL
GENERAL APPEARANCE / NUTRITIONAL STATUS OVERWEIGHT
BUILT / SKELETAL FRAMEWORK AVERAGE
FACIAL APPEARANCE NORMAL
SKIN NORMAL
UPPER LIMB NORMAL
LOWER LIMB NORMAL
NECK NORMAL
NECK LYMPHATICS / SALIVARY GLANDS NOT ENLARGED OR TENDER
THYROID GLAND NOT ENLARGED
CAROTID PULSATION NORMAL
TEMPERATURE NORMAL
PULSE 76/min-REGULAR, ALL PERIPHERAL PULSES WELL FELT
RESPIRATORY RATE NORMAL

CARDIOVASCULAR SYSTEM

BP 120/80 mm Hg mm/Hg
PERICARDIUM NORMAL
APEX BEAT NORMAL
HEART SOUNDS S1, S2 HEARD NORMALLY
MURMURS ABSENT

RESPIRATORY SYSTEM

SIZE AND SHAPE OF CHEST NORMAL
MOVEMENTS OF CHEST SYMMETRICAL
BREATH SOUNDS INTENSITY NORMAL
BREATH SOUNDS QUALITY VESICULAR (NORMAL)
ADDED SOUNDS ABSENT

PER ABDOMEN



Scan to View Details



Scan to View Report



Patient Ref. No. 3100004417415



Cert. No. MC-2396

CLIENT CODE : C000138363

CLIENT'S NAME AND ADDRESS :
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
P S Srijan Tech Park Building, DN-52, Unit No.2, Ground Floor, Sector V,
Salt Lake,
KOLKATA, 700091
WEST BENGAL, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956
Email : customercare.saltlake@srl.in

PATIENT NAME : SUVASRIKANT NAYAK

PATIENT ID : SUVAM15089131

ACCESSION NO : 0031VF022872 AGE : 30 Years SEX : Male

DRAWN : 25/06/2022 09:59

RECEIVED : 25/06/2022 10:06

REPORTED : 28/06/2022 11:29

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status Final Results Biological Reference Interval Units

APPEARANCE NORMAL
VENOUS PROMINENCE ABSENT
LIVER NOT PALPABLE
SPLEEN NOT PALPABLE
HERNIA ABSENT

CENTRAL NERVOUS SYSTEM

HIGHER FUNCTIONS NORMAL
CRANIAL NERVES NORMAL
CEREBELLAR FUNCTIONS NORMAL
SENSORY SYSTEM NORMAL
MOTOR SYSTEM NORMAL
REFLEXES NORMAL

MUSCULOSKELETAL SYSTEM

SPINE NORMAL
JOINTS NORMAL

BASIC EYE EXAMINATION

CONJUNCTIVA NORMAL
EYELIDS NORMAL
EYE MOVEMENTS NORMAL
DISTANT VISION RIGHT EYE WITHOUT GLASSES 6/6
DISTANT VISION LEFT EYE WITHOUT GLASSES 6/6
NEAR VISION RIGHT EYE WITHOUT GLASSES N6
NEAR VISION LEFT EYE WITHOUT GLASSES N6
COLOUR VISION NORMAL

BASIC ENT EXAMINATION

EXTERNAL EAR CANAL NORMAL
TYMPANIC MEMBRANE NORMAL
NOSE NO ABNORMALITY DETECTED
SINUSES NORMAL
THROAT NO ABNORMALITY DETECTED
TONSILS NOT ENLARGED

BASIC DENTAL EXAMINATION

TEETH NORMAL



Scan to View Details





Patient Ref. No. 3100004417415



Cert. No. MC-2396

CLIENT CODE : C000138363

CLIENT'S NAME AND ADDRESS :

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
P S Srijan Tech Park Building, DN-52, Unit No.2, Ground Floor, Sector V,
Salt Lake,
KOLKATA, 700091
WEST BENGAL, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956
Email : customercare.saltlake@srl.in

PATIENT NAME : SUVASRIKANT NAYAK

PATIENT ID : SUVAM15089131

ACCESSION NO : 0031VF022872 AGE : 30 Years SEX : Male

DRAWN : 25/06/2022 09:59

RECEIVED : 25/06/2022 10:06

REPORTED : 28/06/2022 11:29

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Biological Reference Interval	Units
--------------------	-------	---------	-------------------------------	-------

GUMS

HEALTHY

SUMMARY

RELEVANT HISTORY

NOT SIGNIFICANT

RELEVANT GP EXAMINATION FINDINGS

Overweight (78 kg)

RELEVANT LAB INVESTIGATIONS

WITHIN NORMAL LIMITS

RELEVANT NON PATHOLOGY DIAGNOSTICS

Small gall bladder polyp in USG

REMARKS / RECOMMENDATIONS

On examination and investigations the candidate is found to be overweight and has raised U/A(8.4),SGOT(37),SGPT(73),HbA1C(5.9) Small gall bladder polyp in USG

Should follow the given advice:

1. Avoid fat, oil, red meat, high protein and carbohydrate in diet
2. Reduce body weight
3. Estimated body weight should be : 72 kg
4. Regular physical exercise and walking
5. Drink plenty of water
6. Physician opinion

Comments

MEDICAL EXAMINATION DONE BY:

DR. DEBIKA ROY, MBBS
CONSULTANT PHYSICIAN
WELLNESS CLINIC
SALT LAKE REF LAB, KOLKATA

Interpretation(s)

BLOOD COUNTS, EDTA WHOLE BLOOD-

The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.

RBC AND PLATELET INDICES-

Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait (<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT - NLR-

The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients ; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504

This ratio element is a calculated parameter and out of NABL scope.

ERYTHRO SEDIMENTATION RATE, BLOOD-

Erythrocyte sedimentation rate (ESR) is a non-specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants. The ESR is increased in pregnancy from about the 3rd month and returns to normal by the 4th week post partum. ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives). It is especially low (0 -1mm) in polycythaemia, hypofibrinogenemia or congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis or sickle cells.

Reference :



Scan to View Details



Scan to View Report



Patient Ref. No. 3100004417415



Cert. No. MC-2396

CLIENT CODE : C000138363

CLIENT'S NAME AND ADDRESS :
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
P S Srijan Tech Park Building, DN-52, Unit No.2, Ground Floor, Sector V,
Salt Lake,
KOLKATA, 700091
WEST BENGAL, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956
Email : customercare.saltlake@srl.in

PATIENT NAME : SUVASRIKANT NAYAK

PATIENT ID : SUVAM15089131

ACCESSION NO : 0031VF022872 AGE : 30 Years SEX : Male

DRAWN : 25/06/2022 09:59

RECEIVED : 25/06/2022 10:06

REPORTED : 28/06/2022 11:29

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status Final Results Biological Reference Interval Units

- 1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition
2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin
3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis, 10th Edition"

GLUCOSE, FASTING, PLASMA-
ADA 2021 guidelines for adults, after 8 hrs fasting is as follows:

Pre-diabetics: 100 - 125 mg/dL

Diabetic: > or = 126 mg/dL

GLYCOSYLATED HEMOGLOBIN, EDTA WHOLE BLOOD-

Glycosylated hemoglobin (GHb) has been firmly established as an index of long-term blood glucose concentrations and as a measure of the risk for the development of complications in patients with diabetes mellitus. Formation of GHb is essentially irreversible, and the concentration in the blood depends on both the life span of the red blood cell (average 120 days) and the blood glucose concentration. Because the rate of formation of GHb is directly proportional to the concentration of glucose in the blood, the GHb concentration represents the integrated values for glucose over the preceding 6-8 weeks.

Any condition that alters the life span of the red blood cells has the potential to alter the GHb level. Samples from patients with hemolytic anemias will exhibit decreased glycosylated hemoglobin values due to the shortened life span of the red cells. This effect will depend upon the severity of the anemia. Samples from patients with polycythemia or post-splenectomy may exhibit increased glycosylated hemoglobin values due to a somewhat longer life span of the red cells.

Glycosylated hemoglobins results from patients with HbSS, HbCC, and HbSC and HbD must be interpreted with caution, given the pathological processes, including anemia, increased red cell turnover, transfusion requirements, that adversely impact HbA1c as a marker of long-term glycemic control. In these conditions, alternative forms of testing such as glycosylated serum protein (fructosamine) should be considered.

"Targets should be individualized; More or less stringent glycemic goals may be appropriate for individual patients. Goals should be individualized based on duration of diabetes, age/life expectancy, comorbid conditions, known CVD or advanced microvascular complications, hypoglycemia unawareness, and individual patient considerations."

References

1. Tietz Textbook of Clinical Chemistry and Molecular Diagnostics, edited by Carl A Burtis, Edward R.Ashwood, David E Bruns, 4th Edition, Elsevier publication, 2006, 879-884.

2. Forsham PH. Diabetes Mellitus:A rational plan for management. Postgrad Med 1982, 71,139-154.

3. Mayer TK, Freedman ZR: Protein glycosylation in Diabetes Mellitus: A review of laboratory measurements and their clinical utility. Clin Chim Acta 1983, 127, 147-184.
GLUCOSE, POST-PRANDIAL, PLASMA-ADA Guidelines for 2hr post prandial glucose levels is only after ingestion of 75grams of glucose in 300 ml water, over a period of 5 minutes.

CORONARY RISK PROFILE (LIPID PROFILE), SERUM.-

Serum cholesterol is a blood test that can provide valuable information for the risk of coronary artery disease This test can help determine your risk of the build up of plaques in your arteries that can lead to narrowed or blocked arteries throughout your body (atherosclerosis). High cholesterol levels usually don't cause any signs or symptoms, so a cholesterol test is an important tool. High cholesterol levels often are a significant risk factor for heart disease and important for diagnosis of hyperlipoproteinemia, atherosclerosis, hepatic and thyroid diseases.

Serum Triglyceride are a type of fat in the blood. When you eat, your body converts any calories it doesn't need into triglycerides, which are stored in fat cells. High triglyceride levels are associated with several factors, including being overweight, eating too many sweets or drinking too much alcohol, smoking, being sedentary, or having diabetes with elevated blood sugar levels. Analysis has proven useful in the diagnosis and treatment of patients with diabetes mellitus, nephrosis, liver obstruction, other diseases involving lipid metabolism, and various endocrine disorders. In conjunction with high density lipoprotein and total serum cholesterol, a triglyceride determination provides valuable information for the assessment of coronary heart disease risk.It is done in fasting state.

High-density lipoprotein (HDL) cholesterol. This is sometimes called the ""good"" cholesterol because it helps carry away LDL cholesterol, thus keeping arteries open and blood flowing more freely.HDL cholesterol is inversely related to the risk for cardiovascular disease. It increases following regular exercise, moderate alcohol consumption and with oral estrogen therapy. Decreased levels are associated with obesity, stress, cigarette smoking and diabetes mellitus.

SERUM LDL The small dense LDL test can be used to determine cardiovascular risk in individuals with metabolic syndrome or established/progressing coronary artery disease, individuals with triglyceride levels between 70 and 140 mg/dL, as well as individuals with a diet high in trans-fat or carbohydrates. Elevated sdLDL levels are associated with metabolic syndrome and an 'atherogenic lipoprotein profile', and are a strong, independent predictor of cardiovascular disease.

Elevated levels of LDL arise from multiple sources. A major factor is sedentary lifestyle with a diet high in saturated fat. Insulin-resistance and pre-diabetes have also been implicated, as has genetic predisposition. Measurement of sdLDL allows the clinician to get a more comprehensive picture of lipid risk factors and tailor treatment accordingly. Reducing LDL levels will reduce the risk of CVD and MI.

Non HDL Cholesterol - Adult treatment panel ATP III suggested the addition of Non-HDL Cholesterol as an indicator of all atherogenic lipoproteins (mainly LDL and VLDL). NICE guidelines recommend Non-HDL Cholesterol measurement before initiating lipid lowering therapy. It has also been shown to be a better marker of risk in both primary and secondary prevention studies.

Recommendations:

Results of Lipids should always be interpreted in conjunction with the patient's medical history, clinical presentation and other findings.

NON FASTING LIPID PROFILE includes Total Cholesterol, HDL Cholesterol and calculated non-HDL Cholesterol. It does not include triglycerides and may be best used in patients for whom fasting is difficult.

LIVER FUNCTION PROFILE, SERUM-

LIVER FUNCTION PROFILE

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give



Scan to View Details



Scan to View Report



Patient Ref. No. 3100004417415



Cert. No. MC-2396

CLIENT CODE : C000138363

CLIENT'S NAME AND ADDRESS :
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
P S Srijan Tech Park Building, DN-52, Unit No.2, Ground Floor, Sector V,
Salt Lake,
KOLKATA, 700091
WEST BENGAL, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956
Email : customercare.saltlake@srl.in

PATIENT NAME : SUVASRIKANT NAYAK

PATIENT ID : SUVAM15089131

ACCESSION NO : 0031VF022872 AGE : 30 Years SEX : Male

DRAWN : 25/06/2022 09:59

RECEIVED : 25/06/2022 10:06

REPORTED : 28/06/2022 11:29

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status Final Results Biological Reference Interval Units

yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease. Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors & Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health. AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Paget's disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilson's disease. GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc. Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom's disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc. Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc

SERUM BLOOD UREA NITROGEN-

Causes of Increased levels

Pre renal

- High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal

Renal Failure

Post Renal

- Malignancy, Nephrolithiasis, Prostatism

Causes of decreased levels

- Liver disease

- SIADH.

CREATININE, SERUM-

Higher than normal level may be due to:

- Blockage in the urinary tract
Kidney problems, such as kidney damage or failure, infection, or reduced blood flow
Loss of body fluid (dehydration)
Muscle problems, such as breakdown of muscle fibers
Problems during pregnancy, such as seizures (eclampsia), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to:

- Myasthenia Gravis
Muscular dystrophy

URIC ACID, SERUM-

Causes of Increased levels

Dietary

- High Protein Intake.
Prolonged Fasting,
Rapid weight loss.

Gout

Lesch nyhan syndrome.

Type 2 DM.

Metabolic syndrome.

Causes of decreased levels

- Low Zinc Intake
OCP's
Multiple Sclerosis

Nutritional tips to manage increased Uric acid levels

- Drink plenty of fluids



Scan to View Details



Scan to View Report



Patient Ref. No. 3100004417415



Cert. No. MC-2396

CLIENT CODE : C000138363

CLIENT'S NAME AND ADDRESS :
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
P S Srijan Tech Park Building, DN-52, Unit No.2, Ground Floor, Sector V,
Salt Lake,
KOLKATA, 700091
WEST BENGAL, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956
Email : customercare.saltlake@srl.in

PATIENT NAME : SUVASRIKANT NAYAK

PATIENT ID : SUVAM15089131

ACCESSION NO : 0031VF022872 AGE : 30 Years SEX : Male

DRAWN : 25/06/2022 09:59 RECEIVED : 25/06/2022 10:06 REPORTED : 28/06/2022 11:29

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status Final Results Biological Reference Interval Units

- Limit animal proteins
High Fibre foods
Vit C Intake
Antioxidant rich foods

TOTAL PROTEIN, SERUM-

Serum total protein, also known as total protein, is a biochemical test for measuring the total amount of protein in serum..Protein in the plasma is made up of albumin and globulin

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstrom's disease
Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUM-

Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

ELECTROLYTES (NA/K/CL), SERUM-

Sodium levels are Increased in dehydration, cushing's syndrome, aldosteronism & decreased in Addison's disease, hypopituitarism, liver disease. Hypokalemia (low K) is common in vomiting, diarrhea, alcoholism, folic acid deficiency and primary aldosteronism. Hyperkalemia may be seen in end-stage renal failure, hemolysis, trauma, Addison's disease, metabolic acidosis, acute starvation, dehydration, and with rapid K infusion. Chloride is increased in dehydration, renal tubular acidosis (hyperchloremia metabolic acidosis), acute renal failure, metabolic acidosis associated with prolonged diarrhea and loss of sodium bicarbonate, diabetes insipidus, adrenocortical hyperfunction, salicylate intoxication and with excessive infusion of isotonic saline or extremely high dietary intake of salt. Chloride is decreased in overhydration, chronic respiratory acidosis, salt-losing nephritis, metabolic alkalosis, congestive heart failure, Addisonian crisis, certain types of metabolic acidosis, persistent gastric secretion and prolonged vomiting,

MICROSCOPIC EXAMINATION, URINE-

Routine urine analysis assists in screening and diagnosis of various metabolic, urological, kidney and liver disorders

Protein: Elevated proteins can be an early sign of kidney disease. Urinary protein excretion can also be temporarily elevated by strenuous exercise, orthostatic proteinuria, dehydration, urinary tract infections and acute illness with fever

Glucose: Uncontrolled diabetes mellitus can lead to presence of glucose in urine. Other causes include pregnancy, hormonal disturbances, liver disease and certain medications.

Ketones: Uncontrolled diabetes mellitus can lead to presence of ketones in urine. Ketones can also be seen in starvation, frequent vomiting, pregnancy and strenuous exercise.

Blood: Occult blood can occur in urine as intact erythrocytes or haemoglobin, which can occur in various urological, nephrological and bleeding disorders.

Leukocytes: An increase in leukocytes is an indication of inflammation in urinary tract or kidneys. Most common cause is bacterial urinary tract infection.

Nitrite: Many bacteria give positive results when their number is high. Nitrite concentration during infection increases with length of time the urine specimen is retained in bladder prior to collection.

pH: The kidneys play an important role in maintaining acid base balance of the body. Conditions of the body producing acidosis/ alkalosis or ingestion of certain type of food can affect the pH of urine.

Specific gravity: Specific gravity gives an indication of how concentrated the urine is. Increased specific gravity is seen in conditions like dehydration, glycosuria and proteinuria while decreased specific gravity is seen in excessive fluid intake, renal failure and diabetes insipidus.

Bilirubin: In certain liver diseases such as biliary obstruction or hepatitis, bilirubin gets excreted in urine.

Urobilinogen: Positive results are seen in liver diseases like hepatitis and cirrhosis and in cases of hemolytic anemia

THYROID PANEL, SERUM-

Triiodothyronine T3, is a thyroid hormone. It affects almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate. Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Thyroxine T4, Thyroxine's principal function is to stimulate the metabolism of all cells and tissues in the body. Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3

Table with 3 columns: Levels in, TOTAL T4 (µg/dL), TSH3G (µIU/mL), TOTAL T3 (ng/dL). Rows include Pregnancy, First Trimester, 2nd Trimester, 3rd Trimester.

Below mentioned are the guidelines for age related reference ranges for T3 and T4.

Table with 2 columns: T3 (ng/dL), T4 (µg/dL). Rows include New Born, 1-3 day, 1 Week.

NOTE: TSH concentrations in apparently normal euthyroid subjects are known to be highly skewed, with a strong tailed distribution towards higher TSH values. This is well documented in the pediatric population including the infant age group.

Kindly note: Method specific reference ranges are appearing on the report under biological reference range.



Scan to View Details



Scan to View Report



Patient Ref. No. 3100004417415



Cert. No. MC-2396

CLIENT CODE : C000138363

CLIENT'S NAME AND ADDRESS :

ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
P S Srijan Tech Park Building, DN-52, Unit No.2, Ground Floor, Sector V,
Salt Lake,
KOLKATA, 700091
WEST BENGAL, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956
Email : customercare.saltlake@srl.in

PATIENT NAME : SUVASRIKANT NAYAK

PATIENT ID : SUVAM15089131

ACCESSION NO : 0031VF022872 AGE : 30 Years SEX : Male

DRAWN : 25/06/2022 09:59

RECEIVED : 25/06/2022 10:06

REPORTED : 28/06/2022 11:29

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status Final Results Biological Reference Interval Units

Reference:

- 1. Burtis C.A., Ashwood E. R. Bruns D.E. Teitz textbook of Clinical Chemistry and Molecular Diagnostics, 4th Edition.
2. Gowenlock A.H. Varley's Practical Clinical Biochemistry, 6th Edition.
3. Behrman R.E. Kilegman R.M., Jenson H. B. Nelson Text Book of Pediatrics, 17th Edition

STOOL: OVA & PARASITE-

Acute infective diarrhoea and gastroenteritis (diarrhoea with vomiting) are major causes of ill health and premature death in developing countries. Loss of water and electrolytes from the body can lead to severe dehydration which if untreated, can be rapidly fatal in young children, especially that are malnourished, hypoglycaemic, and generally in poor health.

Laboratory diagnosis of parasitic infection is mainly based on microscopic examination and the gross examination of the stool specimen. Depending on the nature of the parasite, the microscopic observations include the identification of cysts, ova, trophozoites, larvae or portions of adult structure. The two classes of parasites that cause human infection are the Protozoa and Helminths. The protozoan infections include amoebiasis mainly caused by Entamoeba histolytica and giardiasis caused by Giardia lamblia. The common helminthic parasites are Trichuris trichiura, Ascaris lumbricoides, Strongyloides stercoralis, Taenia sp. etc

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-

Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.

MEDICAL

HISTORY-*****
THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.



Scan to View Details



Scan to View Report



Patient Ref. No. 3100004417415



Cert. No. MC-2396

CLIENT CODE : C000138363

CLIENT'S NAME AND ADDRESS :
ACROFEMI HEALTHCARE LTD (MEDIWHEEL)
F-703, LADO SARAI, MEHRAULI
SOUTH WEST DELHI
NEW DELHI 110030
DELHI INDIA
8800465156

SRL Ltd
P S Srijan Tech Park Building, DN-52, Unit No.2, Ground Floor, Sector V,
Salt Lake,
KOLKATA, 700091
WEST BENGAL, INDIA
Tel : 9111591115, Fax :
CIN - U74899PB1995PLC045956
Email : customercare.saltlake@srl.in

PATIENT NAME : SUVASRIKANT NAYAK

PATIENT ID : SUVAM15089131

ACCESSION NO : 0031VF022872 AGE : 30 Years SEX : Male

DRAWN : 25/06/2022 09:59

RECEIVED : 25/06/2022 10:06

REPORTED : 28/06/2022 11:29

REFERRING DOCTOR : SELF

CLIENT PATIENT ID :

Test Report Status	Final	Results	Units
--------------------	-------	---------	-------

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

ULTRASOUND ABDOMEN

ULTRASOUND ABDOMEN

Small gall bladder polyp

****End Of Report****

Please visit www.srlworld.com for related Test Information for this accession
TEST MARKED WITH '*' ARE OUTSIDE THE NABL ACCREDITED SCOPE OF THE LABORATORY.

Dr. Chaitali Ray, PhD
Chief Biochemist cum MRQA

Dr. Anwesha Chatterjee, MD
Pathologist

Dr. Himadri Mondal, MD
Consultant Microbiologist

Dr. Debika Roy
MBBS Consultant Physician



Scan to View Details



Scan to View Report