



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 QN: U85110UP2003PLC193493

Patient Name	: Mrs.SHIVANI KAITHWAS	Registered On	: 26/Oct/2024 09:26:04
Age/Gender	: 36 Y 2 M 26 D / F	Collected	: 2024-10-26 12:07:32
UHID/MR NO	: ALDP.0000152956	Received	: 2024-10-26 12:07:32
Visit ID	: ALDP0283422425	Reported	: 27/Oct/2024 10:08:31
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

# DEPARTMENT OF CARDIOLOGY-ECG MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

## ECG/EKG

	1. Machnism, Rhythm		Sinus, Regular	
	2. Atrial Rate		72	/mt
	3. Ventricular Rate		72	/mt
	4. P - Wave		Normal	
	5. P R Interval		Normal	
	6. Q R S Axis : R/S Rat Configu		Normal Normal Normal	
	7. Q T c Interval		Normal	
	8. S - T Segment		Normal	
FINAL IMPRE			Normal	
		<b>-</b>    !!!  <b>^^</b>		

ECG Within Normal Limits: Sinus Rhythm. Baseline artefacts. Please correlate clinically.











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 QN: U85110UP2003PLC193493

Patient Name	: Mrs.SHIVANI KAITHWAS	Registered On	: 26/Oct/2024 09:26:03
Age/Gender	: 36 Y 2 M 26 D / F	Collected	: 26/Oct/2024 09:46:56
UHID/MR NO	: ALDP.0000152956	Received	: 26/Oct/2024 10:39:18
Visit ID	: ALDP0283422425	Reported	: 26/Oct/2024 13:33:04
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

## DEPARTMENT OF HAEM ATOLOGY

### MEDIWHEEL BANK OF BARODA FEM ALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing), Blood				
Blood Group	В			ERYTHROCYTE MAGNETIZED TECHNOLOGY/ TUBE AGGLUTINA
Rh ( Anti-D)	POSTIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY/ TUBE AGGLUTINA
Complete Blood Count (CBC), Whole Blood				
Haemoglobin	11.80	g/ dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	COLORIMETRICMETHOD (CYANIDE-FREE REAGENT)
TLC (WBC)	4,900.00	/Qu mm	4000-10000	IMPEDANCE METHOD
DLC				
Polymorphs (Neutrophils )	50.00	%	40-80	FLOW CYTOMETRY
Lymphocytes	45.00	%	20-40	FLOW CYTOMETRY
Monocytes	5.00	%	2-10	FLOW CYTOMETRY
Eosinophils	1.00	%	1-6	FLOW CYTOMETRY
Basophils <b>ESR</b>	0.00	%	<1-2	FLOW CYTOMETRY
Observed	22.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5	



80-91 Yr 15.8

Page 2 of 12







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 QN: U85110UP2003PLC193493

Patient Name	: Mrs.SHIVANI KAITHWAS	Registered On	: 26/Oct/2024 09:26:03
Age/Gender	: 36 Y 2 M 26 D / F	Collected	: 26/Oct/2024 09:46:56
UHID/MR NO	: ALDP.0000152956	Received	: 26/Oct/2024 10:39:18
Visit ID	: ALDP0283422425	Reported	: 26/Oct/2024 13:33:04
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

# DEPARTMENT OF HAEM ATOLOGY

### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Pregnancy	
			Early gestation - 48 (62	
			if anaemic) Leter gestation - 70 (95	
			if anaemic)	
Corrected	-	Mm for 1st hr.	,	
PCV (HCT)	36.00	%	40-54	
Platelet count				
Platelet Count	2.06	LACS/cumm	1.5-4.0	ELECTRONIC
				IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	15.90	fL	9-17	ELECTRONICIMPEDANCE
P-LCR (Platelet Large Cell Ratio)	-	%	35-60	ELECTRONICIMPEDANCE
PCT (Platelet Hematocrit)	0.26	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	12.60	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.32	Mill./cumm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	84.20	fl	80-100	CALCULATED PARAMETER
МОН	27.40	pg	27-32	CALCULATED PARAMETER
МОНС	32.50	%	30-38	CALCULATED PARAMETER
RDW-CV	13.40	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	45.10	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	2,450.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	49.00	/cu mm	40-440	

AS

View Reports on

Chandan 24x7 App

Dr.Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965.0532-3559261 QN: U85110UP2003PLC193493

Patient Name	: Mrs.SHIVANI KAITHWAS	Registered On	: 26/Oct/2024 09:26:03
Age/Gender	: 36 Y 2 M 26 D / F	Collected	: 26/Oct/2024 09:46:56
UHID/MR NO	: ALDP.0000152956	Received	: 26/Oct/2024 10:39:18
Visit ID	: ALDP0283422425	Reported	: 26/Oct/2024 14:34:39
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

### DEPARTMENT OF BIOCHEMISTRY

### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interva	al Method
GLUCOSE FASTING, Pasma Gucose Fasting	77.90	1	100 Normal 00-125 Pre-diabetes 126 Diabetes	GOD POD

#### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions. b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential. c) I.G.T = Impaired Glucose Tolerance.

CLINICAL SIGNIFICANCE:- Glucose is the major source of energy in the body . Lack of insulin or resistance to it section at the cellular level causes diabetes. Therefore, the blood glucose levels are very high. Elevated serum glucose levels are observed in diabetes mellitus and may be associated with pancreatitis, pituitary or thyroid dysfunction and liver disease. Hypoglycaemia occurs most frequently due to over dosage of insulin.

Glucose PP	98.90	mg/ dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	
			>200 Diabetes	

#### **Interpretation:**

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions. b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential. c) I.G.T = Impaired Glucose Tolerance.

### GLYCOSYLATED HAEM OGLOBIN (HBA1C), EDTA BLOOD

Gycosylated Haemoglobin (HbA1c)	5.20	% NGSP	HPLC (NGSP)
Gycosylated Haemoglobin (HbA1c)	33.40	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	103	mg/dl	

#### Interpretation:

#### NOTE:-

• eAG is directly related to A1c.













Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 QN: U85110UP2003PLC193493

Patient Name	: Mrs.SHIVANI KAITHWAS	Registered On	: 26/Oct/2024 09:26:03
Age/Gender	: 36 Y 2 M 26 D / F	Collected	: 26/Oct/2024 09:46:56
UHID/MR NO	: ALDP.0000152956	Received	: 26/Oct/2024 10:39:18
Visit ID	: ALDP0283422425	Reported	: 26/Oct/2024 14:34:39
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

## DEPARTMENT OF BIOCHEMISTRY

### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	

- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

\*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. \*\*Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B. : Test carried out on Automated VARIANT II TURBO HPLC Analyser.

### **Clinical Implications:**

\*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

\*With optimal control, the HbA 1c moves toward normal levels.

\*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

\*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

\*Pregnancy d. chronic renal failure. Interfering Factors:

\*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN	(Blood	Urea	Nitrogen)
Sampl	e:Serum		•

7.10

mg/dL 7.0-23.0

CALCULATED



Page 5 of 12







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 QN: U85110UP2003PLC193493

Age/Gender					
-	Mrs.SHIVANI KAITHWAS	Regis	stered On	: 26/Oct/2024 (	09:26:03
	36 Y 2 M 26 D / F	Colle		: 26/Oct/2024 (	
	ALDP.0000152956	Rece		: 26/Oct/2024	
	ALDP0283422425	Repo	rted	: 26/Oct/2024	14:34:39
	Dr. MEDIWHEEL-ARCOFEMI HEAL CARE LTD -	Statu	IS	: Final Report	
	DEPART	MENT OF E		STRY	
	MEDIWHEEL BANK	OF BAROD	AFEMAL	EABOVE 40 YRS	
Test Name	Rea	sult	Unit	Bio. Ref. Interva	l Method
Interpretation:					
Note: Elevated BUN	levels can be seen in the following	<b>;</b> •			
High-protein diet, Deh	dration, Aging, Certain medications, I	3urns, Gastroi	ntestimal (C	iI) bleeding.	
Low BUN levels can	be seen in the following:				
Low-protein diet, over	nydration, Liver disease.				
<b>Dreatinine</b> Bample:Serum	0.61	m	g/dl 0.5	5-1.20	MODIFIED JAFFES
mass will have a higher absolute creatinine con	gle creatinine value must be interpreted creatinine concentration. The trend of centration. Serum creatinine concentra y and may result in anomalous values	serum creatir ations may inc	nine concent rease when	rations over time is mo an ACE inhibitor (AC	ore important than E) is taken. The assay
<b>Jric Acid</b> Sample:Serum	3.16	mį	g/dl 2.5	i-6.0	URICASE
Interpretation: Note:- Elevated uric acid levels can be seen in the following: Drugs, Diet (high-protein diet, alcohol), Chronic kidney disease, Hypertension, Obesity.					
	<b>2D</b>		•		
FT ////ITH CAMMA 4			1/1 0	F	
•			J/L <3 J/L <4		IFOC WITHOUT P5P
SGOT / Aspartate Ami					IFCC WITHOUT PSP
SGOT / Aspartate Ami SGPT / Alanine Amino	transferase (ALT) 11.60				IFCC WITHOUT P5P OPTIMIZED SZAZING
SGOT / Aspartate Ami SGPT / Alanine Amino Gamma GT (GGT)	transferase (ALT) 11.60 8.00	IL	J/L 11-	-50	OPTIMIZED SZAZING
SGOT / Aspartate Ami SGPT / Alanine Amino	transferase (ALT) 11.60	Il gn	J/L 11- n/dl 6.2		
SGPT / Alanine Amino Gamma GT (GGT) Protein	transferase (ALT) 11.60 8.00 6.52	ll gn gn	J/L 11- n/dl 6.2 n/dl 3.4	-50 2-8.0	OPTIMIZED SZAZING BIURET









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 QN: U85110UP2003PLC193493

Patient Name	: Mrs.SHIVANI KAITHWAS	Registered On	: 26/Oct/2024 09:26:03
Age/Gender	: 36 Y 2 M 26 D / F	Collected	: 26/Oct/2024 09:46:56
UHID/MR NO	: ALDP.0000152956	Received	: 26/Oct/2024 10:39:18
Visit ID	: ALDP0283422425	Reported	: 26/Oct/2024 14:34:39
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

### DEPARTMENT OF BIOCHEMISTRY

### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	U	nit Bio. Ref. Inter	val Method
Alkaline Phosphatase (Total)	89.00	U/L	42.0-165.0	PNP/ AMP KINETIC
Bilirubin (Total)	0.42	mg/ dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.13	mg/ dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.29	mg/dl	<0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI), Serum				
Cholesterol (Total)	158.00	mg/ dl	<200 Desirable 200-239 Borderline Hi > 240 High	OHOD-PAP gh
HDL Cholesterol (Good Cholesterol)	46.10	mg/ dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	102	mg/ dl	< 100 Optimal 100-129 Nr. Optimal/ Above Optin	
			130-159 Borderline Hi 160-189 High > 190 Very High	gh
VLDL	12.22	mg/ dl	10-33	CALCULATED
Triglycerides	61.10	mg/ dl	< 150 Normal 150-199 Borderline Hi 200-499 High >500 Very High	GPO-PAP gh

AS

View Reports on

Chandan 24x7 App

Dr.Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 QN: U85110UP2003PLC193493

Patient Name	: Mrs.SHIVANI KAITHWAS	Decistered On	: 26/Oct/2024 09:26:03
Patient Name	. MIS.SHIVANI KALIHWAS	Registered On	. 26/061/2024 09.26.03
Age/Gender	: 36 Y 2 M 26 D / F	Collected	: 26/Oct/2024 16:45:04
UHID/MR NO	: ALDP.0000152956	Received	: 26/Oct/2024 17:36:36
Visit ID	: ALDP0283422425	Reported	: 26/Oct/2024 19:14:53
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

### DEPARTMENT OF CLINICAL PATHOLOGY

#### MEDIWHEEL BANK OF BARODA FEM ALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE, Urir	ne			
Color	PALEYELLOW			
Specific Gravity	1.010			
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	<10 Absent 10-40 (+) 40-200 (++) 200-500 (+++) >500 (++++)	DIPSTICK
Sugar	ABSENT	gms%	<0.5 (+) 0.5-1.0 (++) 1-2 (+++) >2 (++++)	DIPSTICK
Ketone	ABSENT	mg/ dl	Serum-0.1-3.0 Urine-0.0-14.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial œlls	1-3/h.p.f			MICROSCOPIC EXAMINATION
Pus œlls	0-2/h.p.f			
RBCs	ABSENT			MICROSCOPIC EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC EXAMINATION
Others	ABSENT			

Urine Microscopy is done on centrifuged urine sediment.



Page 8 of 12







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 QN: U85110UP2003PLC193493

Patient Name	: Mrs.SHIVANI KAITHWAS	Registered On	: 26/Oct/2024 09:26:03
Age/Gender	: 36 Y 2 M 26 D / F	Collected	: 26/Oct/2024 16:45:04
UHID/MR NO	: ALDP.0000152956	Received	: 26/Oct/2024 17:36:36
Visit ID	: ALDP0283422425	Reported	: 26/Oct/2024 19:14:53
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

## DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
SUGAR, FASTING STAGE, Urine				
Sugar, Fasting stage	ABSENT	gms%		
Interpretation:				
(+) < 0.5				
(++) 0.5-1.0				
(+++) 1-2				
(++++) > 2				
SUGAR, PP STAGE, Urine				
Sugar, PP Stage	ABSENT			
Interpretation:				
(+) < 0.5  gms%				
(++) 0.5-1.0 gms%				
(+++) 1-2 gms%				
(++++) > 2  gms%				

AS

Dr.Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 QN: U85110UP2003PLC193493

Patient Name	: Mrs.SHIVANI KAITHWAS	Registered On	: 26/Oct/2024 09:26:03
Age/Gender	: 36 Y 2 M 26 D / F	Collected	: 26/Oct/2024 09:46:56
UHID/MR NO	: ALDP.0000152956	Received	: 26/Oct/2024 10:39:18
Visit ID	: ALDP0283422425	Reported	: 26/Oct/2024 13:32:41
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

#### DEPARTMENT OF IMMUNOLOGY

#### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL, Serum				
T3, Total (tri-iodothyronine)	148.00	ng/ dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	7.53	ug/dl	3.2-12.6	ALIA
TSH (Thyroid Stimulating Hormone)	1.800	µIU/mL	0.27 - 5.5	ALD
Interpretation:				
-		0.3-4.5 μIU/m	L First Trimeste	r
		0.5-4.6 µIU/m	L Second Trime	ster
		0.8-5.2 μIU/m	L Third Trimeste	er
		0.5-8.9 μIU/m	nL Adults	55-87 Years
		0.7-27 μIU/m		28-36 Week
		2.3-13.2 μIU/m		> 37Week
		0.7-64 μIU/m		,
		1-39 μIU/		0-4 Days
		1.7-9.1 μIU/m	nL Child	2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

**3**) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

**4**) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

**5**) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

**6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

**8**) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr.Akanksha Singh (MD Pathology)

Page 10 of 12









Add: 49/19-B, Kamla Nehru Poad, Katra, Prayagraj Ph: 9235447965,0532-3559261 QN: U85110UP2003PLC193493

Patient Name	: Mrs.SHIVANI KAITHWAS	Registered On	: 26/Oct/2024 09:26:04
Age/Gender	: 36 Y 2 M 26 D / F	Collected	: 2024-10-26 10:04:00
UHID/MR NO	: ALDP.0000152956	Received	: 2024-10-26 10:04:00
Visit ID	: ALDP0283422425	Reported	: 26/Oct/2024 15:21:59
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

## DEPARTMENT OF X-RAY

# MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

### X-RAY DIGITAL CHEST PA

## <u>X-RAY REPORT</u> (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) <u>CHEST P-A VIEW</u>

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.



Dr. Aishwarya Neha (MD Radiodiagnosis



Chandan 24x7 App







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 QN: U85110UP2003PLC193493

Patient Name	: Mrs.SHIVANI KAITHWAS	Registered On	: 26/Oct/2024 09:26:04
Age/Gender	: 36 Y 2 M 26 D / F	Collected	: 2024-10-26 12:41:16
UHID/MR NO	: ALDP.0000152956	Received	: 2024-10-26 12:41:16
Visit ID	: ALDP0283422425	Reported	: 26/Oct/2024 12:47:40
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

## DEPARTMENT OF ULTRASOUND

### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

## ULTRASOUND WHOLE ABDOM EN (UPPER & LOWER)

**LIVER**: - Normal in size (14.7 cm), shape and **shows diffusely raised echotexture**. No focal lesion is seen. No intra hepatic biliary radicle dilation is seen.

**GALL BLADDER** :- Well distended. Normal wall thickness is seen. No evidence of calculus/focal mass lesion/pericholecystic fluid is seen.

**CBD** :- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

**PANCREAS:** - Head is visualised, normal in size & echopattern. No evidence of ductal dilatation or calcification is seen. Rest of the pancreas is obscured by bowel gases.

SPLEEN: - Normal in size (7.9 cm), shape and echogenicity. No evidence of mass lesion is seen.

**RIGHT KIDNEY**: - Normal in size, shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

**LEFT KIDNEY**: - Normal in size, shape and position. Cortical echogenicity is normal with maintained corticomedullary differentiation. No focal lesion or calculus is seen. Pelvicalyceal system is not dilated.

**URINARY BLADDER :-** Is adequately distended. No evidence of wall thickening/calculus is seen.

**UTERUS :-** Is normal in size (8.4 x 3.4 cm). No focal myometrial lesion is seen. Endometrium is normal in thickness 12.6 mm.


**OVARIES** :- Bilateral ovaries are normal in size, shape and echogenicity. Right ovary - 35 x 21 mm, Left ovary - 24 x 13 mm.

**ADNEXA :-** No obvious adnexal pathology is seen.

**HIGH RESOLUTION** :- No evidence of bowel loop dilatation or abnormal wall thickening is seen. No significant retroperitoneal lymphadenopathy is seen. No free fluid is seen in the abdomen/pelvis.

## **IMPRESSION** : Grade I fatty changes.

### Please correlate clinically.





08069366666

Chandan 24x7 App