




GPS Map Camera



Bhopal, Madhya Pradesh, India

636, Champion School Rd, E-7, Arera Colony, Bhopal, Madhya Pradesh 462016, India

Lat 23.205912°

Long 77.4316°

04/10/21 10:56 AM



डिवाकर डायग्नोस्टिक सेंटर

E-7/636, पंजाब नगरपालिका क्षेत्र, काठमाडौं, नेपाल (प.म.)
फोन: 0755-2465288, 0755-3520545 फा: 9826340190

Pt Name :	Mr. Sourabh Kumar Patwa
Age :	33y/M
Ref.By :	BOB
Lab. No. :	119
Date :	04/10/2021

EXAMINATION OF BLOOD

TEST	RESULT	NORMAL VALUE
Haemoglobin	15.8gms%	Female 12-16gms%, Male 14-18gms%
Red Cell count	5.0	4.5-5.6 million/cumm
Platelet Count	2.85	1.5-5.6 Lac/cumm
Leucocytes per.cu.mm	7100/cumm	5000-11000/cumm
Neutrophils	58%	50-70%
Lymphocytes	32%	20-40%
Eosinophils	06%	0-7%
Monocytes	04%	2-8%
PCV	40.1	37-47
MCV	81.5	76-96
MCH	30.5	27-32
MCHC	32.5	31-35
ESR	08	Male 0-9, Female 0-20mm/HR
S.Bilirubin(Total)	0.87	0.2-1.0mg/dl
Direct	0.32	0.0-0.25mg/dl
Indirect	0.56	
SGOT	28.5	5-35 U/L
SGPT	30.0	8-40 U/L
Alk Phosphatase	7.7	3-13 KA units
S. Protein(Total)	7.0	6.0-8.0mg%
Albumin	4.0	3.7-5.3mg%
Globulin	3.0	1.5 to 3.5 mg%
A/G Ratio	1.23	0.5-2.0
Blood Urea Nitrogen (BUN)	14.0	7-20 mg/dl
S.Creatinine	1.0	0.5-1.4mg/dl
S. Uric Acid	5.2	3.5-7.5mg%
Serum Calcium	9.2	8.8-10.2mg/dl
GGTP	33.2	5-35 UL/dl
HIV 1&2	Negative	By Elisa method
HbsAg	Negative	By Card method
Fasting Blood Sugar	81.5	70 to 110 mg%
Post Prandial Blood Sugar	123.5	110 to 150mg%
Total Serum Cholesterol	169.8	100-250 mg%
Serum Triglyceride	139.6	Up to 150 mg%
Serum Cholesterol HDL	48.0	Up to 65 mg%
Serum Cholesterol LDL	93.8	Up to 125 mg%
VLDL	27.9	Up to 30 mg%
TC/HDL Ratio	3.25	Bellow 5
Glycosylated Hemoglobin	5.6	Below - 6.0 % -Non Diabetic control 6-7 % -Excellent control Above- 8 % -Poor control

All test have technical limitation. Collaborative clinic pathological interpretation is mandatory. In case of disparity test may be repeated immediately. Typographical mistakes should be get correct instantly. This report is not valid for medico legal purpose.

Dr. B. M. Agarwal
MBBS, DCP
Pathologist
Consultant Pathologist



डिवाकर डायग्नोस्टिक सेंटर

E-7/636, पंजाब नेशनल बँक के पास, मन रोड, असेा कॉलोनी शोपाल (म.प्र.)
फोन: 0755-2465288, 0755-3520545 फॉ: 9826340190



76

सौरभ कुमार पट्टा
Saurabh Kumar Patwa
जन्म वर्ष / Year of Birth : 1988
पुरुष / Male



9579 3149 4124

आधार - आम आदमी का अधिकार

B. M. Agary
MBBS
Consultant Paat



मॉडल टेस्ट
12/11/21

डिवाकर डायग्नोस्टिक सेंटर

E-7/636, पंजाब नगर बॉक के पास, मंग रोड, अरु कोलोनी थापाल (म.प्र.)

फोन: 0755-2465288, 0755-3520545 मो: 9826340190



Pt Name :	Mr. Sourabh Kumar Patwa
Age :	33y/M
Ref.By :	BOB
Lab. No. :	119
Date :	04/10/2021

EXAMINATION OF BLOOD

Thyroid profile, Total (T3T4TSH)

TEST	RESULT	NORMAL VALUE
T3-Total	88.2	82-213 ng/dL
T4-Total	6.68	6.09-12.23ug/dL
THYROID STIMULATING HORMONE (TSH)	2.10	0.45-4.25ul/mL



Dr. B. M. Agarwal
MBBS, DCP
Pathologist
Consultant Pathologist

All test have technical limitation. Collaborative clinic pathological interpretation is mandatory. In case of disparity test may be repeated immediately. Typographic mistakes should be get correct instantly. This report is not valid for medico legal purpose

डिवाकर डायग्नोस्टिक सेंटर

E-7/636, पंचाल चैतन्य बँक के पास, धन रोड, अरुण कॉलोनी भापाल (म.प्र.)
 फोन: 0755-2465288, 0755-3520545 फॉ: 9826340190



Pt Name :	Mr. Sourabh Kumar Patwa
Age :	33y/M
Ref.By :	BOB
Lab. No. :	119
Date :	04/10/2021

URINE ANALYSIS

A. PHYSICAL EXAMINATION		C. MICROSCOPIC EXAMINATION	
1. Colour	Yellow	Pus Cells	3-4/HPF
2. Appearance	Clear	R.B.C.	Nil
3. Specific Gravity	Q.N.S.	Epithelial Cell	1-2/HPF
B. CHEMICAL EXAMINATION		Cast	Nil
1. Reaction	Acidic	Crystals(Cal.Oxa)	Nil
2. Albumin	Absent	Bacteria	Nil
3. Sugar	Nil	Amorphous	Nil
4. Bile Salts	Absent	T. Vaginitis	Nil

URINE COTININE	Negative	By Card method
----------------	----------	----------------



Dr. B. M. Agarwal
 MBBS, DCP
 Consultant Pathologist

All test have technical limitation. Collaborative clinic pathological interpretation is mandatory. In case of disparity test may be repeated immediately. Typographic mistakes should be get correct instantly. This report is not valid for medico legal purpose



Pt Name :	Mr. Sourabh Kumar Patwa
Age :	33y/M
Ref.By :	BOB
Lab.No. :	119
Date :	04/10/2021
Skigram	X Ray Chest PA View
Radiologist	Dr. B.M.Agarwal MD (Radiology)

REPORT

Tricia Central

Thoracic cage normal

Both Lungs Field Clear.

Both hilers normal

Cardiac border normal

Both cp angles clear

Both domes and diaphragm normal

IMPRESSION

-NO CARDIO PULMONARY PATHOLOGY
-CORRELATE WITH CLINICAL FINDINGS.



Dr. B. M. Agarwal
MD, Radiology
Consultant Radiologist
Radiologist



Pt Name :	Mr. Sourabh Kumar Patwa
Age :	33y/M
Ref.By :	BOB
Lab.No. :	119
Date :	04/10/2021

EXAMINATION OF BLOOD

TEST	RESULT	NORMAL VALUE
PSA	4.90 ng/ml.	0.21-6.77 ng/ml.




Dr. B. M. Agarwal
MBBS, DCP
Consultant Pathologist

All test have technical limitation. Collaborative clinic pathological interpretation is mandatory. In case of disparity test may be repeated immediately. Typographic mistakes should be get correct instantly. This report is not valid for medico legal purpose

Allengers Global Healthcare Pvt Ltd.
98 / MR. SAURABH KUMAR PATWA / 33 Yrs / M / 164Cms. / 79Kgs.
Heart Rate : 100 bpm / Tested On : 04-Oct-21 13:47:21 / HF 0.05 Hz - LF 100 Hz / Notch 50 Hz / Sn 1.00 Cm/mV / Sw 25 mm/s
/ Refd By: BOB

ECG



Allengers ECG (Piscas)(PIS213180317)

Handwritten signature



Report :

TEST OBJECTIVE : ROUTINE CHECK UP
RISK FACTOR : MALE
ACTIVITY : MODERATE ACTIVE
OTHER INVESTIGATION : ROUTINE BLOOD INVESTIGATION, X RAY
REASON FOR TERMINATION : FATIGUE, HEART RATE ACHIEVED
EXERCISE TOLERANCE : AVERAGE
EXERCISE INDUCED ARRHYTHMIAS : NO
HAEMODYNAMIC RESPONSE : NORMAL
CHRONOTROPIC RESPONSE : NORMAL
FINAL IMPRESSION : STRESS TEST IS NEGATIVE FOR EXERCISE INDUCED ISCHAEMIC HEART DISEASE



Doctor : Cardiologist

437 / MR. SOURABH KUMAR PATWA / 33 Yrs / M / 164 Cms / 79 Kg Date: 04-Oct-2021 Refd By : BOB

(GEM213180307/R)Allengers

Stage	Time	Duration	Belt Speed (mph)	Elevation	METs	Rate	%THR Achieved	BP	RPP	PVC	Comments
Supine	00:29	0:01	00.0	00.0	01.0	101	54 %	130/80	131	00	
Standing	00:38	0:01	00.0	00.0	01.0	96	51 %	130/80	124	00	
HV	00:45	0:01	00.0	00.0	01.0	100	53 %	130/80	130	00	
Warm Up	00:58	0:03	01.7	10.0	01.1	101	54 %	130/80	131	00	
ExStart	01:01	0:06	01.7	10.0	01.1	101	54 %	130/80	131	00	
BRUCE Stage 1	04:01	3:00	01.7	10.0	04.7	142	76 %	140/90	198	00	
BRUCE Stage 2	07:01	3:00	02.5	12.0	07.1	166	89 %	150/90	249	00	
PeakEx	07:28	0:27	03.4	14.0	07.6	169	90 %	150/90	253	00	
Recovery	08:27	1:00	00.0	00.0	01.2	144	77 %	140/90	201	00	
Recovery	09:27	2:00	00.0	00.0	01.0	126	67 %	130/80	163	00	
Recovery	09:37	2:09	00.0	00.0	01.0	121	65 %	130/80	157	00	

Findings :

Exercise Time : 06:28
 Max HR Attained : 169 bpm 90% of Target 187
 Max BP Attained : (Sys) 150/90
 Max Workload Attained : 7.6 Fair response to induced stress
 Test End Reasons : Fatigue, Heart Rate Achieved

Doctor : Cardiologist





437/MR. SOURABH KUMAR PATWA / 33 Yrs / M / 164 Cms / 79 Kg / HR : 101

Date: 04-Oct-2021 01:49:02 PM METS: 1.0/101 bpm 54% of THR BP: 130/80 mmHg Raw ECG/ BLC On/ Natch On/ HF 0.05 Hz/LF 20 Hz

ExTime: 00:28 0.0 mph, 0.0%

4X 80 mS Post J

25 mm/Sec. 1.0 Cm/mV



REMARKS:

437/MR. SOURABH KUMAR PATWA / 33 Yrs/M / 164 Cms / 79 Kg / HR : 96






Date: 04-Oct-2021 01:49:02 PM

METS: 1.0/96 bpm 51% of THR BP: 130/80 mmHg Raw ECG/ BLC On/ Natch On/ HF 0.05 Hz/LF 20 Hz

EXTime: 00:37 0.0 mph, 0.0%

4X 70 ms Post J

25 mm/Sec. 1.0 Cm/mV



REMARKS:

4371/MR. SOURABH KUMAR PATWA / 33 Yrs / M / 164 Cms / 79 Kg / HR : 100


Date: 04-Oct-2021 01:49:02 PM

METS: 1.0/100 bpm 53% of THR BP: 130/80 mmHg Raw ECG/ BLC On/ Natch On/ HF 0.05 Hz/LF 20 Hz

ExTime: 00:44 0.0 mph, 0.0%

25 mm/Sec. 1.0 Cm/mV

4X 70 mS Post J




REMARKS:

437 / MR. SOURABH KUMAR PATWA / 33 Yrs / M / 164 Cms / 79 Kg / HR : 111

Date: 04-Oct-2021 01:49:02 PM METS: 1.0/111 bpm 59% of THR BP: 130/80 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 20 Hz

4X 80 ms Post J STL 1.5 STS 1.3 V1 -1.3 -1.1 V2 1.1 1.5 V3 2.5 2.1 V4 2.4 2.0 V5 2.1 1.7 V6 2.0 1.5



Lead	STL	STS
I	1.5	1.3
II	3.6	2.9
III	2.1	1.5
aVR	-2.6	-0.1
aVL	-0.3	-0.1
aVF	2.9	2.3
V1	-1.3	-1.1
V2	1.1	1.5
V3	2.5	2.1
V4	2.4	2.0
V5	2.1	1.7
V6	2.0	1.5

REMARKS:




437/MR. SOURABH KUMAR PATWA /33 Yrs/M/164 Cms/79 Kg/HR: 111

Date: 04-Oct-2021 01:49:02 PM METS: 1.0/111 bpm 59% of THR BP: 130/80 mmHg Raw ECG/BLC On/ Natch On/ HF 0.05 Hz/LF 20 Hz

ExTime: 00:00 0.0 mph, 0.0%

4X 80 MS Post J


25 mm/Sec 1.0 Cm/mV




I
STL 1.5
STS 1.3




II
36
29




III
21
15




aVR
-2.6
-2.1



aVL
-0.3
-0.1



aVF
2.9
2.3



REMARKS:




437 / MR. SOURABH KUMAR PATWA / 33 Yrs / M / 164 Cms / 79 Kg / HR : 142

Date: 04-Oct-2021 01:49:02 PM METS: 4.7 / 142 bpm 75% of THR BP: 140/90 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/ LF 20 Hz

EXTime: 03:00 1.7 mph, 10.0%

4X 60 mS Post J

25 mm/Sec 1.0 Cm/mV



REMARKS:



437/MR: SOURABH KUMAR PATWA / 33 Yrs / M / 164 Cms / 79 Kg / HR : 166


Date: 04-Oct-2021 01:49:02 PM

METS: 7.1 / 166 bpm 88% of THR

BP: 150/90 mmHg

Raw ECG/BLC On/Naich On/HF 0.05 Hz/LF 20 Hz

ExTime: 06:00 2.5 mph. 12.0%



437/MR. SOURABH KUMAR PATWA /33 Yrs/M /164 Cms/ 79 Kg/HR : 169

Date: 04-Oct-2021 01:49:02 PM


METS: 7.6/169 bpm 90% of THR BP: 150/90 mmHg Raw ECG/ BLC On/Notch On/HF 0.05 Hz/LF 20 Hz

ExTime: 06:27 3.4 mph, 14.0%

4X

50 mS Post J

25 mm/Sec. 1.0 Cm/mV



437/MR. SOURABH KUMAR PATWA / 33 Yrs / M / 164 Cms / 79 Kg / HR . 144

Date: 04-Oct-2021 01:49:02 PM


METS: 1.1/1.144 bpm 77% of THR

BP: 140/90 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/LF 20 Hz

EXTime: 06:27 0.0 mph, 0.0%

4X 60 mS Post J


25 mm/Sec. 1.0 Cm/mV




I
STL 0.5
STS 3.2



V1
-0.9
-5.3



II
1.9
9.1




V2
-0.1
0.6



III
1.4
5.8




V3
1.1
6.4



aVR
-1.2
-6.2




V4
1.1
6.1



aVL
-0.5
-1.4





V5
1.0
5.3



aVF
1.6
7.4



V6
0.9
4.4



REMARKS:





437 / MR. SOURABH KUMAR PATWA / 33 Yrs / M / 164 Cms / 79 Kg / HR : 126

Date: 04-Oct-2021 01:49:02 PM METS: 1.0/126 bpm 67% of THR BP: 130/80 mmHg Raw ECG/ BLC On/ Notch On/ HF 0.05 Hz/ LF 20 Hz

ExTime: 06:27 0.0 mph, 0.0%

4X 70 ms Post J

25 mm/Sec. 1.0 Cm/mV



REMARKS: